

NOT MEASUREMENT SENSITIVE

MIL-PRF-22097H
SUPPLEMENT 1
31 August 2000

PERFORMANCE SPECIFICATION

RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE) GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-PRF-22097H, dated 31 August 2000.

ASSOCIATED SPECIFICATIONS

MIL-PRF-22097/1	-	Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ11. INACTIVE FOR NEW DESIGN.
MIL-PRF-22097/2	-	Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ12.
MIL-PRF-22097/3	-	Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ22. INACTIVE FOR NEW DESIGN.
MIL-PRF-22097/4	-	Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ24. INACTIVE FOR NEW DESIGN EXCEPT FOR TERMINAL TYPE - L.
MIL-PRF-22097/5	-	Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ26. INACTIVE FOR NEW DESIGN.
MIL-PRF-22097/6	-	Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ50. INACTIVE FOR NEW DESIGN.

Preparing activity:
DLA – CC

(Project 5905-1582-99)