

MIL-C-17605C(SH)  
AMENDMENT 1  
16 March 1982

MILITARY SPECIFICATION

CHARCOAL, ACTIVATED, UNIMPREGNATED

This amendment forms a part of Military Specification MIL-C-17605C(SH), dated 13 February 1980, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Delete and substitute:

"2.1 Government documents.

"2.1.1 Specifications and standards. Unless otherwise specified, the following specification and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein."

PAGE 2

Top of page: Add new paragraph:

"2.1.2 Other Government drawings. The following other Government drawing, forms a part of this specification to the extent specified herein."

Top of page: Delete and substitute "(Copies of" paragraph:

"(Copies of specifications and standards required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

2.2, lines 1 through 4: Delete and substitute:

"2.2 Other publications. The following documents form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable."

2.2: Under "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)" line 6, delete "Charcoal" and substitute "Carbon" and line 7, add "DoD adopted"

FSC 6810

MIL-C-17605(SH)  
AMENDMENT 1

2.2, last paragraph: Delete and substitute:

"(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)"

2.3: Add as new paragraph:

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

PAGE 3

4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

PAGE 4

4.3.2: Last line, after "nominal" add ", AQL 1.5".

PAGE 6

4.6.1.2, line 1: Delete "cm" and substitute "mm".

4.6.1.3, line 8: After "manometer", add "(or equivalent)".

PAGE 8

4.6.1.6, line 17: Delete "0.0 mg  $\pm$  0.5 mg" and substitute "less than 0.5 g  $\pm$  0.5 mg."

4.6.1.7, line 3: After "analyzer", add "and a strip chart recorder".

4.6.1.7, line 4: After "tetrachloride", delete "to pinpoint the time of breakthrough".

4.6.1.7, line 6: Add as last sentence "The area under the curve shall be equivalent to 0.5 g  $\pm$  5 mg."

PAGE 10

4.7: Delete and substitute title "Inspection of packaging."

MIL-C-17605C(SH)  
AMENDMENT 1

PAGE 12

## 6.2.2: Delete and substitute:

"6.2.2 Data requirements. When this specification is used in an acquisition which incorporates a DD Form 1423, Contract Data Requirements List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions of DAR 7-104.9 (n) (2) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification is cited in the following paragraph.

<u>Paragraph no.</u>	<u>Data requirements title</u>	<u>Applicable DID no.</u>	<u>Option</u>
4.5.2	Reports, test	DI-T-2072	10.1.b

(Data item descriptions related to this specification, and identified in section 6 will be approved and listed as such in DoD 5000.19L., Vol. II, AMSDL. Copies of data item descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer.)"

Preparing activity:  
Navy - SH  
(Project 6810-NB43)