

MIL-C-26482G
 SUPPLEMENT 1
 5 SEPTEMBER 1975

MILITARY SPECIFICATION

CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE,
 QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS,
 GENERAL SPECIFICATION FOR

This supplement forms a part of Military Specifi-
 cation MIL-C-26482G, dated 5 September 1975.

MS STANDARDS

CONNECTORS, SOLDER CONTACT, BAYONET COUPLING (SERIES 1)

- MS3110 - Connectors, Receptacle, Electric, Series 1, Solder Type, Wall Mounting, Flange, Bayonet Coupling.
- MS3111 - Connectors, Plug, Electric, Series 1, Solder Type, Cable Connecting, Bayonet Coupling.
- MS3112 - Connectors, Receptacle, Electric, Series 1, Box Mounting Flange, Bayonet Coupling, Solder Contact.
- MS3113 - Connectors, Receptacle, Electric, Series 1, Solder Type, Solder Mounting, Bayonet Coupling
- MS3114 - Connectors, Receptacle, Electric, Series 1, Solder Type, Jam Nut Mounting, Bayonet Coupling.
- MS3115 - Connectors, Receptacle, Electric, Series 1, Dummy Stowage, Bayonet Coupling.
- MS3116 - Connectors, Plug, Electric, Series 1, Solder Type, Straight, Bayonet Coupling.
- MS3119 - Connectors, Receptacle, Electric, Series 1, Thru-Bulkhead Mounting, Flange, Bayonet Coupling.

CONNECTORS, CRIMP CONTACT, BAYONET COUPLING (SERIES 1)

- MS3120 - Connectors, Receptacle, Electric, Series 1, Crimp-Type, Wall Mounting, Flange, Bayonet Coupling.
- MS3121 - Connectors, Plug, Electric, Series 1, Crimp Type, Cable - Connecting, Bayonet Coupling.
- MS3122 - Connectors, Receptacle, Electric, Series 1, Crimp-Type, Box Mounting, Flange, Bayonet Coupling.
- MS3124 - Connectors, Receptacle, Electric, Series 1, Crimp-Type, Rear Mounting Jam Nut, Bayonet Coupling
- MS3126 - Connectors, Plug, Electric, Series 1, Crimp-Type, Straight, Bayonet Coupling.
- MS3127 - Connectors, Receptacle, Electric, Series 1, Crimp-Type, Box Mounting, Flange, Bayonet Coupling.
- MS3128 - Connectors, Receptacle, Electric, Series 1, Crimp-Type, Wall Mounting, Flange, Bayonet Coupling.

CONNECTORS, BAYONET COUPLING (SERIES 2) (MIL-C-83723)

- MIL-C-83723/1 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Narrow Flange Mount, Bayonet Coupling, Crimp Socket Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3470.
- MIL-C-83723/2 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Narrow Flange Mount, Bayonet Coupling, Crimp Pin Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3470.

MIL-C-26482G
SUPPLEMENT 1

CONNECTORS, BAYONET COUPLING (SERIES 2) (MIL-C-83723) - Continued

- MIL-C-83723/3 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wide Flange Mount, Bayonet Coupling, Crimp Socket Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3472.
- MIL-C-83723/4 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wide Flange Mount, Bayonet Coupling, Crimp Pin Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3472.
- MIL-C-83723/5 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Single Hole Mount, Bayonet Coupling, Crimp Socket Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3474
- MIL-C-83723/6 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Single Hole Mount, Bayonet Coupling, Crimp Pin Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3474.
- MIL-C-83723/7 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Cable Connecting, Bayonet Coupling, Crimp Socket Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3471.
- MIL-C-83723/8 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Cable Connecting, Bayonet Coupling, Crimp Pin Contact), (Series I, Classes G and R). INACTIVE SUPERSEDED BY MS3471.
- MIL-C-83723/9 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Narrow Flange Mount, Bayonet Coupling, Solder Pin Contact), (Series I, Class H). INACTIVE. SUPERSEDED BY MS3440.
- MIL-C-83723/10 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wide Flange Mount, Bayonet Coupling, Solder Pin Contact), (Series I, Class H). INACTIVE. SUPERSEDED BY MS3442.
- MIL-C-83723/11 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Solder, Flange Mount, Bayonet Coupling, Solder Pin Contact), (Series I, Class H). INACTIVE SUPERSEDED BY MS3443.
- MIL-C-83723/12 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Single Hole Mount, Bayonet Coupling), (Series I, Class H) INACTIVE SUPERSEDED BY MS3449
- MIL-C-83723/13 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (Bayonet Coupling, Crimp Socket Contact), (Series I, Classes G and R) INACTIVE SUPERSEDED BY MS3476.
- MIL-C-83723/14 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (Bayonet Coupling, Crimp Pin Contact), (Series I, Classes G and R). INACTIVE SUPERSEDED BY MS3476
- MIL-C-83723/36 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (Bayonet Coupling, Prewired Pin Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)). INACTIVE NO SUPERSEDING DOCUMENT.
- MIL-C-83723/37 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (Bayonet Coupling, Prewired, Socket Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)) INACTIVE NO SUPERSEDING DOCUMENT.
- MIL-C-83723/38 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Narrow Flange Mount, Bayonet Coupling, Prewired Pin Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)) INACTIVE NO SUPERSEDING DOCUMENT.
- MIL-C-83723/39 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Narrow Flange Mount, Bayonet Coupling, Prewired Socket Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)). INACTIVE NO SUPERSEDING DOCUMENT.
- MIL-C-83723/40 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wide Flange Mount, Bayonet Coupling, Prewired Pin Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)) INACTIVE NO SUPERSEDING DOCUMENT

CONNECTORS, BAYONET COUPLING (SERIES 2) (MIL-C-83723) - Continued

- MIL-C-83723/41 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Wide Flange Mount, Bayonet Coupling, Prewired Socket Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)). INACTIVE. NO SUPERSEDING DOCUMENT.
- MIL-C-83723/42 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (RFI Grounding, Bayonet Coupling, Crimp Pin Contact), (Series I, Classes G and R). INACTIVE. SUPERSEDED BY MS3475.
- MIL-C-83723/43 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (RFI Grounding, Bayonet Coupling, Crimp Socket Contact), (Series I, Classes G and R). INACTIVE SUPERSEDED BY MS3475.
- MIL-C-83723/44 - Connectors, Electrical, (Circular, Environment Resisting), Cap for Receptacle, (Bayonet Coupling), (Series I, Shell Size 8 Through 24).
- MIL-C-83723/45 - Connectors, Electrical, (Circular, Environment Resisting), Receptacle, Dummy, (Bayonet Coupling), (Series I, Shell Sizes 8 Through 24).
- MIL-C-83723/46 - Connectors, Electrical, (Circular, Environment Resisting), Cap for Plug, (Bayonet Coupling), (Series I, Shell Sizes 8 Through 24).
- MIL-C-83723/48 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (RFI Grounding, Bayonet Coupling, Prewired Pin Contact), (Series I, Classes G and R, (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)). INACTIVE. NO SUPERSEDING DOCUMENT.
- MIL-C-83723/49 - Connectors, Electrical, (Circular, Environment Resisting), Plug, (RFI Grounding, Bayonet Coupling, Prewired Socket Contact), (Series I, Classes G and R (Shell Size 8 for Inserts 8-2, 8-3, and 8-4 Only)) INACTIVE NO SUPERSEDING DOCUMENT.

CONNECTORS, CRIMP CONTACT, BAYONET COUPLING (SERIES 2)

- MS3470 - Connectors, Receptacle, Electrical, Series 2, Crimp Type, Narrow Flange Mount, Bayonet Coupling, Classes L and A.
- MS3471 - Connectors, Receptacle, Electric, Series 2, Crimp Type, Cable Connecting, Bayonet Coupling, Classes L and A.
- MS3472 - Connectors, Receptacle, Electric, Series 2, Crimp Type, Wide Flange Mounting, Bayonet Coupling, Classes L and A
- MS3473 - Connectors, Receptacle, Electric, Hermetic, Solderless Solder Mounting, Bayonet Coupling, Class N
- MS3474 - Connectors, Receptacle, Electric, Series 2, Crimp Type, Rear Mounting Jam Nut, Bayonet Coupling, Classes L and A.
- MS3475 - Connectors, Plug, RFI Shielded, Electric, Series 2, Crimp Type, Bayonet Coupling, Classes L and A
- MS3476 - Connectors, Plug, Electric, Series 2, Crimp Type, Bayonet Coupling, Classes L and A.
- MS3477 - Connectors, Receptacle, Electric, Series 2, Hermetic, Solderless, Box Mounting, Bayonet Coupling, Class N.
- MS3479 - Connectors, Receptacle, Electric, Series 2, Hermetic, Solderless, Rear Mounting, Jam Nut, Bayonet Coupling, Class N.

CONNECTORS, SOLDER CONTACT, BAYONET COUPLING (SERIES 2)

- MS3440 - Connectors, Receptacle, Electric, Series 2, Narrow Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H
- MS3442 - Connectors, Receptacle, Electric, Series 2, Wide Flange Mounting, Bayonet Coupling, Solder Pin Contact, Class H.
- MS3443 - Connectors, Receptacle, Electric, Series 2, Solder Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H
- MS3449 - Connectors, Receptacle, Electric, Series 2, Single Hole Mount, Bayonet Coupling, Solder Pin Contact, Class H.

MIL-C-26482G
SUPPLEMENT 1

CONNECTOR ACCESSORIES

MS3152	- Strain Relief, Straight.
MS3153	- Strain Relief, 45°.
MS3154	- Strain Relief, 90°.
MS3158	- Backshells For Heat-Shrinkable Boots.
MS3180	- Cover, Protective, Electric Connector Plug, Bayonet Coupling.
MS3181	- Cover, Protective, Electric Connector Receptacle, Bayonet Coupling.
MS3184	- Adapter for Rear Mounting, Jam Nut, MIL-C-26482 Electric Connectors.
MS3186	- Nut, Plain Slotted, Hexagon, Connector Mounting.
MS3416	- Straight Backshell.
MS3417	- Straight Strain Relief Clamp.
MS3418	- 90° Strain Relief Clamp.
MS3419	- RFI Backshell.

The following documents provide design details required for the fabrication of products in accordance with MIL-C-26482:

MS3109	- Boots, Heat-Shrinkable, Strain-Relief, Straight.
MS3117	- Boots, Heat-Shrinkable, Strain-Relief, Right Angle.
MS3155	- Connector, Electric, Rear Accessory, Design Standard.
MS3161	- Ring, Shield Crimp, For MS3419 Backshell.
MS3187	- Plug, Sealing, For MIL-C-26482 and MIL-C-81703(NAVY) Electric Connectors.
MS3447	- Tool, Insert-Extract, Wired Contact, Electric Connector, Size 20, 16, and 12.
MS3448	- Tool, Extract, Unwired Contact, Electric Connector, Size 20, 16, and 12.
MS3481	- Tool, Connector Assembly; For MIL-C-26482 Connectors.
MS90376	- Caps, Dust, Plastic, Electric Connectors.
MIL-S10-1669	- Insert Arrangements for MIL-C-26482 and MIL-C-83723, Series I, Electric Circular Connectors.

Custodians:
Army - EL
Navy - AS
Air Force - 85

Review activities:
Navy - EC
DSA - ES

Preparing activity:
Navy - AS

Agent:
DSA - ES

(Project 5935-1947-37)