

MILITARY SPECIFICATION

CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE
STYLES, MULTIPLE REMOVABLE TERMINI
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-C-28876C, dated 18 November 1988

SPECIFICATION SHEETS

- MIL-C-28876/1 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Wall Mounting, Without Strain Relief, Environment Resisting.
- MIL-C-28876/2 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Wall Mounting, With Straight Strain Relief, Environment Resisting.
- MIL-C-28876/3 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Wall Mounting, With 45° Strain Relief, Environment Resisting.
- MIL-C-28876/4 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Wall Mounting, With 90° Strain Relief, Environment Resisting.
- MIL-C-28876/5 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, With Straight Strain Relief, Environment Resisting.
- MIL-C-28876/6 - Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Termini, Screw Threads, Without Strain Relief, Environment Resisting.
- MIL-C-28876/7 - Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Termini, Screw Threads, With Straight Strain Relief, Environment Resisting.
- MIL-C-28876/8 - Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Termini, Screw Threads, With 45° Strain Relief, Environment Resisting.
- MIL-C-28876/9 - Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Termini, Screw Threads, With 90° Strain Relief, Environment Resisting.
- MIL-C-28876/10 - Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Termini, Dust Cover, Screw Threads, Environment Resisting.
- MIL-C-28876/11 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Jamnut Mounting, Without Strain Relief, Environment Resisting.
- MIL-C-28876/12 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Jamnut Mounting, With Straight Strain Relief, Environment Resisting.

MIL-C-28876C
SUPPLEMENT 1

- MIL-C-28876/13 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Receptacle, Screw Threads, Jamnut Mounting, With 45° Strain Relief, Environment Resisting.
- MIL-C-28876/14 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Jamnut Mounting, With 90° Strain Relief, Environment Resisting.
- MIL-C-28876/15 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Dust Cover, Environment Resisting.
- MIL-C-28876/16 - Canceled, replaced by MIL-T-29504/1.
- MIL-C-28876/17 - Canceled, replaced by MIL-T-29504/2.
- MIL-C-28876/18 - Canceled, replaced by MIL-T-29504/3.
- MIL-C-28876/19 - Canceled, replaced by MIL-I-81969/46.
- MIL-C-28876/20 - Canceled, replaced by MIL-I-81969/47.
- MIL-C-28876/21 - Canceled, replaced by MIL-I-81969/48.
- MIL-C-28876/22 - Canceled, replaced by MIL-T-83523/6.
- MIL-C-28876/23 - Canceled, replaced by MIL-T-83523/5.
- MIL-C-28876/24 - Canceled, replaced by MIL-T-83523/7.
- MIL-C-28876/25 - Canceled, replaced by MIL-T-83523/8.
- MIL-C-28876/26 - Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Wall Mounting, With Short Straight Backshell, Non-Environment.
- MIL-C-28876/27 - Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Straight Backshell, Screw Threads, With Strain Relief, Environment Resisting.
- MIL-C-28876/28 - Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, 45° Backshell, Screw Threads, With Strain Relief, Environment Resisting.
- MIL-C-28876/29 - Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, 90° Backshell, Screw Threads, With Strain Relief, Environment Resisting.

Preparing activity:
Navy - EC

(Project 6060-0066-99)