

INCH POUND

MIL-C-55116B

AMENDMENT 1

2 May 1990

MILITARY SPECIFICATION

CONNECTORS, MINIATURE AUDIO, FIVE PIN AND SIX PIN

GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-C-55116B, dated 31 July 87, and is approved for use by the Department of the Army and is available for use by all Departments and Agencies of the Department of Defense

PAGE 3

Paragraph 2 1 1

Delete 'PPP-B-566' 'PPP-B-601' 'PPP-B-621' 'PPP-B-636'
 'PPP-B-640' 'PPP-B-676' 'MIL-P-116' 'MIL-B-3959'
 'MIL-STD-129'

PAGE 5

Paragraph 3 3 3 1, line 3

Delete ' .Nickel per QQ-N-290 CLASS 1 Grade C (001)'

Substitute ' .Nickel per QQ-N-290 Minimum Thickness 0001 inch '

Paragraph 3 3 3 2, line 3

Delete ' Type 303 '

Substitute '... Type 304, Cond. B, hardened per QQ-S-763 or Type
 303 '

Paragraph 3.3.3.2.1, line 2

Delete ' . shall be heat treated stainless steel type 304, Cond
 H, per ASTM A582 '

Substitute ' shall be hardened stainless steel type 304, Cond B,
 per QQ-S-763, or heat treated stainless steel type 416,
 Cond H, per ASTM A582 '

AMSC N/A

1 of 3

FSC 5935

Distribution statement A Approved for public release, distribution is
 unlimited.

MIL-C-55116B
AMENDMENT 1

PAGE 5 (Continued)

Paragraph 3 3 3 3, line 3

Delete · Class 3 ·

Substitute · Class 3 or Class 4 ·

PAGE 10

Paragraph 4 2d

Delete in its entirety

PAGES 22,23

Paragraph 4 12

Delete in its entirety

PAGE 22

Paragraph 5.1

Delete in its entirety

Substitute 'Packaging requirements The packaging requirements for
the desired level(s) of protection shall be as specified
by the acquisition activity (see 6 2) ·

PAGE 24

Paragraph 6.2c

Delete in its entirety

Substitute 'c Levels of preservation and packaging (see section 5)

PAGE 25

Paragraph 6 8

Delete in its entirety


Paragraph 6 9

Delete in its entirety

MIL-C-55116B
AMENDMENT 1

PAGE 29

FIGURE 3: ADD SIDE VIEW TO PICTORIAL VIEW



Custodian
Army - CR

Preparing Activity
Army - CR
(Project Number 5935 - A347)