

MIL-C-6985B
 AMENDMENT 4
2 FEBRUARY 1987
 SUPERSEDING
 AMENDMENT 3
 14 Feb 1979

MILITARY SPECIFICATION

CLAMP, HOSE

This amendment forms a part of Military Specification MIL-C-6985B dated 2 Mar 1966, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

*2.1: Under SPECIFICATIONS, Federal, add:

WW-T-700/4 Tub, Aluminum Alloy, Drawn, Seamless, 5052.

*2.1: Under SPECIFICATIONS, Federal, delete:

QQ-Z-325 Zinc Coating Electrodeposited, Requirements for.

*At bottom of add:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio Air Logistics Center, Kelly AFB, TX 78241 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

PAGE 2

*2.1: Under STANDARDS, Air Force - Navy Aeronautical Standards, delete:

AND10106 Tubing, Standards Sizes for Aluminum Alloy (5250) Round.

2.2 : Delete and substitute:

*2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM B 633 Electrodeposited Coatings of Zinc on Iron and Steel.

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-C-6985B
AMENDMENT 4

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

NATIONAL BUREAU OF STANDARDS

Handbook H28 Screw Thread for Federal Services

(Application for copies should be addressed to the Superintendent of Documents, Government Printing Office, Washington, DC 20025.)

Add:

*2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

PAGE 3

Add:

3.2.1.1 Reclaimed materials. The use of reclaimed materials shall be encouraged to the maximum extent possible.

3.3.4, line 2: After "thumb type" add "or slotted hex head."

PAGE 4

3.5: Delete and substitute:

"3.5 Finish. All noncorrosion resistant parts shall be plated in accordance with QQ-P-416, class 3, type 1, or ASTM B 633, SC3. Type II."

PAGE 8

*4.6.5, third line, delete "AND10106" and substitute "WW-T-700/4."

PAGE 12

*6.3, fourth and fifth line, delete: "MOAMA (MONEB) Brookley AFB, Ala 33615" and substitute "SA-ALC/MMEDO, Kelly AFB, TX 78241."

Add:

*6.5 Subject term (key word) listing.

Adapter, hose to pipe thread
Clamp, hose
Connection assembly, flexible,
Fluids, standard design of
Tubing, standard sizes for
Aluminum alloy round

MIL-C-6985B
AMENDMENT 4

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:

Army -AV
Navy - AS
Air Force - 99

Preparing activity:

Air Force - 82

User activity:

Army - AR

(Project 4730-0788)