

MIL-C-7078/17A(AS)
 16 June 1978
 SUPERSEDING
 MIL-C-7078/17(AS)
 5 August 1970


MILITARY SPECIFICATION SHEET

CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES,
 UNSHIELDED, UNJACKETED, 600-VOLT, 200°C

This specification sheet is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the cable described herein shall consist of this document and the issues in effect of Specification MIL-C-7078 and Specification Sheet MIL-W-81381/13.

MIL-W-81381/13 Basic Wires
 (Silver-Coated High Strength
 Copper Alloy Conductor,
 FEP-Polyimide Tape Insulation)



FEP - Fluorinated Ethylene Propylene

UNSHIELDED UNJACKETED CABLE

REQUIREMENTS:

CONSTRUCTION DETAILS: See above Figure and Table I

VOLTAGE RATING: 600 Volts (rms) at sea level

TEMPERATURE RATING: 200°C (392°F) max conductor temperature

COLD BEND: Not applicable

THERMAL SHOCK TEST: Not applicable

HEAT RESISTANCE: Not applicable

DIELECTRIC FLAWS (SPARK TEST): Not required

DRY DIELECTRIC: 2500 Volts (rms)

PART NUMBER: Part numbers in this specification sheet are coded as in the following example:

<u>M7078/17</u>	-	<u>22</u>	-	<u>2</u>
specification		size number		quantity of conductors
sheet number		of basic wires		(basic wires) in cable

(A) denotes changes

FSC 6145

MIL-C-7078/17A(AS)

TABLE I (A)

Cable part no.	Major diameter of finished cable (inch)(max)	Weight of finished cable (lb/1000ft)	
		(nom) 1/	(max)
M7078/17-28-2	.070	1.9	2.5
M7078/17-28-3	.075	2.9	3.7
M7078/17-28-4	.084	3.9	4.9
M7078/17-28-5	.095	4.9	6.2
M7078/17-28-6	.105	5.9	7.4
M7078/17-28-7	.105	6.8	8.6
M7078/17-26-2	.080	3.0	3.1
M7078/17-26-3	.086	4.5	4.7
M7078/17-26-4	.096	6.0	6.3
M7078/17-26-5	.108	7.5	7.9
M7078/17-26-6	.120	9.0	9.4
M7078/17-26-7	.120	10.5	11.0
M7078/17-24-2	.090	4.3	4.5
M7078/17-24-3	.097	6.4	6.7
M7078/17-24-4	.108	8.5	9.0
M7078/17-24-5	.122	10.7	11.2
M7078/17-24-6	.135	12.8	13.5
M7078/17-24-7	.135	14.9	15.7
M7078/17-22-2	.102	6.2	6.3
M7078/17-22-3	.110	9.3	9.5
M7078/17-22-4	.123	12.4	12.7
M7078/17-22-5	.138	15.5	15.8
M7078/17-22-6	.153	18.6	19.0
M7078/17-22-7	.153	21.7	22.2
M7078/17-20-2	.118	9.4	9.8
M7078/17-20-3	.127	14.2	14.7
M7078/17-20-4	.142	18.9	19.6
M7078/17-20-5	.159	23.6	24.5
M7078/17-20-6	.177	28.4	29.4
M7078/17-20-7	.177	33.1	34.3

1/ Nominal values are given for information only. Nominal values are not requirements.

(A) Requirements for size 28 cables have been added to Table I. Changes too numerous to be individually marked have been made in other required values in the table.

Preparing activity:
Navy - AS
(Project No. 6145-N280-2)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER (Number) AND TITLE

MIL-C-7078/17A(AS) Cable, Electric, Aerospace Vehicle, ...etc.

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

VENDOR USER MANUFACTURER

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY (Printed or typed name and address -- Optional)

TELEPHONE NO.

DATE

DD FORM 1426
1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Lakehurst, NJ 08733

POSTAGE AND FEES PAID
Navy Department
DOD-316



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

Engineering Specifications and Standards Department (Code 93)
Naval Air Engineering Center
Lakehurst, NJ 08733

FOLD