

MIL-C-7413B  
AMENDMENT 1  
16 May 1973

MILITARY SPECIFICATION

COUPLINGS, QUICK DISCONNECT, AUTOMATIC SHUTOFF,  
GENERAL SPECIFICATION FOR

This amendment forms a part of Military Specification MIL-C-7413B, dated 2 February 1970, and is approved for use by all Departments and Agencies of the Department of Defense.

Page 2, paragraph 2.1: Under Military Specifications delete MIL-R-25897 and title thereto and add "MIL-S-7742 Screw Threads, Standard, Optimum Selected Series, General Specification for" and MIL-R-83248 Rubber, Fluorocarbon Elastomer, High Temperature, Fluid, and Compression Set Resistant". Under Military Standards add "MIL-STD-753 Corrosion-Resistant Steel Parts, Sampling, Inspection and Testing for Surface Passivation".

Page 6, paragraph 3.6.5.1, line 2: Delete "MIL-R-25897" and substitute "MIL-R-83248".

Page 7, paragraph 3.9: Delete and substitute:

"3.9 Screw threads. All threads shall be in accordance with MIL-S-7742 or MIL-S-8879."

Page 7, paragraph 3.10.2: Delete and substitute:

"3.10.2 Corrosion-resistant steel. Corrosion-resistant steel parts shall be passivated to meet the requirements of MIL-STD-753, method 100 or method 101. The passivation process is optional but may be in accordance with QQ-P-35."

Page 7, paragraph 3.11.1, line 8: Add following note above usage statement: "(Optional for -8 and smaller sizes)".

Page 9, paragraph 4.4.1b: Add "(10) Electrical resistance (see 4.6.18)".

Custodians:  
Air Force - 11  
Army - ME

Preparing activity:  
Air Force - 11

Project No. 4730-0311

Review activities:  
Air Force - 82  
Army - AV

FSC 4730