INCH-POUND

MIL-C-81814C AMENDMENT 1 29 August 2003

## MILITARY SPECIFICATION

## CLOTH, TWILL, ARAMID, HIGH TEMPERATURE RESISTANT

This amendment forms a part of MIL-C-81814C, dated 17 August 1990, and is approved for use by all Departments and Agencies of the Department of Defense.

## PAGE 2

Paragraph 2.2, add the following test methods that have replaced methods from FED-STD-191:

"AATCC16	Colorfastness to Light"
"AATCC20A	Fiber Analysis: Quantitative"
"AATCC61	Colorfastness to Laundering, Home and Commercial:
	Accelerated"
"AATCC158	Dimensional Changes on Drycleaning in Perchloroethylene:
	Machine Method".
"ASTM-D737	Test Method for Air Permeability of Textile Fabrics"
"ASTM-D1422	Test Method for Twist in Single Spun Yarns by the Untwist-
	Retwist Method"
"ASTM-D1683	Test Method for Failure in Sewn Seams of Woven Fabrics
"ASTM-D2261	Test Method for Tearing Strength of Fabrics by the Tongue (Single
	Rip) Procedure"
"ASTM-D3775	Test Method for Fabric Count of Woven Fabric"
"ASTM-D3776	Test Method for Mass Per Unit Area (Weight) of Fabric"
"ASTM-D5035	Test Method for Breaking Force and Elongation of Textile Fabrics
	(Strip Method)"

<sup>&</sup>quot;(Applications for copies should be addressed to the American Society for Testing and Materials, 100 Barr harbor Drive, West Conshohocken, PA 19428-2959.)"

AMSC N/A 1 of 3 FSC 8305 DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

# MIL-C-8184C AMENDMENT 1

#### PAGE 3

Table I, Characteristics column: Shrinkage after 10 launderings, delete "launderings" and substitute "drycleanings".

Table I, Requirements column: Shrinkage after 10 launderings, delete "2.0" for warp and substitute "4.0".

## PAGE 8

Table II, test method column: Delete FED-STD-191 test methods and substitute commercial test methods as follows:

Test method	Commercial Standard
"5660"	"AATCC-16 Opt A"
"5610"	"AATCC-61 Test 4A"
"5041"	"ASTM-D-3776 Opt C"
"5050"	"ASTM-D-3775"
"4052"	"ASTM-D-1422"
"5104"	"ASTM-D-5035"
"5134"	"ASTM-D-2261"
"5450"	"ASTM-D-737"
"2611"	"AATCC-20A"
"5110"	"ASTM-D1683"
"5556 <u>3</u> /"	"AATCC 158"

## PAGE 9

Table II, Characteristics column: Dimensional Stability, delete "launderings" and substitute "drycleanings".

Table II, test method column: Delete "5556  $\underline{3}$ /" and substitute commercial test method "AATCC 158"

Table II, Delete footnote 3/.

# MIL-C-8184C AMENDMENT 1

Custodians:

Navy – AS

Air Force – 11

DLA - CT

Preparing Activity: Navy – AS

(Project 8305-0816)

Review activities:

Navy - NU