

MIL-D-43503A
AMENDMENT-1

29 June 1973

MILITARY SPECIFICATION

DOUGH MIXING MACHINE, GASOLINE ENGINE DRIVEN

This amendment forms a part of Military Specification MIL-D-43503A, dated 26 March 1971, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 4

2.2, under AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM).- Delete all reference numbers and titles and substitute the following:

"Designation E 10-66 - Standard Method of Test for Brinell Hardness of Metallic Materials

Designation A 167-70 -Standard Specification for Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet and Strip

3.1, line 9. Delete "preproduction sample" and substitute "first article".

Line 15. Delete "preproduction sample" and substitute "first article".

PAGE 6

3.3.11, paragraph title. Delete "Corrosion-resisting" and substitute "Stainless"

Line 1. Delete "Corrosion-resisting" and substitute "Stainless".

Line 3. Delete "63" and substitute "70".

PAGE 8

3.7, under column heading Federal Supply Number (FSN).: Delete "3995" and substitute "4995". Delete "0091" and substitute "0094".

PAGE 9

4.2, line 1. Delete "preproduction sample" and substitute "first article".

Line 5. Delete "preproduction sample" and substitute "first article".

FSC 7320

MIL-D-43503A
AMENDMENT-1

PAGE 11

4.3.3.3, line 1. Delete "preproduction sample" and substitute "first article".

PAGE 12

4.4.1, line 2. Delete "preproduction sample" and substitute "first article".

PAGE 14

6.2 Delete in its entirety and substitute new paragraphs 6.2, 6.2.1, and 6.2.2 as follows:

"6.2 Ordering data. Purchasers should exercise any desired options offered herein, and procurement documents should specify the following:

6.2.1 Procurement requirements

- (a) Title, number, and date of this specification.
- (b) When a first article is required (see 3.2, 4.2, and 6.5).
- (c) When fungus and moisture resistance treatment of electrical components is other than specified (see 3.5.1).

6.2.2 Contract data requirements. Any data items to be delivered under any contract for items covered by this specification should be specifically called for in the contract in accordance with the applicable regulations of the procuring activity."

6.4, line 3. Delete "preproduction sample" and substitute "first article".

6.5 Delete in its entirety and substitute the following:

"6.5 First article. When a first article is required it shall be inspected and approved under the appropriate provisions of ASPR 7-104.55. The first article should be a preproduction sample, initial production item or other specific item described under the definition of a First Article in the ASPR. The contracting officer should specify the appropriate type of

MIL-D-43503A
AMENDMENT-1

first article and the number of units to be furnished. The contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the first article."

Custodians:

Army - GL
Air Force - 84

Review Activities

Army - MD
DSA-GS

User Activities

Navy - MC, YD

Preparing Activity:

Army - GL

Project No. 7320-0558

