

MIL-DTL-16377H(SH)  
 SUPPLEMENT 1  
 2 August 1996

## DETAIL SPECIFICATION

### FIXTURES, LIGHTING; AND ASSOCIATED PARTS SHIPBOARD USE, GENERAL SPECIFICATION FOR

This supplement forms a part of Military Specification MIL-DTL-16377H(SH), dated 2 August 1996.

- MIL-F-16377/1B(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Motors and Generators, 50 Watts, 120 Volts, Symbol 126.3.
- MIL-F-16377/2A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Water Gages, 6 Watts, 120 Volts, 60 Hertz, Symbols 152 and 154.
- MIL-F-16377/3A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Water Gages, 8 Watts, 120 Volts, 60 Hertz, Symbols 151 and 153.
- MIL-F-16377/4A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Secretary Bureau, 8 Watts, 120 Volts, 60 Hertz, Symbol 142.2.
- MIL-F-16377/5A(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 15 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 338.1, 338.2, 339.1 and 339.2.
- MIL-F-16377/6A(SH) - Fixtures, Lighting; Fluorescent, General Lighting, Directional, 16 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 149.4 and 149.5.
- MIL-F-16377/7A(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 16 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 70.3, 70.4, 78.2, 336 and 336.1.
- MIL-DTL-16377/8B(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 17 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 331.1, 331.2, 347.2 and 347.3.
- MIL-F-16377/9A(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 24 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 73.3, 73.4, 346.2 and 346.3.
- MIL-F-16377/10A(SH) - Fixtures, Lighting; Fluorescent, General Lighting, Directional, 32 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 145.4 and 145.5.
- MIL-DTL-16377/11B(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 34 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 77.4, 77.5, 344.2 and 344.3.
- MIL-DTL-16377/12B(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 51 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 333.1, 333.2, 341.1, 341.2, 342.2 and 342.3.
- MIL-DTL-16377/13B(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 180 Watts, 120 Volts, 60 Hertz, Drip-proof, Symbols 74 and 74.1.

AMSC N/A

FSC 6210

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-DTL-16377H(SH)  
SUPPLEMENT 1

- MIL-F-16377/14A(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 8 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 79.1, 79.2, 80.1 and 80.2.
- MIL-F-16377/15A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Desks, 8 Watts, 120 Volts, 60 Hertz, Symbol 148.2.
- MIL-F-16377/16A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Desks, 8 Watts, 120 Volts, 60 Hertz, Symbols 141.2 and 150.2.
- MIL-F-16377/17A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Berths, 8 Watts, 120 Volts, 60 Hertz, Symbols 229.1, 231.1 and 232.1.
- MIL-F-16377/18A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Mirrors, 15 Watts, 120 Volts, 60 Hertz, Symbols 337 and 340.
- MIL-F-16377/19A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Radio Operator's Desk, 8 Watts, 120 Volts, 60 Hertz, Symbols 270.3 and 270.4.
- MIL-F-16377/20A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 50 Watts, 120 Volts, Dripproof 15 Degrees, Symbols 64.1 and 65.
- MIL-F-16377/21A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 100 Watts, 120 Volts, Dripproof 15 Degrees, Symbols 89 and 90.2.
- MIL-F-16377/22A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 200 Watts, 115 Volts, Dripproof 15 Degrees, Symbol 94.1.
- MIL-F-16377/23A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 200 Watts, 115 Volts, Watertight, Symbols 57, 57.1, 69, 69.1 and 103.
- MIL-F-16377/25A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 110 Watts, 120 Volts, Explosionproof, Symbols 48.2 and 68.2.
- MIL-F-16377/26A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 110 Watts, 120 Volts, Watertight, Symbols 112, 113, and 113.1.
- MIL-F-16377/27A(SH) - Fixtures, Lighting; Incandescent, General Lighting, 50 Watts, 100 Volts, Watertight, Symbols 92.2 and 93.2.
- MIL-F-16377/28A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Ammunition Hoist, 50 Watts, 120 Volts, Watertight, Symbol 23.1.
- MIL-F-16377/29A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Boiler Outer Casing, 100 Watts, 120 Volts, Watertight, Symbol 159.1.
- MIL-F-16377/30A(SH) - Fixtures, Lighting; Incandescent, General Lighting For Psychiatric Wards, 100 Watts, 120 Volts, Dripproof 15 Degrees, Symbol 137.
- MIL-F-16377/31A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Spot Illumination, 6-25 Watts, 120 Volts, Totally Enclosed, Symbol 147.2.
- MIL-F-16377/32A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Water Gauges, 15 or 25 Watts, 120 Volts, Symbol 134.1.
- MIL-F-16377/33A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Sightglasses, 6 Watts, 120 Volts, Watertight, Symbols 136.1 and 156.
- MIL-F-16377/34 - Fixtures, Light, Incandescent, Detail Lighting For Gyro Compass For Submarines, Pressureproof, 15 Watts, 120 Volts, Symbol 335.

**MIL-DTL-16377H(SH)  
SUPPLEMENT 1**

- MIL-F-16377/35 - Fixtures, Light, Incandescent, Detail Lighting For Small Boats, 3 Candlepower, 12 to 16 or 24 to 28 Volts, Splashproof, Symbol 310.
- MIL-F-16377/36 - Fixtures, Lights, Incandescent, General Lighting, 21 Candlepower or 25 Watts, 115 Volts, Watertight, Symbols 95.1, 96.1, 97.1 and 98.1.
- MIL-F-16377/37A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting Minesweeper Bunks, 15 Watts, 120 Volts, Nonmagnetic, Symbols 5.1 and 8.1.
- MIL-F-16377/38A(SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Hull Numerals, 100 Watts, 120 Volts, Watertight, Symbol 304.
- MIL-F-16377/39 - Fixture, Light, Incandescent, Streamer Type, 425 Watts, 120 Volts, Symbol 307.
- MIL-F-16377/40A(SH) - Fixtures, Lighting; Locks, Fluorescent Lamp.
- MIL-F-16377/41A(SH) - Fixtures, Lighting; Shockmounts, For Lighting Fixtures.
- MIL-F-16377/42A(SH) - Fixtures, Lighting; Filters, Plastic, Tubular Shaped For Fluorescent Lamps.
- MIL-F-16377/43A(SH) - Fixtures, Lighting; Filters, Plastic, Roundel Shaped For Lantern.
- MIL-F-16377/44A(SH) - Fixtures, Lighting; Ballast, For One 20-Watt T-12 Fluorescent Lamp.
- MIL-F-16377/45A(SH) - Fixtures, Lighting; Ballast, For One 8-Watt T-5 Fluorescent Lamp.
- MIL-F-16377/46A(SH) - Fixtures, Lighting; Ballast Box, For One 8-Watt T-5 Fluorescent Lamp, Symbols 514 and 514.1.
- MIL-F-16377/47A(SH) - Fixtures, Lighting; Ballast and Starter Box For Four 6-Watt or 8-Watt Fluorescent Lamps, T-5 Watertight, Symbols 455 and 455.1.
- MIL-F-16377/48A(SH) - Fixtures, Lighting; Filter Assemblies For Desk Lights, Adjustable Red and White Symbol 121.1 and Blue and White Symbol 121.2.
- MIL-F-16377/49A(SH) - Fixture, Light, Extension, Fluorescent, 8-Watt, 115-Volt, 60 Hertz, Explosionproof and Watertight, Detail Lighting, Shipboard Use, Symbol 306.2.
- MIL-F-16377/50A(SH) - Fixtures, Lighting; Incandescent, Light, Extension, Small Boats, 25 Watts, 12-28 Volts, Watertight, Symbol 302.2.
- MIL-F-16377/51A(SH) - Fixtures, Lighting; Incandescent, Light Extension, 25 Watts, 120 Volts, Explosionproof and Watertight, Symbols 290 and 291.
- MIL-F-16377/52B(SH) - Fixtures, Lighting; Incandescent, Light, Extension, 100 Watts, 120 Volts, Explosionproof and Watertight, Symbol 286.
- MIL-F-16377/53 - Fixtures, Incandescent, Detail Lighting, Lantern, Hand, Portable and Relay, Watertight, Symbols 100.2, 101.2, 102.2 and 108.
- MIL-F-16377/54 - Fixture, Bracket, Lug Supporting For Hand Lanterns, Symbol 243.8.
- MIL-F-16377/55 - Fixture, Bracket Assembly, Adjustable For Supporting Hand Lanterns, Symbol 2432.1.
- MIL-F-16377/56 - Fixture, Light, Incandescent, 100-Watt, 120-Volt, Machine Tool, Portable, Floating, Adjustment, Symbol 266.2.

MIL-DTL-16377H(SH)  
SUPPLEMENT 1

- MIL-DTL-16377/57B(SH) - Fixtures, Lighting; Fluorescent, General Lighting, 51, 68 and 102 Watts, 120 Volts, 60 Hertz, Dripproof, Symbols 348, 349 and 350.
- MIL-F-16377/58B(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting for Mirrors, 30 Watts, 120 Volts, 60 Hertz, Dripproof, Symbols 351, 351.1, 352 and 352.1.
- MIL-F-16377/59A(SH) - Fixtures, Lighting; Fluorescent, Detail Lighting for Step Illumination, 8 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 353, 353.1 and 353.2.
- MIL-F-16377/60A(SH) - Fixtures, Lighting; Incandescent, Floodlights, 150 Watts, 120 Volts, Dripproof 15 Degrees, Symbols 316 and 317.
- MIL-F-16377/61 - Fixtures, Lighting; Incandescent, Floodlights, 300 Watts, 120 Volts, Dripproof 15 Degrees, Symbol 303.1.
- MIL-F-16377/62 - Fixtures, Lighting; Incandescent, Floodlights, 500 Watts, 120 Volts, Watertight, Symbols 300 and 300.1.
- MIL-F-16377/63 - Fixtures, Lighting; Incandescent, Floodlights, Portable, 600 Watts, 120/28 Volts, Dripproof 15 Degrees, Symbol 311.
- MIL-F-16377/64 - Fixtures, Lighting; Incandescent, General Lighting, Decorative, 150 Watts, 120 Volts, Dripproof 15 Degrees, Symbol 67.
- MIL-F-16377/65 - Fixtures, Lighting; Fluorescent, General Lighting, 30 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 81, 81.1, 345.2 and 345.3.
- MIL-F-16377/66 - Fixtures, Lighting; Fluorescent, General Lighting, 45 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 82, 82.1, 343.1 and 343.2.
- MIL-F-16377/67 - Fixtures, Lighting; Window Assemblies, Clear White Shielded, To Be Used For Replacement Parts Only.
- MIL-F-16377/68 - Fixtures, Lighting; Fluorescent, Extension Light For Servicing Electronic Equipment, 4 Watts, 120 Volts, 60 Hertz, Symbol 163.
- MIL-F-16377/71 - Fixtures, Lighting, Fluorescent, Detail Lighting For Mirrors For Small Boats, 8 Watts, 120 Volts, 60 Hertz, Totally Enclosed, Symbol 354.
- MIL-DTL-16377/72 - Fixtures, Lighting; Ballast, For One 17-Watt T-12 Fluorescent Lamp.

Preparing activity:  
Navy - SH