

INCH-POUND

MIL-DTL-16377H (SH)
 SUPPLEMENT 1A
 27 September 2004

SUPERSEDING
 SUPPLEMENT 1
 2 August 1996

DETAIL SPECIFICATION

FIXTURES, LIGHTING; AND ASSOCIATED PARTS;
 SHIPBOARD USE, GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-DTL-16377H (SH), dated 2 August 1996.

SPECIFICATION SHEETS

- MIL-F-16377/1B (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Motors and Generators, 50 Watts, 120 Volts, Symbol 126.3
- MIL-F-16377/2A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Water Gages, 6 Watts, 120 Volts, 60 Hertz, Symbols 152 and 154
- MIL-F-16377/3A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Water Gages, 8 Watts, 120 Volts, 60 Hertz, Symbols 151 and 153
- MIL-F-16377/4A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Secretary Bureau, 8 Watts, 120 Volts, 60 Hertz, Symbol 142.2
- MIL-F-16377/5A (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 15 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 338.1, 338.2, 339.1 and 339.2
- MIL-F-16377/6A (SH) - Fixtures, Lighting; Fluorescent, General Lighting, Directional, 16 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 149.4 and 149.5
- MIL-F-16377/7A (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 16 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 70.3, 70.4, 78.2, 336 and 336.1
- MIL-DTL-16377/8B (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 17 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 331.1, 331.2, 347.2 and 347.3
- MIL-F-16377/9A (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 24 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 73.3, 73.4, 346.2 and 346.3
- MIL-F-16377/10A (SH) - Fixtures, Lighting; Fluorescent, General Lighting, Directional, 32 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 145.4 and 145.5
- MIL-DTL-16377/11B (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 34 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 77.4, 77.5, 344.2 and 344.3
- MIL-DTL-16377/12B (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 51 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 333.1, 333.2, 341.1, 341.2, 342.2 and 342.3
- MIL-DTL-16377/13B (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 180 Watts, 120 Volts, 60 Hertz, Dripproof, Symbols 74 and 74.1
- MIL-F-16377/14A (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 8 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 79.1, 79.2, 80.1 and 80.2
- MIL-F-16377/15A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Desks, 8 Watts, 120 Volts, 60 Hertz, Symbol 148.2
- MIL-F-16377/16A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Desks, 8 Watts, 120 Volts, 60 Hertz, Symbols 141.2 and 150.2
- MIL-F-16377/17A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Berths, 8 Watts, 120 Volts, 60 Hertz, Symbols 229.1, 231.1 and 232.1

MIL-DTL-16377H (SH)
SUPPLEMENT 1A

- MIL-F-16377/18A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Mirrors, 15 Watts, 120 Volts, 60 Hertz, Symbols 337 and 340
- MIL-F-16377/19A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting For Radio Operator's Desk, 8 Watts, 120 Volts, 60 Hertz, Symbols 270.3 and 270.4
- MIL-F-16377/20A (SH) - Fixtures, Lighting; Incandescent, General Lighting, 50 Watts, 120 Volts, Dripproof 15 Degrees, Symbols 64.1 and 65
- MIL-F-16377/21A (SH) - Fixtures, Lighting; Incandescent, General Lighting, 100 Watts, 120 Volts, Dripproof 15 Degrees, Symbols 89 and 90.2
- MIL-F-16377/22A (SH) - Fixtures, Lighting; Incandescent, General Lighting, 200 Watts, 115 Volts, Dripproof 15 Degrees, Symbol 94.1
- MIL-F-16377/23A (SH) - Fixtures, Lighting; Incandescent, General Lighting, 200 Watts, 115 Volts, Watertight, Symbols 57, 57.1, 69, 69.1 and 103
- MIL-F-16377/25A (SH) - Fixtures, Lighting; Incandescent, General Lighting, 110 Watts, 120 Volts, Explosionproof, Symbols 48.2 and 68.2
- MIL-F-16377/26A (SH) - Fixtures, Lighting; Incandescent, General Lighting, 110 Watts, 120 Volts, Watertight, Symbols 112, 113, and 113.1
- MIL-F-16377/27B (SH) - Fixtures, Lighting; Incandescent, General Lighting, 50 Watts, 100 Volts, Watertight, Symbols 92.2 and 93.2
- MIL-F-16377/28A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Ammunition Hoist, 50 Watts, 120 Volts, Watertight, Symbol 23.1
- MIL-F-16377/29A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Boiler Outer Casing, 100 Watts, 120 Volts, Watertight, Symbol 159.1
- MIL-F-16377/30A (SH) - Fixtures, Lighting; Incandescent, General Lighting For Psychiatric Wards, 100 Watts, 120 Volts, Dripproof 15 Degrees, Symbol 137
- MIL-F-16377/31A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Spot Illumination, 6-15 Watts, 120 Volts, Totally Enclosed, Symbol 147.2
- MIL-F-16377/32A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Water Gauges, 15 or 25 Watts, 120 Volts, Symbol 134.1
- MIL-F-16377/33A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Sightglasses, 6 Watts, 120 Volts, Watertight, Symbols 136.1 and 156
- MIL-F-16377/34 (SH) - Fixtures, Light, Incandescent, Detail Lighting For Gyro Compass For Submarines, Pressureproof, 15 Watts, 120 Volts, Symbol 335
- MIL-F-16377/35 (SH) - Fixtures, Light, Incandescent, Detail Lighting For Small Boats, 3 Candlepower, 12 to 16 or 24 to 28 Volts, Splashproof, Symbol 310
- MIL-F-16377/36 (SH) - Fixtures, Lights, Incandescent, General Lighting, 21 Candlepower or 25 Watts, 115 Volts, Watertight, Symbols 95.1, 96.1, 97.1 and 98.1
- MIL-F-16377/37A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting Minesweeper Bunks, 15 Watts, 120 Volts, Nonmagnetic, Symbols 5.1 and 8.1
- MIL-F-16377/38A (SH) - Fixtures, Lighting; Incandescent, Detail Lighting For Hull Numerals, 100 Watts, 120 Volts, Watertight, Symbol 304
- MIL-F-16377/39 (SH) - Fixture, Light, Incandescent, Streamer Type, 425 Watts, 120 Volts, Symbol 307
- MIL-F-16377/40A (SH) - Fixtures, Lighting; Locks, Fluorescent Lamp
- MIL-F-16377/41A (SH) - Fixtures, Lighting; Shockmounts, For Lighting Fixtures
- MIL-F-16377/42A (SH) - Fixtures, Lighting; Filters, Plastic, Tubular Shaped For Fluorescent Lamps
- MIL-F-16377/43A (SH) - Fixtures, Lighting; Filters, Plastic, Roundel Shaped For Lantern
- MIL-F-16377/44A (SH) - Fixtures, Lighting; Ballast, For One 20-Watt T-12 Fluorescent Lamp
- MIL-F-16377/45B (SH) - Fixtures, Lighting; Ballast, For One 8-Watt T-5 Fluorescent Lamp
- MIL-F-16377/46A (SH) - Fixtures, Lighting; Ballast Box, For One 8-Watt T-5 Fluorescent Lamp, Symbols 514 and 514.1
- MIL-F-16377/47A (SH) - Fixtures, Lighting; Ballast and Starter Box For Four 6-Watt or 8- Watt Fluorescent Lamps, T-5 Watertight, Symbols 455 and 455.1
- MIL-F-16377/48A (SH) - Fixtures, Lighting; Filter Assemblies For Desk Lights, Adjustable Red and White Symbol 121.1 and Blue and White Symbol 121.2
- MIL-F-16377/49A (SH) - Fixture, Light, Extension, Fluorescent, 8-Watt, 115-Volt, 60 Hertz, Explosionproof and Watertight, Detail Lighting, Shipboard Use, Symbol 306.2

MIL-DTL-16377H (SH)
SUPPLEMENT 1A

- MIL-F-16377/50A (SH) - Fixtures, Lighting; Incandescent, Light, Extension, Small Boats, 25 Watts, 12-28 Volts, Watertight, Symbol 302.2
- MIL-F-16377/51A (SH) - Fixtures, Lighting; Incandescent, Light Extension, 25 Watts, 120 Volts, Explosionproof and Watertight, Symbols 290 and 291
- MIL-F-16377/52B (SH) - Fixtures, Lighting; Incandescent, Light, Extension, 100 Watts, 120 Volts, Explosionproof and Watertight, Symbol 286
- MIL-DTL-16377/53B (SH) - Fixtures, Incandescent, Detail Lighting, Lantern, Hand, Portable and Relay, Watertight, Symbols 100.2, 101.2, 102.2 and 108
- MIL-F-16377/54 (SH) - Fixture, Bracket, Lug Supporting For Hand Lanterns, Symbol 243.8
- MIL-F-16377/55 (SH) - Fixture, Bracket Assembly, Adjustable For Supporting Hand Lanterns, Symbol 2432.1
- MIL-F-16377/56 (SH) - Fixture, Light, Incandescent, 100-Watt, 120-Volt, Machine Tool, Portable, Floating, Adjustment, Symbol 266.2
- MIL-DTL-16377/57B (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 51, 68 and 102 Watts, 120 Volts, 60 Hertz, Dripproof, Symbols 348, 349 and 350
- MIL-F-16377/58B (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting for Mirrors, 30 Watts, 120 Volts, 60 Hertz, Dripproof, Symbols 351, 351.1, 352 and 352.1
- MIL-F-16377/59A (SH) - Fixtures, Lighting; Fluorescent, Detail Lighting for Step Illumination, 8 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 353, 353.1 and 353.2
- MIL-F-16377/60A (SH) - Fixtures, Lighting; Incandescent, Floodlights, 150 Watts, 120 Volts, Dripproof 15 Degrees, Symbols 316 and 317
- MIL-F-16377/61 (SH) - Fixtures, Lighting; Incandescent, Floodlights, 300 Watts, 120 Volts, Dripproof 15 Degrees, Symbol 303.1
- MIL-F-16377/62 (SH) - Fixtures, Lighting; Incandescent, Floodlights, 500 Watts, 120 Volts, Watertight, Symbols 300 and 300.1
- MIL-F-16377/64 (SH) - Fixtures, Lighting; Incandescent, General Lighting, Decorative, 150 Watts, 120 Volts, Dripproof 15 Degrees, Symbol 67
- MIL-F-16377/65 (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 30 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 81, 81.1, 345.2 and 345.3
- MIL-F-16377/66 (SH) - Fixtures, Lighting; Fluorescent, General Lighting, 45 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 82, 82.1, 343.1 and 343.2
- MIL-F-16377/67 (SH) - Fixtures, Lighting; Window Assemblies, Clear White Shielded, To Be Used for Replacement Parts Only
- MIL-F-16377/71 (SH) - Fixtures, Lighting, Fluorescent, Detail Lighting For Mirrors For Small Boats, 8 Watts, 120 Volts, 60 Hertz, Totally Enclosed, Symbol 354
- MIL-DTL-16377/72 (SH) - Fixtures, Lighting; Ballast, For One 17-Watt T-12 Fluorescent Lamp
- MIL-DTL-16377/73 (SH) - Fixtures, Lighting; Fluorescent, Emergency Lighting 20 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 331.1EM, 331.2EM, 347.2EM and 347.3EM
- MIL-DTL-16377/74 (SH) - Fixtures, Lighting; Fluorescent, Emergency Lighting 40 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 77.4EM, 77.5EM, 344.2EM and 344.3EM
- MIL-DTL-16377/75 (SH) - Fixtures, Lighting; Fluorescent, Emergency Lighting 60 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 333.1EM, 333.2EM, 341.1EM, 341.2EM, 342.2EM and 342.3EM
- MIL-DTL-16377/76 (SH) - Fixtures, Lighting; Fluorescent, Emergency Lighting 60 and 80 Watts, 120 Volts, 60 Hertz, Drip-Proof, Symbols 348EM and 349EM
- MIL-DTL-16377/77 (SH) - Fixtures, Lighting; Emergency Ballast, For One 20-Watt Fluorescent Lamp

Preparing activity:
Navy - SH

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at www.dodssp.daps.mil.