

INCH-POUND

MIL-DTL-3954D
SUPPLEMENT 1
11 March 2016

DETAIL SPECIFICATION

DUMMY LOADS, ELECTRICAL, WAVEGUIDE, GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-DTL-3954D, dated 11 December 2015.

SPECIFICATION SHEETS

MIL-DTL-3954/11 - Dummy Loads, Electrical, Waveguide (Frequency Range 7.05 to 10.0 Gigahertz)

MIL-DTL-3954/13 - Dummy Loads, Electrical, Waveguide (Frequency Range 12.4 to 18.0 Gigahertz)

MIL-DTL-3954/15 - Dummy Loads, Electrical, Waveguide (Frequency Range 1.12 to 1.70 Gigahertz)

MIL-DTL-3954/16 - Dummy Loads, Electrical, Waveguide (Frequency Range 5.85 to 8.20 Gigahertz)

MIL-DTL-3954/17 - Dummy Loads, Electrical, Waveguide (Frequency Range 3.95 to 5.85 Gigahertz)

MIL-DTL-3954/18 - Dummy Loads, Electrical, Waveguide (Frequency Range 2.6 to 3.95 Gigahertz)

MIL-DTL-3954/19 - Dummy Loads, Electrical, Waveguide (Frequency Range 8.2 to 12.4 Gigahertz)

Custodians:

Army – CR

Navy – EC

Air Force – 85

DLA – CC

Preparing activity:

DLA – CC

Review activities:

Army – AR, MI

Navy – AS, CG, MC, OS, SH

Air Force – 19

(Project 5985-2016-004)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.

AMSC N/A

FSC 5985

