

INCH-POUND

MIL-DTL-45444C
AMENDMENT 1
17 April 1999

DETAIL SPECIFICATION

HMX
(CYCLOTETRAMETHYLENETETRANITRAMINE)

This amendment forms a part of MIL-DTL-45444C, dated 26 November 1999, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.2.1 Delete the following documents:

"RR-S-366
MIL-STD-1235
DOD-STD-2101"

and substitute the following:

"MIL-STD-1916 - DOD Preferred Methods for Acceptance of Product"

2.2.2 Under DRAWINGS add the following:

"U.S. ARMY ARMAMENT RESEARCH, DEVELOPMENT AND ENGINEERING CENTER (ARDEC)

12982865 - Minimum Marking Instructions for Ammunition and Explosive Containers"

2.3 Non-government publications, add the following:

"ASTM E11 - Wire-Cloth Sieves for Testing Purposes"

MIL-DTL-45444c
AMENDMENT 1

PAGE 8

- 4.4.2 Inspection to be performed, last sentence, delete in its entirety and substitute the following:

"(See MIL-STD-1916 for definitions of critical, major and minor classification of characteristics.)"

- 4.5.1 Inspection lot formation, delete second sentence from the bottom and substitute the following:

"The lot shall be submitted for inspection in accordance with MIL-STD-1916 when applicable."

- 4.5.2a Classification of characteristics, bottom of page, delete last sentence and substitute the following:

"(See MIL-STD-1916 for definitions of critical, major and minor classification of characteristics.)"

PAGE 10

- 4.6.1 Sampling, delete the second sentence and substitute the following:

"The selection of batches for inspection sampling and testing shall be in accordance with MIL-STD-1916 except that in lieu of Table IV (MIL-STD-1916), the following continuous sampling plan shall be used: $i=10$, $f=1/3$ and there shall be no reduced or tightened inspection level."

Sampling, last sentence, delete "MIL-STD-1235" and substitute "MIL-STD-1916".

PAGE 18

- 4.7.1.6.1, HPLC method conditions.

Delete the 3rd sentence, "The mobile phase shall....., and 7.5% by volume of methanol.", and substitute with the followings:

"The mobile phase shall be a quaternary system consisting of the following components and volumetric proportions: 70% of 2,2,4-trimethylpentane (iso-octane), 20% of chloroform, 7% of acetonitrile and 3% of methanol. In actual

MIL-DTL-45444C
AMENDMENT 1

application, the volumetric ratio of solvents can be adjusted slightly to "optimize" the chromatography of the components of interest (RDX or HMX)."

PAGE 28

4.7.8 Granulation, second subparagraph, first sentence, delete " . . . specified 8-inch U.S. Standard sieves complying with Specification RR-S-366 . . .", and substitute " . . . specified 8-inch U.S. Standard sieves complying with ASTM E11 . . ."

PAGE 29

4.7.9 Workmanship, Note, delete and substitute the following new note:

"(See MIL-STD-1916 for definitions of critical, major and minor classification of characteristics.)"

PAGE 35

6.4.3 Marking, second sentence, delete "Standard MIL-STD-129-1" and substitute "Drawing 12982865".

PAGE 36

6.4.6a. Delete "MIL-STD-129-1" in its entirety.

Custodian:
Army - AR
Navy - OS
Air Force - 99

Preparing activity:
Army - AR

(Project 1376 - 0060)