INCH-POUND


MIL-DTL-83413/3D 15 November 2014 SUPERSEDING MIL-DTL-83413/3C 19 May 2010

DETAIL SPECIFICATION SHEET

CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, TYPE III GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-83413.



NOTES:

1. Dimensions are in inches.

Wire		
Length (A)		
10ft	±1	
20ft	±1	
30ft	±1	
40ft	±1	

FIGURE 1. Type III grounding assembly.

AMSC N/A FSC 5920

MIL-DTL-83413/3D

REQUIREMENTS

Design and configuration: See figure 1.

Grounding wire: 7 X 7 wire in accordance with MIL-DTL-83420/4, type II, composition B, jacket color translucent (see PIN example) or international orange in accordance with FED-STD-595/22510.

Grounding clamp: In accordance with MIL-DTL-83413/7 or MIL-DTL-83413/12.

Terminal: In accordance with SAE-AS20659 Terminal shall accommodate .375 inch stud.

Splices shall not be used.

Assembly resistance: Resistance of the grounding assembly shall not exceed 6 ohms.

Part or Identifying Number (PIN) example:

	<u>M83413</u>	<u>/3</u>	<u>40 T</u>
Basic specification ————————————————————————————————————			
Specification sheet —			
Wire length (feet) (see dimension A)			
Optional Jacket color (T = Translucent, if no letter = interna	tional orange)		

Wire Length shall be 10, 20, 30, or 40 feet \pm 1 foot

QUALIFICATION

Qualification is not required for this specification sheet. First article inspection shall be a visual and mechanical inspection in accordance with MIL-DTL-83413.

Changes from previous issue. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Referenced documents. In addition to MIL-DTL-83413, this document references the following:

SAE-AS20659 MIL-DTL-83413/7 MIL-DTL-83420/4 FED-STD-595/22510 MIL-DTL-83413/12

MIL-DTL-83413/3D

CONCLUDING MATERIAL

Custodians:

Army - AV Navy - AS Air Force - 85

DLA - CC

Review activities:

Army - AR, CR, CR4, MI

Navy - MC

Air Force - 02, 13, 99

Preparing activity: DLA-CC

(Project 5920-2014-012)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.