

MIL-E-24652(SH)  
AMENDMENT 1  
25 September 1986

MILITARY SPECIFICATION

EXTINGUISHER, FIRE, AQUEOUS FILM FORMING FOAM, (AFFF),  
2-1/2 GALLON

This amendment forms a part of MIL-E-24652(SH), dated 28 May 1985, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, under STANDARDS, FEDERAL; Add: "FED-STD-595 - Colors".

2.1.1, under STANDARDS, MILITARY; Add: "DOD-STD-100 - Engineering Drawing Practices."

PAGE 3

3.1: Delete and substitute:

"3.1 First article. When specified in the contract or purchase order, a sample shall be subjected to first article inspection (see 4.2 and 6.3)."

3.2.1: Delete and substitute:

"3.2.1 Finish. The shell shall be finished with a red enamel protective coating such as polyester or polyurethane, for identification and enhanced corrosion resistance. The coating shall be color no. 11105 red gloss in accordance with FED-STD-595."

AMSC N/A

FSC 4210

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

MIL-E-24652(SH)  
AMENDMENT 1

PAGE 7

Add as paragraph 3.10:

"3.10 Drawings. When specified in the contract or order, drawings shall be prepared in accordance with DOD-STD-100 (see 6.2.2)."

Add as new paragraph 4.1.1:

"4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

PAGE 8

4.3.1: Delete in its entirety.

4.4: Delete and substitute:

"4.4 Quality conformance inspection. Quality conformance inspection shall consist of the examination of 4.5."

PAGE 9

4.6.2.1, line 9: Delete "Fialure" and substitute "Failure."

6.2.2: Delete and substitute:

"6.2.2 Data requirements. When this specification is used in an acquisition and data are required to be delivered, the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved Contract Data Requirements List (CDRL), incorporated into the contract. When the provisions of DoD FAR Supplement, Part 27, Sub-Part 27.410-6 (DD Form 1423) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification are cited in the following paragraph.

**MIL-E-24652(SH)  
AMENDMENT 1**

<u>Paragraph no.</u>	<u>Data requirement title</u>	<u>Applicable DID no.</u>	<u>Option</u>
3.10	Drawings, engineering and associated lists	DI-E-7031	Level 2 (2 sets)

(Data item descriptions related to this specification, and identified in section 6 will be approved and listed as such in DoD 5010.12-L., Vol. I, AMSDL. Copies of data item descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer.)

6.2.2.1 The data requirements of 6.2.2 and any task in sections 3, 4, or 5 of this specification required to be performed to meet a data requirement may be waived by the contracting/acquisition activity upon certification by the offeror that identical data were submitted by the offeror and accepted by the Government under a previous contract for identical item acquired to this specification. This does not apply to specific data which may be required for each contract regardless of whether an identical item has been supplied previously (for example, test reports)."

**6.3: Delete and substitute:**

"6.3 First article. When a first article inspection is required, the items should be a first article sample. The first article should consist of one unit. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examinations, approval of first article test results and disposition of first articles. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

**Preparing activity:  
Navy - SH  
(Project 4210-N205)**