

MIL-F-5372/1

28 May 1974


MILITARY SPECIFICATION SHEET

FUSE, LIMITER TYPE

ENCLOSED LINK, 1-60 AMP

This specification is approved for use by all
Departments and Agencies of the Department of
Defense

The complete requirements for procuring the fuse described herein shall
 consist of this document and the latest issue of Specification MIL-F-5372.



PART NO	AMPERE RATING	PART NO	AMPERE RATING
M5372/1-01	1	M5372/1-25	25
M5372/1-02	2	M5372/1-30	30
M5372/1-03	3	M5372/1-35	35
M5372/1-05	5	M5372/1-40	40
M5372/1-10	10	M5372/1-50	50
M5372/1-15	15	M5372/1-60	60
M5372/1-20	20		

FIGURE 1 Outline drawing of fuse

FSC 5920

MIL-F-5372/1

Dimensions in inches unless otherwise specified, tolerances $\pm .010$

FUSE

INCHES	MM	INCHES	MM
.005	.13	.50	12.70
.01	.25	.61	15.49
.02	.51	.72	18.29
.03	.76	.75	19.05
.06	1.52	.94	23.88
.09	2.29	1.30	33.02
.125	3.18	1.37	34.80
.14	3.56	2.11	53.59
.16	4.06		

Metric equivalents (to the nearest .01 MM) are given for general information only and are based upon 1 inch = 25.4 MM.

REQUIREMENTS

Dimensions and Configuration See Figure 1.

Terminal Strength With body of fuse firmly clamped, the forces below shall be applied to both terminals.

DIRECTION OF FORCE	FATING	
	TO 30A	ABOVE 30A
	FORCE IN POUNDS (MIN)	
To edge of blade	10	25
To flat side of blade	5	10
To end of blade (into fuse)	30	40

Voltage Rating 115/200 volts AC, 470 Hz, 28 volts DC.

Weight. 0.005 lbs maximum.

Materials. Body - Glass filled melamine per MIL-M-14, Type MMI-5 (white).
Blades - Copper per ASTM B152, Type ETA with silver plate.

SUPERSEDES

SGMES PD-142, dated 11 June 1964.

CROSS-REFERENCE DATA

DASH NO	AMPERE RATING	FSCM (09922) MFR P/N	FSCM (27012) MFR P/N	FSCM (81755) P/N
-01	1	F1L01T5	27010	4-021-1
-02	2	F1L02T5	27020	4-021-2
-03	3	F1L03T5	27030	4-021-3
-05	5	F1L05T5	27050	4-021-5
-10	10	F1L10T5	27100	4-021-10
-15	15	F1L15T5	27150	4-021-15
-20	20	F1L20T5	27200	4-021-20
-25	25	F1L25T5	27250	4-021-25
-30	30	F1L30T5	27300	4-021-30
-35	35	F1L35T5	27350	4-021-35
-40	40	F1L40T5	27400	4-021-40
-50	50	F1L50T5	27500	4-021-50
-60	60	F1L60T5	27600	4-021-60

MIL-F-5372/1




FIGURE 2 Fusing current vs element melt time
(1 TO 15 AMP)

1L-F-5372/1




FIGURE 3 Fusing current vs element melt time
(20 TO 60 AMP)

MIL-F-5372/1

Custodians
Navy - AS
Air Force - 85

reparing Activity
Air Force - 85

Reviewer Activities
Navy - AS
Air Force - 11, 80

(Project No 5920-F156)

Users
Air Force - 11

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL		OMB Approval No 22-R255
INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.		
DOCUMENT IDENTIFIER AND TITLE <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">MIL-F-5372/1 Fuse, Limiter Type, Enclosed Link, 1-60 Amp</div>		
NAME OF ORGANIZATION AND ADDRESS 	CONTRACT NUMBER MATERIAL PROCURED UNDER A <input type="checkbox"/> DIRECT GOVERNMENT CONTRACT <input type="checkbox"/> SUBCONTRACT	
1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? A GIVE PARAGRAPH NUMBER AND WORDING <div style="border: 1px solid black; height: 150px; margin-top: 10px;"></div>		
B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES <div style="border: 1px solid black; height: 150px; margin-top: 10px;"></div>		
2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID <div style="border: 1px solid black; height: 100px; margin-top: 10px;"></div>		
3 IS THE DOCUMENT RESTRICTIVE? <input type="checkbox"/> YES <input type="checkbox"/> NO (If "Yes", in what way?)		
4 REMARKS <div style="border: 1px solid black; height: 100px; margin-top: 10px;"></div>		
SUBMITTED BY (Printed or typed name and address - Optional)		TELEPHONE NO DATE

FOLD

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

POSTAGE AND FEES PAID
DEPARTMENT OF THE AIR FORCE
DoD-318



AFIC/MMGE/Standardization
Wright-Patterson AFB OH 45433

FOLD