

INCH-POUND

MIL-F-85421B

SUPPLEMENT 1

29 August 1994

## MILITARY SPECIFICATION

FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, BEAM SEAL,  
3000/4000 PSI, GENERAL SPECIFICATION FOR

This supplement forms a part of Military Specification MIL-F-85421B dated 29 August 1994.

SPECIFICATION SHEETS

- |                |   |   |
|----------------|---|---|
| MIL-F-85421/1  | - | Fitting End, Standard Dimensions For Beam Seal, Male                              |
| MIL-F-85421/2  | - | Fitting End, Standard Dimensions For Bulkhead, Beam Seal, Male                    |
| MIL-F-85421/3  | - | Tee, Reducer, Beam Seal, 3000/4000 psi, 3 Male Ends                               |
| MIL-F-85421/4  | - | Tee, Reducer, Beam Seal, 3000/4000 psi, Male on Run, Swivel Nut On Branch         |
| MIL-F-85421/5  | - | Tee, Reducer, Beam Seal, 3000/4000 psi, Male on Run and Branch, Swivel Nut on Run |
| MIL-F-85421/10 | - | Adapter, Beam Seal, 3000/4000 psi, Male To Flareless                              |
| MIL-F-85421/11 | - | Union, Beam Seal, 3000/4000 psi, Male Ends  |
| MIL-F-85421/12 | - | Elbow, 90°, Beam Seal, 3000/4000 psi, Male to Male                                |
| MIL-F-85421/13 | - | Elbow, 90°, Beam Seal, 3000/4000 psi, Bulkhead, Male Ends                         |
| MIL-F-85421/14 | - | Elbow, 90°, Beam Seal, 3000/4000 psi, Male To Female                              |
| MIL-F-85421/15 | - | Elbow, 45°, Beam Seal, 3000/4000 psi, Bulkhead, Male Ends                         |
| MIL-F-85421/16 | - | Tee, Beam Seal, 3000/4000 psi, Bulkhead on Run, 3 Male Ends                       |
| MIL-F-85421/17 | - | Tee, Beam Seal, 3000/4000 psi, Bulkhead on Branch, Male Ends                      |

Preparing activity:  
NAVY-AS

AMSC N/A

1 of 1

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.