INCH-POUND MIL-F-854218 SUPPLEMENT 1 29 August 1994

MILITARY SPECIFICATION

FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, BEAM SEAL, 3000/4000 PSI, GENERAL SPECIFICATION FOR

This supplement forms a part of Military Specification MIL-F-85421B dated 29 August 1994.

SPECIFICATION SHEETS

MIL-F-85421/1	-	Fitting End, Standard Dimensions For Beam Seal, Male
MIL-F-85421/2	-	Fitting End, Standard Dimensions For Bulkhead, Beam Seal, Male
M1L-F-85421/3	-	Tee, Reducer, Beam Seal, 3000/4000 psi, 3 Male Ends
MIL-F-85421/4	-	Tee, Reducer, Beam Seal, 3000/4000 psi, Male on Run, Swivel Nut On Branch
MIL-F-85421/5	-	Tee, Reducer, Beam Seal, 3000/4000 psi, Male on Run and Branch, Swivel Nut on Run
MIL-F-85421/10	-	Adapter, Beam Seal, 3000/4000 psi, Male To Flareless
MIL-F-85421/11	-	Union, Beam Seal, 3000/4000 psi, Male Ends
MIL-F-85421/12	-	Elbow, 90°, Beam Seal, 3000/4000 psi, Male to Male
MIL-F-85421/13	-	Elbow, 90°, Beam Seal, 3000/4000 psi, Bulkhead, Male Ends
MIL-F-85421/14		Elbow, 90°, Beam Seal, 3000/4000 psi, Male To Female
MIL-F-85421/15	**	Elbow, 45°, Beam Seal, 3000/4000 psi, Bulkhead, Male Ends
MIL-F-85421/16	-	Tee, Beam Seal, 3000/4000 psi, Bulkhead≟og Run, 3 Male Ends
MIL-F-85421/17	-	Tee, Beam Seal, 3000/4000 psi, Bulkhead on Branch, Male Ends

Preparing activity: NAVY-AS

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

FSC 4730