

INCH-POUND

MIL-I-15126F  
 AMENDMENT 4  
 23 October 1990  
 SUPERSEDING  
 AMENDMENT 3  
 31 May 1990

## MILITARY SPECIFICATION

INSULATION TAPE, ELECTRICAL, PRESSURE  
 SENSITIVE ADHESIVE AND PRESSURE SENSITIVE  
 THERMOSETTING ADHESIVE

This amendment forms a part of MIL-I-15126F, dated 24 April 1961, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

3.2: Add: "Widths other than those listed in Table II may be supplied as required for special application."

Table II: Delete and substitute:

Table II. Standard Widths.

Dash No.	Width (Inch)	Tolerance ( $\pm$ ) (Inch)
-01	1/4	.03
-02	3/8	.03
-03	1/2	.03
-04	5/8	.03
-05	3/4	.03
-06	7/8	.03
-07	1	.03
-08	1 1/8	.03
-09	1 1/4	.03
-10	1 3/8	.03
-11	1 1/2	.03
* -12	2	.03

Table III, column 3: Delete "1" inch core diameter and substitute "3" for type GFT.

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release;  
 distribution is unlimited.

FSC 5970

Page 1 of 3

MIL-I-15126F  
AMENDMENT 4

Table III: Delete and substitute:

Table III. Type, Length Per Roll, and Core Diameter.

Dash No.	Type	Length per roll (Yard)	Core diameter (Inch)
-01	AFT	72	3
-02	ACT	72	3
-03	CFT	60	3
-04	GFT	60	3
-05	PCT	60	3
-06	PFT	60	3
-07	EF-7	22	1
-08	EF-9	18	1
-09	EF-20	18	1
-10	MFT-2.5	72	3
-11	MF-2.5	72	3
-12	MFT-3.5	72	3

PAGE 3

Table IV, columns 7 and 8: Change "7000" to "6000" for Type MFT-3.5.

PAGE 4

4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory satisfactory to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2 and 4.3: Delete "acceptance inspection" and substitute "quality conformance inspection."

MIL-I-15126F  
AMENDMENT 4

PAGE 10

6.2.1: Add as new paragraph:

"6.2.1 Part or Identifying Number (PIN). The PIN to be used for tapes acquired to this specification is created as follows:

<u>M</u>	<u>15126</u>	- <u>XX</u>	- <u>XX</u>
Prefix to indicate	Specification Number	Width (see Table II)	Type, Length, Core (see Table III)

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:  
Navy - SH  
(Project 5970-1071)

Custodians:  
Army - ER  
Navy - SH  
Air Force - 85