METRIC

MIL-I-89014 30 NOVEMBER 1990

#### MILITARY SPECIFICATION

INTERIM TERRAIN DATA (ITD)/PLANNING INTERIM TERRAIN DATA (PITD)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

- 1. SCOPE
- 1.1 Scope.
- a. This specification establishes the first edition military specification requirements for the Defense Mapping Agency's (DMA) Interim Terrain Data (ITD) and Planning Interim Terrain Data (PITD). This document specifies the format, content, and product design of ITD and PITD, which are unsymbolized digital data sets. They are based on the level of detail represented, in the case of ITD, in the 1:50,000 scale Tactical Terrain Analysis Data Base (TTADB) or, in the case of PITD, in the 1:250,000 scale Planning Terrain Analysis Data Base (PTADB). Both ITD and PITD have an enhanced transportation network, and are provided in a standardized digital format. ITD and PITD are portrayals of analyzed attributes of terrain features (both natural and man-made) that are of significance to tactical (ITD) and planning (PITD) military operations.
- b. The DMA Terrain Analysis Program is a dynamic program. This manual identifies specifications encountered in the production of the ITD and PITD thematic files. Supplementary instructions may need to be generated as this product evolves. Modifications will be handled through Configuration Management procedures.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Director, Defense Mapping Agency, ATTN: PR, 8613 Lee Highway, Fairfax, VA. 22031-2137 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A AREA MCGT

DISTRIBUTION STATEMENT A. Approved for public release; distribution unlimited.

1.2 <u>Purpose</u>. Conformance to these specifications will assure uniformity of treatment among all mapping and charting elements engaged in a coordinated production and maintenance program for this product.

### 1.3 Security.

1.3.1 <u>Security classification</u>. The security classification of the products generated by the use of these specifications will be the lowest category practicable. When it is necessary to assign a security classification to the product, it will be accomplished in accordance with established national security procedures.

### 1.4 Applicability.

- a. These specifications apply to all ITD produced by the Defense Mapping Agency and those produced for the Defense Mapping Agency as a result of either government contract or unit tasking.
- b. These specifications apply to all activities involved in the preparation and maintenance of ITD.

#### 1.5 ITD design.

- a. For the remainder of this document, the term ITD will be used generically to describe both ITD and PITD. Where it is important to distinguish between the two, this document will do so. Likewise, the term TADB will be used generically to describe both TTADB and PTADB.
- b. ITD is a product developed to satisfy the armed services short-term and mid-term requirements for digital terrain analysis data.
- c. In the case where TADBs are used as the primary source, ITD will reflect the specification current at the time of TADB collection. In all other cases, the currently configured baselined TADB specification will be used.
- d. ITD is designed to use the Defense Mapping Agency Feature File (DMAFF) coding scheme (see 2.1.2.b.), and the DPS Standard Linear Format (SLF) for Digital Cartographic Feature Data (see 2.1.2.a.), for data format and structure.
- e. ITD is independent of the method of its production. The production methods result in a standard product that meets the requirements of this specification.

### 2. APPLICABLE DOCUMENTS

## 2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the current Department of Defense Index of Specifications and Standards (DODISS) and the supplement thereto, cited in the solicitation (see 6.2).

#### SPECIFICATIONS

#### **MILITARY**

MIL-D-89000 - Digital Topographic Elevation Data (DTED)
Level I

MIL-J-89100 - Joint Operation Graphics Series 1501A (AIR) and 1501 (GROUND) (JOG A/G)

MIL-T-89301 - 1:50,000 Scale Topographic Maps of Foreign Areas

MIL-T-89304 - Tactical Terrain Analysis Data Base (TTADB) Scale 1:50,000

MIL-P-89305 - Planning Terrain Analysis Data Base (PTADB) Scale 1:250,000

Tellingue de la companya de la compa

#### STANDARDS

#### MILITARY

MIL-STD-600004 - MC&G Geographic Names

MIL-STD-600010 - DMA Stock Number Bar Coding

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099).

- 2.1.2 Other government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.
- a. DPS Standard Linear Format (SLF) for Digital Cartographic Feature Data, 17 November 1988.
  - b. Second Edition, DMA Feature File (DMAFF), August 1989.
- c. Datums, Ellipsoids, Grids, and Grid Reference Systems, DMA TM 8358.1, DMA Stock No. DMATM8358.1TEXT.

(Copies of the above are available from the Defense Mapping Agency, ATTN: PR, 8613 Lee Highway, Fairfax, VA. 22031-2137.)

- 2.2 Non-Government publications. This paragraph is not applicable to this specification.
- 2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards) the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

#### REQUIREMENTS

#### 3.1 Accuracy.

3.1.1 <u>Horizontal accuracy</u>. The horizontal accuracy of ITD is based on the accuracy of the source materials and the production system constraints.

### 3.1.2 Thematic file relationships.

- a. ITD thematic files, shall be prepared such that when the files of a given geographic area are registered together (combined/stacked), they shall bear the same geographic relationship to each other that exists in the source from which they were digitized.
- b. Common Open Water (COW) bodies are areal drainage features that meet the minimum size requirements for inclusion in the TADB thematic overlays.
- (1) COW bodies are common to four thematic files of a given data set (Surface Configuration, Vegetation, Surface Materials, and Surface Drainage).
- (2) COW bodies will be digitized once and replicated into the remaining three files. When digitization is from TADB source, the Surface Drainage COW will be the one digitized.
- (3) Subsequent processing of the files may result in slight differences in the final shape of the COW bodies on the four files.

## 3.2 Datum.

- 3.2.1 <u>Horizontal datum</u>. Horizontal datum of ITD files shall be the current World Geodetic System 1984 (WGS 84), or a local datum from DMA TM 8358.1 when no conversion to WGS 84 exists and the source material is an existing TADB on the local datum.
  - 3.2.2 <u>Vertical datum</u>. Vertical datum shall be Mean Sea Level.

#### 3.3 Data density levels.

- a. ITD/PITD data is collected at a density of detail that approximates that of the TTADB/PTADB overlays, respectively.
- b. Based on its data collection density, if ITD or PITD are to be output in hardcopy form, the appropriate scale for this output is 1:50,000 for ITD and 1:250,000 for PITD.
- 3.4 <u>Data set size</u>. The geographic area of the ITD or PITD data set is based on the 1:50,000 or 1:250,000 topographic line map sheet lines, respectively.

## 3.5 Continuity (adjoining data set match).

a. Each ITD file area joins the adjacent ITD file area to form a continuous data base with no gaps between files. No file area overlap exists between adjacent files.

- b. Features crossing file boundaries shall be continuous, i.e., a feature's geographic position which is located on a file boundary is common to all adjacent files. The only exceptions to this rule are when more current source is used and the feature on the ground has changed (e.g. new road), or when the mismatch is due to different TADB specifications. In these cases, there may be a discontinuity along a file boundary.
  - 3.6 Dimensions.
  - 3.6.1 Unit of measure. The Unit of Measure for the ITD/PITD is Metric.
- 3.6.2 <u>Minimum sizes</u>. The minimum and maximum sizes of features digitized in most of the thematic files are stated in the TADB specifications current at the time of collection. The features may be digitized as points, lines, or areas depending on the measured values from the source.
- 3.7 Feature and attribute coding system. ITD feature and attribute coding shall be in accordance with the DMAFF reference (see 2.1.2.b.).
- 3.8 ITD file. ITD will be produced in the DPS SLF format, which provides a standard format for digital cartographic feature data. Refer to the DPS SLF Specification (see 2.1.2.a.), for more detail on SLF format and structure. Appendix XVI provides specific guidance for the implementation of ITD into SLF.
  - 3.8.1 Magnetic tape media.
  - a. Physical characteristics ITD will be distributed on 9 track, 1600 BPI unless requested at 6250 BPI, 1/2 inch magnetic tapes.
- b. Magnetic tape label The magnetic tape label shall be affixed to the side of the magnetic tape. At a minimum the label shall contain:
  - (1) Name of the type of data (e.g., ITD).
  - (2) Date and edition of data.
  - (3) Area identifier.
  - (4) Production center tape number
  - (5) Tape density
  - (6) Blocking of data
  - (7) Number of records
  - (8) Security classification of the tape contents
  - c. Refer to DPS SLF (see 2.1.2.a.), for further information.
  - 3.9 Thematic file sequence.
- a. The respective digital ITD files will be referred to as "thematic files".

- b. The ITD shall be produced as a set of six segregated thematic files, duplicating the content of the six TADB thematic overlays, with the addition of enhanced transportation.
- c. The six segregated thematic files are listed below and will be stored or written to tape in this order:

SURFACE CONFIGURATION (SLOPE)
VEGETATION
SURFACE MATERIALS
SURFACE DRAINAGE
TRANSPORTATION
OBSTACLES

### 3.10 ITD/PITD features and attributes.

- a. Except as noted in paragraphs 3.11 to 3.16, the features and attributes carried in the ITD thematic files, as per Appendix A, are the same as those required by the TTADB specifications (MIL-T-89303). See that specification for feature and attribute definitions, minimum sizes, usage limitations, placement rules etc.
- b. See Appendixes A and B for a listing of the features, feature codes, and their associated attributes, attribute codes, and attribute value meanings allowable for the ITD thematic files.
- c. All features in the ITD thematic files will carry an Overlay Category (OVC) attribute code value corresponding to the particular thematic on which it appears. If a feature appears on more than one overlay, i.e. common water, it will have that thematic's particular OVC code in each file in which it appears. OVC attribute values are shown in Appendix B.
  - 3.11 <u>Surface Configuration (Slope)</u>. This section provides the basic guidance for the production of the Surface Configuration (Slope) thematic file for ITD.

## 3.11.1 General slope information.

- a. Information contained in this file represents the maximum slope of the surface at each point on the ground, expressed as percent slope (tangent of the slope angle x 100), rather than in degrees. Slope is defined as (1) ground whose surface forms an angle with the plane of the horizon (a natural or artificial incline), or (2) the degree or extent of deviation from the horizontal. Although there are an infinite number of slope values at a given point, the maximum slope is the critical limiting value for tactical military operations.
- b. See Appendix A for a listing of features and their attributes permitted.
- c. Areal extent. Whereas surface configuration is represented by an areal file, all areas within the data set boundary must be labeled with a feature code. There will be no "void" areas in the file.
- d. All features in the Surface Configuration thematic file will carry the OVC attribute code of "1".

- 3.11.2 <u>Miscellaneous Surface Configuration features</u>. Unique and significant slope-related features that have not been otherwise described but are deemed to be militarily significant will be collected as DMAFF Miscellaneous Graphic Features (9D010) and described in the ITD SLF text record of the file.
- 3.12 <u>Vegetation</u>. This section provides the basic guidance for the production of the Vegetation thematic file for ITD.
  - 3.12.1 General Vegetation information.
    - a. Vegetation features shown include those which:
      - (1) Provide orientation.
- (2) .Afford concealment for troops, vehicles or unattended ground sensors.
  - (3) Present obstacles to cross-country movement.
  - (4) Serve as landmarks.
- (5) Provide other significant land use information with military significance.
- b. Whereas the manually produced hard copy TADB Vegetation thematic overlays could be compiled as either one or two overlays, the ITD Vegetation thematic file will be assembled as a single thematic file.
- c. See Appendix A for a listing of features and their attributes permitted for this thematic file.
- d. Areal extent. Whereas vegetation is represented by an areal file, all areas within the data set boundary must be labeled with a feature code. There will be no void areas in the file.
- e. All features in the Vegetation thematic file will carry the OVC attribute code "2".
- f. The identification of features reflect similarities in military significance and not taxonomy.
- g. For areas that contain a variety of vegetation categories which are below minimum size specifications, the recommended procedure is to group the area into the most restrictive category (i.e., most conservative in terms of movement and concealment).
- 3.12.2 <u>Miscellaneous Vegetation features</u>. Additional unique and significant vegetation features may be encountered which are of importance to military operations. In some geographic settings, features such as isolated trees, small clumps of trees, golf courses, cemeteries, etc., may be of significance. If a unique and significant vegetation feature (not present in the main body of the specification) is encountered on the source, it will be collected as a DMAFF Miscellaneous Graphic Feature (9D010) and described in the ITD SLF text record of the file.

3.13 <u>Surface Materials</u>. This section provides the basic guidance for the production of the Surface Materials (Soils) thematic file for ITD.

## 3.13.1 General Surface Materials information.

- a. The treatment of surface materials is limited to those parameters of soils and other surface materials identified as significant for tactical military operations.
  - b. Soil is defined as the unconsolidated material that overlies bedrock.
- c. The Unified Soil Classification System (USCS) is the system used to classify all unconsolidated material (soil). This system classifies soils into 15 categories based primarily on grain size (texture), plasticity, and organic matter content. These features are coded to reflect observed occurrences of the above USCS soil types and other attributes including soil depth, moisture content, and surface roughness characteristics.
- d. Surface materials consist of soils and a number of other materials including rock outcrops, permanent snowfields, and evaporites found from the surface to a depth of 50cm, with particular emphasis on the depth between 15 to 38cm (6 to 15 inches) below the surface. This is generally the critical layer where the rating cone index (an indicator of the soil load bearing capacity) is considered the most significant measure of trafficability.
- e. See Appendix A for a listing of features and their attributes permitted for this thematic file.
- f. Areal extent. Whereas surface materials are represented by an areal file, all areas within the data set boundary must be labeled with a feature code. There will be no void areas in the file.
- g. All features in the Surface Materials (Soils) thematic file will carry the OVC attribute code of "3".
- 3.13.2 <u>Miscellaneous Surface Materials features</u>. If a unique and significant surface materials feature (not present in the main body of the specification) is encountered on the source, it will be collected as a DMAFF Miscellaneous Graphic Feature (9D010) and described in the ITD SLF Text record of the file.

### 3.13.3 Not Evaluated areas (9D020).

- a. The not-evaluated code may be used in areas of surface materials identified as being disturbed by man. Examples are towns, cities, railroad yards, airports, etc. Other areas may include extensive slag piles, mine tailings, land fills, garbage dumps, etc., where the USCS coding would be inappropriate.
- b. Since the Ground Surface feature (4A010) and the Soil Type Category attribute do not adequately describe these areas, descriptive information for 9D020 features will be stored in the ITD SLF Text record (Miscellaneous Text record).

### 3.13.4 Surface roughness classification and coding.

- a. Surface roughness is synonymous with microrelief and covers the expression of the land surface or surface geomorphic features which are less than the contour interval of the base map in height. Surface roughness is that aspect of the microrelief on the land surface (boulder fields, hummocky ground, gullies, rugged bedrock, etc.) which reduces the rate of cross country movement for vehicles or foot troops.
- b. Surface Roughness Qualifier (SRQ=0-98) (attribute/value numbers). Surface roughness is classified and coded in the surface materials thematic file by a project-tailored set of sequential numbers designating the surface roughness type. Each separate surface roughness type found in the project area is assigned a Surface Roughness Qualifier or type number. The only surface material types not assigned surface roughness type numbers are the Not-Evaluated and COW features.
- c. Surface Roughness Qualifier (SRQ=0-98) (attribute value meaning descriptors).
- (1) Each surface roughness type identified and number coded in the project is given a corresponding surface roughness descriptor.
- (2) The surface roughness descriptors are a set of generalized statements about the small-scale differences in relief (natural and/or cultural) that are not normally shown or interpretable on a regular topographic map. These descriptors shall detail the surface roughness within specific mapping units rather than combining several different and separately occurring surface roughness descriptions together.
- (3) The actual surface roughness descriptions associated with each Surface Roughness Qualifier are stored in the ITD SLF text record (Surface Roughness Table).
- (4) The surface roughness type numbers 0, 1, and 2 are standardized. Refer to the T/PTADB specifications and the DPS SLF-A, Appendix XVI.
- (5) The remaining surface roughness type numbers and descriptors (SRQ=03-98) are the analyst tailored types and are formatted as described in DPS SLF-A, Appendix XVI.
- (6) General Roughness Categories 1-5 (GR1-GR5). Along with each surface roughness qualifier and description in the Surface Materials thematic file, there is an associated set of five surface or general roughness category (GRC) factor values. Each GRC factor value corresponds to one of the five categories of vehicle types or classes for which surface roughness is considered for the ITD (only GRls are used for the PITD):
  - (a) GR1 Large and Medium Tanks.
  - (b) GR2 Small Tracked Vehicles.
  - (c) GR3 Large Wheeled Vehicles.

- (d) GR4 Small Wheeled Vehicles.
- (e) GR5 Foot Troops.

NOTE: See Appendix B for possible GR1 - GR5 values.

ITD/PITD - for a SRQ = 1: GR1 through GR5 = 1.00

ITD - for a SRQ = 2: GR1 through GR5 = 0.00

- (7) These factors are estimated numerical values reflecting the degradation of the rate of vehicular and foot troop movement due to travel over a particular surface roughness type on horizontal ground. The factors can be any numeric value from 0.00 to 1.00 in 0.05 increments.
- 3.14 <u>Surface Drainage</u>. This section provides the basic guidance for the production of the Surface Drainage thematic file for ITD.

### 3.14.1 General Surface Drainage information.

- a. See Appendix A for a listing of features and their attributes permitted for the Surface Drainage thematic file. See TADB specifications for specific inclusion conditions.
- b. Linear and areal extent. Whereas Surface Drainage is represented by a combination of feature types (mostly linear with some point and areal features) most of the area within the data set boundary of the covered area is not assigned a feature and/or attribute codes.
- c. All features in the Surface Drainage thematic file will carry the OVC attribute code of "4".
- 3.14.2 Miscellaneous Surface Drainage features. Additional Surface Drainage features may be encountered which are of major significance to military operations, especially river and channel crossings and/or landings. In some environments, features such as intermittent lakes, washes/wadis, anastomosing streams, aqueducts, tidal flats, weirs, features under construction, etc., may be of operational and landmark significance. Unique and significant Surface Drainage features not found in the specification will be shown as DMAFF Miscellaneous Graphic Features (9D010) and described (along with any new measurements made for the features) in the ITD SLF text record of the file.
- 3.15 <u>Transportation</u>. This section provides the basic guidance for the production of the Transportation thematic file for the ITD.

### 3.15.1 General Transportation Information.

- a. The features and attributes in this thematic file represent transportation features over which troops and supplies can be moved during a tactical military operation. The transportation thematic file consists of features required in TADB specifications in addition to the enhanced transportation guidelines as outlined in this section.
- b. If associated attributes for a feature are unknown, guidelines presented in DMAFF specifications should be followed.

- c. Whereas Transportation is represented by a combination of feature types (mostly linear with some point and areal features) most of the area within the data set boundary of the covered area is not assigned a feature and/or attribute codes.
- d. See Appendix A for a listing of features and their attributes permitted for the Transportation thematic file.
- e. Every feature in the Transportation thematic file will carry the OVC attribute value of "5".
- 3.15.2 <u>Railroads</u>. Railroad tracks are classified and attributed as a track type, track gage, number of tracks, and electrification status.

#### 3.15.3 Roads.

- a. Enhanced transportation. The following describes the collection density and attribution of roads.
- (1) Road features required in the TADB specifications will be portrayed and fully attributed.
- (2) All roads attributed on specialized "Road and Bridge" maps, where available, will be digitized and fully attributed as per those sources.
- (3) All roads, cart tracks and larger, derived solely from the base map source will be divided into four categories with the following road characteristics as their standardized attributes:
- (a) All Weather, Hard Surface Highway/Roads (1P030, OVC=5, WTC=1, RST=1, WID=6).
- (b) All Weather, Loose Surface Roads (1P030, OVC≈5, WTC=1, RST=2, WID≈5).
- (c) Fair Weather, Loose Surface Roads (1P030, OVC=5, WTC=2, RST=2, WID=4).
  - (d) Cart Track (1P010, OVC=5), without further attribution.
- (4) Enhanced transportation will not affect portrayal of road networks in urban areas. Inside urban areas only a representative pattern of roads will be shown. This pattern will include all major through routes.
- b. A road segment is a single section of road between two nodes. Road segments carry the same classification and attribute characteristics throughout their length. A road feature is a road segment or segments of a road that carry the same classification and attribute characteristics throughout lengths.
- (1) Individual road segments are formed at road junctions (intersections). Road features are formed at points of attribute changes.
- (2) Railroads crossing road features form segments of each feature. New features are not formed. A node is placed at the point of intersection.

- (3) Point features associated with roads, such as sharp curves, drop gates, etc., do not affect road features. Individual road segments are formed.
- (4) Bridges, tunnels, and other features that roads pass over or through do not affect road features as long as the road has the same classification and attributes on both sides. If they are different at each end of the feature, the higher road classification, consistent with the design and structural characteristics of the feature, is considered to cross over or through the feature and then change on the other side.
- (5) A road intersection is an at-grade crossing, meeting, or junction of two or more roads. Roads overpassing or underpassing other roads on bridges (or elevated structures) or through tunnels do not affect road features. Individual road features are not formed, unless the classification and/or attributes are different on each side of the feature.

#### 3.15.4 Bridges .

- a. Bridges that are required in TADB specifications are portrayed and fully attributed.
- b. All road bridges derived solely from specialized "Road and Bridge" maps are to be digitized and fully attributed per that source.
- c. Road bridges derived solely from the base map source are portrayed, but are not attributed. All such bridges will be point features as their lengths are unknown.
- d. All road bridges on the Transportation thematic file are given a unique integer bridge number. This information is stored in the Bridge Reference Number (BRN).
- e. Bridge spans (10045) are sections of the bridge between successive supports (i.e., pillars, piers, or abutments). These features are portrayed as a point or a line centered at either the mid-point of its associated bridge feature or at the point where the underpassing features (e.g. canal, stream, road, railroad, etc.) is beneath it.
  - (1) Bridge spans are portrayed for road bridges only.
- (2) The Bridge Reference Number (BRN) serves to tie the bridge span information back to the bridge. The associated component bridge spans of a bridge receive the same BRN value as the bridge itself.
- (3) Span length is the bridge centerline distance from the intersection point of the load carrying spanning members or surface with the end plate on the abutment or support at one end to the same on the other end. The length is measured in decimeters. This is the span length which must be replaced if the span is removed.
- (4) If the bearing to bearing length of spans is the only span length known, it will be shown with a warning note to this effect attached to the ITD SLF text record.

#### 3.15.5 Tunnels.

- a. All tunnels along the railroads and roads that can be identified on the source and those along roads that can be derived from the base topographic map are included in this thematic file.
- b. The hidden inner road or railroad passing through the tunnel is given an approximate delineation in this thematic file.
- 3.15.6 Miscellaneous Transportation features. In some geographic settings, unique transportation features may be encountered which are significant to military operations along the transportation network. Such features as route segment vertical lifts, trails, overhead obstructions, restricted passages, snowsheds, canals, culverts, elevated transportation structures, etc., in certain environments and conditions may play a critical role in on-route operations. Unique and significant transportation features found on the source which are not specifically identified in Appendix A, will be shown as DMAFF Miscellaneous Graphic Features (9D010) and described in the ITD SLF text record file.
- 3.16 Obstacles. This section provides the basic guidance for the production of the Obstacles thematic file for ITD.

#### 3.16.1 General Obstacles information.

- a. The treatment of obstacles is limited to any natural and/or man-made features that divert ground based military cross-country movement.
- b. As much as possible, obstacles should be considered as independent of vehicle/troop type, (i.e., medium and large tanks, large wheeled vehicles, small wheeled vehicles, small tracked vehicles, and foot troops).
- c. See Appendix A for a listing of features and their attributes permitted for this thematic file.
- d. Whereas obstacles are represented by linear features (with some point and areal features), most of the area within the data set boundary is not assigned a feature and/or attribute codes.
- e. All features in the Obstacles thematic file will carry the OVC attribute code "6".
- 3.16.2 <u>Miscellaneous Obstacle features</u>. Additional obstacle features are those features that hinder or obstruct military ground movement. In some geographic settings, features such as shelterbelts, on the ground aqueducts, elevated structures, kanats, wooded gullies, permanent military obstructions such as antitank ditches, impact areas, minefields, etc., may be of significance. If a unique and significant obstacle feature is present on the source, it will be collected as a DMAFF Miscellaneous Graphic Feature (9D010) and described in the ITD SLF text record of the file.
- 3.17 <u>Quality</u>. Final product quality shall reflect the quality elements expressed by each appropriate section within this specification and the cited specifications, standards, and handbooks (see 2.1.1).

- 3.18 <u>Deliverable data</u>. The user shall receive the following items:
  - a. Transmittal summary sheet.
  - b. ITD on magnetic tape.
- c. Digital Terrain Elevation Data on magnetic tape will always be transmitted with ITD.

#### 3.19 Names and Labeling.

- a. In the ITD thematic files, features are normally identified by feature type and/or attribute code value and not by name(s). In the rare case that a miscellaneous or unique feature should need to be named in the thematic file, the name should be taken from the base map to which the digitized thematic overlay would be registered.
- b. Names are not normally included in ITD. If they are entered in Text files, they shall be those names approved by the U.S. Board of Geographic Names. Normally, U.S. maps of similar scale serve as a guide to features to be named. Individual features of a group are not labeled, instead the names of groups of features are recorded (e.g., archipelago, mountain range, etc.).
- 3.20 <u>Reproduction and Storage</u>. The ITD thematic files will be reproduced and stored as 9 track, 6250 BPI, magnetic tapes.

### 3.21 Appendix A.

- a. This table is broken into six sections which are representative of the six ITD thematic files. The six section headings are: Surface Configuration (Slope), Vegetation, Surface Materials, Surface Drainage, Transportation, and Obstacles. The miscellaneous feature code (9D010) has been provided for each section, and is available for use in the event that a feature or features are encountered that are not described in this specification. Text descriptions are used to describe the miscellaneous feature(s) in the ITD SLF text record.
- b. Appendix A presents information about different features, and the feature attributes.
- (1) The first column, labeled "F Code", contains the DMA Feature File (DMAFF) code.
- (2) The second column labeled (ITD and PITD) is used to indicate which features are required in the ITD/PITD specifications. If the feature is required in only a ITD, then a letter "T" is placed in the column. If the feature is required in only a PITD, then a letter "P" is placed in the column. No entry in this column means that the feature is applicable to both ITD and PITD files.
- (3) The third column is labeled "Feature Name" with a designation in brackets "[DMAFF Feature Name]." The first name is the feature name for this item as defined for ITD. The second name located within brackets [] is the name for the same item found in DMAFF with that particular feature code number.

- (4) The fourth column labeled "F Type" designates which feature types are allowable for this feature, that is: point, line, or area.
- (5) The fifth column labeled "F At. No." is the field attribute number, which is the feature header field (location) in the digital data where this attribute is stored.
- (6) The sixth column labeled "At. Code" contains the attribute code. This is the three character alphanumeric designation of the different attribute codes which the particular feature can have.
- (7) In the seventh column labeled "Values" are the allowable values that the attribute code can have.
- (8) In the eighth column labeled "Attribute" is the name of the attribute code designated in column six.

### 4. QUALITY ASSURANCE PROVISIONS

- 4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspections required (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.
- 4.1.1 Responsibility for compliance. All items shall meet all requirements of paragraphs 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements; however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.
  - 5. PACKAGING This section is not applicable to this specification.

#### 6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory).

- 6.1 <u>Intended use</u>. ITD is a product developed to satisfy the armed services short-term and mid-term requirements for digital terrain analysis data.
  - 6.2 Supersession. This section is not applicable to this specification.

## 6.3 Classification and special handling of ITD thematic files.

- a. The classification of the final ITD files will be determined by the appropriate security section responsible for the final classification. The lowest possible classification of the final product is desired.
- b. Even though the final thematic files might be unclassified, a handling caveat could be required. Some NATO and other countries have mapping and other agreements which dictate the handling of materials produced over their country. Security elements should check for caveat requirements at the beginning of each project.

#### ITD/PITD FEATURE AND ATTRIBUTE ORGANIZATIONAL TABLE

- 10. SCOPE
- 10.1 <u>Scope</u>. This appendix presents information about the features and their associated attributes as carried in the ITD/PITD thematic files. This appendix is a mandatory part of the specification. The information contained herein is intended for compliance.
  - 20. APPLICABLE DOCUMENTS

This section is not applicable to this specification

- 30. ITD/PITD SET UP OF FEATURES AND ATTRIBUTES
- 30.1 Organizational Table. The table has six sections, each corresponding to its associated ITD thematic file.

### Section 1 SURFACE CONFIGURATION (SLOPE)

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.		Values	Attribute
2A040		Open Water (Same)	Area	F-15	ovc	1	Overlay Category
3A060		Slope	Area	F-0 F-15		0-7 1	Ground Slope Category Overlay Category
9D010*		Miscellaneous Surface Config- uration Features (Miscellaneous Graphic Feature)	Point Line Area	F-15 F-15 F-15	OVC	1 1 1	Overlay Category Overlay Category Overlay Category

<sup>\*</sup> In the ITD/PITD SLF Text record enter the ground slope percentage range for all Miscellaneous Surface Configuration features.

## Section 2 VEGETATION

F Code ITD (1	C) Feature Name C) [DMAFF Feature Name]	F Type	F At . No.	. At . Code	Values	Attribute	
1L020	Built-Up Area [Same]	Area	F-15	ovc	2	Overlay Category	
2A040	Open Water [Same]	Area	F-15	ovc	2	Overlay Category	
2н090	Wetlands [Same]	Area	F-15 F-16		2 0-21	Overlay Category General Roughness Category	
4A010	Bare Ground [Ground Surface]	Area	F-9 F-15 F-16		4 2 0-21	Material Composition Category Overlay Category General Roughness Category	APPENDIX
5A010	Dry Crops [Cropland (Cultivated)]	Area	F-7 F-15 F-16	OVC	1 2 0 <b>-2</b> 1	Vegetation Characteristics Overlay Category General Roughness Category	X A
5A010	Wet Crops [Cropland (Cultivated)]	Area	F-7: F-15 F-16		4 2 0 <b>-2</b> 1	Vegetation Characteristics Overlay Category General Roughness Category	
5A010	Terraced Crops [Cropland (Cultivated)]	Area	F-7 F-15 F-16		3 2 0-21	Vegetation Characteristics Overlay Category General Roughness Category	
5A010	Shifting Cultivation (Same)	Area	F-7 F-15 F-16		2 2 0 <b>-2</b> 1	Vegetation Characteristics Overlay Category General Roughness Category	

18

# Vegetation (Continued)

F Code	ITD (T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.	_	Values	Attribute	
5A010	(P)	Agriculture Area	Area	F-7	VEG	5	Vegetation Characteristics	
	•- •	with Scattered		F-15	ove	2	Overlay Category	
		Forests [Same]		F-16	GR1	0-21	General Roughness Category	
5A040		Orchard/	Area	F-7	VEG	13	Vegetation Characteristics	
		Plantation, (Deciduous)		F-10	HGT	0-150	Height of Feature above ground level (meters)	
		[Same]		F-15	OAC	2	Overlay Category	
		• • • • • • • • • • • • • • • • • • • •		F-16	GR1	0-21	General Roughness Category	
				F-22	UGĐ	0,1,2	Undergrowth Density Category	
				F-23	DMT	0-100	Density Measure (% tree cover)	
				F-24	SD\$	0-900	Stem Diameter Size (cm)	ΑĀ
				F-25	TSD	0-500	Tree Spacing Category(decim.)	, A.
5A040		Orchard/	Area	F-7	VEG	14	Vegetation Characteristics	APPENDIX
		Plantation, (Coniferous/		F-10	HGT	0-150	Height of Feature above ground level (meters)	≯
		Evergreen)		F-15	OVC	2	Overlay Category	
		[Same]		F-16	GR1	0-21	General Roughness Category	
		•		F-22	UGĐ	0,1,2	Undergrowth Density Category	
				F-23	DMT	0-100	Density Measure (% tree cover)	
				F-24	SD\$	0-900	Stem Diameter Size (cm)	
				F-25	TSD	0-500	Tree Spacing Category(decim.)	_
5A040		Orchard/	Area	F-7	VEG	15	Vegetation Characteristics	
••••		Plantation,		F-10	HGT	0-150	Height of Feature above	
		(Mixed)					ground level (meters)	
		[Same]		F-15	OVC	2	Overlay Category	
		· -		F-16	GR1	0-21	General Roughness Category	
				F-2 <b>2</b>	UGD	0,1,2	Undergrowth Density Category	-
				F-23	DMT	0-100	Density Measure (% tree cover)	
				F-24	SDS	0-900	Stem Diameter Size (cm)	
				F-25	TSĎ	0-500	Tree Spacing Category(decim.)	

F Code	ITD (T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type		At. Code	Values	Attribute	
5A040		Orchard/ Plantation, (Palm) [Same]		F-22 F-23 F-24	OVC GR1 UGD DMT		Vegetation Characteristics Height of Feature above ground level (meters) Overlay Category General Roughness Category Undergrowth Density Category Density Measure (% tree cover) Stem Diameter Size (cm) Tree Spacing Category(decim.)	
5A050		Vineyard/Hops (Same)	Area	F-16	GR1	2 0-21	Overlay Category General Roughness Category	- AP
5B010		Grassland Pasture, Meadow [Herbaceous Area]		F-7 F-15 F-16	OVC	8 2 0-21	Vegetation Characteristics Overlay Category General Roughness Category	APPENDIX P
5B010		Grassland with scattered trees [Herbaceous Area]			ovc	9 2 0-21	Vegetation Characteristics Overlay Category General Roughness Category	
5B020		Brushland/Scrub (Open to Medium) [Shrub/Brush/Scrub]		F-15 F-16 F-22	GR1	2 0-21 1	Overlay Category General Roughness Category Brushland Density Category	-
5B020	*******	Brushland/Scrub (Medium to Dense) [Shrub/Brush/Scrub]		F-15 F-16 F-22	GR1	2 0-21 2	Overlay Category General Roughness Category Brushland Density Category	-
5C010		Bamboo/ Wild Cane [Bamboo]	Area		OVC GR1		Overlay Category General Roughness Category	•

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.		Values	Attribute
5C030		Coniferous/	Area	F-7	VEG	14	Vegetation Characteristics
		Evergreen Forest [Trees]		F-10	HGT	0-150	Height of Feature above ground level (meters)
		(*1000)		F-15	ovc	2	Overlay Category
				F-16		0-21	General Roughness Category
				F-22		0,1,2	Undergrowth Density Category
				F-23		0-100	Density Measure (% tree cover)
			•	F-24		0-900	Stem Diameter Size (cm)
				F-25		0-500	Tree Spacing Category(decim.)
5C030		Deciduous Forest	Area	F-7	VEG	13	Vegetation Characteristics
		[Trees]		F-10	HGT	0-150	<pre>Height of Feature above    ground level (meters)</pre>
				F-15	OVC	2	Overlay Category
				F-16	GR1	0-21	General Roughness Category
				F-22	UGD	0,1,2	Undergrowth Density Category
				F-23	DMT	0-100	Density Measure (% tree cover)
				F-24	SDS	0-900	Stem Diameter Size (cm)
				F-25	TSD	0-500	Tree Spacing Category(decim.)
5C030		Mixed Forest	Area	F-7	VEG	15	Vegetation Characteristics
		[Trees]		F-10	HGT	0~150	<pre>Height of Feature above     ground level (meters)</pre>
				F-15	OVC	2	Overlay Category
				F-16	GR1	0-21	General Roughness Category
				F-2 <b>2</b>	UGD	0,1,2	Undergrowth Density Category
				F-23	DMT	0-100	Density Measure (% tree cover)
				F-24	SDS	0-900	Stem Diameter Size (cm)
				F-25	TSD	0-500	Tree Spacing Category(decim.)

# Vegetation (Continued)

	F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At	At. Code	Values	Attribute	
	5C030		Forest Clearing [Trees]	Area		VEG OVC GR1		Vegetation Characteristics Overlay Category General Roughness Category	
	5D030	<del></del>	Marsh/Bog [Marsh]	Area	F-15 F-16	OVC GR1	2 0-21	Overlay Category General Roughness Category	
	5D040		Swamp, Deciduous [Swamp]	Area	F-22	VEG OVC GR1 UGD DMT		Vegetation Characteristics Overlay Category General Roughness Category Undergrowth Density Category Density Measure (% tree cover)	AP
22	5D040		Swamp, Coniferous/ Evergreen [Swamp]	Area	F-16	OVC GR1 UGD	0-21	Vegetation Characteristics Overlay Category General Roughness Category Undergrowth Density Category Density Measure (% tree cover)	APPENDIX A
	5D040		Swamp, Mixed [Swamp]	Area	F-15 F-16 F-22	VEG OVC GR1 UGD DMT		Vegetation Characteristics Overlay Category General Roughness Category Undergrowth Density Category Density Measure (% tree cover)	
	5D040		Swamp, Mangrove [Swamp]	Area	F-16 F-22	VEG OVC GR1 UGD DHT	0-21	Vegetation Characteristics Overlay Category General Roughness Category Undergrowth Density Category Density Measure (% tree cover)	

APPENDIX A

## Vegetation (Continued)

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type		At. Code	Values	Attribute	
9D010 *	<b>k</b>	Miscellaneous Vegetation Feature [Miscellaneous Graphic Features]	Area	F-15	ovc	2	Overlay Category	

<sup>\*</sup> In the ITD/PITD SLF text record enter the complete feature description and dimensional values for all characteristics of the Miscellaneous Vegetation features.

## Section 3 SURFACE MATERIALS

	PITD(P)	Feature Name]	F Type	F At.		Values	Attribute	-
2A040		Open Water (Same)	Area	F-15	ovc	3	Overlay Category	-
2J100		Permanent Snowfields [Snowfields, Ice Fields, Ice Caps]	Area	F-17 F-18 F-19	OVC GR1 GR2	0-21 0-21 0-21	Surface Roughness Qualifier Overlay Category General Roughness Category	API
4A010	gu, que um que mais dais (10 ª	Gravel, Well Graded [Ground Surface]	Area	F-18 F-19 F-20	SWC SRQ MCC OVC	0-21 0-21 0-21	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category Overlay Category General Roughness Category	WIL-I-89014 APPENDIX A
4A010		Gravel, Poorly Graded (Ground Surface)	Area	F-2 F-3 F-4 F-6 F-9 F-15	STC SDC SWC SRQ MCC	0,1,2 0-3 0-98 77	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category Overlay Category General Roughness Category General Roughness Category	

2

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Туре	F At		Values	Attribute	
4A010		Gravel, Poorly Graded (Continued)		F-18 F-19 F-20		0-21 0-21 0-21	General Roughness Category General Roughness Category General Roughness Category	
4A010		Gravel, Silty [Ground Surface]	Area	F-19	SDC SWC SRQ MCC OVC GR1	3 0,1,2 0-3 0-98 77 3 0-21 0-21 0-21 0-21	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category Overlay Category General Roughness Category	APPENDIX
4A010		Gravel, Clayey [Ground Surface]	Area	F-16 F-17 F-18 F-19	STC SDC SWC SRQ MCC OVC GR1 GR2 GR3 GR4 GR5	4 0,1,2 0-3 0-98 77 3 0-21 0-21 0-21 0-21 0-21	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category Overlay Category General Roughness Category	×
4A010		Sand, Well Graded [Ground Surface]	Area	F-2 F-3 F-4 F-6 F-9	STC SDC SWC SRQ MCC	5 0,1,2 0-3 0-98 77	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category	•

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.		Values	Attribute	
4A010		Sand, Well		F-15	ovc	3	Overlay Category	•
		Graded (Continued)		F-16	GR1	0-21	General Roughness Category	
				F-17	GR2	0-21	General Roughness Category	
				F-18	GR3	0-21	General Roughness Category	
				F-19	GR4	0-21	General Roughness Category	
				F-20	GR5	0-21	General Roughness Category	
4A010		Sand, Poorly	Area	F-2	STC	6	Soil Type Category	•
		Graded		F-3	SDC	0,1,2	Soil Depth Category	
		[Ground Surface]		F-4	SWC	0-3	Soil Wetness Category	
				F-6	SRQ	0-98	Surface Roughness Qualifier	
				F-9	MCC	77	Material Composition Category	;
				F-15	OVC	3	Overlay Category	,
				F-16	GR1	0-21	General Roughness Category	
				F-17	GR2	0-21	General Roughness Category	ì
				F-18	GR3	0-21	General Roughness Category	:
				F-19	GR4	0-21	General Roughness Category	•
				F-20	GR5	0-21	General Roughness Category	
4A010		Sand, Silty	Area	F-2	STC	7	Soil Type Category	
		[Ground Surface]		F-3	SDC	0,1,2	Soil Depth Category	
				F-4	SWC	0-3	Soil Wetness Category	
				F-6	SRQ	0-98	Surface Roughness Qualifier	
				F-9.	MCC	77	Material Composition Category	
				F-15	OVC	3	Overlay Category	
				F-16	GR1	0-21	General Roughness Category	
				F-17	GR2	0-21	General Roughness Category	
				F-18	GR3	0-21	General Roughness Category	
				F-19	GR4	0-21	General Roughness Category	
				F-20	GR5	0-21	General Roughness Category	

26

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]		F At.	At. Code	Values	Attribute	
4A010		Sand, Clayey	Area	F-2	STC	8	Soil Type Category	
111010		[Ground Surface]		F-3	SDC	0,1,2	Soil Depth Category	
		(0000000		F-4	SWC	0-3	Soil Wetness Category	
				F-6	SRQ	0-98	Surface Roughness Qualifier	
				F-9	MCC	77	Material Composition Category	
				F-15		3	Overlay Category	
				F-16		0-21	General Roughness Category	
				F-17		0-21	General Roughness Category	
				F-18	GR3	0-21	General Roughness Category	
				F-19		0-21	General Roughness Category	
				F-20	GR5	0-21	General Roughness Category	
4A010		Silt	Area	 F-2	STC	9	Soil Type Category	APPENDIX
47010		[Ground Surface]		F-3	SDC	0,1,2	Soil Depth Category	E
		[Glound Surrace]		F-4	SWC	0-3	Soil Wetness Category	DI
				F-6	SRQ	0-98	Surface Roughness Qualifier	
				F-9	MCC	77	Material Composition Category	A
				F-15		3	Overlay Category	
				F-16		0-21	General Roughness Category	
				F-17		0-21	General Roughness Category	
				F-18		0-21	General Roughness Category	
				F-19		0-21	General Roughness Category	
				F-20	GR5	0-21	General Roughness Category	
4A010		Organic Silt	<b></b> Area	F-2	STC	 11	Soil Type Category	-
ANOLV		[Ground Surface]		F-3	SDC	0,1,2	Soil Depth Category	
		(Ground barrage)	•	F-4	SWC	0-3	Soil Wetness Category	
				F-6	SRQ	0-98	Surface Roughness Qualifier	
				F-9	MCC	77	Material Composition Category	
				_	OVC	3	Overlay Category	
					GR1	0-21	General Roughness Category	
					GR2	0-21	General Roughness Category	

	F Code	ITD(T) PITD(P)	Feature N [DMAFF Feature N	f Type		At. Code	Values	Attribute	
	4A010		Orangic S (Continue		F-18 F-19 F-20	GR4	0-21 0-21 0-21	General Roughness Category General Roughness Category General Roughness Category	
28	4A010		Inorganic [Ground S	Area	F-15 F-16 F-17 F-18 F-19	GR1 GR2	13 0,1,2 0-3 0-98 77 3 0-21 0-21 0-21 0-21	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category Overlay Category General Roughness Category	MIL-I-8901
	4A010		Clays [Ground S	Area	F-16 F-17	GR2 GR3 GR4	10 0,1,2 0-3 0-98 77 3 0-21 0-21 0-21 0-21 0-21		014 : A
	4A010		Fat Clays [Ground S	Area	F-2 F-3 F-4 F-6 F-9	STC SDC SWC SRQ MCC	12 0,1,2 0-3 0-98 77	Soil Type Category Soil Depth Category Soil Wetness Category Surface Roughness Qualifier Material Composition Category	

F Code	ITD(T) PITD(P)	Feature [DMAFF Feature		<b>F</b> Тур	PF At.		Values	Attribute
4A010		Fat Clay	 vs		F-15	OVC	3	Overlay Category
		(Continu			F-16	GR1	0-21	General Roughness Category
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			F-17	GR2	0-21	General Roughness Category
					F-18	GR3	0-21	General Roughness Category
					F-19	GR4	0-21	General Roughness Category
					F-20	GR5	0-21	General Roughness Category
4A010		Organic	Clavs	Area	F-2	STC	14	Soil Type Category
		-	Surface]		F-3	SDC	0,1,2	Soil Depth Category
		••••	•		F-4	SWC	0-3	Soil Wetness Category
					F-6	SRQ	0- <b>9</b> 8	Surface Roughness Qualifier
					F-9	MCC	77	Material Composition Category
					F-15	OVC	3	Overlay Category
					F-16	GR1	0-21	General Roughness Category
					F-17	GR2	0-21	General Roughness Category
					F-18	GR3	0-21	General Roughness Category
					F-19	GR4	0-21	General Roughness Category
					F-20	GR5	0-21	General Roughness Category
4A010		Peat/Or	ganic	Area	F-2	STC	15	Soil Type Category
		Soils	-		F-3	SDC	0,1,2	Soil Depth Category
		[Ground	Surface]		F-4	SWC	0-3	Soil Wetness Category
		•	·		F-6	SRQ	0-98	Surface Roughness Qualifier
					F-9	MCC	77	Material Composition Category
					F-15	OVC	3	Overlay Category
					F-16	GR1	0-21	General Roughness Category
					F-17	GR2	0-21	General Roughness Category
					F-18	GR3	0-21	General Roughness Category
					F-19	GR4	0-21	General Roughness Category
					F-20	GR5	0-21	General Roughness Category

F Code	ITD (T) PITD (P)	Feature Name [DMAFF Feature Name]	F Type		At. Code	Values	Attribute -	
4A010	<b></b>	Evaporites	Area	F-3	SDC	0,1,2	Soil Depth Category	
		[Ground Surface]		F-4	SWC	0-3	Soil Wetness Category	
				F-6	SRQ	0-98	Surface Roughness Qualifier	
				F-9	MCC	24	Material Composition Category	
				F-15	ovc	3	Overlay Category	
				F-16	GR1	0-21	General Roughness Category	
				F-17	GR2	0-21	General Roughness Category	
				F-18	GR3	0-21	General Roughness Category	
				F-19	GR4	0-21	General Roughness Category	
				F-20	GR5	0-21	General Roughness Category	
4B160		Rock Outcrop	Area	F-6	SRQ	0-98	Surface Roughness Qualifier	×
		[Rock strata,		F-15	OVC	3	Overlay Category	ğ
		Rock		F-16	GR1	0-21	General Roughness Category	APPENDIX
		Formation]		F-17	GR2	0-21	General Roughness Category	Ž.
				F-18	GR-3	0-21	General Roughness Category	>
				F-19	GR4	0-21	General Roughness Category	-
				F-20	GR5	0-21	General Roughness Category	
9D010 *	;	Miscellaneous Surface Materials (Soils) Feature [Miscellaneous Graphic Features]	Area	F-15	ovc	3	Overlay Category	
9D020 *	: *	Not Evaluated [Void Collection Area]	Area	F-15	ovc	3	Overlay Category	

<sup>\*</sup> In the ITD/PITD SLF text record enter the complete feature description and dimensional values for all characteristics of the Miscellaneous surface material features.

<sup>\*\*</sup> In the ITD/PITD SLF text record describe feature.

## Section 4 SURFACE DRAINAGE

F Code	PITD(P)	Feature Name]	F Type		At. Code	Values	Attribute	. <del>_</del>
2A030		Island [Same]	Area	F-15	ovc	4	Overlay Category	
2A040		[Same]	Area				Overlay Category	
2Н010		[Aqueduct]	Line	F-4 F-5 F-15 F-38	LOC ACC OVC LEN	0,1 0,1,2 4 0,100-998	Location/Origin Category Accuracy Category Overlay Category Length/Diameter of Feature	<b>h</b> v
2но20	(T)	Canal/Channelized Stream/Irrigation Canal/Drainage Ditch, Narrow [Canal]		F-5 F-15 F-16 F-17 F-18 F-19 F-25 F-26 F-36	RRC OVC WVA WDA MCC SBV BGR BGL BHR BHL	4 4 0,1,2 0-4 0,5,14,35, 57,66,69,76 0,1,2,3,4 0-998 0-998 0-998 0-998 0-998 0-998	Railroad/Road Drainage Category Overlay Category Water Velocity Water Depth Average Material Composition Category  Stream Bank Vegetation Bank Gradient-Right Bank Bank Gradient-Left Bank Bank Height CatRight Bank Bank Height CatLeft Bank Gap Width (Decimeters)	APPENDIX A
2н020		Canal/Channelized Stream/Irrigation Canal/Drainage Ditch, Medium [Canal]	Line	F-15 F-16 F-17 F-17	OVC WVA WDA WDA	7 4 0,1,2 0-4 (T) 0,4,5,6 (P) 0,5,14, 35,57 66,69,76 (T)	Railroad/Road Drainage Category Overlay Category Water Velocity Water Depth Average Water Depth Average Material Composition Category	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type		. At . Code	Values	Attribute	
2н020		Canal/Channelized Stream/Irrigation Canal/Drainage Ditch, Medium (Continued)		F-18 F-19 F-25 F-26	SBV BGR	0,5,14,57 66,69 (P) 0,1,2,3,4 0-998 0-998	Material Composition Category  Stream Bank Vegetation Bank Gradient-Right Bank Bank Gradient-Left Bank	
		(Continued)		F-36 F-37 F-38 F-38	BHR BHL GWD GWD	0-9998 0-9998 46-180 (T) 181-1420 (P)	Bank Height CatRight Bank Bank Height CatLeft Bank Gap Width (Decimeters) Gap Width (Decimeters)	
2H020		Canal/Channelized Stream/Irrigation Canal/Drainage Ditch, Wide [Canal]	Area	F-5 F-15 F-16 F-17 F-17 F-18	RRC OVC WVA WDA WDA MCC MCC SBV BGR BGL BHR BHL GWD	4 0,1,2 0-4 (T) 0,4,5,6 (P) 0,5,14,35,57 66,69,76 (T) 0,5,14,57 66,69 (P) 0,1,2,3,4 0-998 0-998 0-998 0-9998 181-50,000 (T) 1421-50,000 (P)	Railroad/Road Drainage Category Overlay Category Water Velocity Water Depth Average Water Depth Average Material Composition Category  Material Composition Category  Stream Bank Vegetation Bank Gradient-Right Bank Bank Gradient-Left Bank Bank Height CatRight Bank Bank Height CatLeft Bank Gap Width (Decimeters) Gap Width (Decimeters)	APPENDIX A
2н055		Float Bridge/ Raft Site [Float/Raft Site]	Point	F-15	ovc		Overlay Category	
			Line	F-15	ovc	4	Overlay Category	

F Code	PITD(P)	Feature Name]	F Type		. At . Code	Values	Attribute	
2н070		Off Route Ford	Point				Overlay Category	
		[Ford]	Line	F-15	OVC	4	Overlay Category	
2H140	(T)	Intermit/Ephemeral	Line				Railroad/Road Drainage Category	
		Stream, Narrow		F-6	HYC	6	Hydrographic Category	
		[River/Stream]		F-15	ovc	4	Overlay Category	
				F-16	WVA	0,1,2		
				F-17	WDA	0-4	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76	Material Composition Category	
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation	≥
				F-25	BGR	0-998	Bank Gradient-Right Bank	APPENDIX
				F-26	BGL	0-998	Bank Gradient-Left Bank	E Z
				F-36	BHR	0-9998	Bank Height CatRight Bank	110
				F-37	BHL	0-9998	Bank Height CatLeft Bank	× >>
					GWD		Gap Width (Decimeters)	. <b>.</b>
2H140		Intermit/Ephemeral			RRC	7	Railroad/Road Drainage Category	
		Stream, Medium		F-6	HYC	6	Hydrographic Category	
		[River/Stream]		F-15	OVC	4	Overlay Category	
			•	F-16	WVA	0,1,2	Water Velocity	
				F-17	WDA	0-4 (T)	Water Depth Average	
				F-17	WDA	0,4,5,6 (P)	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category	
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category	
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation	
						0-998	Bank Gradient-Right Bank	
					BGL	0-998	Bank Gradient-Left Bank	

MIL-I-89014

F Code	ITD (T) PI <b>TD (P)</b>		F Type	F At.		Values	Attribute	
2H140		Interit/Ephemeral		F-36	BHR	0-9998	Bank Height CatRight Bank	
		Stream, Medium		F-37	BHL	0-9998	Bank Height CatLeft Bank	
		(Continued)		F-38	GWD	46-180 (T)	Gap Width (Decimeters)	
		•		F-38	GMD	181-1420 (P)	Gap Width (Decimeters)	
2H140		Intermit/Ephemeral	Area	F-5	RRC	g	Railroad/Road Drainage Category	
		Stream, Wide		F-6	HYC	6	Hydrographic Category	
		[River/Stream]		F-15	OVC	4	Overlay Category	
		•		F-16	WVA	0,1,2	Water Velocity	
				F-17	WDA	0-4 (T)	Water Depth Average	
				F-17	WDA	0,4,5,6 (P)	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category	:
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category	!
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation	:
		,				0-998	Bank Gradient-Right Bank	•
		•		F-26	BGL	0-998	Bank Gradient-Left Bank	
				F-36	BHR	0-9998	Bank Height CatRight Bank	
				F-37	BHL	0-9998	Bank Height CatLeft Bank	
				F-38	GWED	181-50,000 (T)	Gap Width (Decimeters)	
						•	Gap Width (Decimeters)	
2H140	 (T)	Perennial Stream,	Line		RRC		Railroad/Road Drainage Category	
	<b>\</b> -\	Narrow		F-6	HYC	8	Hydrographic Category	
		[River/Stream]		F-15	ovc	4	Overlay Category	
		•		F-16	WYA	0,1,2	Water Velocity	
					WDA	• •	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76	Material Composition Category	
				F-19		0,1,2,3,4	Stream Bank Vegetation	
					BGR		Bank Gradient-Right Bank	
				F-26		0-998	Bank Gradient-Left Bank	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type		At. Code	Values	Attribute
2H140	(T)	Perennial Stream,		F-36 F-37		0- <b>9</b> 998 0- <b>9</b> 998	Bank Height CatRight Bank Bank Height CatLeft Bank
		(Continued)		F-38		0-45	Gap Width (Decimeters)
2H140	_ = = = = = = = = = = = = = = = = = = =	Perennial Stream,	Line	F-5	RAC	7	Railroad/Road Drainage Category
		Medium		F-6	HYC	8	Hydrographic Category
		[River/Stream]		F-15	ovc	4	Overlay Category
				F-16	WVA	0,1,2	Water Velocity
				F-17	WDA	0-4 (T)	Water Depth Average
				F-17	WDA	0,4,5,6 (P)	Water Depth Average
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation
				F-25	BGR	0-998	Bank Gradient-Right Bank
				F-26	BGL	0-998	Bank Gradient-Left Bank
				F-36	BHR	0-9998	Bank Height CatRight Bank
				F-37	BHL	0-9998	Bank Height CatLeft Bank
		•		F-38	GWD	46-180 (T)	Gap Width (Decimeters)
				F-38	GWD	181-1420 (P)	Gap Width (Decimeters)
2H140		Perennial Stream,	Area	F-5	RRC	9	Railroad/Road Drainage Category
		Wide		F-6	HYC	8	Hydrographic Category
		[River/Stream]		F-15	OVC	4	Overlay Category
				F-16	WVA	0,1,2	Water Velocity
				F-17	WDA	0-4 (T)	Water Depth Average
	•			F-17	WDA	0,4,5,6 (P)	Water Depth Average
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type		. At . Code	Values	Attribute	
2H140		Perennial Stream,		F-25	BGR	0-998	Bank Gradient-Right Bank	-
		Wide		F-26	BGL	0-998	Bank Gradient-Left Bank	
		(Continued)		F-36	BHR	0-9998	Bank Height CatRight Bank	
				F-37	BHL	0-9998	Bank Height CatLeft Bank	
				F-38	GWD	181-50,000 (T)	Gap Width (Decimeters)	
				F-38	GWD	1421-50000 (P)	Gap Width (Decimeters)	
2H140	(T)	Stream Subject to	Line	F-5	RRC	4	Railroad/Road Drainage Category	_
		Tidal Fluctuations,		F-6	HYC	10	Hydrographic Category	
		Narrow		F-15	OVC	4	Overlay Category	
		[River/Stream]		F-16	WVA	0,1,2	Water Velocity	
		- <del>-</del>		F-17	WDA	0-4	Water Depth Average	Þ
				F-18	MCC	0,5,14,35,57 66,69,76	Material Composition Category	APPENDIX
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation	DI
				F-25	BGR	0-998	Bank Gradient-Right Bank	
				F-26	BGL	0-998	Bank Gradient-Left Bank	Þ
				F-36	BHR	0- <b>9</b> 998	Bank Height CatRight Bank	
				F-37	BHL	0- <b>9</b> 998	Bank Height CatLeft Bank	
				F-38	GWD	0-45	Gap Width (Decimeters)	
2H140		Stream Subject to	Line	F-5	RRC	7	Railroad/Road Drainage Category	-
		Tidal Fluctuations,		F-6	HYC	10	Hydrographic Category	
	•	Medium		F-15	OVC	4	Overlay Category	
		[River/Stream]		F-16	WVA	0,1,2	Water Velocity	
				F-17	WDA	0-4 (T)	Water Depth Average	
				F-17	WDA	0,4,5,6 (P)	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category	
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category	
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation	
				F-25	BGR	0 <b>-9</b> 98	Bank Gradient-Right Bank	
							<del>-</del>	

F Code	ITD(T) PITD(P)		F Type		At. Code	Values	Attribute	
2H140		Stream Subject to Tidal Fluctuations, Medium (Continued)		F-37 F-38 F-38	BHK BHL GWD GWD	0-998 0-9998 0-9998 46-180 (T) 181-1420	Bank Gradient-Left Bank Bank Height CatRight Bank Bank Height CatLeft Bank Gap Width (Decimeters) (P) Gap Width (Decimeters)	
2H140		Stream Subject to Tidal Fluctuations, Wide [River/Stream]	Area	F-5 F-6 F-15 F-16 F-17 F-18 F-18 F-18 F-19 F-25 F-26 F-36 F-37 F-38	HYC OVC WVA WDA MCC MCC SBV BGR BGL BHR BHL GWD	9 10 4 0,1,2 0-4 (T) 0,4,5,6 (P) 0,5,14,35,57 66,69,76 (T) 0,5,14,57 66,69 (P) 0,1,2,3,4 0-998 0-998 0-998 0-9998	Railroad/Road Drainage Category Hydrographic Category Overlay Category Water Velocity Water Depth Average Water Depth Average Material Composition Category  Material Composition Category  Stream Bank Vegetation Bank Gradient-Right Bank Bank Gradient-Left Bank Bank Height CatRight Bank Bank Height CatLeft Bank Gap Width (Decimeters) Gap Width (Decimeters)	
2H140	<b>(T)</b>	Braided Streams, Narrow [River/Stream]	Line	F-6 F-15 F-16 F-17 F-18	WVA WVA WDA	0,1,2 0-4 0,5,14,35,57 66,69,76 (T)	Railroad/Road Drainage Category Hydrographic Category Overlay Category Water Velocity Water Depth Average Material Composition Category Stream Bank Vegetation Bank Gradient-Right Bank	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Туре	F At.		Values	Attribute	
2H140	(T)	Braided Streams,		F-26	BGL	0- <b>9</b> 98	Bank Gradient-Left Bank	
		Narrow				0-9998	Bank Height CatRight Bank	
		(Continued)		F-37	BHL	0 <b>-9</b> 998	Bank Height CatLeft Bank	
				F-38	GWD	0-45	Gap Width (Decimeters)	
2H140		Braided Streams,	Line	F-5	RRC	7	Railroad/Road Drainage Category	
		Medium				14	Hydrographic Category	
		[River/Stream]		F-15	OVC	4	Overlay Category	
				F-16	AVW	0,1,2	Water Velocity	
				F-17	WDA	0-4 (T)	Water Depth Average	
				F-17	WDA	0,4,5,6 (P)	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category	;
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category	
				F-19	SBV	0,1,2,3,4	Stream Bank Vegetation	;
				F-25	BGR	0 <b>-9</b> 98	Bank Gradient-Right Bank	•
				F-26	BGL	0 <b>-9</b> 98	Bank Gradient-Left Bank	
				F-36	BHR	0 <b>-9</b> 998	Bank Height CatRight Bank	
				F-37	BHL	0- <b>9</b> 998	Bank Height CatLeft Bank	
				F-38	GWD	46-180 (T)	Gap Width (Decimeters)	
						181-1420 (P)	Gap Width (Decimeters)	
2H140		Braided Streams,	Area		RRC	9	Railroad/Road Drainage Category	
		Wide		F-6	HYC	14	Hydrographic Category	
		[River/Stream]		F-15	OVC	4	Overlay Category	
				F-16	WVA	0,1,2	Water Velocity	
		•		F-17	WDA	0-4 (T)	Water Depth Average	
				F-17	WDA	0,4,5,6 (P)	Water Depth Average	
				F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category	
				F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category	

F Code	ITD(T) PITD(P)	Feature Na {DMAFF Feature Na		Туре		At. Code	Values	Attribute
2H140		Braided St	reams,		F-19	SBV	0,1,2,3,4	Stream Bank Vegetation
		Wide			F-25	BGR	0-998	Bank Gradient-Right Bank
		(Continued	ł)		F-26	BGL	0-998	Bank Gradient-Left Bank
					F-36	BHR	0-9998	Bank Height CatRight Bank
					F-37	BHL	0-9998	Bank Height CatLeft Bank
					F-38	GWD	181-50,000 (T)	Gap Width (Decimeters)
								Gap Width (Decimeters)
2H140	(T)	Gorge	1.	ine	F-5	RRC	4	Railroad/Road Drainage Category
		{Narrow}			F-6	HYC	11	Hydrographic Category
		[Same]			F-15	OVC	4	Overlay Category
					F-16	AVW	0,1,2	Water Velocity
					F-17	WDA	0-4	Water Depth Average
					F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category
					F-19	SBV	0,1,2,3,4	Stream Bank Vegetation
					F-25	BGR	0- <b>9</b> 98	Bank Gradient-Right Bank
					F-26	BGL	0 <b>-9</b> 98	Bank Gradient-Left Bank
					F-36	BHR	0- <b>9</b> 998	Bank Height CatRight Bank
					F-37	BHL	0- <b>9</b> 998	Bank Height CatLeft Bank
					F-38	GWD	0-45	Gap Width (Decimeters)
2H140		Gorge	L	ine	F-5	RRC	7	Railroad/Road Drainage Category
		(Medium)			F-6	HYC	11	Hydrographic Category
		[Same]			F-15	OVC	4	Overlay Category
					F-16	AVW	0,1,2	Water Velocity
					F-17	WDA	0-4 (T)	Water Depth Average
					F-17	WDA	0,4,5,6 (P)	Water Depth Average
					F-18	MCC	0,5,14,35,57 66,69,76 (T)	Material Composition Category
					F-18	MCC	0,5,14,57 66,69 (P)	Material Composition Category
					F-19	SBV	0,1,2,3,4	Stream Bank Vegetation

F Code	ITD(T) PITD(P)		<b>F</b> Туј	pe F At No.	. At . Code	Values	Attribute	
2H140	(T)	Gorge (Narrow) (Continued)		F-26 F-36 F-37 F-38	BHR BHL GWD	0-998	<del>-</del>	
2H140		Gorge (Wide) (Same)	Area	F-6 F-15 F-16 F-17 F-17 F-18 F-18 F-19 F-25 F-26 F-36 F-37 F-38	HYC OVC WVA WDA MCC MCC SBV BGR BGL BHR BHL GWD	66,69,76 (T) 0,5,14,57 66,69 (P) 0,1,2,3,4 0-998 0-998 0-998 0-9998 181-50,000 (T)	Railroad/Road Drainage Category Hydrographic Category Overlay Category Water Velocity Water Depth Average Water Depth Average Material Composition Category  Material Composition Category  Stream Bank Vegetation Bank Gradient-Right Bank Bank Gradient-Left Bank Bank Height CatRight Bank Bank Height CatLeft Bank Gap Width (Decimeters)  Gap Width (Decimeters)	
21020		Dam * [Same]	Point	F-8 F-10 F-12 F-15 F-38	EXS** HGT WID** OVC LEN**	0,18,23,86 0,1,5 0,3,5-998 0-100 4 0-100(T)	Material Composition Category Existence Category Height of Feature (Meters) Width (Meters) Overlay Category Length/Diameter of Feature Length/Diameter of Feature	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]		No.	Code	Values	Attribute	<b>.</b>
21020		Dam*		F-2	MCC**	0,18,23,86	Material Composition Category	
		(Continued)		F-8	EXS**	0,1,5	Existence Category Height of Feature (Meters)	
						0,3,5-998	Height of Feature (Meters)	
							Width (Meters)	
						4	Overlay Category	
							Length/Diameter of Feature	
				F-38	LEN*	0,501-99998(P)	Length/Diameter of Feature	
							ot collected on TTADB	
		PTADB if HGT < 5				if HGT < 5	mecers	w#-
21030		Lock					Existence Category	ΑF
		[Same]		F-12	WID	0-100	Width (Meters)	Ř
		•		F-15	OVC	4	Overlay Category	ä
							Length/Diameter of Feature	APPENDIX
						0,1,5	Existence Category	×
			220			0-100	Width (Meters)	
						4	Overlay Category	
						0,100-998	- · · · · · · · · · · · · · · · · · · ·	
			A		FYQ		Existence Category	- <b>-</b>
			MIGG			0-100	Width (Meters)	
						4	Overlay Category	
						0-998	Length/Diameter of Feature	
9D010*		Miscellaneous	Point	F-15	ovc	4	Overlay Category	
		Surface Drainage Feature	Line	F-15	ove	4	Overlay Category	
		<pre>[Miscellaneous Graphic Features]</pre>			OVC		Overlay Category	
	<del>_</del>		·				<b></b>	

<sup>\*</sup> In the ITD/PITD SLF text record enter the complete feature description and dimensional value for all characteristics of the Miscellaneous surface drainage features.

#### Section 5 TRANSPORTATION

F Code ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type		At. Code	Values	Attribute	<del></del>
1N010	Single Track, Narrow Gauge [Railroad Tracks]	Line	F-5 F-6 F-8	RRA RRC LTC EXS OVC	4 4 1,5	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category	
1N010	Single Track, Normal Gauge [Railroad Tracks]	Line	F-5 F-6 F-8	RRA RRC LTC EXS OVC	5 4 1,5	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category	APPENDIX
1N010	Single Track, Broad Gauge [Railroad Tracks]	Line	F-5 F-6 F-8	RRA RRC LTC EXS OVC	1 4 1,5	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category	NDIX A
1N010	Multiple Track, Narrow Gauge [Railroad Tracks]	Line	F-5 F-6 F-8		1,5 4 3 1,5	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category	
1N010	Multiple Track, Normal Gauge [Railroad Tracks]	Line	F-5 F-6 F-8	RRA RRC LTC EXS OVC	5 3	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.		Values	Attribute	
1N010		Multiple Track, Broad Gauge [Railroad Tracks]	Line	F-5	RRC LTC EXS	1,5 1 3 1,5	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category	
1N010		Dismantled Railroad [Railroad Tracks]	Line	F-8 F-15	exs ovc	8 5	Existence Category Overlay Category	
1N030	(T)	Passing Track, Narrow Gauge [Railroad Passing]	Line	F-5 F-6 F-8 F-15	EXS OVC	1,5 4 4 1,5 5 280+20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	APPENDIX A
1N030	(P)	Passing Track, Narrow Gauge (Railroad Passing)	Point	F-4 F-5 F-6 F-8 F-15 F-38	RRC LTC EXS OVC	1,5 4 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	
1N030	(T)	Passing Track, Normal Gauge {Railroad Passing}	Line	F-5	RRC LTC EXS OVC	1,5 5 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	

# .T068-T-41

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	<b>F</b> Туре	F At.		Values	Attribute	
1N030	(P)	Passing Track,	Point	F-4	RRA	1,5	Railroad Attributes	
		Normal Gauge		F-5	RRC	5	Road/Railroad Categories	
		[Railroad Passing]		F-6	LTC	4	Lane/Track Characteristics	
				F-8	EXS	1,5	Existence Category	
				F-15	ovc	5	Overlay Category	
	,			F-38	LEN	280-20,000	Length/Diameter of Feature	
1N030		Passing Track,	Line	F-4	RRA	1,5	Railroad Attributes	
		Broad Gauge		F-5	RRC	1	Road/Railroad Categories	
		[Railroad Passing]		F-6	LTC	4	Lane/Track Characteristics	
			-	F-8	EXS	1,5	Existence Category	
				F-15	OVC .	5	Overlay Category	₽
				F-38	LEN	280-20,0000	Length/Diameter of Feature	APPENDIX
1N030	(P)	Passing Track,	Point	F-4	RRA	1,5	Railroad Attributes	BIX
		Broad Gauge		F-5	RRC	1	Road/Railroad Categories	S
		[Railroad Passing]		F-6	LTC	4	Lane/Track Characteristics	
				F-8	EXS	1,5	Existence Category	
				F-15	OVC -	5	Overlay Category	
				F-38	LEN	280-20,000	Length/Diameter of Feature	
1NO50	(T)	Siding Track,	Line	F-4	RRA	1,5	Railroad Attributes	
		Narrow Gauge		F-5	RRC	4	Road/Railroad Categories	
		[Railroad Siding]		F-6	LTC	4	Lane/Track Characteristics	
				F-8	EXS	1,5	Existence Category	
				F-15	OVC	5	Overlay Category	
				F-38	LEN	280-20,000	Length/Diameter of Feature	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.	At. Code	Values	Attribute	
1N050	(P)	Siding Track, Narrow Gauge [Railroad Siding]	Point	F-4 F-5 F-6 F-8 F-15 F-38	RRC LTC EXS OVC	1,5 4 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	
1N050	(T)	Siding Track, Normal Gauge [Railroad Siding]	Line	F-5 F-6 F-8 F-15	RRA RRC LTC EXS OVC LEN	1,5 5 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	APPENDIX
1N050	(P)	Siding Track, Normal Gauge [Railroad Siding]	Point	F-5 F-6 F-8 F-15	RRA RRC LTC EXS OVC LEN	1,5 5 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	VDIX A
1N050	(T)	Siding Track, Broad Gauge [Railroad Siding]	Line	F-4 F-5 F-6 F-8 F-15	RRA RRC LTC EXS OVC LEN	1,5 1 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	•

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.		Values	Attribute	
1N050	(P)	Siding Track, Broad Gauge [Railroad Siding]	Point	F-5	RRC LTC EXS OVC	1,5 1 4 1,5 5 280-20,000	Railroad Attributes Road/Railroad Categories Lane/Track Characteristics Existence Category Overlay Category Length/Diameter of Feature	
1N080	(P)	Rail Yard, Narrow Gauge [Railroad Yard]	Point	F-5 F-8 F-15	RRC EXS OVC	1,5 4 1,5 5 0-99998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	APP
1N080		Rail Yard, Narrow Gauge [Railroad Yard]	Line	F-5 F-8 F-15 F-38	RRC EXS OVC LEN	•	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	APPENDIX A
1N080	(T)	Rail Yard, Narrow Gauge [Railroad Yard]	Area		RRC EXS OVC	1,5 4	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	
1N080	(P)	Rail Yard, Normal Gauge [Railroad Yard]	Point	F-5 F-8 F-15	RRC EXS	1,5 5 1,5 5 0-99998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	<del>.</del>

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	<b>F</b> Туре		At. Code	Values	Attribute	
1N080		Rail Yard, Normal Gauge [Railroad Yard]		F-4 F-5 F-8 F-15 F-38	RRC EXS OVC	1,5 5 1,5 5 0-99998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	
1N080	(T)	Rail Yard, Normal Gauge [Railroad Yard]	Area	F-5 F-8 F-15 F-38	RRC EXS OVC LEN	1,5 5 1,5 5 0-9 <b>9</b> 998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	
1N080	(P)	Rail Yard, Broad Gauge [Railroad Yard]	Point	F-4 F-5 F-8 F-15 F-38	RRC EXS OVC	1,5 1 1,5 5 0-99998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	APPENDIX A
10080		Rail Yard, Broad Gauge [Railroad Yard]	Line	F-4 F-5 F-8 F-15 F-38	RRA RRC EXS OVC LEN	1,5 1 1,5 5 0-99998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	
10080	(T)	Rail Yard, Broad Gauge (Railroad Yard)	Area	F-4 F-5 F-8 F-15 F-38	RRC EXS OVC LEN	1,5 1 1,5 5 0-9 <b>9</b> 998	Railroad Attributes Road/Railroad Categories Existence Category Overlay Category Length/Diameter of Feature	
1P010		Cart Track [Same]	Line	F-9		0,1,2 5	Accuracy Category Overlay Category	

# MIL-I-89014 APPENDIX A

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	<b>F</b> Туре	F At.		Values	Attribute	
1P030		All Weather Hard	Line	F-2	RSC	0,1,6	Road/RR Structure Category	
11 000		Surface Highway		F-4	RST	1.	Road/Runway Surface Type	
		[Road]		F-5	WTC	1	Weather Type Category	
		()		F-7	TWC	1,2,3	Travelway Characteristics	
				F-8	EXS	0,1,5	Existence Category	
				F-9	ACC	0,1,2	Accuracy Category	
			•	F-15	OVC	5	Overlay Category	
				F-16	SGC	0-98	Slope/Gradient Category	
				F-24	WDD	0-500	Width-Decimeters	
1P030		All Weather	Line	F-2	RSC	0,1,6	Road/RR Structure Category	
15020		Loose Surface		F-4		2	Road/Runway Surface Type	Þ
		Highway [Road]		F-5	WIC	1	Weather Type Category	7
		mightal (maa)		F-7	TWC	3	Travelway Characteristics	2
				F-8		0,1,5	Existence Category	APPENDIX
				F-9		0,1,2	Accuracy Category	×
				F-15	OVC	5	Overlay Category	,,,,
				F-16	SGC	0-98	Slope/Gradient Category	
				F-24	WDD	0-500	Width-Decimeters	
1P030		Fair Weather	Line	F-2	RSC	0,1,6	Road/RR Structure Category	
11030		Loose Surface	22.10	F-4	RST	2	Road/Runway Surface Type	
		Highway [Road]		F-5	WTC	2	Weather Type Category	
		nightal (mode)		F-7	TWC	3	Travelway Characteristics	
				F-8	EXS	0,1,5	Existence Category	
				F-9	ACC	0,1,2	Accuracy Category	
				F-15	OVC	5	Overlay Category	
				F-16	SGC	0-98	Slope/Gradient Category	
				F-24	WDD	0-500	Width-Decimeters	

F Code	ITD(T) PITD(P)	Feature 1 [DMAFF Feature 1		Type	F At.	At. Code	Values		Attribute	
iQ040		Road Brid	dae F	oint	F-3	TUC	4		Transportation Use Category	
		[Bridge]	. ,		F-4	BCC	0-3		Bypass Condition Category	
				F-5	NOS	0-98		Number of Spans		
					F-8	EXS	0,1,5		Existence Category	
					F-15	ovc	5		Overlay Category	
					F-23	UBD	0-9 <b>9</b> 8		Underbridge Clearance-Decimeters	
					F-24	WDD	0-500		Width-Decimeters	
					F-25	OHD	0-501		Overhead Clearance-Decimeters	
					F-28	LC1	0-200		Load Class Type: One-way Wheeled	
					F-29	LC2	0-200		Load Class Type: Two-way Wheeled	
					F-30	rc3	0-200		Load Class Type:One-way Tracked	
					F-31	LC4	0-200		Load Class Type: Two-way Tracked	≥
					F-36	BRN	1-9 <b>9</b> 98		Bridge Reference Number	44
					F-38	LND	0-9 <b>9</b> 9 (T)		Length-Decimeters	EX.
					F-38	LND	0-4999 (P)		Length-Decimeters	APPENDIX
			- 1	 Line	F-3	TUC	4		Transportation Use Category	×
					F-4	BCC	0-3		Bypass Condition Category	
					F-5	NOS	0-98		Number of Spans	
					F-8	EXS	0,1,5		Existence Category	
					F-15	ovc	5		Overlay Category	
					F-23	UBD	0-998		Underbridge Clearance-Decimeters	
					F-24	WDD	0-500		Width-Decimeters	
					F-25	OHD	0-501		Overhead Clearance-Decimeters	
					F-28	LC1	0-200	,	Load Class Type:One-way Wheeled	
					F-29	LC2	0-200		Load Class Type: Two-way Wheeled	
					F-30	LC3	0-200		Load Class Type: One-way Tracked	
					F-31		0-200		Load Class Type: Two-way Tracked	
					F-36	BRN	1-9998		Bridge Reference Number	
					F-38	LND	1000-99998	(T)	Length-Decimeters	
					F-38	LND	500 <b>0</b> -99998	(P)	Length-Decimeters	

F Code	ITD(T) PITD(P)		<b>F</b> Туре	F At.	At. Code	Values	Attribute	
10040		Railroad Bridge (Bridge)	Point	F-8 F-15 F-25 F-38 F-38	EXS OVC OHD LND LND	3 0,1,5 5 0-501 0-999 (T) 0-4999 (P)	Transportation Use Category Existence Category Overlay Category Overhead Clearance-Decimeters Length-Decimeters Length-Decimeters	
			Line	F-3 F-8 F-15 F-25 F-38	TUC EXS OVC OHD LND LND	3 0,1,5 5 0-501 1000-99998 (T) 5000-99998 (P)	Transportation Use Category Existence Category Overlay Category Overhead Clearance-Decimeters Length-Decimeters Length-Decimeters	APPENDIX
1Q045 [Same]		Bridge Span	Point	F-3 F-9 F-15 F-36 F-38	MCC ACC OVC BRN LND	0,18,48,60, 65,83,86,97 0,1,2 5 1-9998 0,1-999(T) 0,1-4999(P)	Material Composition Category  Accuracy Category  Overlay Category  Bridge Reference Number  Length-Decimeters  Length-Decimeters	NDIX A
-			Line	F-3 F-9 F-15 F-36 F-38	BRN LND	0,18,48,60, 65,83,86,97 0,1,2 5 1-9998 0,1000- 99998 (T) 0,5000- 99998 (P)	Material Composition Category  Accuracy Category  Overlay Category  Bridge Reference Number  Length-Decimeters  Length-Decimeters	

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	<b>F</b> Туре	F At.		Values	Attribute	
1Q058		Constriction [Same]	Point		OVC WDD	5 0-40	Overlay Category Width-Decimeters	
1Q068		Drop Gate Road [Drop Gate]	Point	F-3. F-15		<b>4</b> 5	Transportation Use Category Overlay Category	
1Q068	<del></del>	Drop Gate Railroad [Drop Gate]	Point		TUE OVC	<b>3</b> 5	Transportation Use Category Overlay Category	
10070		Ferry, Road [Ferry Crossing]	Point	F-3 F-9 F-15	ACC	4 0,1,2 5	Transportation Use Category Accuracy Category Overlay Category	APPE
			Line	F-3 F-9 F-15	TUC ACC OVC	4 0,1,2 5	Transportation Use Category Accuracy Category Overlay Category	APPENDIX A
10070		Ferry, Railroad [Ferry Crossing]	Point	F-9		3 0,1,2 5	Transportation Use Category Accuracy Category Overlay Category	
			Line	F-9		3 0,1,2 5	Transportation Use Category Accuracy Category Overlay Category	
1Q118		Road Radius of Curvature [Same]	Point	F-15	ovc	5	Overlay Category	

	F Code ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]		F At.		Values	Attribute			
	1Q130	Tunnel, Road [Tunnel/Tunnel Entrance/Exit]	nnel/Tunnel	F-8 F-9 F-15 F-24 F-25 F-38	WDD OHD	4 0,1,5 0,1,2 5 0-500 0-500 0-99 (T) 0-499 (P)				
			Line	F-3 F-8 F-9 F-15	TUC EXS ACC OVC WDD OHD LEN	4 0,1,5 0,1,2 5 0-500 0-500 100-42,000 (T) 500-42,000 (P)	Transportation Use Category Existence Category Accuracy Category Overlay Category Width-Decimeters Overhead Clearance-Decimeters Length/Diameter of Feature	· · · · · · · · · · · · · · · · · · ·	MIL-I-89014	
<b>9</b> 9 (P)	1Q130  Length/Diamete	Tunnel, Railroad [Tunnel/Tunnel Entrance/Exit]	Point	F-3 F-8 F-9 F-15 F-24 F-25	WDD OHD	3 0,1,5 0,1,2 5 0-500 0-500 0-99 (T)	Transportation Use Category Existence Category Accuracy Category Overlay Category Width-Decimeters Overhead Clearance-Decimeters Length/Diameter of Feature		F-38	LEN
,5 ,2	Transportation Use Category Existence Category Accuracy Category Overlay Category Width-Decimeters		••••					Line	F-8 F-9 F-15	

F Code	ITD(T) PITD(P)	Feature Name]	<b>F</b> Туре		At. Code	Values	Attribute	
1Q130		Tunnel, Railroad (Continued)		F-38 F-38	LEN LEN	500-20,000 (P)	Overhead Clearance-Decimeters Length/Diameter of Feature Length/Diameter of Feature	_
1U160		Airfield- Hard/Paved [Runway]	Line	F-2 F-5 F-8 F-12 F-15 F-35	DLA RST EXS WID OVC LEN	2 1 0,1,5,6 0-300 5 0-5000	Definition of Landing Area Road/Runway Surface Type Existence Category Width (Meters) Overlay Category Length/Diameter of Feature	
	(T)		Area	F-2 F-5 F-8 F-12 F-15	DLA RST EXS WID OVC		Definition of Landing Area Road/Runway Surface Type Existence Category Width (Meters) Overlay Category Length/Diameter of Feature	APPENDIX A
10160		Airfield- Loose/Unpaved [Runway]	Line	F-5 F-8 F-12 F-15	RST EXS WID OVC	0,1,2 2 0,1,5,6 0-300 5 0-5000	Definition of Landing Area Road/Runway Surface Type Existence Category Width (Meters) Overlay Category Length/Diameter of Feature	_
	(T)		Area	F-5 F-0 F-12 F-15	RST EXS WID OVC	0,1,2 2 0,1,5,6 0-300 5 0-5000	Definition of Landing Area Road/Runway Surface Type Existence Category Width (Meters) Overlay Category Length/Diameter of Feature	- -

F Code	ITD(T) PITD(P)	Feature Name {DMAFF Feature Name}	F Type	F At.		Values	Attribute	
10160	(P)	Landing Area Hard/Paved [Runway]	Point	F-2 F-5 F-15 F-35 F-36	RST OVC LEN	1 1 5 0-5000 0-5000	Definition of Landing Area Road/Runway Surface Type Overlay Category Length/Diameter of Feature Width (Meters)	
10160	(P)	Landing Area Loose/Unpaved [Runway]	Point		RST OVC LEN	1 2 5 0-5000 0-5000	Definition of Landing Area Road/Runway Surface Type Overlay Category Length/Diameter of Feature Width (Meters)	
2н070		On Route Ford [Ford]	Point				Overlay Category  Overlay Category	APPENDI
9D010*	<b></b>	Miscellaneous Transportation	Point				Overlay Category	X
		Feature [Miscellaneous Graphic Features]	Line  Area		ovc		Overlay Category Overlay Category	

<sup>\*</sup> In the ITD/PITD SLF text record enter the complete feaure description and dimensional values for all characteristics of the Miscellaneous Transportation features.

#### Section 6 OBSTACLES

F Code	ITD(T) PITD(P)	Feature Name [DMAFF Feature Name]	F Type	F At.		Values	Attribute	_
1L060	_	Line	F-15	ovc	6	Overlay Category	_	
		[Same]	Area	F-15	ovc	6	Overlay Category	_
11160		Pipeline [Same]	Line	F-15	ovc	0,3,4	Location/Origin Category Overlay Category	_
1L260	(T)	Wall/Fence [Wall]	Line		ovc	6	Overlay Category	- tu
2B070		Volcanic Dike [Dike]	Line	F-15	MCC OVC		Material Composition Category Overlay Category	APPENDIX
2B220	~~	Crossing Point [Ramp]	Point	F-7 F-15	OVC	19	Hydrographic Location Category Overlay Category	- <del>X</del> >>
2н100	(T)	Moat [Same]	Line		ovc	6	Overlay Category	_
48010		Escarpment [Bluff/Cliff/ Escarpment]	Line	F-15	ovc	6	Overlay Category	
4B070		Road/RR Cut [Cut]	Line	F-15	ovc	6	Overlay Category .	· <b>-</b>
4B080	,	Depression (Same)	Area	F-15	ovc	6	Overlay Category	

#### Obstacles (Continued)

F Code	ITD (T) PITD (P)	Feature Name [DMAFF Feature Name]	f Type	F At.		Values	Attribute
4B090	_ ~ • ~ • • • • •	Embankment [Same]	Line	F-15	OVC	6	Overlay Category
4B120		Road/RR Fill (Fill)	Line	F-15	ovc	6	Overlay Category
5A020	(T)	Hedgerow [Same]	Line	F-15	ovc	6	Overlay Category
9D010*		Miscellaneous	Point	F-15	ovc	6	Overlay Category
		Obstacle Feature	Line	F-15	ovc	6	Overlay Category
		[Miscellaneous Graphic Features]	Area	F-15	ovc	6	Overlay Category

<sup>\*</sup> In the ITD/PITD SLF text record enter the complete feature description and dimensional values for all > characteristics of the Miscellaneous Obstacle features.

#### APPENDIX B

#### ITD ATTRIBUTE LISTING

#### 10. SCOPE

10.1 <u>Scope</u>. This appendix provides a guide to the ITD attribute codes, attribute values, and value meanings. This appendix is a mandatory part of the specification. The information contained herein is intended for compliance.

#### 20. APPLICABLE DOCUMENTS

This section is not applicable to this appendix.

30. ITD ATTRIBUTE CODE NAMES AND ATTRIBUTE VALUES

#### 30.1 ITD attribute table.

Attribute <u>Code</u>		Value Meaning
ACC	Accuracy Cat	egory
	0	Unknown
	1	Accurate
	2	Approximate
BCC	Bypass Condi	tion Category
	0	Unknown
	1	Difficult
	2	Easy
	3	Impossible
BDC	Brushland De	ensity Category
	0	Unknown
	1	Open to Medium (0-50% Coverage)
	2	Medium to Dense (51-100% Coverage)
BGL	Bank Gradier	nt (Slope) Category-Left Bank
	0	Unknown
	1	1%
	•	
	100	100%
BGR	Bank Gradier Same Values	nt (Slope) Category-Right Bank As BGL
BHL	Bank Height	Category-Left Bank
	0	Unknown
	1	1 Decimeter
	9998	9998 Decimeter

#### APPENDIX B

Attribute Code	Attribute Values	Value Meaning
BHR	Bank Height Same values	Category-Right Bank as BHL
BRN	Bridge Refe	rence Number
	0	Unknown
	1	Bridge number 1
	•	
•	9998	Bridge number 9998
DLA	Definition	of Landing Area
	0	Unknown
	1	No well defined runway
	2	Well defined runway
DMT	_	sure (% of Tree/Canopy Cover)
	0	Unknown
	1	18
	100	100%
EXS	Existence C	ategory :
	0	Unknown
	1	Definite
	5	Under Construction
	6	Abandoned/non-operational
	8	Dismantled
		1
GR1		ighness Category
	0	Unknown
	1	0.00
	2	0.05
	increase e	each value by 0.05 1.00
	21	1.00
GR2	General Rou	ighness Category
	0	Unknown
	1	0.00
	2	0.05
	increase e	each value by 0.05
	21	1.00

#### APPENDIX B

Attribute Code	Attribute Values	Value Meaning
GR3	General Rou	ghness Category
	0	Unknown
	1	0.00
	2	0.05
	increase e	ach value by 0.05
	21	1.00
GR4	General Rou	ghness Category
	0	Unknown
	1	0.00
	2	0.05
	increase e	ach value by 0.05
	21	1.00
GR5	General Rou	ghness Category
	0	Unknown
	1	0.00
	2	0.05
		ach value by 0.05
	21	1.00
GSC	Ground Slop	
	0	Unknown
	1	0-3%
	2	>3-10%
	3	>10-20%
	4	>20-30%
	5	>30-45%
	6	>45%
	7	0->45% (Naturally and/or culturally dissected land).
GWD	Gap Width D	ecimeters
	0	Unknown
	1	1 Decimeter
		,
	•	
	99998 99	998 Decimeters
HGT	Height of F	eature Above Ground Level
	0	Unknown
	1	1 Meter
	•	
	•	
	•	
	998	998 Meters

#### APPENDIX B

Attribute Code	Attribute Values	Value Meaning
HLC	Hydrographi 0 19	c Location Category Unknown Above Surface
HYC	Hydrographi 0 6 8 10 11	Unknown Non-Perennial/Intermittent/Fluctuating and Ephemeral Perennial/Permanent Tidal/Tidal Fluctuation Steep Sides Braided
LC1	Load Class 0 1 200	Type: One-Way, Wheeled Vehicles Unknown 1 Short Ton 200 Short Tons
LC2	Load Class 0 1	Type: Two-way, Wheeled Vehicles Unknown 1 Short Ton  200 Short Tons
LC3	Load Class 0 1 200	Type:One-way, Tracked Vehicles Unknown 1 Short Ton 200 Short Tons
LC4	Load Class 0 1	Type:Two-way, Tracked Vehicles Unknown 1 Short Ton
	200	200 Short Tons

#### APPENDIX B

Attribute	Attribute	Value
Code	<u>Values</u>	Meaning
		_
LEN	<del>-</del>	eter of Feature
	0	Unknown
	1	1 Meter
	•	
	•	
		99998 Meters
	99998	99990 Meters
LND	Length in De	ecimeter
22.4	-	Unknown
	1	1 Decimeter
	•	
		·
	•	
	99998	99998 Decimeters
LOC	Location/Ori	igin Category
	0	Unknown
_	1	Below Ground Level
,	3	On Ground Surface
	4	Suspended or Elevated
LTC	Iano/Track (	Characteristics
ыс	0	Unknown
	3	Multiple
	4	Single
	_	
MCC	Material Con	mposition Category
	0	Unknown
	4	Bare/Cleared
	5	Bedrock
	14	Clay
	18	Concrete
	23	Earthwork
	24	Evaporites
	35	Gravel
	48	Masonry (Stone/Brick)
	57	Paved
	60	Prestressed Concrete
	65	Reinforced Concrete
	66	Rock, Rocky
	69	Sand
	76	Silt
	77	Soil
	83	Steel
	86	Stone
	94	Volcanic
	97	Wood

#### APPENDIX B

Attribute	<b>-</b>	Value		
<u>Code</u>	<u>Values</u>	Meaning		
NOC	Number of Spans			
NOS	0 number or at	Unknown		
	1-98	(max. 2 digits)		
	1-90	(max. 2 digits)		
OHD	Overbead Cle	earance-Decimeters		
	0	Unknown		
	1	1 Decimeter		
	•			
		·		
	500	500 Decimeters		
	501	Unlimited		
OAC	Overlay Cate	<del>-</del> -		
	0	Unknown		
	1	Surface Configuration		
	2	Vegetation		
	3	Surface Materials		
	4	Surface Drainage		
	5	Transportation		
	6	Obstacles		
RRA	Railroad At	twikutos		
RKA	0	Unknown		
	-	Electrified		
	<b>1</b> 5	Non-electrified		
	5	Non-electified		
RRC	Railroad/Ro	ad Categories (For ITD, RRC is used for some Surface		
		as well as some Transportation Features)		
	0	Unknown		
	1	Broad Gauge		
	4	Narrow/Narrow Gauge		
	5	Normal (Standard) Gauge		
	7	Medium		
	9	Wide		
RSC	Road/RR Str	ucture Category		
	0	Unknown		
	1	Non-elevated		
	3	Elevated on Grade/Levee (Earthwork)		
•	6	Elevated on Structure		
RST	_	Surface Type		
	0	Unknown		
	1	Hard/Paved		
	2	Loose/Unpaved		

#### APPENDIX B

Attribute	Attribute	Value		
Code	<u>Values</u>	Meaning		
SBV	Stream Bank	Vegetation		
00.	0	Unknown		
	1	Dense Vegetation on the right bank		
	2	Dense Vegetation on the left bank		
	3	Dense Vegetation on both banks		
	4	Neither bank contains dense vegetation		
	-	notenot built concario donot regulation		
SDC	Soil Depth	Category		
	0	Unknown		
	1	> 0.5 meters		
	2	< 0.5 meters		
CDC	Star Diamet	0:		
SDS	Stem Diamet			
	0	Unknown		
	1	1 cm		
	•			
	•			
	900	900 cm		
SGC	Slope/Gradi	ent Category		
	0	Unknown		
	1	0 - <2%		
	2	2		
	3	3		
	•			
	•			
	98	98%		
SRQ	Surface Roughness Qualifier			
	0	No Data (Unknown) (Predefined for PTADB and TTADB)		
	1	No Surface Roughness effect (Predefined for PTADB		
		and TTADB)		
	2	Area of high landslide potential (Predefined for TTADB)		
	3-98	Unique descriptions tailored to individual project areas		
STC	Soil Type C			
	0	Unknown .		
	1	GW - Well-graded gravels, gravel-sand mixtures, little or no fines.		
	2	GP - Poorly graded gravels or gravel-sand		
		mixtures, little or no fines.		
	3	GM - Silty gravels, gravel-sand-silt mixtures.		
	4	GC - Clayey gravels, gravel-sand-clay mixtures.		
	5	SW - Well-graded sand, gravelly sands, little or		
•		no fines.		

#### APPENDIX B

Attribute Code	Attribute <u>Values</u>	Value Meaning	
	6	SP - Poorly graded sands or gravelly sands, little or no fines.	
	7	SM - Silty sands, sand-silt mixtures.	
	8	SC - Clayey sands, sand-clay mixtures.	
	9	ML - Inorganic silts and very fine sands, rock flour, silty or clayey fine sands or clayey silts with slight plasticity.	
	10	CL - Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays.	
	11	OL - Organic silts and organic silty clays of low plasticity.	
	12	CH - Inorganic clays of high plasticity, fat clays.	
	13	MH - Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts.	
	14	OH - Organic clays of medium to high plasticity, organic silts.	
	15	PT - Peat and other highly organic soils.	
SWC	Soil Wetness Category		
	0	Unknown	
	1	Dry	
	2	Moist	
	3	Wet	
TSD	Tree Spacing Category		
	0	Unknown	
	1	1 Decimeter	
	500	500 Decimeters	
TUC	Transportat	ion Use Category	
	0	Unknown	
	3	Railroad	
	4	Road	
TWC	Travelway C	haracteristics	
	0	Unknown	
	1	Travelway for Dual/Divided Same Widths	
	2	Travelway for Dual/Divided Different Widths	
	3	Non-divided	

#### APPENDIX B

Attribute Code	Attribute Values	Value Meaning	
UBD	Underbridge	Clearance-Decimeters	
	0	Unknown	
	1	1 Decimeter	
	•		
	•		
	998	998 Decimeters	
UGD	Undergrowth	Density Category	
	0	Unknown	
	1	None to sparse	
	2	Medium to Dense	
VEG	Vegetation (	Characteristics	
	0	Unknown	
	1	Dry Crops	
	2	Shifting (cultivation/usage)	
	3	Terraced	
	4	Rice Paddy	
	5	Agriculture With Scattered Forests	
	8	Grassland	
	9	Grassland w/Scatt. Trees & Scrub Growth	
	13	Deciduous	
	14	Evergreen	
	15	Mixed	
	17	Palm	
	19	Mangrove	
	24	Forest Clearing	
WDA	Water Depth	Average	
	0	Unknown	
	1	<0.8 meters	
	2	>0.8 - 1.6 m	
	3	>1.6 - 2.4 m	
	4	>2.4 m	
	5	<1.2 m	
	6	>1.2 m - 2.4 m	
WDD	Width-Decimeters		
	0	Unknown	
	1	1 Decimeter	
	•		
	500	500 Decimeters	

#### APPENDIX B

Attribute <u>Code</u>	Attribute <u>Values</u>	Value <u>Meaning</u>		
WID	Width			
	0	Unknown		
	1	1 Meter		
	998	998 Meters		
WTC	Weather Type Category			
	0	Unknown		
	1	All weather		
	2	Fair/Dry Weather		
WVA	Water Velocity Average			
	0	Unknown		
	1	<=2.5 m/sec.		
•	2	>2.5 m/sec.		

#### INDEX

	PARAGRAPH	PAGE
Accuracy	3.1	4
Appendix A	3.21	14
Appendix A. ITD/PITD feature and feature attribute		
organization table		17
Appendix B. ITD attribute listing		57
Applicability	1.4	2
Applicable documents	2.	2
**************************************	20.	17
	20.	57
Bridges	3.12.4	12
Classification and special handling of		
thematic overlays	6.3	16
Concluding material		69
Continuity (adjoining data set match)	3.5	4
Data density levels	3.3	4
Data set size	3.4	4
Datum	3.2	4
Deliverable data	3.18	14
Dimensions	3.6	5
Feature and attribute coding system	3.7	5
General obstacle information	3.16.1	13
General slope information	3.11.1	6
General surface drainage information	3.14.1	10
General surface materials information	3.13.1	8
General transportation information	3.15.1	10
General vegetation information	3.12.1	7
Government documents	2.1	2
Horizontal accuracy	3.1.1	4
Horizontal datum	3.2.1	4
Index		67
Intended use	6.1	15
ITD attribute code names and attribute values	30.	57
ITD attribute table	30.1	57
ITD design	1.5	2
ITD file	3.8	5
ITD set up of features and attributes	30.	17
ITD/PITD features and attributes	3.10	6
Magnetic tape media	3.8.1	5
Minimum sizes	3.6.2	5
Miscellaneous Surface Configuration features	3.11.2	7
Miscellaneous Vegetation features	3.12.2	7
Miscellaneous Surface Materials features	3.12.6	13
Miscellaneous Surface Drainage features	3.13.2	8
Miscellaneous Transportation features	3.14.2	10
Miscellaneous Obstacle features	3.16.2	13
Names and labeling	3.19	14
Non-Government publications	2.2	3
Not-evaluated (9D010) areas	3.13.3	8
Notes	6.	15
Obstacles	3.16	13

#### INDEX

	PARAGRAPH	PAGE
Order of precedence	2.3	3
Organizational table	30.1	17
Other Government documents, drawings, and publications	2.1.2	3
Packaging	5.	15
Purpose	1.2	2
Quality	3.17	13
Quality assurance provisions	4.	15
Railroads	3.15.2	11
Reproduction and storage	3.20	14
Requirements	3.	4
Responsibility for compliance	4.1.1	15
Responsibility for inspection	4.1	15
Roads	3.12.3	11
Scope	1.	1
Scope	1.1	1
	10.	17
	10.	57
	10.1	17
	10.1	57
Security	1.3	2
Security classification	1.3.1	2
	2.1.1	2
Specifications, standards, and handbooks Standardization document improvement proposal	2,1.1	70
	6.2	15
Supersession	3.11	6
	3.14	10
Surface Drainage	3.13	8
Surface materials	3.13.4	9
Surface roughness classification and coding	3.1.2	4
Thematic file relationships	3.1.2	5
Thematic file separation	3.9	10
Transportation	3.13	13
Tunnels	*	
Unit of measure	3.6.1	5 7
Vegetation	3.12	•
Vertical datum	3.2.2	4

#### CONCLUDING MATERIAL

Custodians: DMA - MP

Preparing activity:

DMA - MP

Review activities:

(project MCGT-0028)

Army - PO Air Force - 09 Navy - NO

User activities:

Air Force: 09

Army:

USA-FSTC-CB1; CDRWESTCOM-APIN-MCG; CDR25THINFDIV-APVG-DS;

CDRUSAASDE; CDRUSAETL-CEETL-TC-SA

DMA:

DMS-MTM; DMAHTC-SXM; DMACSC-LANT; DMAIAGS; DMAHTC LOU-LUA;

DMAAC-DAP; DMAHTC-VRM

NSA:

NSA-GIC-T5141

Navy:

USEUCOM -ECJ2-T; CINCPAC-J37; CINCUSNAVEUR-N39; CG MCCDC-IN11;

CG FMFLANT-AC/S; CG FMFPAC-AC/S

TVA:

NSD-HB

Canada:

M&CE

#### STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

#### INSTRUCTIONS

- 1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
- 2. The submitter of this form must complete blocks 4, 5, 6, and 7.

ADDRESS (Include Zip Code)

8613 Tep Highway, Fairfax, VA 22031-2137

ATTN: PRS

3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEN	1	-1-89014		1130	
3. DOCUMENT TITLE	MILITARY SPECIFICATIO	N INTERIM TERRAI			
	TERRAIN DATA (PITD)				
4. NATURE OF CHAN	GE (Identify paragraph number and	include proposed rewrite,	, if possible. Attach extra s	sheets as needed.)	
1 1	•				
			·		
		4			
S. REASON FOR RECO					
S. READON FOR RECO	MUNICAL DATE OF THE STATE OF TH				
	••			ī	
STREET TEN		***			186761940
		b consent	ATROM		
	Carlos		et (exteste Arus Code): re	TO SECURITION	
		Di Canada			
	LOGICAL CONTRACTOR OF THE PARTY				
PREPARING ACTIVITY		The state of the s			- conjusting of
. NAME		b. TELEPHON	VE (Include Area Code)		
Defense Mapp	ing Agency	(1) Commerci	ial	(2) AUTOVON	
perense naph	THE UPERCY	(703)	285-9199	356-91 <b>9</b> 8	

IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: