MIL-L-22851C AMENDMENT 2 23 July 1979 SUPERSEDING AMENMENT 1 27 April 1979

MILITARY SPECIFICATION

LUBRICATING OIL, AIRCRAFT PISTON ENGINE (ASHLESS DISPERSANT)

This amendment forms a part of Military Specification MIL-L-22851C, dated 2 January 1979, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 5

3.3.1, Table I, Delete and substitute:

" TABLE I

PROPERTIES			
Properties	Type II blend	Type III blend	
Gravity, °API	1/	1/	
Ash, max., percent	0.0025	0.0025	
Carbon residue, max., percent $2/$	1.2	0.75	
Pour point, max.	-18°C (0°F)	-24°C (-10°F)	
Flash point, min.	244°C (470°F)	216°C (420°F)	
Sulfur, max., percent 3/	1.2	1.2	
Trace sediment, max., ml./100 ml. oil	0.005	0.005	
Copper strip corrosion			
3 hrs. at 100°C ± 1°C (212°F ±2°F), max. 3 hrs. at 204°C ±1°C	1	1	
(400°F ±2°F), max.	3	3	

MIL-L-22851C AMENDMENT 2

TABLE I (cont'd)

Properties	Type II blend	Type III blend
Viscosity at 98.9°C (210°F)		
Saybolt universal seconds, SUS	93 - 125	62 - 84
Kinematic viscosity, cs	18.7 - 26.1	10.8 - 16.5
Viscosity index, min.	95	- 100
Trace metal content, ppm, max. $\frac{4}{}$	·	_
Iron (Fe) Silver (Ag) Aluminum (Al) Chromium (Cr) Copper (Cu) Magnesium (Mg) Nickel (Ni) Lead (Pb) Silicon (Si) Tin (Sn) Titanium (Ti) Molybdenum (Mo)]	5 2 7 5 3 3 3 5 10 10 2

PAGE 13

4.6.3 Delete and substitute:

"4.6.3 Trace metal content. The trace metal content of the oil shall be determined with an atomic emission (A/E 35U-3) spectrometer. Using Joint Oil Analysis Program spectrometric calibration standards, the spectrometer shall be standardized in accordance with paragraphs 4-32, 4-33, 4-46, and 4-47 of Technical Manual NAVAIR 17-15-BF-62. Immediately after standardizing the spectrometer, five (5) determinations of the oil for trace metal content shall be performed. The average of the five determinations shall be reported. Samples requiring trace metal content determinations may be sent to:

Oil Analysis Laboratory Metrology Engineering Division Naval Air Rework Facility (Code-433) Naval Air Station Pensacola, Florida 32508"

MIL-L-22851C AMENDMENT 2

The margins of this amenment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire document irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:

Army - MR Navy - AS

Air Force - 11

Review Activities:

Army - AV, ME Air Force - 68 DLA - PS

User Activity: Navy - MC Preparing activity:
Navy - AS
(Project No. 9150-0573)

Downloaded from http://www.everyspec.com

•