

INCH-POUND

MIL-R-24243C
SUPPLEMENT 1
22 JUNE 1994

MILITARY SPECIFICATION

RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-R-24243C dated 21 September 1987.

MIL-R-24243/1	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End, Domed Head; Aluminum Alloy, Carbon Steel, Corrosion-Resistant Steel.
MIL-R-24243/2	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End, Domed Head; Nickel-Copper Alloy
MIL-R-24243/3	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End, Large Domed Head; Aluminum Alloy, Carbon Steel
MIL-R-24243/4	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End, 100° Countersunk Head; Aluminum Alloy
MIL-R-24243/5	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End, 120° Countersunk Head; Aluminum Alloy, Carbon Steel, Nickel-Copper Alloy
MIL-R-24243/6	- Rivets, Blind, Nonstructural, Retained Mandrel; Closed-End Domed Head; Aluminum Alloy
MIL-R-24243/7	- Rivets, Blind, Nonstructural, Retained Mandrel; Closed-End, 120° Countersunk Head; Aluminum Alloy
MIL-R-24243/8	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End Snap Head; Aluminum Alloy
MIL-R-24243/9	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End, 120° Countersunk Head; Aluminum Alloy
MIL-R-24243/10	- Rivets, Blind, Nonstructural, Retained Mandrel; Open-End Domed Head; Aluminum Alloy

Preparing Activity:
DLA-IS
(Project 5320-0809-11)

AMSC N/A

FSC 5320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.