MIL-R-8592/3 AMENDMENT 1 3 February 1978

#### MILITARY SPECIFICATION

### SURVIVORS, SLING, RESCUE EQUIPMENT HELICOPTER

This amendment forms a part of Military Specification MIL-R-8592/3 dated 25 June 1965, and is approved for use by all Departments and Agencies of the Department of Defense.

#### PAGE 1

### 2.1 SPECIFICATIONS, Military

Delete: "MIL-B-22205 Bags, Transparent, Flexible, Heat Sealable for

Packaging Applications

MIL-B-43165 Bags, Polyethylene"

Add: "MIL-B-117 Bag Sleeve and Tubing - Interior Packaging"

Bottom of Page, Add:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer, Naval Air Engineering Center, ESSD, (Code 93) Lakehurst, New Jersey 08733 by using the I self-addressed Standard Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

### PAGE 2

- 3.1 Delete and substitute the following:
- "3.1 First Article Inspection Unless specified, the survivors rescue sling furnished under this specification shall be a product which has been inspected and has passed the First Article inspection specified in 4.3 through 4.3.1.1"
- 3.4.1 Delete and substitute the following:
- " $3.4.1 \, \underline{\text{Proof Load}}$  The survivor's sling, excluding the filler case and cover subassemblies, shall exhibit no evidence of damage, separation of the stitching, failure of the hardware, nor deformation of any part when tested as specified in 4.5,3."

FSC 4240

## MIL-R-8592/3 AMENDMENT 1

- 4.2 (a) Delete and substitute the following:
- "4.2 (a) First article inspection First article inspection consists of inspection and tests performed on samples, which are representative of the production item after award of a contract to determine that the production item conforms to the requirements of this specification (see 3.1 and 4.3 through 4.3.1.1 )".
- 4.3 Delete and substitute the following:
- "4.3  $First\ Article\ Inspection\ -$  The first article inspection of the survivors rescue sling shall consist of inspection and tests for all of the requirements of this specification."
- 4.3.1 Delete and substitute the following:
- "4.3.1 First article samples Unless specified, as soon as practicable after award of the contract or order, the manufacturer shall submit two samples for First Article Inspection. The samples shall be representative of the construction, workmanship and materials to be used during production. When a contractor is in continuous production of these slings from contract to contract submission of further samples for First Article Inspection on the new contract may be waivered at the discretion of the procuring activity. Approval of the First Article inspection samples, or the waiving of First Article Inspection, does not preclude the requirement of submitting to Quality Conformance Inspection. The First Article Inspection samples shall be furnished to the Government as directed by the contracting officer (see 6.2b). The samples shall be plainly marked with the following information:

Samples submitted by (Manufacturer's Name) (da	te)
For First Article Inspection in accordance wit	h
the requirements of MIL-R-8592/3.under Contract	No.

# PAGE 4

- 4.3.1.1 Delete and substitute the following: .
- "4.3.1.1 Upon completion of the First Article Inspection, all the applicable inspection reports, and when applicable, recommendations and comments pertinent for use in monitoring production shall be forwarded to the cognizant Government activity. One approved First Article Inspection Sample shall be returned to the contractor for use in monitoring production."

## MIL-R-8592/3 AMENDMENT 1

PAGE 6

5.1.1, line 7 - Delete "MIL-B-43165 Type I or MIL-B-22205 Type 111" and substitute "MIL-B-117 Type I, Class B".

PAGE 7

6.2(b) Delete and substitute the following:

%6.2(b) Whether First Article Inspection is required and where samples should be delivered (see 4.3.1)".

PAGE 8

### 6.4 - Add New Paragraph:

"6.4 Contract data requirements - When this specification is used in a procurement which incorporates a DD Form 1423 and invokes the provisions of 7-104.9(n)of the Armed Services Procurement Regulations, the data requirements identified below will be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved Contract Data Requirements List (DD Form 1423) incorporated into the contract. When the provisions of ASPR-7 - 104.9(n) are not invoked, the data specified below will be delivered by the contractor in accordance with the contract requirements. Deliverable data required by this specification is cited in the following paragraphs:

paragraph Data Requirement Applicable DID

First Article DI-T-5329 - Inspection
4.3.1.1 Inspection reports Test Reports"

### 6.5 - Add New Paragraph:

"6.5 When a first article is required, it shall be tested under the appropriate provision of 7-104.55 of the Armed Services Procurement Regulation. The first article should be a preproduction sample. The contracting officer should include specific instructions in all procurement instruments, regarding arrangements for examinations} test and approval of the first article."

Custodians: Preparing Activity:
Navy - AS
Air Force - 99

International Interest Project No. 4240-0457 See Section six (6) Downloaded from http://www.everyspec.com