

**INCH-POUND**

MIL-S-3007J  
AMENDMENT 1  
10 January 1989

**MILITARY SPECIFICATION**

**SWEATER, MAN'S, OLIVE DRAB**

This amendment forms a part of MIL-S-3007J, dated 6 November 1985, and is approved for use by all Departments and Agencies of the Department of Defense.

**PAGE 2**

2.1, under "SPECIFICATIONS, FEDERAL": Add "A-A-50083 - Bag, Plastic, Folded Garment".

2.1, under "SPECIFICATIONS, MILITARY": Delete "MIL-T-43548" and its title and substitute:

"MIL-L-35078 - Loads, Unit: Preparation of Semiperishable  
Subsistence Items; Clothing, Personal Equipment  
and Equipage; General Specification For  
MIL-T-43548 - Thread, Polyester Core: Cotton-, Rayon-, or  
Polyester-Covered"

2.1, under "STANDARDS, MILITARY": Add "MIL-STD-731 - Quality of Wood Members for Containers and Pallets".

**PAGE 5**

3.3.5.1, line 3: Delete "7000  $\pm$  500 K," and substitute "7500  $\pm$  200 K,".

Line 5: Delete "2300  $\pm$  100 K" and substitute "2300  $\pm$  200 K".

**PAGE 6**

3.5: Add "The contractor shall submit the patterns to the contracting activity for approval prior to the initiation of any cutting operation."

AMSC N/A

1 of 4

FSC 8405

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-S-3007J  
AMENDMENT 1

PAGE 8

Table I, operation 1, line 5, after "direction": Add ", except for the collar and the yoke".

PAGE 12

Table I, operation 10, line 7: Delete "3/8 to 5/8" and substitute "5/8 to 7/8".

Operation 13.a, line 1, after "trimmed": Add "to a maximum of 1/4 inch".

PAGE 13

Table II, tolerance for "Cuff width": Delete "+ 1/4" and substitute "- 0, + 1/4".

Tolerance for "Skirt width": Delete "+ 1" and substitute "- 0, + 1".

PAGE 14

Add the following new paragraphs:

"4.1.2 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

4.1.3 Responsibility for dimensional requirements. Unless otherwise specified in the contract or purchase order, the contractor is responsible for ensuring that all specified dimensions have been met. When dimensions cannot be examined on the end item, inspection shall be made at any point, or at all points in the manufacturing process necessary to assure compliance with all dimensional requirements."

PAGE 16

4.2.3, defect II.b, line 1, after "not trimmed": Add "to 1/4 inch or less".

MIL-S-3007J  
AMENDMENT 1

PAGE 18

4.2.3, defect IX.i, line 1: Delete "3/8" and substitute "5/8".

Line 2: Delete "5/8" and substitute "7/8".

PAGE 21

4.2.6, in defect for "Workmanship", line 4: Delete "Open and non-continuous heat sealed seams of polyethylene bag."

PAGE 22

5.1.1, line 3, after "bag": Delete remainder of paragraph and substitute "conforming to A-A-50083."

PAGE 23

5.2.1: Delete the last sentence.

Add the following at the end of paragraph:

"Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified (see 6.2). Strapping shall be limited to nonmetallic strapping, except for type II, class F loads."

5.2.2: Delete the last sentence.

5.3: Delete and substitute:

"5.3 Palletization. When specified (see 6.2), sweaters, packed as specified in 5.2.2 and 5.2.3 shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Pallet type shall be type I (4-way entry), type IV, or type V in accordance with MIL-STD-147. Pallets shall be fabricated from wood groups, I, II, III, or IV of MIL-STD-731. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L or film bonding means O or P. Pallet pattern shall be number 3 in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course."

PAGE 24

5.4.2: Delete in its entirety.

6.2: Add the following:

"f. Type and class of unit load required (see 5.2.1)."

MIL-S-3007J  
AMENDMENT 1

Add the following new paragraph:

"6.6 Subject term (key word) listing.

Cold weather clothing  
Men's clothing"

Custodians:

Army - GL  
Air Force - 99

Review activities:

Army - MD  
DLA - CT  
Air Force - 11, 82

User activities:

Air Force - 45  
Navy - NU, CG

Preparing activity:

Army - GL  
(Project 8405-0050)