

MIL-S-46163A
AMENDMENT 2
7 May 1993
SUPERSEDING
AMENDMENT 1
5 December 1985

MILITARY SPECIFICATION

SEALING, LUBRICATING AND WICKING COMPOUNDS: THREAD-LOCKING,
ANAEROBIC, SINGLE-COMPONENT

This specification is approved for use by all Departments and agencies of the Department of Defense.

PAGE 6

Delete and substitute:

"3.3.4 Condition in Container. The unpolymerized compound, when tested in 4.6.1.4 shall be smooth and homogeneous and shall be free from lumps and caked material."

PAGE 13

Delete and substitute:

"4.6.1.4 Condition in Container. One milliliter of the compound shall be placed in 10 ml of a solution of 1,1,1-trichlorethane containing 5 percent by volume of acetone. Thoroughly shake the mixture. Allow the mixture to stand undisturbed for five minutes. Examine the solution by carefully placing a white sheet of paper behind the test tube. The compound shall comply with 3.3.4."

1 of 3

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited. FSC 8030

Add the following table:


"TABLE VII. Military part number coding - sealing compounds.

Type	Code	Grade	Code	Container size	Code	Primer required	Code
I	1	J	1	10cc	1	Yes	Y
		K	2	25cc		No	N
		L	3	50cc			
II	2	M	1	250cc	2		
		N	2	Other			
		O	3				
III	3	P	1		3		
		Q	2			4	
		R	3			5	

Example:

M46163

1 1 1 Y



Add the following table:


"TABLE VIII. Military part number coding - primer.

Grade	Code	Explosives Capability	Code	Container size	Code
F	1	Yes	Y	6 oz.	1
		No	N	1 gal.	2

Example:

M46163

1 Y 1



Custodians:

Army - MR

Navy - AS

Air Force - 11

Preparing activity:

Army - MR

Project 8030-0663

Review activities:

Army - AR, CR, ER, MI, MD, ME

Navy - SE

Air Force - 99

(KBWP# ID-0369A/DISK 0019A. FOR ARL/MD USE ONLY)