

INCH-POUND

MIL-S-858932(AS)

30 November 1990

## MILITARY SPECIFICATION

SIMULATOR, SURFACE-TO-AIR MISSILE  
(SMOKEY SAM SIMULATOR) SMU-124/E

This specification is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 Scope. This specification establishes the requirements for the manufacture and inspection of the Smokey SAM Simulator. The Smokey SAM Simulator is comprised of the GTR-18A Rocket, the PVU-3A/E Igniter, and a breech hole shield.

## 2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specification, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

## SPECIFICATIONS

## MILITARY

MIL-R-85545	Rocket, GTR-18A
MIL-I-85547	Igniter, PVU-3A/E and PVU-3B/E

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Naval Air Engineering Center, Systems Engineering and Standardization Department (Code 53), Lakehurst, NJ 08733-5100, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 1370

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

## MIL-S-85892(AS)

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Naval Standardization Documents Order Desk, Bldg 4D Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

## DRAWINGS

## NAVAL AIR SYSTEMS COMMAND (NAVAIR) (CAGE Code 30003)

1335AS257	Breech Hole Shield
1335AS390	Simulator, Surface-to-Air Missile, SMU-124/E (Smokey SAM Simulator)

(Unless otherwise indicated, copies of Naval Air Systems Command drawings are available from the Naval Air Technical Services Facility (NATSF) (Code 3121), 700 Robbins Avenue, Philadelphia, Pa 19111-5096. )

2.2 Order of precedence In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

## 3. REQUIREMENTS

The Smokey SAM Simulator, see Drawing 1335AS390, shall meet the requirements of section 3 of MIL-R-85545 and MIL-I-85547. The breech hole shield shall meet the requirements of Drawing 1335AS257.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an "acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

The remainder of section 4 shall be in accordance with section 4 of MIL-R-85545 and MIL-I-85547.

MIL-S-85892(AS)

## 5. PACKAGING

The Smokey Sam Simulator shall meet the packaging requirements of section 5 of MIL-R-85545 and MIL-85547.

## 6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use The Smokey SAM Simulator is intended for use with the LMU-23A/E and LMU-24A/E Launchers to train aviation and ground forces to recognize and cope with attacking surface-launch missiles.

6.2 Acquisition requirements. Acquisition documents should specify the following:

- a. Title, number and date of this specification.
- b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1).
- c. Part number.
- d. Quantity required.
- e. Whether first article is required.
- f. Date and place of delivery.
- g. Inspection conditions, if other than specified in MIL-R-85545 and MIL-I-85547.
- h. Packing, marking, and lot numbering, if other than specified in MIL-R-85545 and MIL-1-85547.
- i. Time frame for submission of first article or quality conformance report.
- j. That the safety precaution requirements of the "Contractor's Safety Manual for Ammunition, Explosives, and Related Dangerous Material," DOD 4145.26M are applicable.

NOTE : When this specification is used as part of the description of work to be accomplished by a Government activity, the safety precaution requirements of "Ammunition and Explosives Ashore," OP5 are applicable.

6.3 Consideration of data requirements. The following data requirements should be considered when this specification is applied on a contract. The applicable Data Item Descriptions (DID's) should be reviewed in conjunction with the specific acquisition to ensure that only essential data are requested/provided and that the DID's are tailored to reflect the requirements of the specific acquisition. To ensure correct contractual application of the data requirements, a Contract Data Requirements List (DD Form 1423) must be prepared to obtain the data, except where DOD FAR Supplement 27.475-1 exempts the requirement for a DD Form 1423.

<u>Reference paragraph</u>	<u>DID Number</u>	<u>DID Title</u>	<u>Suggested Tailoring</u>
4.3	DI-NDTI-80566	Test plan	---
4.7	DI-T-2072	Report, test	---

The above DID's were those cleared as of the date of this specification. The current issue of DOD 5010.12-L, Acquisition Management Systems and Data Requirements Control List (AMSDL), must be researched to ensure that only current, cleared DID's are cited on the DD Form 1423.

## MIL-S-85892(AS)

6.4 First Article When a first article Inspection is required, the item should be a first article sample. The first article should consist of 24 loaded rockets, 10 empty rockets, 36 Igniters, and 24 breech hole shields. The contracting officer should Include specific instructions in acquisition documents regarding arrangements for examinations, approval of first article test results and disposition of first articles. Invitations for bids should provide that the Government reserves the right to waive the requirements for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract. Bidders should not submit alternate bids unless specifically requested to do so in the solicitation.

6.5 Subject term key word listing.

Breech hole shield  
Igniter, PVU-3A/E  
Rocket, GTR-18A

Preparing Activity  
Navy - AS  
(Project No. 1370-N324)

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

**I RECOMMEND A CHANGE:**

1. DOCUMENT NUMBER  
MIL-S-85892(AS)

2. DOCUMENT DATE (YYMMDD)  
30 November 1990

3. DOCUMENT TITLE

SIMULATOR, SURFACE-TO-AIR MISSILE(SMOKEY SAM SIMULATOR) SMU-124/E

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)

b. ORGANIZATION

c. ADDRESS (Include Zip Code)

d. TELEPHONE (Include Area Code)  
(1) Commercial  
(2) AUTOVON  
(If applicable)

7. DATE SUBMITTED  
(YYMMDD)

8. PREPARING ACTIVITY

a. NAME

b. TELEPHONE (Include Area Code)  
(1) Commercial

(2) AUTOVON

Commanding Officer  
NAEC (SESD) Code 53

908/323-1116

624-1116

c. ADDRESS (Include Zip Code)

Lakehurst, NJ 08733-5100

IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT.  
Defense Quality and Standardization Office  
5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466  
Telephone (703) 756-2340 AUTOVON 289-2340





