

MIL-S-8959
 AMENDMENT 1
 26 Nov 84

MILITARY SPECIFICATION

SPRING, HYDRAULIC: GENERAL SPECIFICATION FOR

This amendment forms a part of Military Specification MIL-S-8959, dated 14 June 1965, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Delete Section 2 in its entirety and substitute:

"2. APPLICABLE DOCUMENTS

2*1 Government documents.

"2.1.1 Specifications and standards. Unless otherwise specified, the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

| | |
|-----------|-------------------------------------|
| QQ-C-320 | Chromium Plating (Electrodeposited) |
| PPP-B-636 | Box, Shipping, Fiberboard |

MILITARY

| | |
|-------------|---|
| MIL-B-121 | Barrier Material, Greaseproofed, Waterproofed, Flexible |
| MIL-S-5002 | Surface Treatments and Inorganic Coatings for Metal Surfaces of Weapons Systems |
| MIL-C-11796 | Corrosion Preventive Compound, Petrolatum, Hot Application |

STANDARDS

MILITARY

| | |
|-------------|--|
| MIL-STD-129 | Marking for Shipment and Storage |
| MIL-STD-130 | Identification Marking of US Military Property |
| MIL-STD-143 | Standards and Specifications, Order of Precedence for the Selection of |
| MIL-STD-794 | Parts and Equipment, Procedures for Packaging and Packing of |
| MIL-STD-831 | Test Reports, Preparation of |

MIL-S-8959
AMENDMENT 1

| | |
|--------------|---|
| MIL-STD-889 | Dissimilar Metals |
| MIL-STD-1523 | Age Controls of Age Sensitive Elastomeric Material (for Aerospace Applications) |
| MS-33656 | Fitting End, Standard Dimensions for Flared Tube Connection and Gasket Seal |

(Copies of specification and standards required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer).

2.1.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

Add the following note on the bottom center of the page immediately above the FSC designation.

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Ogden ALC/MMEDO Hill Air Force Base, Utah 84056. 5609 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 2

3.3.1, line 1: Delete "MS33586" and substitute "MIL-STD-889."

PAGE 3

3.4.5.1, line 4: Delete "ANA Bulletin No. 438" and substitute "MIL-STD-1523."

PAGE 7

5.3, delete paragraph in its entirety and substitute the following:

4.3 Packaging. Each cylinder shall be adequately cushioned with a suitable material and packaged in accordance with Table 11 of MIL-STD-794 for interior container and Table VII of MIL-STD-794 for exterior container."

PAGE 8

Delete concluding material in its entirety and substitute the following:

Custodians :
Navy - AS
Air Force - 99

Preparing activity:
Air Force - 70

Project No.1620-0120