

MIL-T-12295E
AMENDMENT 2
27 September 1983
SUPERSEDING
AMENDMENT 1
23 March 1983

MILITARY SPECIFICATION

TANKS, HOT WATER STORAGE

This amendment forms a part of Military Specification MIL-T-12295E, dated 13 April 1981, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

2.2, under AMERICAN SOCIETY OF MECHANICAL ENGINEERS (ASME) add:

"Boiler and Pressure Vessel Code, Section VIII - Rules for Construction of Pressure Vessels."

PAGE 4

3.4, delete in its entirety and substitute:

"3.4 Code compliance. The hot water storage tanks shall be constructed, tested and marked in accordance with the applicable requirements of ASME Boiler and Pressure Vessel Code, Section IV - Rules for Construction of Heating Boilers or Section VIII - Rules for Construction of Pressure Vessels, and as specified herein. The presence of the ASME Official Code HLW - symbol, Code U - symbol or Code UM - symbol stamped or marked on the tank and the furnishing of a copy of the applicable ASME Required Manufacturers' Master Data Report will be accepted as evidence that the tanks conform to the ASME Rules for Construction of Heating Boilers or Pressure Vessels."

PAGE 16

* 4.5.2.5.3(b), line 4, delete reference of "4.6.1.8.2" and substitute "4.5.2.5.1."

PAGE 27

Figure 4, Note 3, delete Note 3 in its entirety.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government

FSC 4520

MIL-T-12295E
AMENDMENT 2

assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content, irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:

Army - ME

Navy - YD

Air Force - 99

Preparing activity:

Army - ME

Project 4520-0291

Review activity:

Army - MD, CE

User activities:

Navy - CG, MC