

MIL-G-43544(GL)
 AMENDMENT-1
19 January 1982

MILITARY SPECIFICATION

CARRIER, BODY ARMOR, AIRCREWMAN, SMALL ARMS PROTECTIVE

This amendment forms a part of Military Specification MIL-C-43544(GL), dated 20 September 1967, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Add the following paragraph:

"2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply:

JOINT COMMITTEE ON PRINTING (JCP) PUBLICATIONS

JCP-A-60 - Government Paper Specification Standards

(Copies may be obtained from the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.)"

PAGE 3

3.2.1, line 2, after "to": Add "class 1 of".

3.2.3, line 3, after "type II": Add "class 1,".

3.2.6, line 1, after "type II": Add "class 1,".

3.2.8, line 1, after "shall": Add "be dyed to shade Olive Drab S-1 (C.A.66022) and shall".

3.2.8.1: Delete in entirety.

PAGE 5

3.4.1: Add to end of paragraph. "The words "DO NOT DROP" shall be printed in characters one inch high on the front of the small pocket on the front portion of the carrier."

3.4.2, line 3: Delete "type II" and substitute "type VI". After second sentence: Add "Fastness to class 9 labels shall be as specified for class 5 labels."

FSC 8470

MIL-C-43544(GL)
Amendment-1

PAGE 5 (cont'd)

3.4.2.1, instruction "2", line 1: Delete "right" and substitute "one".

Instruction "4b": After "right" add "or left".

After instruction "4b" add "c For emergency, pull up on both left and right snap fastener tabs."

Add the following new paragraph:

"3.4.3 Use and care booklet. A "Use and Care" booklet shall be furnished by the contractor with each carrier assembly. The booklet shall be placed in the breast pocket. The printing, collation, folding and stitching of the booklet shall be in accordance with the standard sample (see 6.3). The cover shall be antique white book paper conforming to JCP-A-60, 120 pound weight basis 25 x 38 inches per 1000 sheets (see 4.3.1.1). The text paper shall be white offset book paper conforming to JCP-A-60, 120 pound weight basis 25 x 38 inches per 1000 sheets (see 4.3.1.1).

PAGE 6

Add the following paragraph:

"4.3.1.1 Certification. The contractor shall furnish a certificate of compliance for the "Use and Care" booklet paper requirements specified in 3.4.3."

PAGE 9

4.3.3.1, after last defect: Add "Use and Care booklet - Omitted, minor B defect".

PAGE 13

Custodian:

Army - GL

Review activities:

Army - MD, MR

Preparing activity:

Army - GL

Project No. 8470-A083

17 October 1969

Deviations to MIL-C-43544(GL), dated 20 September 1967 for Carrier,
Body Armor, Aircrewman, Small Arms Protective

1. Paragraph 3.4.2.1:

- a. In instruction number 1 delete "up to .30 Cal. AP, shell"
- b. In instruction number 2 delete "right" and substitute "one".
- c. In instruction number 4b. after "right" add "or left".
- d. After instruction number 4b. add "c. For emergency pull up on both left and right snap fastener tabs."

2. Paragraph 3.4.1, add "The words 'DO NOT DROP' shall be printed in characters one inch high on the front of the small pocket on the front portion of the carrier."