

**MIL-STD-274B**  
**Change Notice 1**  
**28 August 1964**

# **MILITARY STANDARD**

## **GAGES, PLUG, THREAD, SETTING, CLASS W, FOR LO (NOT GO) GAGES, UNIFIED STANDARD CLASSES 2A AND 3A AND AMERICAN NATIONAL STANDARD CLASS 3 EXTERNAL THREADS**

**TO ALL HOLDERS OF MIL-STD-274B:**

1. The following pages of Mil-Std-274B have been revised and supersede the pages listed:

<i>New page</i>	<i>Date</i>	<i>Superseded page</i>	<i>Date</i>
ii	28 August 1964	ii	15 March 1963
iii	28 August 1964	iii	15 March 1963
1	28 August 1964	1	15 March 1963
3	28 August 1964	3	15 March 1963
74	28 August 1964	74	15 March 1963

2. Retain this notice and insert before the table of Contents.

3. Holders of Mil-Std-274B will verify that page changes and additions indicated above have been entered and will destroy the previous notice (notice page only). The latest notice (notice page) will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military standard is completely revised or cancelled.



**MIL-STD-274B**  
**28 August 1964**

**DEPARTMENT OF DEFENSE**

**Washington, D. C.**

**Gages, Plug, Thread, Setting, Class W, for LO (Not Go) Gages, Unified Standard Classes 2A and 3A and American National Standard Class 3 External Threads**

**Mil-Std-274B**

1. This Military Standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense.
2. Recommended corrections, additions, or deletions should be addressed to Commanding Officer, U.S. Army Frankford Arsenal, Attn: SMUFA-5500, Philadelphia, Pa. 19137.

**Supersedes page ii of 15 March 1963.**



**MIL-STD-274B**  
**28 August 1964**

## CONTENTS

		Page
1.	SCOPE-----	1
2.	REFERENCED DOCUMENTS-----	1
3.	DEFINITIONS-----	2
4.	GENERAL REQUIREMENTS-----	2
4.1.1	Tables I, II, and III—Tabulation of design and identification data-----	2
4.1.2	Table IV—Listing of Mil-Std Part Numbers in numerical sequence -----	3
5.	PROCUREMENT-----	3
6.	SPECIAL REQUIREMENTS (U.S. Air Force)-----	3

## FIGURES

1.	Truncated thread setting plug gage( taperlock type)-----	4
2.	Truncated thread setting plug gage (trilock type)-----	5

## TABLES

I.	Tabulation of design and identification data-Unified Standard thread-----	7
II.	Tabulation of design and identification data-American National Standard thread-----	51
III.	Tabulation of design and identification data-special (UNS) threads-----	65
IV.	Listing of Mil-Std Part Numbers in numerical sequence-----	73

Supersedes page iii of 15 March 1963.



**MIL-STD-274B**  
**28 August 1964**

## **1. SCOPE**

1.1 This standard covers pertinent design data and Mil-Std Part Numbers for American Gage Design Standard truncated thread setting plug gages for LO (not go) gages for Unified Standard classes 2A and 3A and American National Standard class 3 external threads.

1.2 The minimum limits of certain standard external threads are identical for both the Unified Standard and American National Standard thread systems for the same nominal size threads per inch and class of fit. In these particular cases one part number is applicable and the thread designation is combined. Example: .5000-13UNC-3A-3W.

1.3 The design data for truncated thread setting plug gages employs class W gage manufacturing tolerances in accordance with the U.S. Department of Commerce Handbook H28 "Screw-Thread Standards for Federal Services."

## **2. REFERENCED DOCUMENTS**

2.1 The issues of the following documents

in effect on the date of invitation for bids form a part of this standard.

## **STANDARD**

Mil-Std-10—Surface Roughness Waviness and Lay.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C.)

## **SPECIFICATIONS**

Mil-S-7742—Screw Threads, Standard, Optimum Selected Series, General Specification for.

Mil-G-45654—Gages, Plug and Ring, Thread.

(Copies of specifications should be obtained from the procuring activity or as directed by the Contracting Officer.)

## **OTHER PUBLICATIONS**

U.S. Department of Commerce, National Bureau of Standards, Handbook H28 "Screw-Thread Standard for Federal Services."

**MIL-STD-274B**  
**15 March 1963**

U.S. Department of Commerce, Commercial Standard CS8, "Gage Blanks."

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C.)

### **3. DEFINITIONS**

Not applicable.

### **4. GENERAL REQUIREMENTS**

4.1 This standard contains four tables. Table I provides tabulated design data required for manufacture and inspection and is arranged in ascending size sequence according to thread designation for Unified Standard gages. Table II provides tabulated design data required for manufacture and inspection and is also arranged in ascending size sequence according to thread designation for American National Standard gages. Table III contains thread designations previously listed in the Standard series of Unified Standard thread (with the exception of 1.0000-14NS-3 W which was listed also in the American National Thread Series). They have been redesignated from Standard to special (UNS) threads and are listed herein for reference purposes. Table IV is a listing of Mil-Std Part Numbers in ascending numerical sequence, and is provided as an aid for locating the required design data contained in tables I, II, and III for any given Mil-Std Part Number.

4.1.1 Tables I, II, and III. Tabulation of design and identification data.

4.1.1.1 Mil-Std Part Numbers and the corresponding thread designation for each truncated thread setting plug gage are listed in columns B and C respectively.

4.1.1.2 Column A lists the proper reference to the applicable figure (drawing) for each Mil-Std Part Number.

4.1.1.3 Columns B to D inclusive list the identification data for each Mil-Std Part Number and, when applied to the figure (drawing) referenced in column A, provide information for proper marking of the gages. It is not necessary to mark the "5220" indicated in column B on the gage. For example: Mil-Std Part Number 5220-749-8366 may be marked 7498366 on the gage.

4.1.1.4 Columns E to K inclusive list the design data for each Mil-Std Part Number and, when applied to the figure (drawing) referenced in column A, provide data required for manufacture and inspection.

4.1.1.5 The unit of measurement in columns D, E, F, G, H, and K is inches; column J is  $\pm$  minutes of a degree.

4.1.1.6 Design data, etc., not specifically covered in this standard shall conform to the latest issue of the documents referenced in paragraph 2 above.



**MIL-STD-274B**  
15 March 1963

4.1.2 Table IV. Listing of Mil-Std Part Numbers in numerical sequence.

4.1.2.1 All Mil-Std Part Numbers contained in this standard are listed in ascending numerical sequence in column A.

4.1.2.2 Column B references the page number in tables I, II, and III where the design and identification data for the applicable Mil-Std Part Number may be found.

## 5. PROCUREMENT

5.1 The general requirements and tabulated design data contained in this standard are applicable for procurement purposes, as are the referenced manufacturing and inspection specifications.

5.2 ORDERING DATA. Procurement documents should specify the following:

- (a) Title, number, and date of this standard.
- (b) Number of gages required and Mil-Std Part Number.
- (c) Place of delivery for acceptance inspection.

## 6. SPECIAL REQUIREMENTS (U.S. Air Force)

6.1 U.S. Air Force procurement and supply will normally be limited to the aeronautical screw thread selections contained in Mil-S-7742, and within the following series and sizes.

Coarse Thread Series—UNC., No. 1  
(.073)—64 through 1-8.

Fine Thread Series—UNF No. 0 (.060)  
—80 through 1½-12.

Extra Fine Thread Series—UNEF. ¼-  
32 through 1½-18.

6.2 Procurement and supply of gages in the series listed below shall be permitted only when justifiable requirements exist:

Threads in the American National Series

8 Thread Series—8 UN.

12 Thread Series—12 UN.

16 Thread Series—16 UN.

Special Threads—UNS AND NS.

MIL-STD-274B  
15 March 1963




FIGURE 1. Truncated thread setting plug gage (taperlock type).

MIL-STD-274B  
15 March 1963

TABLE IV. Listing of Mil-Std Part Numbers in numerical sequence—Continued

MIL-STD Part Number	Page No.	MIL-STD Part Number	Page No.	MIL-STD Part Number	Page No.	MIL-STD Part Number	Page No.	MIL-STD Part Number	Page No.	MIL-STD Part Number	Page No.
A	B	A	B	A	B	A	B	A	B	A	B
7519476	48										
7519477	48										
7519478	48										
7519479	49										
7519480	49										
7519481	49										
7519482	49										

\*Applicable page number in table I, II, or III for design and identification data.

**MIL-STD-2748**  
**28 August 1964**

Copies of specifications, standards, drawings and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.

**Custodians:**

Army—MU  
Navy—WP  
Air Force—11

**Review activities:**

Army—GL  
Navy—SH  
Air Force—67, 11

**User activities:**

Army—MI  
Navy—YD  
Air Force—88

**Preparing activity**

Army—MU  
Project No. 5220-0091

Supersedes page 74 of 15 March 1963.