

MIL-STD-110A

8 DECEMBER 1955

SUPERSEDING

MIL-STD-110

25 JANUARY 1951

MILITARY STANDARD

GAGES, PLUG, PLAIN CYLINDRICAL, GO



MIL-STD-110A
8 December 1955

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
WASHINGTON 25, D. C.

Supply and Logistics

8 December 1955

Gages, Plug, Plain Cylindrical, Go
MIL-STD-110A

1. This standard has been approved by the Department of Defense for use by the Departments of the Army, the Navy, and the Air Force.

2. In accordance with established procedure, the Standardization Division has designated the Ordnance Corps, the Bureau of Ordnance, and the Air Force, respectively, as Army-Navy-Air Force custodians of this standard.

3. This standard is mandatory for use effective 8 March 1956 by the Departments of the Army, the Navy, and the Air Force.

4. Recommended corrections, additions, or deletions should be addressed to the Standardization Division, Office of the Assistant Secretary of Defense (Supply and Logistics), Washington 25, D. C.

MIL-STD-110A
8 December 1955

CONTENTS

- 1. Scope
- 2. Referenced Documents
- 3. Definitions
- 4. General Requirements
 - 4.1.1 Table I - Tabulation of Design and Identification Data
 - 4.1.2 Table II - Listing of Gage Stock Numbers in Numerical Sequence
- 5. Detail Requirements
 - 5.1 Manufacture and Inspection
 - 5.1.1 Gaging Members
 - 5.1.2 Gage Handles
 - 5.2 Procurement

FIGURES

Figure

- 1 Air Groove
- 2 Go Plain Plug Gage (Wire Type)
- 3 Go Plain Plug Gage (Taper Lock Type)
- 4 Go Plain Plug Gage (Tri-Lock Type)

TABLES

Table I - Tabulation of Design and Identification Data

Table II - Listing of Gage Stock Numbers in Numerical Sequence

MIL-STD-110A
8 December 1955

1. SCOPE

1.1 This standard covers the pertinent design data and stock numbers for American Gage Design Standard, single end, go plain cylindrical plug gages for the inspection of the minimum limits of internal diameters that range in size from 0.031 to 2.510 inches inclusive in increments of 0.001 and 0.03125 inches. The class of gage required is listed in accordance with the total component tolerance.

1.2 The stock numbers listed in this standard have been approved by the Cataloging Division, Office of the Assistant Secretary of Defense as Federal Item Identification Numbers (FIIN).

2. REFERENCED DOCUMENTS

2.1 The following standards, specifications, and publications of latest issue form a part of this standard:

STANDARDS

MIL-STD-10, Surface Roughness, Waviness, and Lay

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.)

SPECIFICATIONS

MIL-G-10944, Gages, Dimensional Control

(Copies of specifications should be obtained from the procuring activity or as directed by the contracting officer.)

OTHER PUBLICATIONS

U.S. Department of Commerce, Commercial Standard CS8, Gage Blanks

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.)

3. DEFINITIONS

Not applicable.

4. GENERAL REQUIREMENTS

4.1 This standard contains table I and table II. Table I provides the tabulated design data required for manufacture and inspection and is arranged in ascending size sequence (see paragraph 1.1 above). Table I is also arranged in ascending numerical sequence according to stock numbers (7420000 to 7457568 inclusive), except for three hundred three stock numbers. Table II is a listing of the three hundred three stock numbers in ascending numerical sequence and is provided as a finding aid for locating the required design data contained in table I for these stock numbers.

MIL-STD-110A

8 December 1955

4.1.1 Table I - Tabulation of Design and Identification Data

4.1.1.1 Stock numbers for gages without air groove or flat are listed in column B. Stock numbers for gages with air groove or flat are listed in column C.

4.1.1.2 Column A lists the proper reference to the applicable figure for each stock number.


4.1.1.3 Column D lists the minimum component dimension and when applied to the total component tolerance in column E provides the data required for selecting the applicable stock number in column B or C. (NOTE: The stock number listed in column C for any given minimum component dimension is applicable for "blind" hole requirements regardless of component tolerance.)

4.1.1.3.1 When the total component tolerance is not listed, the stock number applicable to the next smaller listed total component tolerance for the minimum component dimension shall be used.

4.1.1.4 Columns F to H inclusive list the design data for each stock number and, when applied to the figure referenced in column A, provide the data required for manufacture and inspection.

4.1.1.5 Columns B to D inclusive list the identification data for each stock number and, when applied to the figure referenced in column A, provide the information for proper marking of the gages.

4.1.1.6 All stock numbers listed in column C shall have an air groove or flat as indicated in Figure 1.



PLUG GAGE DIAMETER		X	W
ABOVE	TO & INCL		
0.030	0.059	0.0010 / .0005	
0.059	0.099	0.0020 / .0010	
0.099	0.149	0.0030 / .0015	
0.149	0.249	0.0060 / .0020	
0.249	0.624		0.02 / 0.01
0.624	0.999		0.04 / 0.01
0.999	2.510		0.06 / 0.02

Figure 1. Air Groove

MIL-STD-110A
8 December 1955

4.1.1.7 Design data, etc. not specifically covered in this standard shall conform to the latest issue of the documents referenced in paragraph 2 above.

4.1.2 Table II - Listing of Gage Stock Numbers in Numerical Sequence

4.1.2.1 Stock numbers not listed in ascending numerical sequence in table I are listed in column A.

4.1.2.2 Column E lists the applicable minimum component dimension for each stock number.

4.1.2.3 Column C references the page number in table I where the design and identification data for the applicable stock number may be found.

5. DETAIL REQUIREMENTS

5.1 Manufacture and Inspection

5.1.1 Gaging Members

5.1.1.1 American Gage Design Standard (AGD) gaging members shall be of hardened tool steel or other wear-resistant material suitable for the intended purpose, as defined in specification MIL-G-10944, and shall be identified with the manufacturer's name or trade-mark. (See figures 2 to 4 inclusive for hardness requirements.)

5.1.1.2 Go plain cylindrical plug gages up to and including .510 inch in diameter shall be finished from AGD plain plug gage blanks of the wire type design. Gages above .510 inch up to and including 1.510 inches in diameter shall be finished from AGD go plain plug gage blanks of the taper-lock design with precision centers.

5.1.1.3 Go plain cylindrical plug gages above 1.510 inches in diameter shall be finished from AGD not go plain plug gage blanks of the tri-lock design.

5.1.1.4 The surface roughness value denoted on the gaging surface of figures 2 to 4 inclusive, and listed in column H of table I is the maximum acceptable roughness of these surfaces. These values correspond to the meter indications of surface roughness measuring instruments, which from their method of operation show readings in accordance with the standard values prescribed in Standard Mil-Std-10.

5.1.1.5 Sharp edges shall not be permitted.

5.1.1.6 Gaging surfaces shall be lapped free of amorphous metal.

MTL-STD-110A
8 December 1955

5.1.2 Gage Handles

5.1.2.1 Gage handles shall be as designated in Commercial Standard CS8. Handle sizes up to and including No. 5 shall be of steel or aluminum alloy. Handle sizes No. 5 $\frac{1}{2}$ and 6 shall be of aluminum alloy. Tri-lock handles shall be provided with steel screws.

5.1.2.2 All gage handles shall be clearly and permanently marked with the proper marking as listed in columns B or C and D of table I and as illustrated in figures 2 to 4 inclusive.

5.2 Procurement

5.2.1 The tabulated design data, manufacturing, and inspection specifications in this standard are applicable for procurement purposes.

5.2.1.1 Procurement documents shall specify the following:

- a. Title, number, and date of this standard.
- b. Gages required (quantity and stock number).
- c. Place of delivery for acceptance inspection or place of delivery if acceptance inspection is to be at contractor's plant.



5.2.1.2 When specified, go plain plug gages may be procured without handles. Taper lock and tri-lock type gaging members shall be marked with the stock number, the manufacturer's name or trade-mark, and any other pertinent identification data as specified. The wire type gaging member shall be identified with a tag or label marked with the stock number and any other pertinent identification data as specified. The tag or label shall be such that it can be removed without damage to the member.

5.2.1.3 CAUTION - Although all items listed in this standard are included in the Federal Catalog system as items of supply, it is not intended that all items be procured and stocked. Procurement and supply shall be confined to those items for which actual requirements exist.

MIL-STD-110A
8 December 1955

MARK STOCK NUMBER
SHOWN IN COLUMN B OR C

MARK DATA
SHOWN IN COLUMN D





ENLARGED VIEW
CHAMFER OR RADIUS ON
BOTH ENDS OF WIRE

* HARDEN: ROCKWELL OR EQUIVALENT
C55 TO C60 FOR DIA UP TO AND INCL .10
C60 TO C63 FOR DIA ABOVE .10 TO AND INCL .20
C63 TO C66 FOR DIA ABOVE .20

Figure 2. Go Plain Plug Gage (Wire Type)

MIL-STD-110A
2 December 1955





ENLARGED VIEW
CHAMFER OR RADIUS

*HARDEN: ROCKWELL OR EQUIVALENT
C 63 TO C 66

Figure 3. Go Plain Plug Gage (Taper Lock Type)

MIL-STD-110A
3 December 1955



ENLARGED VIEW
CHAMFER OR RADIUS
ON BOTH ENDS

***HARDEN: ROCKWELL OR EQUIVALENT
C63 TO C66**

Figure 4. Go Plain Plug Gage (Tri-Lock Type)

Table J. Tabulation of Design and Identification Data

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420000	7420003	.031	MASTER	.03100 + .00002	.008	2
2	7420002		.031	.0005	.03100 + .00004	.008	4
2	7420006		.031	.002	.03110 + .00007	.008	4
2	7420008		.031	.004 AND UP	.03120 + .00010	.008	8
2	7420010	7427199	.03125	MASTER	.03125 + .00002	.008	2
2	7427198		.03125	.0005	.03125 + .00004	.008	4
2	7427202		.03125	.002	.03135 + .00007	.008	4
2	7427204		.03125	.004 AND UP	.03145 + .00010	.008	8
2	7420012	7420015	.032	MASTER	.03200 + .00002	.008	2
2	7420014		.032	.0005	.03200 + .00004	.008	4
2	7420018		.032	.002	.03210 + .00007	.008	4
2	7420020		.032	.004 AND UP	.03220 + .00010	.008	8
2	7420022	7420025	.033	MASTER	.03300 + .00002	.008	2
2	7420024		.033	.0005	.03300 + .00004	.008	4
2	7420028		.033	.002	.03310 + .00007	.008	4
2	7420030		.033	.004 AND UP	.03320 + .00010	.008	8
2	7420032	7420035	.034	MASTER	.03400 + .00002	.008	2
2	7420034		.034	.0005	.03400 + .00004	.008	4
2	7420038		.034	.002	.03410 + .00007	.008	4
2	7420040		.034	.004 AND UP	.03420 + .00010	.008	8
2	7420042	7420045	.035	MASTER	.03500 + .00002	.008	2
2	7420044		.035	.0005	.03500 + .00004	.008	4
2	7420048		.035	.002	.03510 + .00007	.008	4
2	7420050		.035	.004 AND UP	.03520 + .00010	.008	8
2	7420052	7420055	.036	MASTER	.03600 + .00002	.008	2
2	7420054		.036	.0005	.03600 + .00004	.008	4
2	7420058		.036	.002	.03610 + .00007	.008	4
2	7420060		.036	.004 AND UP	.03620 + .00010	.008	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420062	7420065	.037	MASTER	.03700 + .00002	.008	2
2	7420064		.037	.0005	.03700 + .00004	.008	4
2	7420068		.037	.002	.03710 + .00007	.008	4
2	7420070		.037	.004 AND UP	.03720 + .00010	.008	8
2	7420072	7420075	.038	MASTER	.03800 + .00002	.008	2
2	7420074		.038	.0005	.03800 + .00004	.008	4
2	7420078		.038	.002	.03810 + .00007	.008	4
2	7420080		.038	.004 AND UP	.03820 + .00010	.008	8
2	7420082	7420085	.039	MASTER	.03900 + .00002	.008	2
2	7420084		.039	.0005	.03900 + .00004	.008	4
2	7420088		.039	.002	.03910 + .00007	.008	4
2	7420090		.039	.004 AND UP	.03920 + .00010	.008	8
2	7420092	7420095	.040	MASTER	.04000 + .00002	.008	2
2	7420094		.040	.0005	.04000 + .00004	.008	4
2	7420098		.040	.002	.04010 + .00007	.008	4
2	7420100		.040	.004 AND UP	.04020 + .00010	.008	8
2	7420104	7420107	.041	MASTER	.04100 + .00002	.008	2
2	7420106		.041	.0005	.04100 + .00004	.008	4
2	7420110		.041	.002	.04110 + .00007	.008	4
2	7420112		.041	.004 AND UP	.04120 + .00010	.008	8
2	7420116	7420119	.042	MASTER	.04200 + .00002	.008	2
2	7420118		.042	.0005	.04200 + .00004	.008	4
2	7420122		.042	.002	.04210 + .00007	.008	4
2	7420124		.042	.004 AND UP	.04220 + .00010	.008	8
2	7420128	7420131	.043	MASTER	.04300 + .00002	.008	2
2	7420130		.043	.0005	.04300 + .00004	.008	4
2	7420134		.043	.002	.04310 + .00007	.008	4
2	7420136		.043	.004 AND UP	.04320 + .00010	.008	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Part and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420140	7420143	.044	MASTER	.04400 + .00002	.008	2
2	7420142		.044	.0005	.04400 + .00004	.008	4
2	7420146		.044	.002	.04410 + .00007	.008	4
2	7420148		.044	.004 AND UP	.04420 + .00010	.008	8
2	7420152	7420155	.045	MASTER	.04500 + .00002	.008	2
2	7420154		.045	.0005	.04500 + .00004	.008	4
2	7420158		.045	.002	.04510 + .00007	.008	4
2	7420160		.045	.004 AND UP	.04520 + .00010	.008	8
2	7420164	7420167	.046	MASTER	.04600 + .00002	.008	2
2	7420166		.046	.0005	.04600 + .00004	.008	4
2	7420170		.046	.002	.04610 + .00007	.008	4
2	7420172		.046	.004 AND UP	.04620 + .00010	.008	8
2	7420176	7420179	.047	MASTER	.04700 + .00002	.008	2
2	7420178		.047	.0005	.04700 + .00004	.008	4
2	7420182		.047	.002	.04710 + .00007	.008	4
2	7420184		.047	.004 AND UP	.04720 + .00010	.008	8
2	7420188	7420191	.048	MASTER	.04800 + .00002	.008	2
2	7420190		.048	.0005	.04800 + .00004	.008	4
2	7420194		.048	.002	.04810 + .00007	.008	4
2	7420196		.048	.004 AND UP	.04820 + .00010	.008	8
2	7420200	7420203	.049	MASTER	.04900 + .00002	.008	2
2	7420202		.049	.0005	.04900 + .00004	.008	4
2	7420206		.049	.002	.04910 + .00007	.008	4
2	7420208		.049	.004 AND UP	.04920 + .00010	.008	8
2	7420212	7420215	.050	MASTER	.05000 + .00002	.008	2
2	7420214		.050	.0005	.05000 + .00004	.008	4
2	7420218		.050	.002	.05010 + .00007	.008	4
2	7420220		.050	.004 AND UP	.05020 + .00010	.008	8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420224	7420227	.051	MASTER	.05100 + .00002	.008	2
2	7420226		.051	.0005	.05100 + .00004	.008	4
2	7420230		.051	.002	.05110 + .00007	.008	4
2	7420232		.051	.004 AND UP	.05120 + .00010	.008	8
2	7420236	7420239	.052	MASTER	.05200 + .00002	.008	2
2	7420238		.052	.0005	.05200 + .00004	.008	4
2	7420242		.052	.002	.05210 + .00007	.008	4
2	7420244		.052	.004 AND UP	.05220 + .00010	.008	8
2	7420248	7420251	.053	MASTER	.05300 + .00002	.008	2
2	7420250		.053	.0005	.05300 + .00004	.008	4
2	7420254		.053	.002	.05310 + .00007	.008	4
2	7420256		.053	.004 AND UP	.05320 + .00010	.008	8
2	7420260	7420263	.054	MASTER	.05400 + .00002	.008	2
2	7420262		.054	.0005	.05400 + .00004	.008	4
2	7420266		.054	.002	.05410 + .00007	.008	4
2	7420268		.054	.004 AND UP	.05420 + .00010	.008	8
2	7420272	7420275	.055	MASTER	.05500 + .00002	.008	2
2	7420274		.055	.0005	.05500 + .00004	.008	4
2	7420278		.055	.002	.05510 + .00007	.008	4
2	7420280		.055	.004 AND UP	.05520 + .00010	.008	8
2	7420284	7420287	.056	MASTER	.05600 + .00002	.008	2
2	7420286		.056	.0005	.05600 + .00004	.008	4
2	7420290		.056	.002	.05610 + .00007	.008	4
2	7420292		.056	.004 AND UP	.05620 + .00010	.008	8
2	7420296	7420299	.057	MASTER	.05700 + .00002	.008	2
2	7420298		.057	.0005	.05700 + .00004	.008	4
2	7420302		.057	.002	.05710 + .00007	.008	4
2	7420304		.057	.004 AND UP	.05720 + .00010	.008	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420308	7420311	.058	MASTER	.05800 + .00002	.008	2
2	7420310		.058	.0005	.05800 + .00004	.008	4
2	7420314		.058	.002	.05810 + .00007	.008	4
2	7420316		.058	.004 AND UP	.05820 + .00010	.008	8
2	7420320	7420323	.059	MASTER	.05900 + .00002	.008	2
2	7420322		.059	.0005	.05900 + .00004	.008	4
2	7420326		.059	.002	.05910 + .00007	.008	4
2	7420328		.059	.004 AND UP	.05920 + .00010	.008	8
2	7420332	7420335	.060	MASTER	.06000 + .00002	.008	2
2	7420334		.060	.0005	.06000 + .00004	.008	4
2	7420338		.060	.002	.06010 + .00007	.008	4
2	7420340		.060	.004 AND UP	.06020 + .00010	.008	8
2	7420346	7420349	.061	MASTER	.06100 + .00002	.008	2
2	7420348		.061	.0005	.06100 + .00004	.008	4
2	7420352		.061	.002	.06110 + .00007	.008	4
2	7420354		.061	.004 AND UP	.06120 + .00010	.008	8
2	7420360	7420363	.062	MASTER	.06200 + .00002	.008	2
2	7420362		.062	.0005	.06200 + .00004	.008	4
2	7420366		.062	.002	.06210 + .00007	.008	4
2	7420368		.062	.004 AND UP	.06220 + .00010	.008	8
2	7420374	7497207	.0625	MASTER	.06250 + .00002	.008	2
2	7497206		.0625	.0005	.06250 + .00004	.008	4
2	7497210		.0625	.002	.06260 + .00007	.008	4
2	7497212		.0625	.004 AND UP	.06270 + .00010	.008	8
2	7420376	7420379	.063	MASTER	.06300 + .00002	.008	2
2	7420378		.063	.0005	.06300 + .00004	.008	4
2	7420382		.063	.002	.06310 + .00007	.008	4
2	7420384		.063	.004 AND UP	.06320 + .00010	.008	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420390	7420393	.064	MASTER	.06400 + .00002	.008	2
2	7420392		.064	.0005	.06400 + .00004	.008	4
2	7420396		.064	.002	.06410 + .00007	.008	4
2	7420398		.064	.004 AND UP	.06420 + .00010	.008	8
2	7420404	7420407	.065	MASTER	.06500 + .00002	.008	2
2	7420406		.065	.0005	.06500 + .00004	.008	4
2	7420410		.065	.002	.06510 + .00007	.008	4
2	7420412		.065	.004 AND UP	.06520 + .00010	.008	8
2	7420418	7420421	.066	MASTER	.06600 + .00002	.008	2
2	7420420		.066	.0005	.06600 + .00004	.008	4
2	7420424		.066	.002	.06610 + .00007	.008	4
2	7420426		.066	.004 AND UP	.06620 + .00010	.008	8
2	7420432	7420435	.067	MASTER	.06700 + .00002	.008	2
2	7420434		.067	.0005	.06700 + .00004	.008	4
2	7420438		.067	.002	.06710 + .00007	.008	4
2	7420440		.067	.004 AND UP	.06720 + .00010	.008	8
2	7420446	7420449	.068	MASTER	.06800 + .00002	.008	2
2	7420448		.068	.0005	.06800 + .00004	.008	4
2	7420452		.068	.002	.06810 + .00007	.008	4
2	7420454		.068	.004 AND UP	.06820 + .00010	.008	8
2	7420460	7420463	.069	MASTER	.06900 + .00002	.008	2
2	7420462		.069	.0005	.06900 + .00004	.008	4
2	7420466		.069	.002	.06910 + .00007	.008	4
2	7420468		.069	.004 AND UP	.06920 + .00010	.008	8
2	7420474	7420477	.070	MASTER	.07000 + .00002	.008	2
2	7420476		.070	.0005	.07000 + .00004	.008	4
2	7420480		.070	.002	.07010 + .00007	.008	4
2	7420482		.070	.004 AND UP	.07020 + .00010	.008	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420488	7420491	.071	MASTER	.07100 + .00002	.008	2
2	7420490		.071	.0005	.07100 + .00004	.008	4
2	7420494		.071	.002	.07110 + .00007	.008	4
2	7420496		.071	.004 AND UP	.07120 + .00010	.008	8
2	7420502	7420505	.072	MASTER	.07200 + .00002	.008	2
2	7420504		.072	.0005	.07200 + .00004	.008	4
2	7420508		.072	.002	.07210 + .00007	.008	4
2	7420510		.072	.004 AND UP	.07220 + .00010	.008	8
2	7420516	7420519	.073	MASTER	.07300 + .00002	.008	2
2	7420518		.073	.0005	.07300 + .00004	.008	4
2	7420522		.073	.002	.07310 + .00007	.008	4
2	7420524		.073	.004 AND UP	.07320 + .00010	.008	8
2	7420530	7420533	.074	MASTER	.07400 + .00002	.008	2
2	7420532		.074	.0005	.07400 + .00004	.008	4
2	7420536		.074	.002	.07410 + .00007	.008	4
2	7420538		.074	.004 AND UP	.07420 + .00010	.008	8
2	7420544	7420547	.075	MASTER	.07500 + .00002	.008	2
2	7420546		.075	.0005	.07500 + .00004	.008	4
2	7420550		.075	.002	.07510 + .00007	.008	4
2	7420552		.075	.004 AND UP	.07520 + .00010	.008	8
2	7420558	7420561	.076	MASTER	.07600 + .00002	.015	2
2	7420560		.076	.0005	.07600 + .00004	.015	4
2	7420564		.076	.002	.07610 + .00007	.015	4
2	7420566		.076	.004 AND UP	.07620 + .00010	.015	8
2	7420572	7420575	.077	MASTER	.07700 + .00002	.015	2
2	7420574		.077	.0005	.07700 + .00004	.015	4
2	7420578		.077	.002	.07710 + .00007	.015	4
2	7420580		.077	.004 AND UP	.07720 + .00010	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420586	7420589	.078	MASTER	.07800 + .00002	.015	2
2	7420588		.078	.0005	.07800 + .00004	.015	4
2	7420592		.078	.002	.07810 + .00007	.015	4
2	7420594		.078	.004 AND UP	.07820 + .00010	.015	8
2	7420600	7420603	.079	MASTER	.07900 + .00002	.015	2
2	7420602		.079	.0005	.07900 + .00004	.015	4
2	7420606		.079	.002	.07910 + .00007	.015	4
2	7420608		.079	.004 AND UP	.07920 + .00010	.015	8
2	7420614	7420617	.080	MASTER	.08000 + .00002	.015	2
2	7420616		.080	.0005	.08000 + .00004	.015	4
2	7420620		.080	.002	.08010 + .00007	.015	4
2	7420622		.080	.004 AND UP	.08020 + .00010	.015	8
2	7420628	7420631	.081	MASTER	.08100 + .00002	.015	2
2	7420630		.081	.0005	.08100 + .00004	.015	4
2	7420634		.081	.002	.08110 + .00007	.015	4
2	7420636		.081	.004 AND UP	.08120 + .00010	.015	8
2	7420642	7420645	.082	MASTER	.08200 + .00002	.015	2
2	7420644		.082	.0005	.08200 + .00004	.015	4
2	7420648		.082	.002	.08210 + .00007	.015	4
2	7420650		.082	.004 AND UP	.08220 + .00010	.015	8
2	7420656	7420659	.083	MASTER	.08300 + .00002	.015	2
2	7420658		.083	.0005	.08300 + .00004	.015	4
2	7420662		.083	.002	.08310 + .00007	.015	4
2	7420664		.083	.004 AND UP	.08320 + .00010	.015	8
2	7420670	7420673	.084	MASTER	.08400 + .00002	.015	2
2	7420672		.084	.0005	.08400 + .00004	.015	4
2	7420676		.084	.002	.08410 + .00007	.015	4
2	7420678		.084	.004 AND UP	.08420 + .00010	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420684	7420687	.085	MASTER	.08500 + .00002	.015	2
2	7420686		.085	.0005	.08500 + .00004	.015	4
2	7420690		.085	.002	.08510 + .00007	.015	4
2	7420692		.085	.004 AND UP	.08520 + .00010	.015	8
2	7420698	7420701	.086	MASTER	.08600 + .00002	.015	2
2	7420700		.086	.0005	.08600 + .00004	.015	4
2	7420704		.086	.002	.08610 + .00007	.015	4
2	7420706		.086	.004 AND UP	.08620 + .00010	.015	8
2	7420712	7420715	.087	MASTER	.08700 + .00002	.015	2
2	7420714		.087	.0005	.08700 + .00004	.015	4
2	7420718		.087	.002	.08710 + .00007	.015	4
2	7420720		.087	.004 AND UP	.08720 + .00010	.015	8
2	7420726	7420729	.088	MASTER	.08800 + .00002	.015	2
2	7420728		.088	.0005	.08800 + .00004	.015	4
2	7420732		.088	.002	.08810 + .00007	.015	4
2	7420734		.088	.004 AND UP	.08820 + .00010	.015	8
2	7420740	7420743	.089	MASTER	.08900 + .00002	.015	2
2	7420742		.089	.0005	.08900 + .00004	.015	4
2	7420746		.089	.002	.08910 + .00007	.015	4
2	7420748		.089	.004 AND UP	.08920 + .00010	.015	8
2	7420754	7420757	.090	MASTER	.09000 + .00002	.015	2
2	7420756		.090	.0005	.09000 + .00004	.015	4
2	7420760		.090	.002	.09010 + .00007	.015	4
2	7420762		.090	.004 AND UP	.09020 + .00010	.015	8
2	7420768	7420771	.091	MASTER	.09100 + .00002	.015	2
2	7420770		.091	.0005	.09100 + .00004	.015	4
2	7420774		.091	.002	.09110 + .00007	.015	4
2	7420776		.091	.004 AND UP	.09120 + .00010	.015	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
2	7420782	7420785	.092	MASTER	.09200 + .00002	.015	2	
2	7420784		.092	.0005	.09200 + .00004	.015	4	
2	7420788		.092	.002	.09210 + .00007	.015	4	
2	7420790		.092	.004 AND UP	.09220 + .00010	.015	8	
2	7420796	7420799	.093	MASTER	.09300 + .00002	.015	2	
2	7420798		.093	.0005	.09300 + .00004	.015	4	
2	7420802		.093	.002	.09310 + .00007	.015	4	
2	7420804		.093	.004 AND UP	.09320 + .00010	.015	8	
2	7420810	7497219	.09375	MASTER	.09375 + .00002	.015	2	
2	7497218		.09375	.0005	.09375 + .00004	.015	4	
2	7497222		.09375	.002	.09385 + .00007	.015	4	
2	7497224		.09375	.004 AND UP	.09395 + .00010	.015	8	
2	7420812	7420815	.094	MASTER	.09400 + .00002	.015	2	
2	7420814		.094	.0005	.09400 + .00004	.015	4	
2	7420818		.094	.002	.09410 + .00007	.015	4	
2	7420820		.094	.004 AND UP	.09420 + .00010	.015	8	
2	7420826	7420829	.095	MASTER	.09500 + .00002	.015	2	
2	7420828		.095	.0005	.09500 + .00004	.015	4	
2	7420832		.095	.002	.09510 + .00007	.015	4	
2	7420834		.095	.004 AND UP	.09520 + .00010	.015	8	
2	7420840	7420843	.096	MASTER	.09600 + .00002	.015	2	
2	7420842		.096	.0005	.09600 + .00004	.015	4	
2	7420846		.096	.002	.09610 + .00007	.015	4	
2	7420848		.096	.004 AND UP	.09620 + .00010	.015	8	
2	7420854	7420857	.097	MASTER	.09700 + .00002	.015	2	
2	7420856		.097	.0005	.09700 + .00004	.015	4	
2	7420860		.097	.002	.09710 + .00007	.015	4	
2	7420862		.097	.004 AND UP	.09720 + .00010	.015	8	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420868	7420871	.098	MASTER	.09800 + .00002	.015	2
2	7420870		.098	.0005	.09800 + .00004	.015	4
2	7420874		.098	.002	.09810 + .00007	.015	4
2	7420876		.098	.004 AND UP	.09820 + .00010	.015	8
2	7420882	7420885	.099	MASTER	.09900 + .00002	.015	2
2	7420884		.099	.0005	.09900 + .00004	.015	4
2	7420888		.099	.002	.09910 + .00007	.015	4
2	7420890		.099	.004 AND UP	.09920 + .00010	.015	8
2	7420896	7420899	.100	MASTER	.10000 + .00002	.015	2
2	7420898		.100	.0005	.10000 + .00004	.015	4
2	7420902		.100	.002	.10010 + .00007	.015	4
2	7420904		.100	.004 AND UP	.10020 + .00010	.015	8
2	7420912	7420915	.101	MASTER	.10100 + .00002	.015	2
2	7420914		.101	.0005	.10100 + .00004	.015	4
2	7420918		.101	.002	.10110 + .00007	.015	4
2	7420920		.101	.004 AND UP	.10120 + .00010	.015	8
2	7420928	7420931	.102	MASTER	.10200 + .00002	.015	2
2	7420930		.102	.0005	.10200 + .00004	.015	4
2	7420934		.102	.002	.10210 + .00007	.015	4
2	7420936		.102	.004 AND UP	.10220 + .00010	.015	8
2	7420944	7420947	.103	MASTER	.10300 + .00002	.015	2
2	7420946		.103	.0005	.10300 + .00004	.015	4
2	7420950		.103	.002	.10310 + .00007	.015	4
2	7420952		.103	.004 AND UP	.10320 + .00010	.015	8
2	7420960	7420963	.104	MASTER	.10400 + .00002	.015	2
2	7420962		.104	.0005	.10400 + .00004	.015	4
2	7420966		.104	.002	.10410 + .00007	.015	4
2	7420968		.104	.004 AND UP	.10420 + .00010	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7420976	7420979	.105	MASTER	.10500 + .00002	.015	2
2	7420978		.105	.0005	.10500 + .00004	.015	4
2	7420982		.105	.002	.10510 + .00007	.015	4
2	7420984		.105	.004 AND UP	.10520 + .00010	.015	8
2	7420992	7420995	.106	MASTER	.10600 + .00002	.015	2
2	7420994		.106	.0005	.10600 + .00004	.015	4
2	7420998		.106	.002	.10610 + .00007	.015	4
2	7421000		.106	.004 AND UP	.10620 + .00010	.015	8
2	7421008	7421011	.107	MASTER	.10700 + .00002	.015	2
2	7421010		.107	.0005	.10700 + .00004	.015	4
2	7421014		.107	.002	.10710 + .00007	.015	4
2	7421016		.107	.004 AND UP	.10720 + .00010	.015	8
2	7421024	7421027	.108	MASTER	.10800 + .00002	.015	2
2	7421026		.108	.0005	.10800 + .00004	.015	4
2	7421030		.108	.002	.10810 + .00007	.015	4
2	7421032		.108	.004 AND UP	.10820 + .00010	.015	8
2	7421040	7421043	.109	MASTER	.10900 + .00002	.015	2
2	7421042		.109	.0005	.10900 + .00004	.015	4
2	7421046		.109	.002	.10910 + .00007	.015	4
2	7421048		.109	.004 AND UP	.10920 + .00010	.015	8
2	7421056	7421059	.110	MASTER	.11000 + .00002	.015	2
2	7421058		.110	.0005	.11000 + .00004	.015	4
2	7421062		.110	.002	.11010 + .00007	.015	4
2	7421064		.110	.004 AND UP	.11020 + .00010	.015	8
2	7421072	7421075	.111	MASTER	.11100 + .00002	.015	2
2	7421074		.111	.0005	.11100 + .00004	.015	4
2	7421078		.111	.002	.11110 + .00007	.015	4
2	7421080		.111	.004 AND UP	.11120 + .00010	.015	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421088	7421091	.112	MASTER	.11200 + .00002	.015	2
2	7421090		.112	.0005	.11200 + .00004	.015	4
2	7421094		.112	.002	.11210 + .00007	.015	4
2	7421096		.112	.004 AND UP	.11220 + .00010	.015	8
2	7421104	7421107	.113	MASTER	.11300 + .00002	.015	2
2	7421106		.113	.0005	.11300 + .00004	.015	4
2	7421110		.113	.002	.11310 + .00007	.015	4
2	7421112		.113	.004 AND UP	.11320 + .00010	.015	8
2	7421120	7421123	.114	MASTER	.11400 + .00002	.015	2
2	7421122		.114	.0005	.11400 + .00004	.015	4
2	7421126		.114	.002	.11410 + .00007	.015	4
2	7421128		.114	.004 AND UP	.11420 + .00010	.015	8
2	7421136	7421139	.115	MASTER	.11500 + .00002	.015	2
2	7421138		.115	.0005	.11500 + .00004	.015	4
2	7421142		.115	.002	.11510 + .00007	.015	4
2	7421144		.115	.004 AND UP	.11520 + .00010	.015	8
2	7421152	7421155	.116	MASTER	.11600 + .00002	.015	2
2	7421154		.116	.0005	.11600 + .00004	.015	4
2	7421158		.116	.002	.11610 + .00007	.015	4
2	7421160		.116	.004 AND UP	.11620 + .00010	.015	8
2	7421168	7421171	.117	MASTER	.11700 + .00002	.015	2
2	7421170		.117	.0005	.11700 + .00004	.015	4
2	7421174		.117	.002	.11710 + .00007	.015	4
2	7421176		.117	.004 AND UP	.11720 + .00010	.015	8
2	7421184	7421187	.118	MASTER	.11800 + .00002	.015	2
2	7421186		.118	.0005	.11800 + .00004	.015	4
2	7421190		.118	.002	.11810 + .00007	.015	4
2	7421192		.118	.004 AND UP	.11820 + .00010	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421200	7421203	.119	MASTER	.11900 + .00002	.015	2
2	7421202		.119	.0005	.11900 + .00004	.015	4
2	7421206		.119	.002	.11910 + .00007	.015	4
2	7421208		.119	.004 AND UP	.11920 + .00010	.015	8
2	7421216	7421219	.120	MASTER	.12000 + .00002	.015	2
2	7421218		.120	.0005	.12000 + .00004	.015	4
2	7421222		.120	.002	.12010 + .00007	.015	4
2	7421224		.120	.004 AND UP	.12020 + .00010	.015	8
2	7421232	7421235	.121	MASTER	.12100 + .00002	.015	2
2	7421234		.121	.0005	.12100 + .00004	.015	4
2	7421238		.121	.002	.12110 + .00007	.015	4
2	7421240		.121	.004 AND UP	.12120 + .00010	.015	8
2	7421248	7421251	.122	MASTER	.12200 + .00002	.015	2
2	7421250		.122	.0005	.12200 + .00004	.015	4
2	7421254		.122	.002	.12210 + .00007	.015	4
2	7421256		.122	.004 AND UP	.12220 + .00010	.015	8
2	7421264	7421267	.123	MASTER	.12300 + .00002	.015	2
2	7421266		.123	.0005	.12300 + .00004	.015	4
2	7421270		.123	.002	.12310 + .00007	.015	4
2	7421272		.123	.004 AND UP	.12320 + .00010	.015	8
2	7421280	7421283	.124	MASTER	.12400 + .00002	.015	2
2	7421282		.124	.0005	.12400 + .00004	.015	4
2	7421286		.124	.002	.12410 + .00007	.015	4
2	7421288		.124	.004 AND UP	.12420 + .00010	.015	8
2	7421296	7421299	.125	MASTER	.12500 + .00002	.015	2
2	7421298		.125	.0005	.12500 + .00004	.015	4
2	7421302		.125	.002	.12510 + .00007	.015	4
2	7421304		.125	.004 AND UP	.12520 + .00010	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421312	7421315	.126	MASTER	.12600 + .00002	.015	2
2	7421314		.126	.0005	.12600 + .00004	.015	4
2	7421318		.126	.002	.12610 + .00007	.015	4
2	7421320		.126	.004	.12620 + .00010	.015	8
2	7421324		.126	.008 AND UP	.12640 + .00030	.015	8
2	7421328	7421331	.127	MASTER	.12700 + .00002	.015	2
2	7421330		.127	.0005	.12700 + .00004	.015	4
2	7421334		.127	.002	.12710 + .00007	.015	4
2	7421336		.127	.004	.12720 + .00010	.015	8
2	7421340		.127	.008 AND UP	.12740 + .00030	.015	8
2	7421344	7421347	.128	MASTER	.12800 + .00002	.015	2
2	7421346		.128	.0005	.12800 + .00004	.015	4
2	7421350		.128	.002	.12810 + .00007	.015	4
2	7421352		.128	.004	.12820 + .00010	.015	8
2	7421356		.128	.008 AND UP	.12840 + .00030	.015	8
2	7421360	7421363	.129	MASTER	.12900 + .00002	.015	2
2	7421362		.129	.0005	.12900 + .00004	.015	4
2	7421366		.129	.002	.12910 + .00007	.015	4
2	7421368		.129	.004	.12920 + .00010	.015	8
2	7421372		.129	.008 AND UP	.12940 + .00030	.015	8
2	7421376	7421379	.130	MASTER	.13000 + .00002	.015	2
2	7421378		.130	.0005	.13000 + .00004	.015	4
2	7421382		.130	.002	.13010 + .00007	.015	4
2	7421384		.130	.004	.13020 + .00010	.015	8
2	7421388		.130	.008 AND UP	.13040 + .00030	.015	8
2	7421392	7421395	.131	MASTER	.13100 + .00002	.015	2
2	7421394		.131	.0005	.13100 + .00004	.015	4
2	7421398		.131	.002	.13110 + .00007	.015	4
2	7421400		.131	.004	.13120 + .00010	.015	8
2	7421404		.131	.008 AND UP	.13140 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421408	7421411	.132	MASTER	.13200 + .00002	.015	2
2	7421410		.132	.0005	.13200 + .00004	.015	4
2	7421414		.132	.002	.13210 + .00007	.015	4
2	7421416		.132	.004	.13220 + .00010	.015	8
2	7421420		.132	.008 AND UP	.13240 + .00030	.015	8
2	7421424	7421427	.133	MASTER	.13300 + .00002	.015	2
2	7421426		.133	.0005	.13300 + .00004	.015	4
2	7421430		.133	.002	.13310 + .00007	.015	4
2	7421432		.133	.004	.13320 + .00010	.015	8
2	7421436		.133	.008 AND UP	.13340 + .00030	.015	8
2	7421440	7421443	.134	MASTER	.13400 + .00002	.015	2
2	7421442		.134	.0005	.13400 + .00004	.015	4
2	7421446		.134	.002	.13410 + .00007	.015	4
2	7421448		.134	.004	.13420 + .00010	.015	8
2	7421452		.134	.008 AND UP	.13440 + .00030	.015	8
2	7421456	7421459	.135	MASTER	.13500 + .00002	.015	2
2	7421458		.135	.0005	.13500 + .00004	.015	4
2	7421462		.135	.002	.13510 + .00007	.015	4
2	7421464		.135	.004	.13520 + .00010	.015	8
2	7421468		.135	.008 AND UP	.13540 + .00030	.015	8
2	7421472	7421475	.136	MASTER	.13600 + .00002	.015	2
2	7421474		.136	.0005	.13600 + .00004	.015	4
2	7421478		.136	.002	.13610 + .00007	.015	4
2	7421480		.136	.004	.13620 + .00010	.015	8
2	7421484		.136	.008 AND UP	.13640 + .00030	.015	8
2	7421488	7421491	.137	MASTER	.13700 + .00002	.015	2
2	7421490		.137	.0005	.13700 + .00004	.015	4
2	7421494		.137	.002	.13710 + .00007	.015	4
2	7421496		.137	.004	.13720 + .00010	.015	8
2	7421500		.137	.008 AND UP	.13740 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

Table 1. Tabulation of Design and Dimensional Data							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM, COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421504	7421507	.138	MASTER	.13800 + .00002	.015	2
2	7421506		.138	.0005	.13800 + .00004	.015	4
2	7421510		.138	.002	.13810 + .00007	.015	8
2	7421512		.138	.004	.13820 + .00010	.015	8
2	7421516		.138	.008 AND UP	.13840 + .00030	.015	8
2	7421520	7421523	.139	MASTER	.13900 + .00002	.015	2
2	7421522		.139	.0005	.13900 + .00004	.015	4
2	7421526		.139	.002	.13910 + .00007	.015	8
2	7421528		.139	.004	.13920 + .00010	.015	8
2	7421532		.139	.008 AND UP	.13940 + .00030	.015	8
2	7421536	7421539	.140	MASTER	.14000 + .00002	.015	2
2	7421538		.140	.0005	.14000 + .00004	.015	4
2	7421542		.140	.002	.14010 + .00007	.015	8
2	7421544		.140	.004	.14020 + .00010	.015	8
2	7421548		.140	.008 AND UP	.14040 + .00030	.015	8
2	7421552	7421555	.141	MASTER	.14100 + .00002	.015	2
2	7421554		.141	.0005	.14100 + .00004	.015	4
2	7421558		.141	.002	.14110 + .00007	.015	8
2	7421560		.141	.004	.14120 + .00010	.015	8
2	7421564		.141	.008 AND UP	.14140 + .00030	.015	8
2	7421568	7421571	.142	MASTER	.14200 + .00002	.015	2
2	7421570		.142	.0005	.14200 + .00004	.015	4
2	7421574		.142	.002	.14210 + .00007	.015	8
2	7421576		.142	.004	.14220 + .00010	.015	8
2	7421580		.142	.008 AND UP	.14240 + .00030	.015	8
2	7421584	7421587	.143	MASTER	.14300 + .00002	.015	2
2	7421586		.143	.0005	.14300 + .00004	.015	4
2	7421590		.143	.002	.14310 + .00007	.015	8
2	7421592		.143	.004	.14320 + .00010	.015	8
2	7421596		.143	.008 AND UP	.14340 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421600	7421603	.144	MASTER	.14400 + .00002	.015	2
2	7421602		.144	.0005	.14400 + .00004	.015	4
2	7421606		.144	.002	.14410 + .00007	.015	4
2	7421608		.144	.004	.14420 + .00010	.015	8
2	7421612		.144	.008 AND UP	.14440 + .00030	.015	8
2	7421616	7421619	.145	MASTER	.14500 + .00002	.015	2
2	7421618		.145	.0005	.14500 + .00004	.015	4
2	7421622		.145	.002	.14510 + .00007	.015	4
2	7421624		.145	.004	.14520 + .00010	.015	8
2	7421628		.145	.008 AND UP	.14540 + .00030	.015	8
2	7421632	7421635	.146	MASTER	.14600 + .00002	.015	2
2	7421634		.146	.0005	.14600 + .00004	.015	4
2	7421638		.146	.002	.14610 + .00007	.015	4
2	7421640		.146	.004	.14620 + .00010	.015	8
2	7421644		.146	.008 AND UP	.14640 + .00030	.015	8
2	7421648	7421651	.147	MASTER	.14700 + .00002	.015	2
2	7421650		.147	.0005	.14700 + .00004	.015	4
2	7421654		.147	.002	.14710 + .00007	.015	4
2	7421656		.147	.004	.14720 + .00010	.015	8
2	7421660		.147	.008 AND UP	.14740 + .00030	.015	8
2	7421664	7421667	.148	MASTER	.14800 + .00002	.015	2
2	7421666		.148	.0005	.14800 + .00004	.015	4
2	7421670		.148	.002	.14810 + .00007	.015	4
2	7421672		.148	.004	.14820 + .00010	.015	8
2	7421676		.148	.008 AND UP	.14840 + .00030	.015	8
2	7421680	7421683	.149	MASTER	.14900 + .00002	.015	2
2	7421682		.149	.0005	.14900 + .00004	.015	4
2	7421686		.149	.002	.14910 + .00007	.015	4
2	7421688		.149	.004	.14920 + .00010	.015	8
2	7421692		.149	.008 AND UP	.14940 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421696	7421699	.150	MASTER	.15000 + .00002	.015	2
2	7421698		.150	.0005	.15000 + .00004	.015	4
2	7421702		.150	.002	.15010 + .00007	.015	4
2	7421704		.150	.004	.15020 + .00010	.015	8
2	7421708		.150	.008 AND UP	.15040 + .00030	.015	8
2	7421712	7421715	.151	MASTER	.15100 + .00002	.015	2
2	7421714		.151	.0005	.15100 + .00004	.015	4
2	7421718		.151	.002	.15110 + .00007	.015	4
2	7421720		.151	.004	.15120 + .00010	.015	8
2	7421724		.151	.008 AND UP	.15140 + .00030	.015	8
2	7421728	7421731	.152	MASTER	.15200 + .00002	.015	2
2	7421730		.152	.0005	.15200 + .00004	.015	4
2	7421734		.152	.002	.15210 + .00007	.015	4
2	7421736		.152	.004	.15220 + .00010	.015	8
2	7421740		.152	.008 AND UP	.15240 + .00030	.015	8
2	7421744	7421747	.153	MASTER	.15300 + .00002	.015	2
2	7421746		.153	.0005	.15300 + .00004	.015	4
2	7421750		.153	.002	.15310 + .00007	.015	4
2	7421752		.153	.004	.15320 + .00010	.015	8
2	7421756		.153	.008 AND UP	.15340 + .00030	.015	8
2	7421760	7421763	.154	MASTER	.15400 + .00002	.015	2
2	7421762		.154	.0005	.15400 + .00004	.015	4
2	7421766		.154	.002	.15410 + .00007	.015	4
2	7421768		.154	.004	.15420 + .00010	.015	8
2	7421772		.154	.008 AND UP	.15440 + .00030	.015	8
2	7421776	7421779	.155	MASTER	.15500 + .00002	.015	2
2	7421778		.155	.0005	.15500 + .00004	.015	4
2	7421782		.155	.002	.15510 + .00007	.015	4
2	7421784		.155	.004	.15520 + .00010	.015	8
2	7421788		.155	.008 AND UP	.15540 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIM - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421792	7421795	.156	MASTER	.15600 + .00002	.015	2
2	7421794		.156	.0005	.15600 + .00004	.015	4
2	7421798		.156	.002	.15610 + .00007	.015	4
2	7421800		.156	.004	.15620 + .00010	.015	8
2	7421804		.156	.008 AND UP	.15640 + .00030	.015	8
2	7421808	7497231	.15625	MASTER	.15625 + .00002	.015	2
2	7497230		.15625	.0005	.15625 + .00004	.015	4
2	7497234		.15625	.002	.15635 + .00007	.015	4
2	7497236		.15625	.004	.15645 + .00010	.015	8
2	7497240		.15625	.008 AND UP	.15665 + .00030	.015	8
2	7421810	7421813	.157	MASTER	.15700 + .00002	.015	2
2	7421812		.157	.0005	.15700 + .00004	.015	4
2	7421816		.157	.002	.15710 + .00007	.015	4
2	7421818		.157	.004	.15720 + .00010	.015	8
2	7421822		.157	.008 AND UP	.15740 + .00030	.015	8
2	7421826	7421829	.158	MASTER	.15800 + .00002	.015	2
2	7421828		.158	.0005	.15800 + .00004	.015	4
2	7421832		.158	.002	.15810 + .00007	.015	4
2	7421834		.158	.004	.15820 + .00010	.015	8
2	7421838		.158	.008 AND UP	.15840 + .00030	.015	8
2	7421842	7421845	.159	MASTER	.15900 + .00002	.015	2
2	7421844		.159	.0005	.15900 + .00004	.015	4
2	7421848		.159	.002	.15910 + .00007	.015	4
2	7421850		.159	.004	.15920 + .00010	.015	8
2	7421854		.159	.008 AND UP	.15940 + .00030	.015	8
2	7421858	7421861	.160	MASTER	.16000 + .00002	.015	2
2	7421860		.160	.0005	.16000 + .00004	.015	4
2	7421864		.160	.002	.16010 + .00007	.015	4
2	7421866		.160	.004	.16020 + .00010	.015	8
2	7421870		.160	.008 AND UP	.16040 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421874	7421877	.161	MASTER	.16100 + .00002	.015	2
2	7421876		.161	.0005	.16100 + .00004	.015	4
2	7421880		.161	.002	.16110 + .00007	.015	4
2	7421882		.161	.004	.16120 + .00010	.015	8
2	7421886		.161	.008 AND UP	.16140 + .00030	.015	8
2	7421890	7421893	.162	MASTER	.16200 + .00002	.015	2
2	7421892		.162	.0005	.16200 + .00004	.015	4
2	7421896		.162	.002	.16210 + .00007	.015	4
2	7421898		.162	.004	.16220 + .00010	.015	8
2	7421902		.162	.008 AND UP	.16240 + .00030	.015	8
2	7421906	7421909	.163	MASTER	.16300 + .00002	.015	2
2	7421908		.163	.0005	.16300 + .00004	.015	4
2	7421912		.163	.002	.16310 + .00007	.015	4
2	7421914		.163	.004	.16320 + .00010	.015	8
2	7421918		.163	.008 AND UP	.16340 + .00030	.015	8
2	7421922	7421925	.164	MASTER	.16400 + .00002	.015	2
2	7421924		.164	.0005	.16400 + .00004	.015	4
2	7421928		.164	.002	.16410 + .00007	.015	4
2	7421930		.164	.004	.16420 + .00010	.015	8
2	7421934		.164	.008 AND UP	.16440 + .00030	.015	8
2	7421938	7421941	.165	MASTER	.16500 + .00002	.015	2
2	7421940		.165	.0005	.16500 + .00004	.015	4
2	7421944		.165	.002	.16510 + .00007	.015	4
2	7421946		.165	.004	.16520 + .00010	.015	8
2	7421950		.165	.008 AND UP	.16540 + .00030	.015	8
2	7421954	7421957	.166	MASTER	.16600 + .00002	.015	2
2	7421956		.166	.0005	.16600 + .00004	.015	4
2	7421960		.166	.002	.16610 + .00007	.015	4
2	7421962		.166	.004	.16620 + .00010	.015	8
2	7421966		.166	.008 AND UP	.16640 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7421370	7421973	.167	MASTER	.16700 + .00002	.015	2
2	7421972		.167	.0005	.16700 + .00004	.015	4
2	7421976		.167	.002	.16710 + .00007	.015	4
2	7421978		.167	.004	.16720 + .00010	.015	8
2	7421982		.167	.008 AND UP	.16740 + .00030	.015	8
2	7421986	7421989	.168	MASTER	.16800 + .00002	.015	2
2	7421988		.168	.0005	.16800 + .00004	.015	4
2	7421992		.168	.002	.16810 + .00007	.015	4
2	7421994		.168	.004	.16820 + .00010	.015	8
2	7421998		.168	.008 AND UP	.16840 + .00030	.015	8
2	7422002	7422005	.169	MASTER	.16900 + .00002	.015	2
2	7422004		.169	.0005	.16900 + .00004	.015	4
2	7422008		.169	.002	.16910 + .00007	.015	4
2	7422010		.169	.004	.16920 + .00010	.015	8
2	7422014		.169	.008 AND UP	.16940 + .00030	.015	8
2	7422018	7422021	.170	MASTER	.17000 + .00002	.015	2
2	7422020		.170	.0005	.17000 + .00004	.015	4
2	7422024		.170	.002	.17010 + .00007	.015	4
2	7422026		.170	.004	.17020 + .00010	.015	8
2	7422030		.170	.008 AND UP	.17040 + .00030	.015	8
2	7422034	7422037	.171	MASTER	.17100 + .00002	.015	2
2	7422036		.171	.0005	.17100 + .00004	.015	4
2	7422040		.171	.002	.17110 + .00007	.015	4
2	7422042		.171	.004	.17120 + .00010	.015	8
2	7422046		.171	.008 AND UP	.17140 + .00030	.015	8
2	7422050	7422053	.172	MASTER	.17200 + .00002	.015	2
2	7422052		.172	.0005	.17200 + .00004	.015	4
2	7422056		.172	.002	.17210 + .00007	.015	4
2	7422058		.172	.004	.17220 + .00010	.015	8
2	7422062		.172	.008 AND UP	.17240 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H.
2	7422066	7422069	.173	MASTER	.17300 + .00002	.015	2
2	7422068		.173	.0005	.17300 + .00004	.015	4
2	7422072		.173	.002	.17310 + .00007	.015	4
2	7422074		.173	.004	.17320 + .00010	.015	8
2	7422078		.173	.008 AND UP	.17340 + .00030	.015	8
2	7422082	7422085	.174	MASTER	.17400 + .00002	.015	2
2	7422084		.174	.0005	.17400 + .00004	.015	4
2	7422088		.174	.002	.17410 + .00007	.015	4
2	7422090		.174	.004	.17420 + .00010	.015	8
2	7422094		.174	.008 AND UP	.17440 + .00030	.015	8
2	7422098	7422101	.175	MASTER	.17500 + .00002	.015	2
2	7422100		.175	.0005	.17500 + .00004	.015	4
2	7422104		.175	.002	.17510 + .00007	.015	4
2	7422106		.175	.004	.17520 + .00010	.015	8
2	7422110		.175	.008 AND UP	.17540 + .00030	.015	8
2	7422114	7422117	.176	MASTER	.17600 + .00002	.015	2
2	7422116		.176	.0005	.17600 + .00004	.015	4
2	7422120		.176	.002	.17610 + .00007	.015	4
2	7422122		.176	.004	.17620 + .00010	.015	8
2	7422126		.176	.008 AND UP	.17640 + .00030	.015	8
2	7422130	7422133	.177	MASTER	.17700 + .00002	.015	2
2	7422132		.177	.0005	.17700 + .00004	.015	4
2	7422136		.177	.002	.17710 + .00007	.015	4
2	7422138		.177	.004	.17720 + .00010	.015	8
2	7422142		.177	.008 AND UP	.17740 + .00030	.015	8
2	7422146	7422149	.178	MASTER	.17800 + .00002	.015	2
2	7422148		.178	.0005	.17800 + .00004	.015	4
2	7422152		.178	.002	.17810 + .00007	.015	4
2	7422154		.178	.004	.17820 + .00010	.015	8
2	7422158		.178	.008 AND UP	.17840 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN — GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422162	7422165	.179	MASTER	.17900 + .00002	.015	2
2	7422164		.179	.0005	.17900 + .00004	.015	4
2	7422168		.179	.002	.17910 + .00007	.015	4
2	7422170		.179	.004	.17920 + .00010	.015	8
2	7422174		.179	.008 AND UP	.17940 + .00030	.015	8
2	7422178	7422181	.180	MASTER	.18000 + .00002	.015	2
2	7422180		.180	.0005	.18000 + .00004	.015	4
2	7422184		.180	.002	.18010 + .00007	.015	4
2	7422186		.180	.004	.18020 + .00010	.015	8
2	7422190		.180	.008 AND UP	.18040 + .00030	.015	8
2	7422194	7422197	.181	MASTER	.18100 + .00002	.015	2
2	7422196		.181	.0005	.18100 + .00004	.015	4
2	7422200		.181	.002	.18110 + .00007	.015	4
2	7422202		.181	.004	.18120 + .00010	.015	8
2	7422206		.181	.008 AND UP	.18140 + .00030	.015	8
2	7422210	7422213	.182	MASTER	.18200 + .00002	.015	2
2	7422212		.182	.0005	.18200 + .00004	.015	4
2	7422216		.182	.002	.18210 + .00007	.015	4
2	7422218		.182	.004	.18220 + .00010	.015	8
2	7422222		.182	.008 AND UP	.18240 + .00030	.015	8
2	7422226	7422229	.183	MASTER	.18300 + .00002	.015	2
2	7422228		.183	.0005	.18300 + .00004	.015	4
2	7422232		.183	.002	.18310 + .00007	.015	4
2	7422234		.183	.004	.18320 + .00010	.015	8
2	7422238		.183	.008 AND UP	.18340 + .00030	.015	8
2	7422242	7422245	.184	MASTER	.18400 + .00002	.015	2
2	7422244		.184	.0005	.18400 + .00004	.015	4
2	7422248		.184	.002	.18410 + .00007	.015	4
2	7422250		.184	.004	.18420 + .00010	.015	8
2	7422254		.184	.008 AND UP	.18440 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422258	7422261	.185	MASTER	.18500 + .00002	.015	2
2	7422260		.185	.0005	.18500 + .00004	.015	4
2	7422264		.185	.002	.18510 + .00007	.015	4
2	7422266		.185	.004	.18520 + .00010	.015	8
2	7422270		.185	.008 AND UP	.18540 + .00030	.015	8
2	7422274	7422277	.186	MASTER	.18600 + .00002	.015	2
2	7422276		.186	.0005	.18600 + .00004	.015	4
2	7422280		.186	.002	.18610 + .00007	.015	4
2	7422282		.186	.004	.18620 + .00010	.015	8
2	7422286		.186	.008 AND UP	.18640 + .00030	.015	8
2	7422290	7422293	.187	MASTER	.18700 + .00002	.015	2
2	7422292		.187	.0005	.18700 + .00004	.015	4
2	7422296		.187	.002	.18710 + .00007	.015	4
2	7422298		.187	.004	.18720 + .00010	.015	8
2	7422302		.187	.008 AND UP	.18740 + .00030	.015	8
2	7422306	7497245	.1875	MASTER	.18750 + .00002	.015	2
2	7497244		.1875	.0005	.18750 + .00004	.015	4
2	7497248		.1875	.002	.18760 + .00007	.015	4
2	7497250		.1875	.004	.18770 + .00010	.015	8
2	7497254		.1875	.008 AND UP	.18790 + .00030	.015	8
2	7422308	7422311	.188	MASTER	.18800 + .00002	.015	2
2	7422310		.188	.0005	.18800 + .00004	.015	4
2	7422314		.188	.002	.18810 + .00007	.015	4
2	7422316		.188	.004	.18820 + .00010	.015	8
2	7422320		.188	.008 AND UP	.18840 + .00030	.015	8
2	7422324	7422327	.189	MASTER	.18900 + .00002	.015	2
2	7422326		.189	.0005	.18900 + .00004	.015	4
2	7422330		.189	.002	.18910 + .00007	.015	4
2	7422332		.189	.004	.18920 + .00010	.015	8
2	7422336		.189	.008 AND UP	.18940 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422340	7422343	.190	MASTER	.19000 + .00002	.015	2
2	7422342		.190	.0005	.19000 + .00004	.015	4
2	7422346		.190	.002	.19010 + .00007	.015	4
2	7422348		.190	.004	.19020 + .00010	.015	8
2	7422352		.190	.008 AND UP	.19040 + .00030	.015	8
2	7422356	7422359	.191	MASTER	.19100 + .00002	.015	2
2	7422358		.191	.0005	.19100 + .00004	.015	4
2	7422362		.191	.002	.19110 + .00007	.015	4
2	7422364		.191	.004	.19120 + .00010	.015	8
2	7422368		.191	.008 AND UP	.19140 + .00030	.015	8
2	7422372	7422375	.192	MASTER	.19200 + .00002	.015	2
2	7422374		.192	.0005	.19200 + .00004	.015	4
2	7422378		.192	.002	.19210 + .00007	.015	4
2	7422380		.192	.004	.19220 + .00010	.015	8
2	7422384		.192	.008 AND UP	.19240 + .00030	.015	8
2	7422388	7422391	.193	MASTER	.19300 + .00002	.015	2
2	7422390		.193	.0005	.19300 + .00004	.015	4
2	7422394		.193	.002	.19310 + .00007	.015	4
2	7422396		.193	.004	.19320 + .00010	.015	8
2	7422400		.193	.008 AND UP	.19340 + .00030	.015	8
2	7422404	7422407	.194	MASTER	.19400 + .00002	.015	2
2	7422406		.194	.0005	.19400 + .00004	.015	4
2	7422410		.194	.002	.19410 + .00007	.015	4
2	7422412		.194	.004	.19420 + .00010	.015	8
2	7422416		.194	.008 AND UP	.19440 + .00030	.015	8
2	7422420	7422423	.195	MASTER	.19500 + .00002	.015	2
2	7422422		.195	.0005	.19500 + .00004	.015	4
2	7422426		.195	.002	.19510 + .00007	.015	4
2	7422428		.195	.004	.19520 + .00010	.015	8
2	7422432		.195	.008 AND UP	.19540 + .00030	.015	8

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422436	7422439	.196	MASTER	.19600 + .00002	.015	2
2	7422438		.196	.0005	.19600 + .00004	.015	4
2	7422442		.196	.002	.19610 + .00007	.015	4
2	7422444		.196	.004	.19620 + .00010	.015	8
2	7422448		.196	.008 AND UP	.19640 + .00030	.015	8
2	7422452	7422455	.197	MASTER	.19700 + .00002	.015	2
2	7422454		.197	.0005	.19700 + .00004	.015	4
2	7422458		.197	.002	.19710 + .00007	.015	4
2	7422460		.197	.004	.19720 + .00010	.015	8
2	7422464		.197	.008 AND UP	.19740 + .00030	.015	8
2	7422468	7422471	.198	MASTER	.19800 + .00002	.015	2
2	7422470		.198	.0005	.19800 + .00004	.015	4
2	7422474		.198	.002	.19810 + .00007	.015	4
2	7422476		.198	.004	.19820 + .00010	.015	8
2	7422480		.198	.008 AND UP	.19840 + .00030	.015	8
2	7422484	7422487	.199	MASTER	.19900 + .00002	.015	2
2	7422486		.199	.0005	.19900 + .00004	.015	4
2	7422490		.199	.002	.19910 + .00007	.015	4
2	7422492		.199	.004	.19920 + .00010	.015	8
2	7422496		.199	.008 AND UP	.19940 + .00030	.015	8
2	7422500	7422503	.200	MASTER	.20000 + .00002	.015	2
2	7422502		.200	.0005	.20000 + .00004	.015	4
2	7422506		.200	.002	.20010 + .00007	.015	4
2	7422508		.200	.004	.20020 + .00010	.015	8
2	7422512		.200	.008 AND UP	.20040 + .00030	.015	8
2	7422516	7422519	.201	MASTER	.20100 + .00002	.015	2
2	7422518		.201	.0005	.20100 + .00004	.015	4
2	7422522		.201	.002	.20110 + .00007	.015	4
2	7422524		.201	.004	.20120 + .00010	.015	8
2	7422528		.201	.008 AND UP	.20140 + .00030	.015	8

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422532	7422535	.202	MASTER	.20200 + .00002	.015	2
2	7422534		.202	.0005	.20200 + .00004	.015	4
2	7422538		.202	.002	.20210 + .00007	.015	4
2	7422540		.202	.004	.20220 + .00010	.015	8
2	7422544		.202	.008 AND UP	.20240 + .00030	.015	8
2	7422548	7422551	.203	MASTER	.20300 + .00002	.015	2
2	7422550		.203	.0005	.20300 + .00004	.015	4
2	7422554		.203	.002	.20310 + .00007	.015	4
2	7422556		.203	.004	.20320 + .00010	.015	8
2	7422560		.203	.008 AND UP	.20340 + .00030	.015	8
2	7422564	7422567	.204	MASTER	.20400 + .00002	.015	2
2	7422566		.204	.0005	.20400 + .00004	.015	4
2	7422570		.204	.002	.20410 + .00007	.015	4
2	7422572		.204	.004	.20420 + .00010	.015	8
2	7422576		.204	.008 AND UP	.20440 + .00030	.015	8
2	7422580	7422583	.205	MASTER	.20500 + .00002	.015	2
2	7422582		.205	.0005	.20500 + .00004	.015	4
2	7422586		.205	.002	.20510 + .00007	.015	4
2	7422588		.205	.004	.20520 + .00010	.015	8
2	7422592		.205	.008 AND UP	.20540 + .00030	.015	8
2	7422596	7422599	.206	MASTER	.20600 + .00002	.015	2
2	7422598		.206	.0005	.20600 + .00004	.015	4
2	7422602		.206	.002	.20610 + .00007	.015	4
2	7422604		.206	.004	.20620 + .00010	.015	8
2	7422608		.206	.008 AND UP	.20640 + .00030	.015	8
2	7422612	7422615	.207	MASTER	.20700 + .00002	.015	2
2	7422614		.207	.0005	.20700 + .00004	.015	4
2	7422618		.207	.002	.20710 + .00007	.015	4
2	7422620		.207	.004	.20720 + .00010	.015	8
2	7422624		.207	.008 AND UP	.20740 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
2	7422628	7422631	.208	MASTER	.20800 + .00002	.015	2
2	7422630		.208	.0005	.20800 + .00004	.015	4
2	7422634		.208	.002	.20810 + .00007	.015	4
2	7422636		.208	.004	.20820 + .00010	.015	8
2	7422640		.208	.008 AND UP	.20840 + .00030	.015	8
2	7422644	7422647	.209	MASTER	.20900 + .00002	.015	2
2	7422646		.209	.0005	.20900 + .00004	.015	4
2	7422650		.209	.002	.20910 + .00007	.015	4
2	7422652		.209	.004	.20920 + .00010	.015	8
2	7422656		.209	.008 AND UP	.20940 + .00030	.015	8
2	7422660	7422663	.210	MASTER	.21000 + .00002	.015	2
2	7422662		.210	.0005	.21000 + .00004	.015	4
2	7422666		.210	.002	.21010 + .00007	.015	4
2	7422668		.210	.004	.21020 + .00010	.015	8
2	7422672		.210	.008 AND UP	.21040 + .00030	.015	8
2	7422676	7422679	.211	MASTER	.21100 + .00002	.015	2
2	7422678		.211	.0005	.21100 + .00004	.015	4
2	7422682		.211	.002	.21110 + .00007	.015	4
2	7422684		.211	.004	.21120 + .00010	.015	8
2	7422688		.211	.008 AND UP	.21140 + .00030	.015	8
2	7422692	7422695	.212	MASTER	.21200 + .00002	.015	2
2	7422694		.212	.0005	.21200 + .00004	.015	4
2	7422698		.212	.002	.21210 + .00007	.015	4
2	7422700		.212	.004	.21220 + .00010	.015	8
2	7422704		.212	.008 AND UP	.21240 + .00030	.015	8
2	7422708	7422711	.213	MASTER	.21300 + .00002	.015	2
2	7422710		.213	.0005	.21300 + .00004	.015	4
2	7422714		.213	.002	.21310 + .00007	.015	4
2	7422716		.213	.004	.21320 + .00010	.015	8
2	7422720		.213	.008 AND UP	.21340 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN- GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422724	7422727	.214	MASTER	.21400 + .00002	.015	2
2	7422726		.214	.0005	.21400 + .00004	.015	4
2	7422730		.214	.002	.21410 + .00007	.015	4
2	7422732		.214	.004	.21420 + .00010	.015	8
2	7422736		.214	.008 AND UP	.21440 + .00030	.015	8
2	7422740	7422743	.215	MASTER	.21500 + .00002	.015	2
2	7422742		.215	.0005	.21500 + .00004	.015	4
2	7422746		.215	.002	.21510 + .00007	.015	4
2	7422748		.215	.004	.21520 + .00010	.015	8
2	7422752		.215	.008 AND UP	.21540 + .00030	.015	8
2	7422756	7422759	.216	MASTER	.21600 + .00002	.015	2
2	7422758		.216	.0005	.21600 + .00004	.015	4
2	7422762		.216	.002	.21610 + .00007	.015	4
2	7422764		.216	.004	.21620 + .00010	.015	8
2	7422768		.216	.008 AND UP	.21640 + .00030	.015	8
2	7422772	7422775	.217	MASTER	.21700 + .00002	.015	2
2	7422774		.217	.0005	.21700 + .00004	.015	4
2	7422778		.217	.002	.21710 + .00007	.015	4
2	7422780		.217	.004	.21720 + .00010	.015	8
2	7422784		.217	.008 AND UP	.21740 + .00030	.015	8
2	7422788	7422791	.218	MASTER	.21800 + .00002	.015	2
2	7422790		.218	.0005	.21800 + .00004	.015	4
2	7422794		.218	.002	.21810 + .00007	.015	4
2	7422796		.218	.004	.21820 + .00010	.015	8
2	7422800		.218	.008 AND UP	.21840 + .00030	.015	8
2	7422804	7497259	.21875	MASTER	.21875 + .00002	.015	2
2	7497258		.21875	.0005	.21875 + .00004	.015	4
2	7497262		.21875	.002	.21885 + .00007	.015	4
2	7497264		.21875	.004	.21895 + .00010	.015	8
2	7497268		.21875	.008 AND UP	.21915 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINI—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422806	7422809	.219	MASTER	.21900 + .00002	.015	2
2	7422808		.219	.0005	.21900 + .00004	.015	4
2	7422812		.219	.002	.21910 + .00007	.015	4
2	7422814		.219	.004	.21920 + .00010	.015	8
2	7422818		.219	.008 AND UP	.21940 + .00030	.015	8
2	7422822	7422825	.220	MASTER	.22000 + .00002	.015	2
2	7422824		.220	.0005	.22000 + .00004	.015	4
2	7422828		.220	.002	.22010 + .00007	.015	4
2	7422830		.220	.004	.22020 + .00010	.015	8
2	7422834		.220	.008 AND UP	.22040 + .00030	.015	8
2	7422838	7422841	.221	MASTER	.22100 + .00002	.015	2
2	7422840		.221	.0005	.22100 + .00004	.015	4
2	7422844		.221	.002	.22110 + .00007	.015	4
2	7422846		.221	.004	.22120 + .00010	.015	8
2	7422850		.221	.008 AND UP	.22140 + .00030	.015	8
2	7422854	7422857	.222	MASTER	.22200 + .00002	.015	2
2	7422856		.222	.0005	.22200 + .00004	.015	4
2	7422860		.222	.002	.22210 + .00007	.015	4
2	7422862		.222	.004	.22220 + .00010	.015	8
2	7422866		.222	.008 AND UP	.22240 + .00030	.015	8
2	7422870	7422873	.223	MASTER	.22300 + .00002	.015	2
2	7422872		.223	.0005	.22300 + .00004	.015	4
2	7422876		.223	.002	.22310 + .00007	.015	4
2	7422878		.223	.004	.22320 + .00010	.015	8
2	7422882		.223	.008 AND UP	.22340 + .00030	.015	8
2	7422886	7422889	.224	MASTER	.22400 + .00002	.015	2
2	7422888		.224	.0005	.22400 + .00004	.015	4
2	7422892		.224	.002	.22410 + .00007	.015	4
2	7422894		.224	.004	.22420 + .00010	.015	8
2	7422898		.224	.008 AND UP	.22440 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422902	7422905	.225	MASTER	.22500 + .00002	.015	2
2	7422904		.225	.0005	.22500 + .00004	.015	4
2	7422908		.225	.002	.22510 + .00007	.015	4
2	7422910		.225	.004	.22520 + .00010	.015	8
2	7422914		.225	.008 AND UP	.22540 + .00030	.015	8
2	7422918	7422921	.226	MASTER	.22600 + .00002	.015	2
2	7422920		.226	.0005	.22600 + .00004	.015	4
2	7422924		.226	.002	.22610 + .00007	.015	4
2	7422926		.226	.004	.22620 + .00010	.015	8
2	7422930		.226	.008 AND UP	.22640 + .00030	.015	8
2	7422934	7422937	.227	MASTER	.22700 + .00002	.015	2
2	7422936		.227	.0005	.22700 + .00004	.015	4
2	7422940		.227	.002	.22710 + .00007	.015	4
2	7422942		.227	.004	.22720 + .00010	.015	8
2	7422946		.227	.008 AND UP	.22740 + .00030	.015	8
2	7422950	7422953	.228	MASTER	.22800 + .00002	.015	2
2	7422952		.228	.0005	.22800 + .00004	.015	4
2	7422956		.228	.002	.22810 + .00007	.015	4
2	7422958		.228	.004	.22820 + .00010	.015	8
2	7422962		.228	.008 AND UP	.22840 + .00030	.015	8
2	7422966	7422969	.229	MASTER	.22900 + .00002	.015	2
2	7422968		.229	.0005	.22900 + .00004	.015	4
2	7422972		.229	.002	.22910 + .00007	.015	4
2	7422974		.229	.004	.22920 + .00010	.015	8
2	7422978		.229	.008 AND UP	.22940 + .00030	.015	8
2	7422982	7422985	.230	MASTER	.23000 + .00002	.015	2
2	7422984		.230	.0005	.23000 + .00004	.015	4
2	7422988		.230	.002	.23010 + .00007	.015	4
2	7422990		.230	.004	.23020 + .00010	.015	8
2	7422994		.230	.008 AND UP	.23040 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7422998	7423001	.231	MASTER	.23100 + .00002	.015	2
2	7423000		.231	.0005	.23100 + .00004	.015	4
2	7423004		.231	.002	.23110 + .00007	.015	4
2	7423006		.231	.004	.23120 + .00010	.015	8
2	7423010		.231	.008 AND UP	.23140 + .00030	.015	8
2	7423014	7423017	.232	MASTER	.23200 + .00002	.015	2
2	7423016		.232	.0005	.23200 + .00004	.015	4
2	7423020		.232	.002	.23210 + .00007	.015	4
2	7423022		.232	.004	.23220 + .00010	.015	8
2	7423026		.232	.008 AND UP	.23240 + .00030	.015	8
2	7423030	7423033	.233	MASTER	.23300 + .00002	.015	2
2	7423032		.233	.0005	.23300 + .00004	.015	4
2	7423036		.233	.002	.23310 + .00007	.015	4
2	7423038		.233	.004	.23320 + .00010	.015	8
2	7423042		.233	.008 AND UP	.23340 + .00030	.015	8
2	7423046	7423049	.234	MASTER	.23400 + .00002	.015	2
2	7423048		.234	.0005	.23400 + .00004	.015	4
2	7423052		.234	.002	.23410 + .00007	.015	4
2	7423054		.234	.004	.23420 + .00010	.015	8
2	7423058		.234	.008 AND UP	.23440 + .00030	.015	8
2	7423062	7423065	.235	MASTER	.23500 + .00002	.015	2
2	7423064		.235	.0005	.23500 + .00004	.015	4
2	7423068		.235	.002	.23510 + .00007	.015	4
2	7423070		.235	.004	.23520 + .00010	.015	8
2	7423074		.235	.008 AND UP	.23540 + .00030	.015	8
2	7423078	7423081	.236	MASTER	.23600 + .00002	.015	2
2	7423080		.236	.0005	.23600 + .00004	.015	4
2	7423084		.236	.002	.23610 + .00007	.015	4
2	7423086		.236	.004	.23620 + .00010	.015	8
2	7423090		.236	.008 AND UP	.23640 + .00030	.015	8

 MIL-STD-130A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423094	7423097	.237	MASTER	.23700 + .00002	.015	2
2	7423096		.237	.0005	.23700 + .00004	.015	4
2	7423100		.237	.002	.23710 + .00007	.015	4
2	7423102		.237	.004	.23720 + .00010	.015	8
2	7423106		.237	.008 AND UP	.23740 + .00030	.015	8
2	7423110	7423113	.238	MASTER	.23800 + .00002	.015	2
2	7423112		.238	.0005	.23800 + .00004	.015	4
2	7423116		.238	.002	.23810 + .00007	.015	4
2	7423118		.238	.004	.23820 + .00010	.015	8
2	7423122		.238	.008 AND UP	.23840 + .00030	.015	8
2	7423126	7423129	.239	MASTER	.23900 + .00002	.015	2
2	7423128		.239	.0005	.23900 + .00004	.015	4
2	7423132		.239	.002	.23910 + .00007	.015	4
2	7423134		.239	.004	.23920 + .00010	.015	8
2	7423138		.239	.008 AND UP	.23940 + .00030	.015	8
2	7423142	7423145	.240	MASTER	.24000 + .00002	.015	2
2	7423144		.240	.0005	.24000 + .00004	.015	4
2	7423148		.240	.002	.24010 + .00007	.015	4
2	7423150		.240	.004	.24020 + .00010	.015	8
2	7423154		.240	.008 AND UP	.24040 + .00030	.015	8
2	7423158	7423161	.241	MASTER	.24100 + .00002	.015	2
2	7423160		.241	.0005	.24100 + .00004	.015	4
2	7423164		.241	.002	.24110 + .00007	.015	4
2	7423166		.241	.004	.24120 + .00010	.015	8
2	7423170		.241	.008 AND UP	.24140 + .00030	.015	8
2	7423174	7423177	.242	MASTER	.24200 + .00002	.015	2
2	7423176		.242	.0005	.24200 + .00004	.015	4
2	7423180		.242	.002	.24210 + .00007	.015	4
2	7423182		.242	.004	.24220 + .00010	.015	8
2	7423186		.242	.008 AND UP	.24240 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423190	7423193	.243	MASTER	.24300 + .00002	.015	2
2	7423192		.243	.0005	.24300 + .00004	.015	4
2	7423196		.243	.002	.24310 + .00007	.015	4
2	7423198		.243	.004	.24320 + .00010	.015	8
2	7423202		.243	.008 AND UP	.24340 + .00030	.015	8
2	7423206	7423209	.244	MASTER	.24400 + .00002	.015	2
2	7423208		.244	.0005	.24400 + .00004	.015	4
2	7423212		.244	.002	.24410 + .00007	.015	4
2	7423214		.244	.004	.24420 + .00010	.015	8
2	7423218		.244	.008 AND UP	.24440 + .00030	.015	8
2	7423222	7423225	.245	MASTER	.24500 + .00002	.015	2
2	7423224		.245	.0005	.24500 + .00004	.015	4
2	7423228		.245	.002	.24510 + .00007	.015	4
2	7423230		.245	.004	.24520 + .00010	.015	8
2	7423234		.245	.008 AND UP	.24540 + .00030	.015	8
2	7423238	7423241	.246	MASTER	.24600 + .00002	.015	2
2	7423240		.246	.0005	.24600 + .00004	.015	4
2	7423244		.246	.002	.24610 + .00007	.015	4
2	7423246		.246	.004	.24620 + .00010	.015	8
2	7423250		.246	.008 AND UP	.24640 + .00030	.015	8
2	7423254	7423257	.247	MASTER	.24700 + .00002	.015	2
2	7423256		.247	.0005	.24700 + .00004	.015	4
2	7423260		.247	.002	.24710 + .00007	.015	4
2	7423262		.247	.004	.24720 + .00010	.015	8
2	7423266		.247	.008 AND UP	.24740 + .00030	.015	8
2	7423270	7423273	.248	MASTER	.24800 + .00002	.015	2
2	7423272		.248	.0005	.24800 + .00004	.015	4
2	7423276		.248	.002	.24810 + .00007	.015	4
2	7423278		.248	.004	.24820 + .00010	.015	8
2	7423282		.248	.008 AND UP	.24840 + .00030	.015	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423286	7423289	.249	MASTER	.24900 + .00002	.015	2
2	7423288		.249	.0005	.24900 + .00004	.015	4
2	7423292		.249	.002	.24910 + .00007	.015	4
2	7423294		.249	.004	.24920 + .00010	.015	8
2	7423298		.249	.008 AND UP	.24940 + .00030	.015	8
2	7423302	7423305	.250	MASTER	.25000 + .00002	.015	2
2	7423304		.250	.0005	.25000 + .00004	.015	4
2	7423308		.250	.002	.25010 + .00007	.015	4
2	7423310		.250	.004	.25020 + .00010	.015	8
2	7423314		.250	.008 AND UP	.25040 + .00030	.015	8
2	7423318	7423321	.251	MASTER	.25100 + .00002	.015	2
2	7423320		.251	.0005	.25100 + .00004	.015	4
2	7423324		.251	.002	.25110 + .00007	.015	4
2	7423326		.251	.004	.25120 + .00010	.015	8
2	7423330		.251	.008 AND UP	.25140 + .00030	.015	8
2	7423334	7423337	.252	MASTER	.25200 + .00002	.015	2
2	7423336		.252	.0005	.25200 + .00004	.015	4
2	7423340		.252	.002	.25210 + .00007	.015	4
2	7423342		.252	.004	.25220 + .00010	.015	8
2	7423346		.252	.008 AND UP	.25240 + .00030	.015	8
2	7423350	7423353	.253	MASTER	.25300 + .00002	.015	2
2	7423352		.253	.0005	.25300 + .00004	.015	4
2	7423356		.253	.002	.25310 + .00007	.015	4
2	7423358		.253	.004	.25320 + .00010	.015	8
2	7423362		.253	.008 AND UP	.25340 + .00030	.015	8
2	7423366	7423369	.254	MASTER	.25400 + .00002	.015	2
2	7423368		.254	.0005	.25400 + .00004	.015	4
2	7423372		.254	.002	.25410 + .00007	.015	4
2	7423374		.254	.004	.25420 + .00010	.015	8
2	7423378		.254	.008 AND UP	.25440 + .00030	.015	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423382	7423385	.255	MASTER	.25500 + .00002	.015	2
2	7423384		.255	.0005	.25500 + .00004	.015	4
2	7423388		.255	.002	.25510 + .00007	.015	4
2	7423390		.255	.004	.25520 + .00010	.015	8
2	7423394		.255	.008 AND UP	.25540 + .00030	.015	8
2	7423398	7423401	.256	MASTER	.25600 + .00002	.015	2
2	7423400		.256	.0005	.25600 + .00004	.015	4
2	7423404		.256	.002	.25610 + .00007	.015	4
2	7423406		.256	.004	.25620 + .00010	.015	8
2	7423410		.256	.008 AND UP	.25640 + .00030	.015	8
2	7423414	7423417	.257	MASTER	.25700 + .00002	.015	2
2	7423416		.257	.0005	.25700 + .00004	.015	4
2	7423420		.257	.002	.25710 + .00007	.015	4
2	7423422		.257	.004	.25720 + .00010	.015	8
2	7423426		.257	.008 AND UP	.25740 + .00030	.015	8
2	7423430	7423433	.258	MASTER	.25800 + .00002	.015	2
2	7423432		.258	.0005	.25800 + .00004	.015	4
2	7423436		.258	.002	.25810 + .00007	.015	4
2	7423438		.258	.004	.25820 + .00010	.015	8
2	7423442		.258	.008 AND UP	.25840 + .00030	.015	8
2	7423446	7423449	.259	MASTER	.25900 + .00002	.015	2
2	7423448		.259	.0005	.25900 + .00004	.015	4
2	7423452		.259	.002	.25910 + .00007	.015	4
2	7423454		.259	.004	.25920 + .00010	.015	8
2	7423458		.259	.008 AND UP	.25940 + .00030	.015	8
2	7423462	7423465	.260	MASTER	.26000 + .00002	.015	2
2	7423464		.260	.0005	.26000 + .00004	.015	4
2	7423468		.260	.002	.26010 + .00007	.015	4
2	7423470		.260	.004	.26020 + .00010	.015	8
2	7423474		.260	.008 AND UP	.26040 + .00030	.015	8

 ALL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423478	7423481	.261	MASTER	.26100 + .00002	.015	2
2	7423480		.261	.0005	.26100 + .00004	.015	4
2	7423484		.261	.002	.26110 + .00007	.015	4
2	7423486		.261	.004	.26120 + .00010	.015	8
2	7423490		.261	.008 AND UP	.26140 + .00030	.015	8
2	7423494	7423497	.262	MASTER	.26200 + .00002	.015	2
2	7423496		.262	.0005	.26200 + .00004	.015	4
2	7423500		.262	.002	.26210 + .00007	.015	4
2	7423502		.262	.004	.26220 + .00010	.015	8
2	7423506		.262	.008 AND UP	.26240 + .00030	.015	8
2	7423510	7423513	.263	MASTER	.26300 + .00002	.015	2
2	7423512		.263	.0005	.26300 + .00004	.015	4
2	7423516		.263	.002	.26310 + .00007	.015	4
2	7423518		.263	.004	.26320 + .00010	.015	8
2	7423522		.263	.008 AND UP	.26340 + .00030	.015	8
2	7423526	7423529	.264	MASTER	.26400 + .00002	.015	2
2	7423528		.264	.0005	.26400 + .00004	.015	4
2	7423532		.264	.002	.26410 + .00007	.015	4
2	7423534		.264	.004	.26420 + .00010	.015	8
2	7423538		.264	.008 AND UP	.26440 + .00030	.015	8
2	7423542	7423545	.265	MASTER	.26500 + .00002	.015	2
2	7423544		.265	.0005	.26500 + .00004	.015	4
2	7423548		.265	.002	.26510 + .00007	.015	4
2	7423550		.265	.004	.26520 + .00010	.015	8
2	7423554		.265	.008 AND UP	.26540 + .00030	.015	8
2	7423558	7423561	.266	MASTER	.26600 + .00002	.015	2
2	7423560		.266	.0005	.26600 + .00004	.015	4
2	7423564		.266	.002	.26610 + .00007	.015	4
2	7423566		.266	.004	.26620 + .00010	.015	8
2	7423570		.266	.008 AND UP	.26640 + .00030	.015	8

 MIL-STD-110A
 8 December 1975

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423574	7423577	.267	MASTER	.26700 + .00002	.015	2
2	7423576		.267	.0005	.26700 + .00004	.015	4
2	7423580		.267	.002	.26710 + .00007	.015	4
2	7423582		.267	.004	.26720 + .00010	.015	8
2	7423586		.257	.008 AND UP	.26740 + .00030	.015	8
2	7423590	7423593	.268	MASTER	.26800 + .00002	.015	2
2	7423592		.268	.0005	.26800 + .00004	.015	4
2	7423596		.268	.002	.26810 + .00007	.015	4
2	7423598		.268	.004	.26820 + .00010	.015	8
2	7423602		.268	.008 AND UP	.26840 + .00030	.015	8
2	7423606	7423609	.269	MASTER	.26900 + .00002	.015	2
2	7423608		.269	.0005	.26900 + .00004	.015	4
2	7423612		.269	.002	.26910 + .00007	.015	4
2	7423614		.269	.004	.26920 + .00010	.015	8
2	7423618		.269	.008 AND UP	.26940 + .00030	.015	8
2	7423622	7423625	.270	MASTER	.27000 + .00002	.015	2
2	7423624		.270	.0005	.27000 + .00004	.015	4
2	7423628		.270	.002	.27010 + .00007	.015	4
2	7423630		.270	.004	.27020 + .00010	.015	8
2	7423634		.270	.008 AND UP	.27040 + .00030	.015	8
2	7423638	7423641	.271	MASTER	.27100 + .00002	.015	2
2	7423640		.271	.0005	.27100 + .00004	.015	4
2	7423644		.271	.002	.27110 + .00007	.015	4
2	7423646		.271	.004	.27120 + .00010	.015	8
2	7423650		.271	.008 AND UP	.27140 + .00030	.015	8
2	7423654	7423657	.272	MASTER	.27200 + .00002	.015	2
2	7423656		.272	.0005	.27200 + .00004	.015	4
2	7423660		.272	.002	.27210 + .00007	.015	4
2	7423662		.272	.004	.27220 + .00010	.015	8
2	7423666		.272	.008 AND UP	.27240 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423670	7423673	.273	MASTER	.27300 + .00002	.015	2
2	7423672		.273	.0005	.27300 + .00004	.015	4
2	7423676		.273	.002	.27310 + .00007	.015	4
2	7423678		.273	.004	.27320 + .00010	.015	8
2	7423682		.273	.008 AND UP	.27340 + .00030	.015	8
2	7423686	7423689	.274	MASTER	.27400 + .00002	.015	2
2	7423688		.274	.0005	.27400 + .00004	.015	4
2	7423692		.274	.002	.27410 + .00007	.015	4
2	7423694		.274	.004	.27420 + .00010	.015	8
2	7423698		.274	.008 AND UP	.27440 + .00030	.015	8
2	7423702	7423705	.275	MASTER	.27500 + .00002	.015	2
2	7423704		.275	.0005	.27500 + .00004	.015	4
2	7423708		.275	.002	.27510 + .00007	.015	4
2	7423710		.275	.004	.27520 + .00010	.015	8
2	7423714		.275	.008 AND UP	.27540 + .00030	.015	8
2	7423718	7423721	.276	MASTER	.27600 + .00002	.015	2
2	7423720		.276	.0005	.27600 + .00004	.015	4
2	7423724		.276	.002	.27610 + .00007	.015	4
2	7423726		.276	.004	.27620 + .00010	.015	8
2	7423730		.276	.008 AND UP	.27640 + .00030	.015	8
2	7423734	7423737	.277	MASTER	.27700 + .00002	.015	2
2	7423736		.277	.0005	.27700 + .00004	.015	4
2	7423740		.277	.002	.27710 + .00007	.015	4
2	7423742		.277	.004	.27720 + .00010	.015	8
2	7423746		.277	.008 AND UP	.27740 + .00030	.015	8
2	7423750	7423753	.278	MASTER	.27800 + .00002	.015	2
2	7423752		.278	.0005	.27800 + .00004	.015	4
2	7423756		.278	.002	.27810 + .00007	.015	4
2	7423758		.278	.004	.27820 + .00010	.015	8
2	7423762		.278	.008 AND UP	.27840 + .00030	.015	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423766	7423769	.279	MASTER	.27900 + .00002	.015	2
2	7423768		.279	.0005	.27900 + .00004	.015	4
2	7423772		.279	.002	.27910 + .00007	.015	4
2	7423774		.279	.004	.27920 + .00010	.015	8
2	7423778		.279	.008 AND UP	.27940 + .00030	.015	8
2	7423782	7423785	.280	MASTER	.28000 + .00002	.015	2
2	7423784		.280	.0005	.28000 + .00004	.015	4
2	7423788		.280	.002	.28010 + .00007	.015	4
2	7423790		.280	.004	.28020 + .00010	.015	8
2	7423794		.280	.008 AND UP	.28040 + .00030	.015	8
2	7423798	7423801	.281	MASTER	.28100 + .00002	.015	2
2	7423800		.281	.0005	.28100 + .00004	.015	4
2	7423804		.281	.002	.28110 + .00007	.015	4
2	7423806		.281	.004	.28120 + .00010	.015	8
2	7423810		.281	.008 AND UP	.28140 + .00030	.015	8
2	7423814	7497273	.28125	MASTER	.28125 + .00002	.015	2
2	7497272		.28125	.0005	.28125 + .00004	.015	4
2	7497276		.28125	.002	.28135 + .00007	.015	4
2	7497278		.28125	.004	.28145 + .00010	.015	8
2	7497282		.28125	.008 AND UP	.28165 + .00030	.015	8
2	7423816	7423819	.282	MASTER	.28200 + .00002	.030	2
2	7423818		.282	.0005	.28200 + .00004	.030	4
2	7423822		.282	.002	.28210 + .00007	.030	4
2	7423824		.282	.004	.28220 + .00010	.030	8
2	7423828		.282	.008 AND UP	.28240 + .00030	.030	8
2	7423832	7423835	.283	MASTER	.28300 + .00002	.030	2
2	7423834		.283	.0005	.28300 + .00004	.030	4
2	7423838		.283	.002	.28310 + .00007	.030	4
2	7423840		.283	.004	.28320 + .00010	.030	8
2	7423844		.283	.008 AND UP	.28340 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423848	7423851	.284	MASTER	.28400 + .00002	.030	2
2	7423850		.284	.0005	.28400 + .00004	.030	4
2	7423854		.284	.002	.28410 + .00007	.030	4
2	7423856		.284	.004	.28420 + .00010	.030	8
2	7423860		.284	.008 AND UP	.28440 + .00030	.030	8
2	7423864	7423867	.285	MASTER	.28500 + .00002	.030	2
2	7423866		.285	.0005	.28500 + .00004	.030	4
2	7423870		.285	.002	.28510 + .00007	.030	4
2	7423872		.285	.004	.28520 + .00010	.030	8
2	7423876		.285	.008 AND UP	.28540 + .00030	.030	8
2	7423880	7423883	.286	MASTER	.28600 + .00002	.030	2
2	7423882		.286	.0005	.28600 + .00004	.030	4
2	7423886		.286	.002	.28610 + .00007	.030	4
2	7423888		.286	.004	.28620 + .00010	.030	8
2	7423892		.286	.008 AND UP	.28640 + .00030	.030	8
2	7423896	7423899	.287	MASTER	.28700 + .00002	.030	2
2	7423898		.287	.0005	.28700 + .00004	.030	4
2	7423902		.287	.002	.28710 + .00007	.030	4
2	7423904		.287	.004	.28720 + .00010	.030	8
2	7423908		.287	.008 AND UP	.28740 + .00030	.030	8
2	7423912	7423915	.288	MASTER	.28800 + .00002	.030	2
2	7423914		.288	.0005	.28800 + .00004	.030	4
2	7423918		.288	.002	.28810 + .00007	.030	4
2	7423920		.288	.004	.28820 + .00010	.030	8
2	7423924		.288	.008 AND UP	.28840 + .00030	.030	8
2	7423928	7423931	.289	MASTER	.28900 + .00002	.030	2
2	7423930		.289	.0005	.28900 + .00004	.030	4
2	7423934		.289	.002	.28910 + .00007	.030	4
2	7423936		.289	.004	.28920 + .00010	.030	8
2	7423940		.289	.008 AND UP	.28940 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7423944	7423947	.290	MASTER	.29000 + .00002	.030	2
2	7423946		.290	.0005	.29000 + .00004	.030	4
2	7423950		.290	.002	.29010 + .00007	.030	4
2	7423952		.290	.004	.29020 + .00010	.030	8
2	7423956		.290	.008 AND UP	.29040 + .00030	.030	8
2	7423960	7423963	.291	MASTER	.29100 + .00002	.030	2
2	7423962		.291	.0005	.29100 + .00004	.030	4
2	7423966		.291	.002	.29110 + .00007	.030	4
2	7423968		.291	.004	.29120 + .00010	.030	8
2	7423972		.291	.008 AND UP	.29140 + .00030	.030	8
2	7423976	7423979	.292	MASTER	.29200 + .00002	.030	2
2	7423978		.292	.0005	.29200 + .00004	.030	4
2	7423982		.292	.002	.29210 + .00007	.030	4
2	7423984		.292	.004	.29220 + .00010	.030	8
2	7423988		.292	.008 AND UP	.29240 + .00030	.030	8
2	7423992	7423995	.293	MASTER	.29300 + .00002	.030	2
2	7423994		.293	.0005	.29300 + .00004	.030	4
2	7423998		.293	.002	.29310 + .00007	.030	4
2	7424000		.293	.004	.29320 + .00010	.030	8
2	7424004		.293	.008 AND UP	.29340 + .00030	.030	8
2	7424008	7424011	.294	MASTER	.29400 + .00002	.030	2
2	7424010		.294	.0005	.29400 + .00004	.030	4
2	7424014		.294	.002	.29410 + .00007	.030	4
2	7424016		.294	.004	.29420 + .00010	.030	8
2	7424020		.294	.008 AND UP	.29440 + .00030	.030	8
2	7424024	7424027	.295	MASTER	.29500 + .00002	.030	2
2	7424026		.295	.0005	.29500 + .00004	.030	4
2	7424030		.295	.002	.29510 + .00007	.030	4
2	7424032		.295	.004	.29520 + .00010	.030	8
2	7424036		.295	.008 AND UP	.29540 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424040	7424043	.296	MASTER	.29600 + .00002	.030	2
2	7424042		.296	.0005	.29600 + .00004	.030	4
2	7424046		.296	.002	.29610 + .00007	.030	4
2	7424048		.296	.004	.29620 + .00010	.030	8
2	7424052		.296	.008 AND UP	.29640 + .00030	.030	8
2	7424056	7424059	.297	MASTER	.29700 + .00002	.030	2
2	7424058		.297	.0005	.29700 + .00004	.030	4
2	7424062		.297	.002	.29710 + .00007	.030	4
2	7424064		.297	.004	.29720 + .00010	.030	8
2	7424068		.297	.008 AND UP	.29740 + .00030	.030	8
2	7424072	7424075	.298	MASTER	.29800 + .00002	.030	2
2	7424074		.298	.0005	.29800 + .00004	.030	4
2	7424078		.298	.002	.29810 + .00007	.030	4
2	7424080		.298	.004	.29820 + .00010	.030	8
2	7424084		.298	.008 AND UP	.29840 + .00030	.030	8
2	7424088	7424091	.299	MASTER	.29900 + .00002	.030	2
2	7424090		.299	.0005	.29900 + .00004	.030	4
2	7424094		.299	.002	.29910 + .00007	.030	4
2	7424096		.299	.004	.29920 + .00010	.030	8
2	7424100		.299	.008 AND UP	.29940 + .00030	.030	8
2	7424104	7424107	.300	MASTER	.30000 + .00002	.030	2
2	7424106		.300	.0005	.30000 + .00004	.030	4
2	7424110		.300	.002	.30010 + .00007	.030	4
2	7424112		.300	.004	.30020 + .00010	.030	8
2	7424116		.300	.008 AND UP	.30040 + .00030	.030	8
2	7424120	7424123	.301	MASTER	.30100 + .00002	.030	2
2	7424122		.301	.0005	.30100 + .00004	.030	4
2	7424126		.301	.002	.30110 + .00007	.030	4
2	7424128		.301	.004	.30120 + .00010	.030	8
2	7424132		.301	.008 AND UP	.30140 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

Table I. Tabulation of Design and Dimensions							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424136	7424139	.302	MASTER	.30200 + .00002	.030	2
2	7424138		.302	.0005	.30200 + .00004	.030	4
2	7424142		.302	.002	.30210 + .00007	.030	8
2	7424144		.302	.004	.30220 + .00010	.030	8
2	7424148		.302	.008 AND UP	.30240 + .00030	.030	8
2	7424152	7424155	.303	MASTER	.30300 + .00002	.030	2
2	7424154		.303	.0005	.30300 + .00004	.030	4
2	7424158		.303	.002	.30310 + .00007	.030	8
2	7424160		.303	.004	.30320 + .00010	.030	8
2	7424164		.303	.008 AND UP	.30340 + .00030	.030	8
2	7424168	7424171	.304	MASTER	.30400 + .00002	.030	2
2	7424170		.304	.0005	.30400 + .00004	.030	4
2	7424174		.304	.002	.30410 + .00007	.030	8
2	7424176		.304	.004	.30420 + .00010	.030	8
2	7424180		.304	.008 AND UP	.30440 + .00030	.030	8
2	7424184	7424187	.305	MASTER	.30500 + .00002	.030	2
2	7424186		.305	.0005	.30500 + .00004	.030	4
2	7424190		.305	.002	.30510 + .00007	.030	8
2	7424192		.305	.004	.30520 + .00010	.030	8
2	7424196		.305	.008 AND UP	.30540 + .00030	.030	8
2	7424200	7424203	.306	MASTER	.30600 + .00002	.030	2
2	7424202		.306	.0005	.30600 + .00004	.030	4
2	7424206		.306	.002	.30610 + .00007	.030	8
2	7424208		.306	.004	.30620 + .00010	.030	8
2	7424212		.306	.008 AND UP	.30640 + .00030	.030	8
2	7424216	7424219	.307	MASTER	.30700 + .00002	.030	2
2	7424218		.307	.0005	.30700 + .00004	.030	4
2	7424222		.307	.002	.30710 + .00007	.030	8
2	7424224		.307	.004	.30720 + .00010	.030	8
2	7424228		.307	.008 AND UP	.30740 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
2	7424232	7424235	.308	MASTER	.30800 + .00002	.030	2
2	7424234		.308	.0005	.30800 + .00004	.030	4
2	7424238		.308	.002	.30810 + .00007	.030	4
2	7424240		.308	.004	.30820 + .00010	.030	8
2	7424244		.308	.008 AND UP	.30840 + .00030	.030	8
2	7424248	7424251	.309	MASTER	.30900 + .00002	.030	2
2	7424250		.309	.0005	.30900 + .00004	.030	4
2	7424254		.309	.002	.30910 + .00007	.030	4
2	7424256		.309	.004	.30920 + .00010	.030	8
2	7424260		.309	.008 AND UP	.30940 + .00030	.030	8
2	7424264	7424267	.310	MASTER	.31000 + .00002	.030	2
2	7424266		.310	.0005	.31000 + .00004	.030	4
2	7424270		.310	.002	.31010 + .00007	.030	4
2	7424272		.310	.004	.31020 + .00010	.030	8
2	7424276		.310	.008 AND UP	.31040 + .00030	.030	8
2	7424280	7424283	.311	MASTER	.31100 + .00002	.030	2
2	7424282		.311	.0005	.31100 + .00004	.030	4
2	7424286		.311	.002	.31110 + .00007	.030	4
2	7424288		.311	.004	.31120 + .00010	.030	8
2	7424292		.311	.008 AND UP	.31140 + .00030	.030	8
2	7424296	7424299	.312	MASTER	.31200 + .00002	.030	2
2	7424298		.312	.0005	.31200 + .00004	.030	4
2	7424302		.312	.002	.31210 + .00007	.030	4
2	7424304		.312	.004	.31220 + .00010	.030	8
2	7424308		.312	.008 AND UP	.31240 + .00030	.030	8
2	7424312	7497287	.3125	MASTER	.31250 + .00002	.030	2
2	7497286		.3125	.0005	.31250 + .00004	.030	4
2	7497290		.3125	.002	.31260 + .00007	.030	4
2	7497292		.3125	.004	.31270 + .00010	.030	8
2	7497296		.3125	.008 AND UP	.31290 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424314	7424317	.313	MASTER	.31300 + .00002	.030	2
2	7424316		.313	.0005	.31300 + .00004	.030	4
2	7424320		.313	.002	.31310 + .00007	.030	4
2	7424322		.313	.004	.31320 + .00010	.030	8
2	7424326		.313	.008 AND UP	.31340 + .00030	.030	8
2	7424330	7424333	.314	MASTER	.31400 + .00002	.030	2
2	7424332		.314	.0005	.31400 + .00004	.030	4
2	7424336		.314	.002	.31410 + .00007	.030	4
2	7424338		.314	.004	.31420 + .00010	.030	8
2	7424342		.314	.008 AND UP	.31440 + .00030	.030	8
2	7424346	7424349	.315	MASTER	.31500 + .00002	.030	2
2	7424348		.315	.0005	.31500 + .00004	.030	4
2	7424352		.315	.002	.31510 + .00007	.030	4
2	7424354		.315	.004	.31520 + .00010	.030	8
2	7424358		.315	.008 AND UP	.31540 + .00030	.030	8
2	7424362	7424365	.316	MASTER	.31600 + .00002	.030	2
2	7424364		.316	.0005	.31600 + .00004	.030	4
2	7424368		.316	.002	.31610 + .00007	.030	4
2	7424370		.316	.004	.31620 + .00010	.030	8
2	7424374		.316	.008 AND UP	.31640 + .00030	.030	8
2	7424378	7424381	.317	MASTER	.31700 + .00002	.030	2
2	7424380		.317	.0005	.31700 + .00004	.030	4
2	7424384		.317	.002	.31710 + .00007	.030	4
2	7424386		.317	.004	.31720 + .00010	.030	8
2	7424390		.317	.008 AND UP	.31740 + .00030	.030	8
2	7424394	7424397	.318	MASTER	.31800 + .00002	.030	2
2	7424396		.318	.0005	.31800 + .00004	.030	4
2	7424400		.318	.002	.31810 + .00007	.030	4
2	7424402		.318	.004	.31820 + .00010	.030	8
2	7424406		.318	.008 AND UP	.31840 + .00030	.030	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHANFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424410	7424413	.319	MASTER	.31900 + .00002	.030	2
2	7424412		.319	.0005	.31900 + .00004	.030	4
2	7424416		.319	.002	.31910 + .00007	.030	4
2	7424418		.319	.004	.31920 + .00010	.030	8
2	7424422		.319	.008 AND UP	.31940 + .00030	.030	8
2	7424426	7424429	.320	MASTER	.32000 + .00002	.030	2
2	7424428		.320	.0005	.32000 + .00004	.030	4
2	7424432		.320	.002	.32010 + .00007	.030	4
2	7424434		.320	.004	.32020 + .00010	.030	8
2	7424438		.320	.008 AND UP	.32040 + .00030	.030	8
2	7424442	7424445	.321	MASTER	.32100 + .00002	.030	2
2	7424444		.321	.0005	.32100 + .00004	.030	4
2	7424448		.321	.002	.32110 + .00007	.030	4
2	7424450		.321	.004	.32120 + .00010	.030	8
2	7424454		.321	.008 AND UP	.32140 + .00030	.030	8
2	7424458	7424461	.322	MASTER	.32200 + .00002	.030	2
2	7424460		.322	.0005	.32200 + .00004	.030	4
2	7424464		.322	.002	.32210 + .00007	.030	4
2	7424466		.322	.004	.32220 + .00010	.030	8
2	7424470		.322	.008 AND UP	.32240 + .00030	.030	8
2	7424474	7424477	.323	MASTER	.32300 + .00002	.030	2
2	7424476		.323	.0005	.32300 + .00004	.030	4
2	7424480		.323	.002	.32310 + .00007	.030	4
2	7424482		.323	.004	.32320 + .00010	.030	8
2	7424486		.323	.008 AND UP	.32340 + .00030	.030	8
2	7424490	7424493	.324	MASTER	.32400 + .00002	.030	2
2	7424492		.324	.0005	.32400 + .00004	.030	4
2	7424496		.324	.002	.32410 + .00007	.030	4
2	7424498		.324	.004	.32420 + .00010	.030	8
2	7424502		.324	.008 AND UP	.32440 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424506	7424509	.325	MASTER	.32500 + .00002	.030	2
2	7424508		.325	.0005	.32500 + .00004	.030	4
2	7424512		.325	.002	.32510 + .00007	.030	4
2	7424514		.325	.004	.32520 + .00010	.030	8
2	7424518		.325	.008 AND UP	.32540 + .00030	.030	8
2	7424522	7424525	.326	MASTER	.32600 + .00002	.030	2
2	7424524		.326	.0005	.32600 + .00004	.030	4
2	7424528		.326	.002	.32610 + .00007	.030	4
2	7424530		.326	.004	.32620 + .00010	.030	8
2	7424534		.326	.008 AND UP	.32640 + .00030	.030	8
2	7424538	7424541	.327	MASTER	.32700 + .00002	.030	2
2	7424540		.327	.0005	.32700 + .00004	.030	4
2	7424544		.327	.002	.32710 + .00007	.030	4
2	7424546		.327	.004	.32720 + .00010	.030	8
2	7424550		.327	.008 AND UP	.32740 + .00030	.030	8
2	7424554	7424557	.328	MASTER	.32800 + .00002	.030	2
2	7424556		.328	.0005	.32800 + .00004	.030	4
2	7424560		.328	.002	.32810 + .00007	.030	4
2	7424562		.328	.004	.32820 + .00010	.030	8
2	7424566		.328	.008 AND UP	.32840 + .00030	.030	8
2	7424570	7424573	.329	MASTER	.32900 + .00002	.030	2
2	7424572		.329	.0005	.32900 + .00004	.030	4
2	7424576		.329	.002	.32910 + .00007	.030	4
2	7424578		.329	.004	.32920 + .00010	.030	8
2	7424582		.329	.008 AND UP	.32940 + .00030	.030	8
2	7424586	7424589	.330	MASTER	.33000 + .00002	.030	2
2	7424588		.330	.0005	.33000 + .00004	.030	4
2	7424592		.330	.002	.33010 + .00007	.030	4
2	7424594		.330	.004	.33020 + .00010	.030	8
2	7424598		.330	.008 AND UP	.33040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424602	7424605	.331	MASTER	.33100 + .00002	.030	2
2	7424604		.331	.0005	.33100 + .00004	.030	4
2	7424608		.331	.002	.33110 + .00007	.030	4
2	7424610		.331	.004	.33120 + .00010	.030	8
2	7424614		.331	.008 AND UP	.33140 + .00030	.030	8
2	7424618	7424621	.332	MASTER	.33200 + .00002	.030	2
2	7424620		.332	.0005	.33200 + .00004	.030	4
2	7424624		.332	.002	.33210 + .00007	.030	4
2	7424626		.332	.004	.33220 + .00010	.030	8
2	7424630		.332	.008 AND UP	.33240 + .00030	.030	8
2	7424634	7424637	.333	MASTER	.33300 + .00002	.030	2
2	7424636		.333	.0005	.33300 + .00004	.030	4
2	7424640		.333	.002	.33310 + .00007	.030	4
2	7424642		.333	.004	.33320 + .00010	.030	8
2	7424646		.333	.008 AND UP	.33340 + .00030	.030	8
2	7424650	7424653	.334	MASTER	.33400 + .00002	.030	2
2	7424652		.334	.0005	.33400 + .00004	.030	4
2	7424656		.334	.002	.33410 + .00007	.030	4
2	7424658		.334	.004	.33420 + .00010	.030	8
2	7424662		.334	.008 AND UP	.33440 + .00030	.030	8
2	7424666	7424669	.335	MASTER	.33500 + .00002	.030	2
2	7424668		.335	.0005	.33500 + .00004	.030	4
2	7424672		.335	.002	.33510 + .00007	.030	4
2	7424674		.335	.004	.33520 + .00010	.030	8
2	7424678		.335	.008 AND UP	.33540 + .00030	.030	8
2	7424682	7424685	.336	MASTER	.33600 + .00002	.030	2
2	7424684		.336	.0005	.33600 + .00004	.030	4
2	7424688		.336	.002	.33610 + .00007	.030	4
2	7424690		.336	.004	.33620 + .00010	.030	8
2	7424694		.336	.008 AND UP	.33640 + .00030	.030	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424698	7424701	.337	MASTER	.33700 + .00002	.030	2
2	7424700		.337	.0005	.33700 + .00004	.030	4
2	7424704		.337	.002	.33710 + .00007	.030	4
2	7424706		.337	.004	.33720 + .00010	.030	8
2	7424710		.337	.008 AND UP	.33740 + .00030	.030	8
2	7424714	7424717	.338	MASTER	.33800 + .00002	.030	2
2	7424716		.338	.0005	.33800 + .00004	.030	4
2	7424720		.338	.002	.33810 + .00007	.030	4
2	7424722		.338	.004	.33820 + .00010	.030	8
2	7424726		.338	.008 AND UP	.33840 + .00030	.030	8
2	7424730	7424733	.339	MASTER	.33900 + .00002	.030	2
2	7424732		.339	.0005	.33900 + .00004	.030	4
2	7424736		.339	.002	.33910 + .00007	.030	4
2	7424738		.339	.004	.33920 + .00010	.030	8
2	7424742		.339	.008 AND UP	.33940 + .00030	.030	8
2	7424746	7424749	.340	MASTER	.34000 + .00002	.030	2
2	7424748		.340	.0005	.34000 + .00004	.030	4
2	7424752		.340	.002	.34010 + .00007	.030	4
2	7424754		.340	.004	.34020 + .00010	.030	8
2	7424758		.340	.008 AND UP	.34040 + .00030	.030	8
2	7424762	7424765	.341	MASTER	.34100 + .00002	.030	2
2	7424764		.341	.0005	.34100 + .00004	.030	4
2	7424768		.341	.002	.34110 + .00007	.030	4
2	7424770		.341	.004	.34120 + .00010	.030	8
2	7424774		.341	.008 AND UP	.34140 + .00030	.030	8
2	7424778	7424781	.342	MASTER	.34200 + .00002	.030	2
2	7424780		.342	.0005	.34200 + .00004	.030	4
2	7424784		.342	.002	.34210 + .00007	.030	4
2	7424786		.342	.004	.34220 + .00010	.030	8
2	7424790		.342	.008 AND UP	.34240 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVF					
A	B	C	D	E	F	G	H
2	7424794	7424797	.343	MASTER	.34300 + .00002	.030	2
2	7424796		.343	.0005	.34300 + .00004	.030	4
2	7424800		.343	.002	.34310 + .00007	.030	4
2	7424802		.343	.004	.34320 + .00010	.030	8
2	7424806		.343	.008 AND UP	.34340 + .00030	.030	8
2	7424810	7497301	.34375	MASTER	.34375 + .00002	.030	2
2	7497300		.34375	.0005	.34375 + .00004	.030	4
2	7497304		.34375	.002	.34385 + .00007	.030	4
2	7497306		.34375	.004	.34395 + .00010	.030	8
2	7497310		.34375	.008 AND UP	.34415 + .00030	.030	8
2	7424812	7424815	.344	MASTER	.34400 + .00002	.030	2
2	7424814		.344	.0005	.34400 + .00004	.030	4
2	7424818		.344	.002	.34410 + .00007	.030	4
2	7424820		.344	.004	.34420 + .00010	.030	8
2	7424824		.344	.008 AND UP	.34440 + .00030	.030	8
2	7424828	7424831	.345	MASTER	.34500 + .00002	.030	2
2	7424830		.345	.0005	.34500 + .00004	.030	4
2	7424834		.345	.002	.34510 + .00007	.030	4
2	7424836		.345	.004	.34520 + .00010	.030	8
2	7424840		.345	.008 AND UP	.34540 + .00030	.030	8
2	7424844	7424847	.346	MASTER	.34600 + .00002	.030	2
2	7424846		.346	.0005	.34600 + .00004	.030	4
2	7424850		.346	.002	.34610 + .00007	.030	4
2	7424852		.346	.004	.34620 + .00010	.030	8
2	7424856		.346	.008 AND UP	.34640 + .00030	.030	8
2	7424860	7424863	.347	MASTER	.34700 + .00002	.030	2
2	7424862		.347	.0005	.34700 + .00004	.030	4
2	7424866		.347	.002	.34710 + .00007	.030	4
2	7424868		.347	.004	.34720 + .00010	.030	8
2	7424872		.347	.008 AND UP	.34740 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424876	7424879	.348	MASTER	.34800 + .00002	.030	2
2	7424878		.348	.0005	.34800 + .00004	.030	4
2	7424882		.348	.002	.34810 + .00007	.030	4
2	7424884		.348	.004	.34820 + .00010	.030	8
2	7424888		.348	.008 AND UP	.34840 + .00030	.030	8
2	7424892	7424895	.349	MASTER	.34900 + .00002	.030	2
2	7424894		.349	.0005	.34900 + .00004	.030	4
2	7424898		.349	.002	.34910 + .00007	.030	4
2	7424900		.349	.004	.34920 + .00010	.030	8
2	7424904		.349	.008 AND UP	.34940 + .00030	.030	8
2	7424908	7424911	.350	MASTER	.35000 + .00002	.030	2
2	7424910		.350	.0005	.35000 + .00004	.030	4
2	7424914		.350	.002	.35010 + .00007	.030	4
2	7424916		.350	.004	.35020 + .00010	.030	8
2	7424920		.350	.008 AND UP	.35040 + .00030	.030	8
2	7424924	7424927	.351	MASTER	.35100 + .00002	.030	2
2	7424926		.351	.0005	.35100 + .00004	.030	4
2	7424930		.351	.002	.35110 + .00007	.030	4
2	7424932		.351	.004	.35120 + .00010	.030	8
2	7424936		.351	.008 AND UP	.35140 + .00030	.030	8
2	7424940	7424943	.352	MASTER	.35200 + .00002	.030	2
2	7424942		.352	.0005	.35200 + .00004	.030	4
2	7424946		.352	.002	.35210 + .00007	.030	4
2	7424948		.352	.004	.35220 + .00010	.030	8
2	7424952		.352	.008 AND UP	.35240 + .00030	.030	8
2	7424956	7424959	.353	MASTER	.35300 + .00002	.030	2
2	7424958		.353	.0005	.35300 + .00004	.030	4
2	7424962		.353	.002	.35310 + .00007	.030	4
2	7424964		.353	.004	.35320 + .00010	.030	8
2	7424968		.353	.008 AND UP	.35340 + .00030	.030	8

JEL-850-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7424972	7424975	.354	MASTER	.35400 + .00002	.030	2
2	7424974		.354	.0005	.35400 + .00004	.030	4
2	7424978		.354	.002	.35410 + .00007	.030	4
2	7424980		.354	.004	.35420 + .00010	.030	8
2	7424984		.354	.008 AND UP	.35440 + .00030	.030	8
2	7424988	7424991	.355	MASTER	.35500 + .00002	.030	2
2	7424990		.355	.0005	.35500 + .00004	.030	4
2	7424994		.355	.002	.35510 + .00007	.030	4
2	7424996		.355	.004	.35520 + .00010	.030	8
2	7425000		.355	.008 AND UP	.35540 + .00030	.030	8
2	7425004	7425007	.356	MASTER	.35600 + .00002	.030	2
2	7425006		.356	.0005	.35600 + .00004	.030	4
2	7425010		.356	.002	.35610 + .00007	.030	4
2	7425012		.356	.004	.35620 + .00010	.030	8
2	7425016		.356	.008 AND UP	.35640 + .00030	.030	8
2	7425020	7425023	.357	MASTER	.35700 + .00002	.030	2
2	7425022		.357	.0005	.35700 + .00004	.030	4
2	7425026		.357	.002	.35710 + .00007	.030	4
2	7425028		.357	.004	.35720 + .00010	.030	8
2	7425034		.357	.008 AND UP	.35740 + .00030	.030	8
2	7425036	7425039	.358	MASTER	.35800 + .00002	.030	2
2	7425038		.358	.0005	.35800 + .00004	.030	4
2	7425042		.358	.002	.35810 + .00007	.030	4
2	7425044		.358	.004	.35820 + .00010	.030	8
2	7425048		.358	.008 AND UP	.35840 + .00030	.030	8
2	7425052	7425055	.359	MASTER	.35900 + .00002	.030	2
2	7425054		.359	.0005	.35900 + .00004	.030	4
2	7425058		.359	.002	.35910 + .00007	.030	4
2	7425060		.359	.004	.35920 + .00010	.030	8
2	7425064		.359	.008 AND UP	.35940 + .00030	.030	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425068	7425071	.360	MASTER	.36000 + .00002	.030	2
2	7425070		.360	.0005	.36000 + .00004	.030	4
2	7425074		.360	.002	.36010 + .00007	.030	4
2	7425076		.360	.004	.36020 + .00010	.030	8
2	7425080		.360	.008 AND UP	.36040 + .00030	.030	8
2	7425084	7425087	.361	MASTER	.36100 + .00002	.030	2
2	7425086		.361	.0005	.36100 + .00004	.030	4
2	7425090		.361	.002	.36110 + .00007	.030	4
2	7425092		.361	.004	.36120 + .00010	.030	8
2	7425096		.361	.008 AND UP	.36140 + .00030	.030	8
2	7425100	7425103	.362	MASTER	.36200 + .00002	.030	2
2	7425102		.362	.0005	.36200 + .00004	.030	4
2	7425106		.362	.002	.36210 + .00007	.030	4
2	7425108		.362	.004	.36220 + .00010	.030	8
2	7425112		.362	.008 AND UP	.36240 + .00030	.030	8
2	7425116	7425119	.363	MASTER	.36300 + .00002	.030	2
2	7425118		.363	.0005	.36300 + .00004	.030	4
2	7425122		.363	.002	.36310 + .00007	.030	4
2	7425124		.363	.004	.36320 + .00010	.030	8
2	7425128		.363	.008 AND UP	.36340 + .00030	.030	8
2	7425132	7425135	.364	MASTER	.36400 + .00002	.030	2
2	7425134		.364	.0005	.36400 + .00004	.030	4
2	7425138		.364	.002	.36410 + .00007	.030	4
2	7425140		.364	.004	.36420 + .00010	.030	8
2	7425144		.364	.008 AND UP	.36440 + .00030	.030	8
2	7425148	7425151	.365	MASTER	.36500 + .00002	.030	2
2	7425150		.365	.0005	.36500 + .00004	.030	4
2	7425154		.365	.002	.36510 + .00007	.030	4
2	7425156		.365	.004	.36520 + .00010	.030	8
2	7425160		.365	.008 AND UP	.36540 + .00030	.030	8

JUL-STD-1104
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425164	7425167	.366	MASTER	.36600 + .00002	.030	2
2	7425166		.366	.0005	.36600 + .00004	.030	4
2	7425170		.366	.002	.36610 + .00007	.030	4
2	7425172		.366	.004	.36620 + .00010	.030	8
2	7425176		.366	.008 AND UP	.36640 + .00030	.030	8
2	7425180	7425183	.367	MASTER	.36700 + .00002	.030	2
2	7425182		.367	.0005	.36700 + .00004	.030	4
2	7425186		.367	.002	.36710 + .00007	.030	4
2	7425188		.367	.004	.36720 + .00010	.030	8
2	7425192		.367	.008 AND UP	.36740 + .00030	.030	8
2	7425196	7425199	.368	MASTER	.36800 + .00002	.030	2
2	7425198		.368	.0005	.36800 + .00004	.030	4
2	7425202		.368	.002	.36810 + .00007	.030	4
2	7425204		.368	.004	.36820 + .00010	.030	8
2	7425208		.368	.008 AND UP	.36840 + .00030	.030	8
2	7425212	7425215	.369	MASTER	.36900 + .00002	.030	2
2	7425214		.369	.0005	.36900 + .00004	.030	4
2	7425218		.369	.002	.36910 + .00007	.030	4
2	7425220		.369	.004	.36920 + .00010	.030	8
2	7425224		.369	.008 AND UP	.36940 + .00030	.030	8
2	7425228	7425231	.370	MASTER	.37000 + .00002	.030	2
2	7425230		.370	.0005	.37000 + .00004	.030	4
2	7425234		.370	.002	.37010 + .00007	.030	4
2	7425236		.370	.004	.37020 + .00010	.030	8
2	7425240		.370	.008 AND UP	.37040 + .00030	.030	8
2	7425244	7425247	.371	MASTER	.37100 + .00002	.030	2
2	7425246		.371	.0005	.37100 + .00004	.030	4
2	7425250		.371	.002	.37110 + .00007	.030	4
2	7425252		.371	.004	.37120 + .00010	.030	8
2	7425256		.371	.008 AND UP	.37140 + .00030	.030	8

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425260	7425263	.372	MASTER	.37200 + .00002	.030	2
2	7425262		.372	.0005	.37200 + .00004	.030	4
2	7425266		.372	.002	.37210 + .00007	.030	4
2	7425268		.372	.004	.37220 + .00010	.030	8
2	7425272		.372	.008 AND UP	.37240 + .00030	.030	8
2	7425276	7425279	.373	MASTER	.37300 + .00002	.030	2
2	7425278		.373	.0005	.37300 + .00004	.030	4
2	7425282		.373	.002	.37310 + .00007	.030	4
2	7425284		.373	.004	.37320 + .00010	.030	8
2	7425288		.373	.008 AND UP	.37340 + .00030	.030	8
2	7425292	7425295	.374	MASTER	.37400 + .00002	.030	2
2	7425294		.374	.0005	.37400 + .00004	.030	4
2	7425298		.374	.002	.37410 + .00007	.030	4
2	7425300		.374	.004	.37420 + .00010	.030	8
2	7425304		.374	.008 AND UP	.37440 + .00030	.030	8
2	7425308	7425311	.375	MASTER	.37500 + .00002	.030	2
2	7425310		.375	.0005	.37500 + .00004	.030	4
2	7425314		.375	.002	.37510 + .00007	.030	4
2	7425316		.375	.004	.37520 + .00010	.030	8
2	7425320		.375	.008 AND UP	.37540 + .00030	.030	8
2	7425324	7425327	.376	MASTER	.37600 + .00002	.030	2
2	7425326		.376	.0005	.37600 + .00004	.030	4
2	7425330		.376	.002	.37610 + .00007	.030	4
2	7425332		.376	.004	.37620 + .00010	.030	8
2	7425336		.376	.008 AND UP	.37640 + .00030	.030	8
2	7425340	7425343	.377	MASTER	.37700 + .00002	.030	2
2	7425342		.377	.0005	.37700 + .00004	.030	4
2	7425346		.377	.002	.37710 + .00007	.030	4
2	7425348		.377	.004	.37720 + .00010	.030	8
2	7425352		.377	.008 AND UP	.37740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425356	7425359	.378	MASTER	.37800 + .00002	.030	2
2	7425358		.378	.0005	.37800 + .00004	.030	4
2	7425362		.378	.002	.37810 + .00007	.030	4
2	7425364		.378	.004	.37820 + .00010	.030	8
2	7425368		.378	.008 AND UP	.37840 + .00030	.030	8
2	7425372	7425375	.379	MASTER	.37900 + .00002	.030	2
2	7425374		.379	.0005	.37900 + .00004	.030	4
2	7425378		.379	.002	.37910 + .00007	.030	4
2	7425380		.379	.004	.37920 + .00010	.030	8
2	7425384		.379	.008 AND UP	.37940 + .00030	.030	8
2	7425388	7425391	.380	MASTER	.38000 + .00002	.030	2
2	7425390		.380	.0005	.38000 + .00004	.030	4
2	7425394		.380	.002	.38010 + .00007	.030	4
2	7425396		.380	.004	.38020 + .00010	.030	8
2	7425400		.380	.008 AND UP	.38040 + .00030	.030	8
2	7425404	7425407	.381	MASTER	.38100 + .00002	.030	2
2	7425406		.381	.0005	.38100 + .00004	.030	4
2	7425410		.381	.002	.38110 + .00007	.030	4
2	7425412		.381	.004	.38120 + .00010	.030	8
2	7425416		.381	.008 AND UP	.38140 + .00030	.030	8
2	7425420	7425423	.382	MASTER	.38200 + .00002	.030	2
2	7425422		.382	.0005	.38200 + .00004	.030	4
2	7425426		.382	.002	.38210 + .00007	.030	4
2	7425428		.382	.004	.38220 + .00010	.030	8
2	7425432		.382	.008 AND UP	.38240 + .00030	.030	8
2	7425436	7425439	.383	MASTER	.38300 + .00002	.030	2
2	7425438		.383	.0005	.38300 + .00004	.030	4
2	7425442		.383	.002	.38310 + .00007	.030	4
2	7425444		.383	.004	.38320 + .00010	.030	8
2	7425448		.383	.008 AND UP	.38340 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425452	7425455	.384	MASTER	.38400 + .00002	.030	2
2	7425454		.384	.0005	.38400 + .00004	.030	4
2	7425458		.384	.002	.38410 + .00007	.030	8
2	7425460		.384	.004	.38420 + .00010	.030	8
2	7425464		.384	.008 AND UP	.38440 + .00030	.030	8
2	7425468	7425471	.385	MASTER	.38500 + .00002	.030	2
2	7425470		.385	.0005	.38500 + .00004	.030	4
2	7425474		.385	.002	.38510 + .00007	.030	8
2	7425476		.385	.004	.38520 + .00010	.030	8
2	7425480		.385	.008 AND UP	.38540 + .00030	.030	8
2	7425484	7425487	.386	MASTER	.38600 + .00002	.030	2
2	7425486		.386	.0005	.38600 + .00004	.030	4
2	7425490		.386	.002	.38610 + .00007	.030	8
2	7425492		.386	.004	.38620 + .00010	.030	8
2	7425496		.386	.008 AND UP	.38640 + .00030	.030	8
2	7425500	7425503	.387	MASTER	.38700 + .00002	.030	2
2	7425502		.387	.0005	.38700 + .00004	.030	4
2	7425506		.387	.002	.38710 + .00007	.030	8
2	7425508		.387	.004	.38720 + .00010	.030	8
2	7425512		.387	.008 AND UP	.38740 + .00030	.030	8
2	7425516	7425519	.388	MASTER	.38800 + .00002	.030	2
2	7425518		.388	.0005	.38800 + .00004	.030	4
2	7425522		.388	.002	.38810 + .00007	.030	8
2	7425524		.388	.004	.38820 + .00010	.030	8
2	7425528		.388	.008 AND UP	.38840 + .00030	.030	8
2	7425532	7425535	.389	MASTER	.38900 + .00002	.030	2
2	7425534		.389	.0005	.38900 + .00004	.030	4
2	7425538		.389	.002	.38910 + .00007	.030	8
2	7425540		.389	.004	.38920 + .00010	.030	8
2	7425544		.389	.008 AND UP	.38940 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I.: Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425548	7425551	.390	MASTER	.39000 + .00002	.030	2
2	7425550		.390	.0005	.39000 + .00004	.030	4
2	7425554		.390	.002	.39010 + .00007	.030	4
2	7425556		.390	.004	.39020 + .00010	.030	8
2	7425560		.390	.008 AND UP	.39040 + .00030	.030	8
2	7425564	7425567	.391	MASTER	.39100 + .00002	.030	2
2	7425566		.391	.0005	.39100 + .00004	.030	4
2	7425570		.391	.002	.39110 + .00007	.030	4
2	7425572		.391	.004	.39120 + .00010	.030	8
2	7425576		.391	.008 AND UP	.39140 + .00030	.030	8
2	7425580	7425583	.392	MASTER	.39200 + .00002	.030	2
2	7425582		.392	.0005	.39200 + .00004	.030	4
2	7425586		.392	.002	.39210 + .00007	.030	4
2	7425588		.392	.004	.39220 + .00010	.030	8
2	7425592		.392	.008 AND UP	.39240 + .00030	.030	8
2	7425596	7425599	.393	MASTER	.39300 + .00002	.030	2
2	7425598		.393	.0005	.39300 + .00004	.030	4
2	7425602		.393	.002	.39310 + .00007	.030	4
2	7425604		.393	.004	.39320 + .00010	.030	8
2	7425608		.393	.008 AND UP	.39340 + .00030	.030	8
2	7425612	7425615	.394	MASTER	.39400 + .00002	.030	2
2	7425614		.394	.0005	.39400 + .00004	.030	4
2	7425618		.394	.002	.39410 + .00007	.030	4
2	7425620		.394	.004	.39420 + .00010	.030	8
2	7425624		.394	.008 AND UP	.39440 + .00030	.030	8
2	7425628	7425631	.395	MASTER	.39500 + .00002	.030	2
2	7425630		.395	.0005	.39500 + .00004	.030	4
2	7425634		.395	.002	.39510 + .00007	.030	4
2	7425636		.395	.004	.39520 + .00010	.030	8
2	7425640		.395	.008 AND UP	.39540 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425644	7425647	.396	MASTER	.39600 + .00002	.030	2
2	7425646		.396	.0005	.39600 + .00004	.030	4
2	7425650		.396	.002	.39610 + .00007	.030	4
2	7425652		.396	.004	.39620 + .00010	.030	8
2	7425656		.396	.008 AND UP	.39640 + .00030	.030	8
2	7425660	7425663	.397	MASTER	.39700 + .00002	.030	2
2	7425662		.397	.0005	.39700 + .00004	.030	4
2	7425666		.397	.002	.39710 + .00007	.030	4
2	7425668		.397	.004	.39720 + .00010	.030	8
2	7425672		.397	.008 AND UP	.39740 + .00030	.030	8
2	7425676	7425679	.398	MASTER	.39800 + .00002	.030	2
2	7425678		.398	.0005	.39800 + .00004	.030	4
2	7425682		.398	.002	.39810 + .00007	.030	4
2	7425684		.398	.004	.39820 + .00010	.030	8
2	7425688		.398	.008 AND UP	.39840 + .00030	.030	8
2	7425692	7425695	.399	MASTER	.39900 + .00002	.030	2
2	7425694		.399	.0005	.39900 + .00004	.030	4
2	7425698		.399	.002	.39910 + .00007	.030	4
2	7425700		.399	.004	.39920 + .00010	.030	8
2	7425704		.399	.008 AND UP	.39940 + .00030	.030	8
2	7425708	7425711	.400	MASTER	.40000 + .00002	.030	2
2	7425710		.400	.0005	.40000 + .00004	.030	4
2	7425714		.400	.002	.40010 + .00007	.030	4
2	7425716		.400	.004	.40020 + .00010	.030	8
2	7425720		.400	.008 AND UP	.40040 + .00030	.030	8
2	7425724	7425727	.401	MASTER	.40100 + .00002	.030	2
2	7425726		.401	.0005	.40100 + .00004	.030	4
2	7425730		.401	.002	.40110 + .00007	.030	4
2	7425732		.401	.004	.40120 + .00010	.030	8
2	7425736		.401	.008 AND UP	.40140 + .00030	.030	8

 MIL-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425740	7425743	.402	MASTER	.40200 + .00002	.030	2
2	7425742		.402	.0005	.40200 + .00004	.030	4
2	7425746		.402	.002	.40210 + .00007	.030	4
2	7425748		.402	.004	.40220 + .00010	.030	8
2	7425752		.402	.008 AND UP	.40240 + .00030	.030	8
2	7425756	7425759	.403	MASTER	.40300 + .00002	.030	2
2	7425758		.403	.0005	.40300 + .00004	.030	4
2	7425762		.403	.002	.40310 + .00007	.030	4
2	7425764		.403	.004	.40320 + .00010	.030	8
2	7425768		.403	.008 AND UP	.40340 + .00030	.030	8
2	7425772	7425775	.404	MASTER	.40400 + .00002	.030	2
2	7425774		.404	.0005	.40400 + .00004	.030	4
2	7425778		.404	.002	.40410 + .00007	.030	4
2	7425780		.404	.004	.40420 + .00010	.030	8
2	7425784		.404	.008 AND UP	.40440 + .00030	.030	8
2	7425788	7425791	.405	MASTER	.40500 + .00002	.030	2
2	7425790		.405	.0005	.40500 + .00004	.030	4
2	7425794		.405	.002	.40510 + .00007	.030	4
2	7425796		.405	.004	.40520 + .00010	.030	8
2	7425800		.405	.008 AND UP	.40540 + .00030	.030	8
2	7425804	7425807	.406	MASTER	.40600 + .00002	.030	2
2	7425806		.406	.0005	.40600 + .00004	.030	4
2	7425810		.406	.002	.40610 + .00007	.030	4
2	7425812		.406	.004	.40620 + .00010	.030	8
2	7425816		.406	.008 AND UP	.40640 + .00030	.030	8
2	7425820	7497315	.40625	MASTER	.40625 + .00002	.030	2
2	7497314		.40625	.0005	.40625 + .00004	.030	4
2	7497318		.40625	.002	.40635 + .00007	.030	4
2	7497320		.40625	.004	.40645 + .00010	.030	8
2	7497324		.40625	.008 AND UP	.40665 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425822	7425825	.407	MASTER	.40700 + .00002	.030	2
2	7425824		.407	.0005	.40700 + .00004	.030	4
2	7425828		.407	.002	.40710 + .00007	.030	4
2	7425830		.407	.004	.40720 + .00010	.030	8
2	7425834		.407	.008 AND UP	.40740 + .00030	.030	8
2	7425838	7425841	.408	MASTER	.40800 + .00002	.030	2
2	7425840		.408	.0005	.40800 + .00004	.030	4
2	7425844		.408	.002	.40810 + .00007	.030	4
2	7425846		.408	.004	.40820 + .00010	.030	8
2	7425850		.408	.008 AND UP	.40840 + .00030	.030	8
2	7425854	7425857	.409	MASTER	.40900 + .00002	.030	2
2	7425856		.409	.0005	.40900 + .00004	.030	4
2	7425860		.409	.002	.40910 + .00007	.030	4
2	7425862		.409	.004	.40920 + .00010	.030	8
2	7425866		.409	.008 AND UP	.40940 + .00030	.030	8
2	7425870	7425873	.410	MASTER	.41000 + .00002	.030	2
2	7425872		.410	.0005	.41000 + .00004	.030	4
2	7425876		.410	.002	.41010 + .00007	.030	4
2	7425878		.410	.004	.41020 + .00010	.030	8
2	7425882		.410	.008 AND UP	.41040 + .00030	.030	8
2	7425886	7425889	.411	MASTER	.41100 + .00002	.030	2
2	7425888		.411	.0005	.41100 + .00004	.030	4
2	7425892		.411	.002	.41110 + .00007	.030	4
2	7425894		.411	.004	.41120 + .00010	.030	8
2	7425898		.411	.008 AND UP	.41140 + .00030	.030	8
2	7425902	7425905	.412	MASTER	.41200 + .00002	.030	2
2	7425904		.412	.0005	.41200 + .00004	.030	4
2	7425908		.412	.002	.41210 + .00007	.030	4
2	7425910		.412	.004	.41220 + .00010	.030	8
2	7425914		.412	.008 AND UP	.41240 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7425918	7425921	.413	MASTER	.41300 + .00002	.030	2
2	7425920		.413	.0005	.41300 + .00004	.030	4
2	7425924		.413	.002	.41310 + .00007	.030	4
2	7425926		.413	.004	.41320 + .00010	.030	8
2	7425930		.413	.008 AND UP	.41340 + .00030	.030	8
2	7425934	7425937	.414	MASTER	.41400 + .00002	.030	2
2	7425936		.414	.0005	.41400 + .00004	.030	4
2	7425940		.414	.002	.41410 + .00007	.030	4
2	7425942		.414	.004	.41420 + .00010	.030	8
2	7425946		.414	.008 AND UP	.41440 + .00030	.030	8
2	7425950	7425953	.415	MASTER	.41500 + .00002	.030	2
2	7425952		.415	.0005	.41500 + .00004	.030	4
2	7425956		.415	.002	.41510 + .00007	.030	4
2	7425958		.415	.004	.41520 + .00010	.030	8
2	7425962		.415	.008 AND UP	.41540 + .00030	.030	8
2	7425966	7425969	.416	MASTER	.41600 + .00002	.030	2
2	7425968		.416	.0005	.41600 + .00004	.030	4
2	7425972		.416	.002	.41610 + .00007	.030	4
2	7425974		.416	.004	.41620 + .00010	.030	8
2	7425978		.416	.008 AND UP	.41640 + .00030	.030	8
2	7425982	7425985	.417	MASTER	.41700 + .00002	.030	2
2	7425984		.417	.0005	.41700 + .00004	.030	4
2	7425988		.417	.002	.41710 + .00007	.030	4
2	7425990		.417	.004	.41720 + .00010	.030	8
2	7425994		.417	.008 AND UP	.41740 + .00030	.030	8
2	7425998	7426001	.418	MASTER	.41800 + .00002	.030	2
2	7426000		.418	.0005	.41800 + .00004	.030	4
2	7426004		.418	.002	.41810 + .00007	.030	4
2	7426006		.418	.004	.41820 + .00010	.030	8
2	7426010		.418	.008 AND UP	.41840 + .00030	.030	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426014	7426017	.419	MASTER	.41900 + .00002	.030	2
2	7426016		.419	.0005	.41900 + .00004	.030	4
2	7426020		.419	.002	.41910 + .00007	.030	4
2	7426022		.419	.004	.41920 + .00010	.030	8
2	7426026		.419	.008 AND UP	.41940 + .00030	.030	8
2	7426030	7426033	.420	MASTER	.42000 + .00002	.030	2
2	7426032		.420	.0005	.42000 + .00004	.030	4
2	7426036		.420	.002	.42010 + .00007	.030	4
2	7426038		.420	.004	.42020 + .00010	.030	8
2	7426042		.420	.008 AND UP	.42040 + .00030	.030	8
2	7426046	7426049	.421	MASTER	.42100 + .00002	.030	2
2	7426048		.421	.0005	.42100 + .00004	.030	4
2	7426052		.421	.002	.42110 + .00007	.030	4
2	7426054		.421	.004	.42120 + .00010	.030	8
2	7426058		.421	.008 AND UP	.42140 + .00030	.030	8
2	7426062	7426065	.422	MASTER	.42200 + .00002	.030	2
2	7426064		.422	.0005	.42200 + .00004	.030	4
2	7426068		.422	.002	.42210 + .00007	.030	4
2	7426070		.422	.004	.42220 + .00010	.030	8
2	7426074		.422	.008 AND UP	.42240 + .00030	.030	8
2	7426078	7426081	.423	MASTER	.42300 + .00002	.030	2
2	7426080		.423	.0005	.42300 + .00004	.030	4
2	7426084		.423	.002	.42310 + .00007	.030	4
2	7426086		.423	.004	.42320 + .00010	.030	8
2	7426090		.423	.008 AND UP	.42340 + .00030	.030	8
2	7426094	7426097	.424	MASTER	.42400 + .00002	.030	2
2	7426096		.424	.0005	.42400 + .00004	.030	4
2	7426100		.424	.002	.42410 + .00007	.030	4
2	7426102		.424	.004	.42420 + .00010	.030	8
2	7426106		.424	.008 AND UP	.42440 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426110	7426113	.425	MASTER	.42500 + .00002	.030	2
2	7426112		.425	.0005	.42500 + .00004	.030	4
2	7426116		.425	.002	.42510 + .00007	.030	4
2	7426118		.425	.004	.42520 + .00010	.030	8
2	7426122		.425	.008 AND UP	.42540 + .00030	.030	8
2	7426126	7426129	.426	MASTER	.42600 + .00002	.030	2
2	7426128		.426	.0005	.42600 + .00004	.030	4
2	7426132		.426	.002	.42610 + .00007	.030	4
2	7426134		.426	.004	.42620 + .00010	.030	8
2	7426138		.426	.008 AND UP	.42640 + .00030	.030	8
2	7426142	7426145	.427	MASTER	.42700 + .00002	.030	2
2	7426144		.427	.0005	.42700 + .00004	.030	4
2	7426148		.427	.002	.42710 + .00007	.030	4
2	7426150		.427	.004	.42720 + .00010	.030	8
2	7426154		.427	.008 AND UP	.42740 + .00030	.030	8
2	7426158	7426161	.428	MASTER	.42800 + .00002	.030	2
2	7426160		.428	.0005	.42800 + .00004	.030	4
2	7426164		.428	.002	.42810 + .00007	.030	4
2	7426166		.428	.004	.42820 + .00010	.030	8
2	7426170		.428	.008 AND UP	.42840 + .00030	.030	8
2	7426174	7426177	.429	MASTER	.42900 + .00002	.030	2
2	7426176		.429	.0005	.42900 + .00004	.030	4
2	7426180		.429	.002	.42910 + .00007	.030	4
2	7426182		.429	.004	.42920 + .00010	.030	8
2	7426186		.429	.008 AND UP	.42940 + .00030	.030	8
2	7426190	7426193	.430	MASTER	.43000 + .00002	.030	2
2	7426192		.430	.0005	.43000 + .00004	.030	4
2	7426196		.430	.002	.43010 + .00007	.030	4
2	7426198		.430	.004	.43020 + .00010	.030	8
2	7426202		.430	.008 AND UP	.43040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426206	7426209	.431	MASTER	.43100 + .00002	.030	2
2	7426208		.431	.0005	.43100 + .00004	.030	4
2	7426212		.431	.002	.43110 + .00007	.030	4
2	7426214		.431	.004	.43120 + .00010	.030	8
2	7426218		.431	.008 AND UP	.43140 + .00030	.030	8
2	7426222	7426225	.432	MASTER	.43200 + .00002	.030	2
2	7426224		.432	.0005	.43200 + .00004	.030	4
2	7426228		.432	.002	.43210 + .00007	.030	4
2	7426230		.432	.004	.43220 + .00010	.030	8
2	7426234		.432	.008 AND UP	.43240 + .00030	.030	8
2	7426238	7426241	.433	MASTER	.43300 + .00002	.030	2
2	7426240		.433	.0005	.43300 + .00004	.030	4
2	7426244		.433	.002	.43310 + .00007	.030	4
2	7426246		.433	.004	.43320 + .00010	.030	8
2	7426250		.433	.008 AND UP	.43340 + .00030	.030	8
2	7426254	7426257	.434	MASTER	.43400 + .00002	.030	2
2	7426256		.434	.0005	.43400 + .00004	.030	4
2	7426260		.434	.002	.43410 + .00007	.030	4
2	7426262		.434	.004	.43420 + .00010	.030	8
2	7426266		.434	.008 AND UP	.43440 + .00030	.030	8
2	7426270	7426273	.435	MASTER	.43500 + .00002	.030	2
2	7426272		.435	.0005	.43500 + .00004	.030	4
2	7426276		.435	.002	.43510 + .00007	.030	4
2	7426278		.435	.004	.43520 + .00010	.030	8
2	7426282		.435	.008 AND UP	.43540 + .00030	.030	8
2	7426286	7426289	.436	MASTER	.43600 + .00002	.030	2
2	7426288		.436	.0005	.43600 + .00004	.030	4
2	7426292		.436	.002	.43610 + .00007	.030	4
2	7426294		.436	.004	.43620 + .00010	.030	8
2	7426298		.436	.008 AND UP	.43640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426302	7426305	.437	MASTER	.43700 + .00002	.030	2
2	7426304		.437	.0005	.43700 + .00004	.030	4
2	7426308		.437	.002	.43710 + .00007	.030	4
2	7426310		.437	.004	.43720 + .00010	.030	8
2	7426314		.437	.008 AND UP	.43740 + .00030	.030	8
2	7426318	7497329	.4375	MASTER	.43750 + .00002	.030	2
2	7497328		.4375	.0005	.43750 + .00004	.030	4
2	7497332		.4375	.002	.43760 + .00007	.030	4
2	7497334		.4375	.004	.43770 + .00010	.030	8
2	7497338		.4375	.008 AND UP	.43790 + .00030	.030	8
2	7426320	7426323	.438	MASTER	.43800 + .00002	.030	2
2	7426322		.438	.0005	.43800 + .00004	.030	4
2	7426326		.438	.002	.43810 + .00007	.030	4
2	7426328		.438	.004	.43820 + .00010	.030	8
2	7426332		.438	.008 AND UP	.43840 + .00030	.030	8
2	7426336	7426339	.439	MASTER	.43900 + .00002	.030	2
2	7426338		.439	.0005	.43900 + .00004	.030	4
2	7426342		.439	.002	.43910 + .00007	.030	4
2	7426344		.439	.004	.43920 + .00010	.030	8
2	7426348		.439	.008 AND UP	.43940 + .00030	.030	8
2	7426352	7426355	.440	MASTER	.44000 + .00002	.030	2
2	7426354		.440	.0005	.44000 + .00004	.030	4
2	7426358		.440	.002	.44010 + .00007	.030	4
2	7426360		.440	.004	.44020 + .00010	.030	8
2	7426364		.440	.008 AND UP	.44040 + .00030	.030	8
2	7426368	7426371	.441	MASTER	.44100 + .00002	.030	2
2	7426370		.441	.0005	.44100 + .00004	.030	4
2	7426374		.441	.002	.44110 + .00007	.030	4
2	7426376		.441	.004	.44120 + .00010	.030	8
2	7426380		.441	.008 AND UP	.44140 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426384	7426387	.442	MASTER	.44200 + .00002	.030	2
2	7426386		.442	.0005	.44200 + .00004	.030	4
2	7426390		.442	.002	.44210 + .00007	.030	4
2	7426392		.442	.004	.44220 + .00010	.030	8
2	7426396		.442	.008 AND UP	.44240 + .00030	.030	8
2	7426400	7426403	.443	MASTER	.44300 + .00002	.030	2
2	7426402		.443	.0005	.44300 + .00004	.030	4
2	7426406		.443	.002	.44310 + .00007	.030	4
2	7426408		.443	.004	.44320 + .00010	.030	8
2	7426412		.443	.008 AND UP	.44340 + .00030	.030	8
2	7426416	7426419	.444	MASTER	.44400 + .00002	.030	2
2	7426418		.444	.0005	.44400 + .00004	.030	4
2	7426422		.444	.002	.44410 + .00007	.030	4
2	7426424		.444	.004	.44420 + .00010	.030	8
2	7426428		.444	.008 AND UP	.44440 + .00030	.030	8
2	7426432	7426435	.445	MASTER	.44500 + .00002	.030	2
2	7426434		.445	.0005	.44500 + .00004	.030	4
2	7426438		.445	.002	.44510 + .00007	.030	4
2	7426440		.445	.004	.44520 + .00010	.030	8
2	7426444		.445	.008 AND UP	.44540 + .00030	.030	8
2	7426448	7426451	.446	MASTER	.44600 + .00002	.030	2
2	7426450		.446	.0005	.44600 + .00004	.030	4
2	7426454		.446	.002	.44610 + .00007	.030	4
2	7426456		.446	.004	.44620 + .00010	.030	8
2	7426460		.446	.008 AND UP	.44640 + .00030	.030	8
2	7426464	7426467	.447	MASTER	.44700 + .00002	.030	2
2	7426466		.447	.0005	.44700 + .00004	.030	4
2	7426470		.447	.002	.44710 + .00007	.030	4
2	7426472		.447	.004	.44720 + .00010	.030	8
2	7426476		.447	.008 AND UP	.44740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426480	7426483	.448	MASTER	.44800 + .00002	.030	2
2	7426482		.448	.0005	.44800 + .00004	.030	4
2	7426486		.448	.002	.44810 + .00007	.030	4
2	7426488		.448	.004	.44820 + .00010	.030	8
2	7426492		.448	.008 AND UP	.44840 + .00030	.030	8
2	7426496	7426499	.449	MASTER	.44900 + .00002	.030	2
2	7426498		.449	.0005	.44900 + .00004	.030	4
2	7426502		.449	.002	.44910 + .00007	.030	4
2	7426504		.449	.004	.44920 + .00010	.030	8
2	7426508		.449	.008 AND UP	.44940 + .00030	.030	8
2	7426512	7426515	.450	MASTER	.45000 + .00002	.030	2
2	7426514		.450	.0005	.45000 + .00004	.030	4
2	7426518		.450	.002	.45010 + .00007	.030	4
2	7426520		.450	.004	.45020 + .00010	.030	8
2	7426524		.450	.008 AND UP	.45040 + .00030	.030	8
2	7426528	7426531	.451	MASTER	.45100 + .00002	.030	2
2	7426530		.451	.0005	.45100 + .00004	.030	4
2	7426534		.451	.002	.45110 + .00007	.030	4
2	7426536		.451	.004	.45120 + .00010	.030	8
2	7426540		.451	.008 AND UP	.45140 + .00030	.030	8
2	7426544	7426547	.452	MASTER	.45200 + .00002	.030	2
2	7426546		.452	.0005	.45200 + .00004	.030	4
2	7426550		.452	.002	.45210 + .00007	.030	4
2	7426552		.452	.004	.45220 + .00010	.030	8
2	7426556		.452	.008 AND UP	.45240 + .00030	.030	8
2	7426560	7426563	.453	MASTER	.45300 + .00002	.030	2
2	7426562		.453	.0005	.45300 + .00004	.030	4
2	7426566		.453	.002	.45310 + .00007	.030	4
2	7426568		.453	.004	.45320 + .00010	.030	8
2	7426572		.453	.008 AND UP	.45340 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426576	7426579	.454	MASTER	.45400 + .00002	.030	2
2	7426578		.454	.0005	.45400 + .00004	.030	4
2	7426582		.454	.002	.45410 + .00007	.030	4
2	7426584		.454	.004	.45420 + .00010	.030	8
2	7426588		.454	.008 AND UP	.45440 + .00030	.030	8
2	7426592	7426595	.455	MASTER	.45500 + .00002	.030	2
2	7426594		.455	.0005	.45500 + .00004	.030	4
2	7426598		.455	.002	.45510 + .00007	.030	4
2	7426600		.455	.004	.45520 + .00010	.030	8
2	7426604		.455	.008 AND UP	.45540 + .00030	.030	8
2	7426608	7426611	.456	MASTER	.45600 + .00002	.030	2
2	7426610		.456	.0005	.45600 + .00004	.030	4
2	7426614		.456	.002	.45610 + .00007	.030	4
2	7426616		.456	.004	.45620 + .00010	.030	8
2	7426620		.456	.008 AND UP	.45640 + .00030	.030	8
2	7426624	7426627	.457	MASTER	.45700 + .00002	.030	2
2	7426626		.457	.0005	.45700 + .00004	.030	4
2	7426630		.457	.002	.45710 + .00007	.030	4
2	7426632		.457	.004	.45720 + .00010	.030	8
2	7426636		.457	.008 AND UP	.45740 + .00030	.030	8
2	7426640	7426643	.458	MASTER	.45800 + .00002	.030	2
2	7426642		.458	.0005	.45800 + .00004	.030	4
2	7426646		.458	.002	.45810 + .00007	.030	4
2	7426648		.458	.004	.45820 + .00010	.030	8
2	7426652		.458	.008 AND UP	.45840 + .00030	.030	8
2	7426656	7426659	.459	MASTER	.45900 + .00002	.030	2
2	7426658		.459	.0005	.45900 + .00004	.030	4
2	7426662		.459	.002	.45910 + .00007	.030	4
2	7426664		.459	.004	.45920 + .00010	.030	8
2	7426668		.459	.008 AND UP	.45940 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426672	7426675	.460	MASTER	.46000 + .00002	.030	2
2	7426674		.460	.0005	.46000 + .00004	.030	4
2	7426678		.460	.002	.46010 + .00007	.030	4
2	7426680		.460	.004	.46020 + .00010	.030	8
2	7426684		.460	.008 AND UP	.46040 + .00030	.030	8
2	7426688	7426691	.461	MASTER	.46100 + .00002	.030	2
2	7426690		.461	.0005	.46100 + .00004	.030	4
2	7426694		.461	.002	.46110 + .00007	.030	4
2	7426696		.461	.004	.46120 + .00010	.030	8
2	7426700		.461	.008 AND UP	.46140 + .00030	.030	8
2	7426704	7426707	.462	MASTER	.46200 + .00002	.030	2
2	7426706		.462	.0005	.46200 + .00004	.030	4
2	7426710		.462	.002	.46210 + .00007	.030	4
2	7426712		.462	.004	.46220 + .00010	.030	8
2	7426716		.462	.008 AND UP	.46240 + .00030	.030	8
2	7426720	7426723	.463	MASTER	.46300 + .00002	.030	2
2	7426722		.463	.0005	.46300 + .00004	.030	4
2	7426726		.463	.002	.46310 + .00007	.030	4
2	7426728		.463	.004	.46320 + .00010	.030	8
2	7426732		.463	.008 AND UP	.46340 + .00030	.030	8
2	7426736	7426739	.464	MASTER	.46400 + .00002	.030	2
2	7426738		.464	.0005	.46400 + .00004	.030	4
2	7426742		.464	.002	.46410 + .00007	.030	4
2	7426744		.464	.004	.46420 + .00010	.030	8
2	7426748		.464	.008 AND UP	.46440 + .00030	.030	8
2	7426752	7426755	.465	MASTER	.46500 + .00002	.030	2
2	7426754		.465	.0005	.46500 + .00004	.030	4
2	7426758		.465	.002	.46510 + .00007	.030	4
2	7426760		.465	.004	.46520 + .00010	.030	8
2	7426764		.465	.008 AND UP	.46540 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426768	7426771	.466	MASTER	.46600 + .00002	.030	2
2	7426770		.466	.0005	.46600 + .00004	.030	4
2	7426774		.466	.002	.46610 + .00007	.030	4
2	7426776		.466	.004	.46620 + .00010	.030	8
2	7426780		.466	.008 AND UP	.46640 + .00030	.030	8
2	7426784	7426787	.467	MASTER	.46700 + .00002	.030	2
2	7426786		.467	.0005	.46700 + .00004	.030	4
2	7426790		.467	.002	.46710 + .00007	.030	4
2	7426792		.467	.004	.46720 + .00010	.030	8
2	7426796		.467	.008 AND UP	.46740 + .00030	.030	8
2	7426800	7426803	.468	MASTER	.46800 + .00002	.030	2
2	7426802		.468	.0005	.46800 + .00004	.030	4
2	7426806		.468	.002	.46810 + .00007	.030	4
2	7426808		.468	.004	.46820 + .00010	.030	8
2	7426812		.468	.008 AND UP	.46840 + .00030	.030	8
2	7426816	7497343	.46875	MASTER	.46875 + .00002	.030	2
2	7497342		.46875	.0005	.46875 + .00004	.030	4
2	7497346		.46875	.002	.46885 + .00007	.030	4
2	7497348		.46875	.004	.46895 + .00010	.030	8
2	7497352		.46875	.008 AND UP	.46915 + .00030	.030	8
2	7426818	7426821	.469	MASTER	.46900 + .00002	.030	2
2	7426820		.469	.0005	.46900 + .00004	.030	4
2	7426824		.469	.002	.46910 + .00007	.030	4
2	7426826		.469	.004	.46920 + .00010	.030	8
2	7426830		.469	.008 AND UP	.46940 + .00030	.030	8
2	7426834	7426837	.470	MASTER	.47000 + .00002	.030	2
2	7426836		.470	.0005	.47000 + .00004	.030	4
2	7426840		.470	.002	.47010 + .00007	.030	4
2	7426842		.470	.004	.47020 + .00010	.030	8
2	7426846		.470	.008 AND UP	.47040 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426850	7426853	.471	MASTER	.47100 + .00002	.030	2
2	7426852		.471	.0005	.47100 + .00004	.030	4
2	7426856		.471	.002	.47110 + .00007	.030	4
2	7426858		.471	.004	.47120 + .00010	.030	8
2	7426862		.471	.008 AND UP	.47140 + .00030	.030	8
2	7426866	7426869	.472	MASTER	.47200 + .00002	.030	2
2	7426868		.472	.0005	.47200 + .00004	.030	4
2	7426872		.472	.002	.47210 + .00007	.030	4
2	7426874		.472	.004	.47220 + .00010	.030	8
2	7426878		.472	.008 AND UP	.47240 + .00030	.030	8
2	7426882	7426885	.473	MASTER	.47300 + .00002	.030	2
2	7426884		.473	.0005	.47300 + .00004	.030	4
2	7426888		.473	.002	.47310 + .00007	.030	4
2	7426890		.473	.004	.47320 + .00010	.030	8
2	7426894		.473	.008 AND UP	.47340 + .00030	.030	8
2	7426898	7426901	.474	MASTER	.47400 + .00002	.030	2
2	7426900		.474	.0005	.47400 + .00004	.030	4
2	7426904		.474	.002	.47410 + .00007	.030	4
2	7426906		.474	.004	.47420 + .00010	.030	8
2	7426910		.474	.008 AND UP	.47440 + .00030	.030	8
2	7426914	7426917	.475	MASTER	.47500 + .00002	.030	2
2	7426916		.475	.0005	.47500 + .00004	.030	4
2	7426920		.475	.002	.47510 + .00007	.030	4
2	7426922		.475	.004	.47520 + .00010	.030	8
2	7426926		.475	.008 AND UP	.47540 + .00030	.030	8
2	7426930	7426933	.476	MASTER	.47600 + .00002	.030	2
2	7426932		.476	.0005	.47600 + .00004	.030	4
2	7426936		.476	.002	.47610 + .00007	.030	4
2	7426938		.476	.004	.47620 + .00010	.030	8
2	7426942		.476	.008 AND UP	.47640 + .00030	.030	8

Table 1. Tabulation of Design and Identification Data (Continued)

Table 1. INDICATION OF DESIGN							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7426946	7426949	.477	MASTER	.47700 + .00002	.030	2
2	7426948		.477	.0005	.47700 + .00004	.030	4
2	7426952		.477	.002	.47710 + .00007	.030	4
2	7426954		.477	.004	.47720 + .00010	.030	8
2	7426958		.477	.008 AND UP	.47740 + .00030	.030	8
2	7426962	7426965	.478	MASTER	.47800 + .00002	.030	2
2	7426964		.478	.0005	.47800 + .00004	.030	4
2	7426968		.478	.002	.47810 + .00007	.030	4
2	7426970		.478	.004	.47820 + .00010	.030	8
2	7426974		.478	.008 AND UP	.47840 + .00030	.030	8
2	7426978	7426981	.479	MASTER	.47900 + .00002	.030	2
2	7426980		.479	.0005	.47900 + .00004	.030	4
2	7426984		.479	.002	.47910 + .00007	.030	4
2	7426986		.479	.004	.47920 + .00010	.030	8
2	7426990		.479	.008 AND UP	.47940 + .00030	.030	8
2	7426994	7426997	.480	MASTER	.48000 + .00002	.030	2
2	7426996		.480	.0005	.48000 + .00004	.030	4
2	7427000		.480	.002	.48010 + .00007	.030	4
2	7427002		.480	.004	.48020 + .00010	.030	8
2	7427006		.480	.008 AND UP	.48040 + .00030	.030	8
2	7427010	7427013	.481	MASTER	.48100 + .00002	.030	2
2	7427012		.481	.0005	.48100 + .00004	.030	4
2	7427016		.481	.002	.48110 + .00007	.030	4
2	7427018		.481	.004	.48120 + .00010	.030	8
2	7427022		.481	.008 AND UP	.48140 + .00030	.030	8
2	7427026	7427029	.482	MASTER	.48200 + .00002	.030	2
2	7427028		.482	.0005	.48200 + .00004	.030	4
2	7427032		.482	.002	.48210 + .00007	.030	4
2	7427034		.482	.004	.48220 + .00010	.030	8
2	7427038		.482	.008 AND UP	.48240 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427042	7427045	.483	MASTER	.48300 + .00002	.030	2
2	7427044		.483	.0005	.48300 + .00004	.030	4
2	7427048		.483	.002	.48310 + .00007	.030	4
2	7427050		.483	.004	.48320 + .00010	.030	8
2	7427054		.483	.008 AND UP	.48340 + .00030	.030	8
2	7427058	7427061	.484	MASTER	.48400 + .00002	.030	2
2	7427060		.484	.0005	.48400 + .00004	.030	4
2	7427064		.484	.002	.48410 + .00007	.030	4
2	7427066		.484	.004	.48420 + .00010	.030	8
2	7427070		.484	.008 AND UP	.48440 + .00030	.030	8
2	7427074	7427077	.485	MASTER	.48500 + .00002	.030	2
2	7427076		.485	.0005	.48500 + .00004	.030	4
2	7427080		.485	.002	.48510 + .00007	.030	4
2	7427082		.485	.004	.48520 + .00010	.030	8
2	7427086		.485	.008 AND UP	.48540 + .00030	.030	8
2	7427090	7427093	.486	MASTER	.48600 + .00002	.030	2
2	7427092		.486	.0005	.48600 + .00004	.030	4
2	7427096		.486	.002	.48610 + .00007	.030	4
2	7427098		.486	.004	.48620 + .00010	.030	8
2	7427102		.486	.008 AND UP	.48640 + .00030	.030	8
2	7427106	7427109	.487	MASTER	.48700 + .00002	.030	2
2	7427108		.487	.0005	.48700 + .00004	.030	4
2	7427112		.487	.002	.48710 + .00007	.030	4
2	7427114		.487	.004	.48720 + .00010	.030	8
2	7427118		.487	.008 AND UP	.48740 + .00030	.030	8
2	7427122	7427125	.488	MASTER	.48800 + .00002	.030	2
2	7427124		.488	.0005	.48800 + .00004	.030	4
2	7427128		.488	.002	.48810 + .00007	.030	4
2	7427130		.488	.004	.48820 + .00010	.030	8
2	7427134		.488	.008 AND UP	.48840 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427138	7427141	.489	MASTER	.48900 + .00002	.030	2
2	7427140		.489	.0005	.48900 + .00004	.030	4
2	7427144		.489	.002	.48910 + .00007	.030	4
2	7427146		.489	.004	.48920 + .00010	.030	8
2	7427150		.489	.008 AND UP	.48940 + .00030	.030	8
2	7427154	7427157	.490	MASTER	.49000 + .00002	.030	2
2	7427156		.490	.0005	.49000 + .00004	.030	4
2	7427160		.490	.002	.49010 + .00007	.030	4
2	7427162		.490	.004	.49020 + .00010	.030	8
2	7427166		.490	.008 AND UP	.49040 + .00030	.030	8
2	7427170	7427173	.491	MASTER	.49100 + .00002	.030	2
2	7427172		.491	.0005	.49100 + .00004	.030	4
2	7427176		.491	.002	.49110 + .00007	.030	4
2	7427178		.491	.004	.49120 + .00010	.030	8
2	7427182		.491	.008 AND UP	.49140 + .00030	.030	8
2	7427186	7427189	.492	MASTER	.49200 + .00002	.030	2
2	7427188		.492	.0005	.49200 + .00004	.030	4
2	7427192		.492	.002	.49210 + .00007	.030	4
2	7427194		.492	.004	.49220 + .00010	.030	8
2	7427198		.492	.008 AND UP	.49240 + .00030	.030	8
2	7427202	7427205	.493	MASTER	.49300 + .00002	.030	2
2	7427204		.493	.0005	.49300 + .00004	.030	4
2	7427208		.493	.002	.49310 + .00007	.030	4
2	7427210		.493	.004	.49320 + .00010	.030	8
2	7427214		.493	.008 AND UP	.49340 + .00030	.030	8
2	7427218	7427221	.494	MASTER	.49400 + .00002	.030	2
2	7427220		.494	.0005	.49400 + .00004	.030	4
2	7427224		.494	.002	.49410 + .00007	.030	4
2	7427226		.494	.004	.49420 + .00010	.030	8
2	7427230		.494	.008 AND UP	.49440 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427234	7427237	.495	MASTER	.49500 + .00002	.030	2
2	7427236		.495	.0005	.49500 + .00004	.030	4
2	7427240		.495	.002	.49510 + .00007	.030	4
2	7427242		.495	.004	.49520 + .00010	.030	8
2	7427246		.495	.008 AND UP	.49540 + .00030	.030	8
2	7427250	7427253	.496	MASTER	.49600 + .00002	.030	2
2	7427252		.496	.0005	.49600 + .00004	.030	4
2	7427256		.496	.002	.49610 + .00007	.030	4
2	7427258		.496	.004	.49620 + .00010	.030	8
2	7427262		.496	.008 AND UP	.49640 + .00030	.030	8
2	7427266	7427269	.497	MASTER	.49700 + .00002	.030	2
2	7427268		.497	.0005	.49700 + .00004	.030	4
2	7427272		.497	.002	.49710 + .00007	.030	4
2	7427274		.497	.004	.49720 + .00010	.030	8
2	7427278		.497	.008 AND UP	.49740 + .00030	.030	8
2	7427282	7427285	.498	MASTER	.49800 + .00002	.030	2
2	7427284		.498	.0005	.49800 + .00004	.030	4
2	7427288		.498	.002	.49810 + .00007	.030	4
2	7427290		.498	.004	.49820 + .00010	.030	8
2	7427294		.498	.008 AND UP	.49840 + .00030	.030	8
2	7427298	7427301	.499	MASTER	.49900 + .00002	.030	2
2	7427300		.499	.0005	.49900 + .00004	.030	4
2	7427304		.499	.002	.49910 + .00007	.030	4
2	7427306		.499	.004	.49920 + .00010	.030	8
2	7427310		.499	.008 AND UP	.49940 + .00030	.030	8
2	7427314	7427317	.500	MASTER	.50000 + .00002	.030	2
2	7427316		.500	.0005	.50000 + .00004	.030	4
2	7427320		.500	.002	.50010 + .00007	.030	4
2	7427322		.500	.004	.50020 + .00010	.030	8
2	7427326		.500	.008 AND UP	.50040 + .00030	.030	8

 MI-SD-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427330	7427333	.501	MASTER	.50100 + .00002	.030	2
2	7427332		.501	.0005	.50100 + .00004	.030	4
2	7427336		.501	.002	.50110 + .00007	.030	4
2	7427338		.501	.004	.50120 + .00010	.030	8
2	7427342		.501	.008 AND UP	.50140 + .00030	.030	8
2	7427346	7427349	.502	MASTER	.50200 + .00002	.030	2
2	7427348		.502	.0005	.50200 + .00004	.030	4
2	7427352		.502	.002	.50210 + .00007	.030	4
2	7427354		.502	.004	.50220 + .00010	.030	8
2	7427358		.502	.008 AND UP	.50240 + .00030	.030	8
2	7427362	7427365	.503	MASTER	.50300 + .00002	.030	2
2	7427364		.503	.0005	.50300 + .00004	.030	4
2	7427368		.503	.002	.50310 + .00007	.030	4
2	7427370		.503	.004	.50320 + .00010	.030	8
2	7427374		.503	.008 AND UP	.50340 + .00030	.030	8
2	7427378	7427381	.504	MASTER	.50400 + .00002	.030	2
2	7427380		.504	.0005	.50400 + .00004	.030	4
2	7427384		.504	.002	.50410 + .00007	.030	4
2	7427386		.504	.004	.50420 + .00010	.030	8
2	7427390		.504	.008 AND UP	.50440 + .00030	.030	8
2	7427394	7427397	.505	MASTER	.50500 + .00002	.030	2
2	7427396		.505	.0005	.50500 + .00004	.030	4
2	7427400		.505	.002	.50510 + .00007	.030	4
2	7427402		.505	.004	.50520 + .00010	.030	8
2	7427406		.505	.008 AND UP	.50540 + .00030	.030	8
2	7427410	7427413	.506	MASTER	.50600 + .00002	.030	2
2	7427412		.506	.0005	.50600 + .00004	.030	4
2	7427416		.506	.002	.50610 + .00007	.030	4
2	7427418		.506	.004	.50620 + .00010	.030	8
2	7427422		.506	.008 AND UP	.50640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7427426	7427429	.507	MASTER	.50700 + .00002	.030	2
2	7427428		.507	.0005	.50700 + .00004	.030	4
2	7427432		.507	.002	.50710 + .00007	.030	4
2	7427434		.507	.004	.50720 + .00010	.030	8
2	7427438		.507	.008 AND UP	.50740 + .00030	.030	8
2	7427442	7427445	.508	MASTER	.50800 + .00002	.030	2
2	7427444		.508	.0005	.50800 + .00004	.030	4
2	7427448		.508	.002	.50810 + .00007	.030	4
2	7427450		.508	.004	.50820 + .00010	.030	8
2	7427454		.508	.008 AND UP	.50840 + .00030	.030	8
2	7427458	7427461	.509	MASTER	.50900 + .00002	.030	2
2	7427460		.509	.0005	.50900 + .00004	.030	4
2	7427464		.509	.002	.50910 + .00007	.030	4
2	7427466		.509	.004	.50920 + .00010	.030	8
2	7427470		.509	.008 AND UP	.50940 + .00030	.030	8
2	7427474	7427477	.510	MASTER	.51000 + .00002	.030	2
2	7427476		.510	.0005	.51000 + .00004	.030	4
2	7427480		.510	.002	.51010 + .00007	.030	4
2	7427482		.510	.004	.51020 + .00010	.030	8
2	7427486		.510	.008 AND UP	.51040 + .00030	.030	8
3	7427490	7427493	.511	MASTER	.51100 + .00002	.030	2
3	7427492		.511	.0005	.51100 + .00004	.030	4
3	7427496		.511	.002	.51110 + .00007	.030	4
3	7427498		.511	.004	.51120 + .00010	.030	8
3	7427502		.511	.008 AND UP	.51140 + .00030	.030	8
3	7427506	7427509	.512	MASTER	.51200 + .00002	.030	2
3	7427508		.512	.0005	.51200 + .00004	.030	4
3	7427512		.512	.002	.51210 + .00007	.030	4
3	7427514		.512	.004	.51220 + .00010	.030	8
3	7427518		.512	.008 AND UP	.51240 + .00030	.030	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3	7427522	7427525	.513	MASTER	.51300 + .00002	.030	2	
3	7427524		.513	.0005	.51300 + .00004	.030	4	
3	7427528		.513	.002	.51310 + .00007	.030	4	
3	7427530		.513	.004	.51320 + .00010	.030	8	
3	7427534		.513	.008 AND UP	.51340 + .00030	.030	8	
3	7427538	7427541	.514	MASTER	.51400 + .00002	.030	2	
3	7427540		.514	.0005	.51400 + .00004	.030	4	
3	7427544		.514	.002	.51410 + .00007	.030	4	
3	7427546		.514	.004	.51420 + .00010	.030	8	
3	7427550		.514	.008 AND UP	.51440 + .00030	.030	8	
3	7427554	7427557	.515	MASTER	.51500 + .00002	.030	2	
3	7427556		.515	.0005	.51500 + .00004	.030	4	
3	7427560		.515	.002	.51510 + .00007	.030	4	
3	7427562		.515	.004	.51520 + .00010	.030	8	
3	7427566		.515	.008 AND UP	.51540 + .00030	.030	8	
3	7427570	7427573	.516	MASTER	.51600 + .00002	.030	2	
3	7427572		.516	.0005	.51600 + .00004	.030	4	
3	7427576		.516	.002	.51610 + .00007	.030	4	
3	7427578		.516	.004	.51620 + .00010	.030	8	
3	7427582		.516	.008 AND UP	.51640 + .00030	.030	8	
3	7427586	7427589	.517	MASTER	.51700 + .00002	.030	2	
3	7427588		.517	.0005	.51700 + .00004	.030	4	
3	7427592		.517	.002	.51710 + .00007	.030	4	
3	7427594		.517	.004	.51720 + .00010	.030	8	
3	7427598		.517	.008 AND UP	.51740 + .00030	.030	8	
3	7427602	7427605	.518	MASTER	.51800 + .00002	.030	2	
3	7427604		.518	.0005	.51800 + .00004	.030	4	
3	7427608		.518	.002	.51810 + .00007	.030	4	
3	7427610		.518	.004	.51820 + .00010	.030	8	
3	7427614		.518	.008 AND UP	.51840 + .00030	.030	8	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7427618 7427620 7427624 7427626 7427630	7427621	.519 .519 .519 .519 .519	MASTER .0005 .002 .004 .008 AND UP	.51900 + .00002 .51900 + .00004 .51910 + .00007 .51920 + .00010 .51940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427634 7427636 7427640 7427642 7427646	7427637	.520 .520 .520 .520 .520	MASTER .0005 .002 .004 .008 AND UP	.52000 + .00002 .52000 + .00004 .52010 + .00007 .52020 + .00010 .52040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427650 7427652 7427656 7427658 7427662	7427653	.521 .521 .521 .521 .521	MASTER .0005 .002 .004 .008 AND UP	.52100 + .00002 .52100 + .00004 .52110 + .00007 .52120 + .00010 .52140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427666 7427668 7427672 7427674 7427678	7427669	.522 .522 .522 .522 .522	MASTER .0005 .002 .004 .008 AND UP	.52200 + .00002 .52200 + .00004 .52210 + .00007 .52220 + .00010 .52240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427682 7427684 7427688 7427690 7427694	7427685	.523 .523 .523 .523 .523	MASTER .0005 .002 .004 .008 AND UP	.52300 + .00002 .52300 + .00004 .52310 + .00007 .52320 + .00010 .52340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427698 7427700 7427704 7427706 7427710	7427701	.524 .524 .524 .524 .524	MASTER .0005 .002 .004 .008 AND UP	.52400 + .00002 .52400 + .00004 .52410 + .00007 .52420 + .00010 .52440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7427714 7427716 7427720 7427722 7427726	7427717	.525 .525 .525 .525 .525	MASTER .0005 .002 .004 .008 AND UP	.52500 + .00002 .52500 + .00004 .52510 + .00007 .52520 + .00010 .52540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427730 7427732 7427736 7427738 7427742	7427733	.526 .526 .526 .526 .526	MASTER .0005 .002 .004 .008 AND UP	.52600 + .00002 .52600 + .00004 .52610 + .00007 .52620 + .00010 .52640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427746 7427748 7427752 7427754 7427758	7427749	.527 .527 .527 .527 .527	MASTER .0005 .002 .004 .008 AND UP	.52700 + .00002 .52700 + .00004 .52710 + .00007 .52720 + .00010 .52740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427762 7427764 7427768 7427770 7427774	7427765	.528 .528 .528 .528 .528	MASTER .0005 .002 .004 .008 AND UP	.52800 + .00002 .52800 + .00004 .52810 + .00007 .52820 + .00010 .52840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427778 7427780 7427784 7427786 7427790	7427781	.529 .529 .529 .529 .529	MASTER .0005 .002 .004 .008 AND UP	.52900 + .00002 .52900 + .00004 .52910 + .00007 .52920 + .00010 .52940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427794 7427796 7427800 7427802 7427806	7427797	.530 .530 .530 .530 .530	MASTER .0005 .002 .004 .008 AND UP	.53000 + .00002 .53000 + .00004 .53010 + .00007 .53020 + .00010 .53040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7427810	7427813	.531	MASTER	.53100 + .00002	.030	2
3	7427812		.531	.0005	.53100 + .00004	.030	4
3	7427816		.531	.002	.53110 + .00007	.030	4
3	7427818		.531	.004	.53120 + .00010	.030	8
3	7427822		.531	.008 AND UP	.53140 + .00030	.030	8
3	7427826	7497357	.53125	MASTER	.53125 + .00002	.030	2
3	7497356		.53125	.0005	.53125 + .00004	.030	4
3	7497360		.53125	.002	.53135 + .00007	.030	4
3	7497362		.53125	.004	.53145 + .00010	.030	8
3	7497366		.53125	.008 AND UP	.53165 + .00030	.030	8
3	7427828	7427831	.532	MASTER	.53200 + .00002	.030	2
3	7427830		.532	.0005	.53200 + .00004	.030	4
3	7427834		.532	.002	.53210 + .00007	.030	4
3	7427836		.532	.004	.53220 + .00010	.030	8
3	7427840		.532	.008 AND UP	.53240 + .00030	.030	8
3	7427844	7427847	.533	MASTER	.53300 + .00002	.030	2
3	7427846		.533	.0005	.53300 + .00004	.030	4
3	7427850		.533	.002	.53310 + .00007	.030	4
3	7427852		.533	.004	.53320 + .00010	.030	8
3	7427856		.533	.008 AND UP	.53340 + .00030	.030	8
3	7427860	7427863	.534	MASTER	.53400 + .00002	.030	2
3	7427862		.534	.0005	.53400 + .00004	.030	4
3	7427866		.534	.002	.53410 + .00007	.030	4
3	7427868		.534	.004	.53420 + .00010	.030	8
3	7427872		.534	.008 AND UP	.53440 + .00030	.030	8
3	7427876	7427879	.535	MASTER	.53500 + .00002	.030	2
3	7427878		.535	.0005	.53500 + .00004	.030	4
3	7427882		.535	.002	.53510 + .00007	.030	4
3	7427884		.535	.004	.53520 + .00010	.030	8
3	7427888		.535	.008 AND UP	.53540 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7427892 7427894 7427898 7427900 7427904	7427895	.536 .536 .536 .536 .536	MASTER .0005 .002 .004 .008 AND UP	.53600 + .00002 .53600 + .00004 .53610 + .00007 .53620 + .00010 .53640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427908 7427910 7427914 7427916 7427920	7427911	.537 .537 .537 .537 .537	MASTER .0005 .002 .004 .008 AND UP	.53700 + .00002 .53700 + .00004 .53710 + .00007 .53720 + .00010 .53740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427924 7427926 7427930 7427932 7427936	7427927	.538 .538 .538 .538 .538	MASTER .0005 .002 .004 .008 AND UP	.53800 + .00002 .53800 + .00004 .53810 + .00007 .53820 + .00010 .53840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427940 7427942 7427946 7427948 7427952	7427943	.539 .539 .539 .539 .539	MASTER .0005 .002 .004 .008 AND UP	.53900 + .00002 .53900 + .00004 .53910 + .00007 .53920 + .00010 .53940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427956 7427958 7427962 7427964 7427968	7427959	.540 .540 .540 .540 .540	MASTER .0005 .002 .004 .008 AND UP	.54000 + .00002 .54000 + .00004 .54010 + .00007 .54020 + .00010 .54040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7427972 7427974 7427978 7427980 7427984	7427975	.541 .541 .541 .541 .541	MASTER .0005 .002 .004 .008 AND UP	.54100 + .00002 .54100 + .00004 .54110 + .00007 .54120 + .00010 .54140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3	7427988	7427991	.542	MASTER	.54200 + .00002	.030	2	
3	7427990		.542	.0005	.54200 + .00004	.030	4	
3	7427994		.542	.002	.54210 + .00007	.030	4	
3	7427996		.542	.004	.54220 + .00010	.030	8	
3	7428000		.542	.008 AND UP	.54240 + .00030	.030	8	
3	7428004	7428007	.543	MASTER	.54300 + .00002	.030	2	
3	7428006		.543	.0005	.54300 + .00004	.030	4	
3	7428010		.543	.002	.54310 + .00007	.030	4	
3	7428012		.543	.004	.54320 + .00010	.030	8	
3	7428016		.543	.008 AND UP	.54340 + .00030	.030	8	
3	7428020	7428023	.544	MASTER	.54400 + .00002	.030	2	
3	7428022		.544	.0005	.54400 + .00004	.030	4	
3	7428026		.544	.002	.54410 + .00007	.030	4	
3	7428028		.544	.004	.54420 + .00010	.030	8	
3	7428032		.544	.008 AND UP	.54440 + .00030	.030	8	
3	7428036	7428039	.545	MASTER	.54500 + .00002	.030	2	
3	7428038		.545	.0005	.54500 + .00004	.030	4	
3	7428042		.545	.002	.54510 + .00007	.030	4	
3	7428044		.545	.004	.54520 + .00010	.030	8	
3	7428048		.545	.008 AND UP	.54540 + .00030	.030	8	
3	7428052	7428055	.546	MASTER	.54600 + .00002	.030	2	
3	7428054		.546	.0005	.54600 + .00004	.030	4	
3	7428058		.546	.002	.54610 + .00007	.030	4	
3	7428060		.546	.004	.54620 + .00010	.030	8	
3	7428064		.546	.008 AND UP	.54640 + .00030	.030	8	
3	7428068	7428071	.547	MASTER	.54700 + .00002	.030	2	
3	7428070		.547	.0005	.54700 + .00004	.030	4	
3	7428074		.547	.002	.54710 + .00007	.030	4	
3	7428076		.547	.004	.54720 + .00010	.030	8	
3	7428080		.547	.008 AND UP	.54740 + .00030	.030	8	

8 December 1955
 MIL-STD-1204-10

Table I. Tabulation of Design and Identification Data (Continued)

FIG NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3	7428084	7428087	.548	MASTER	.54800 + .00002	.030	2	
3	7428086		.548	.0005	.54800 + .00004	.030	4	
3	7428090		.548	.002	.54810 + .00007	.030	4	
3	7428092		.548	.004	.54820 + .00010	.030	8	
3	7428096		.548	.008 AND UP	.54840 + .00030	.030	8	
3	7428100	7428103	.549	MASTER	.54900 + .00002	.030	2	
3	7428102		.549	.0005	.54900 + .00004	.030	4	
3	7428106		.549	.002	.54910 + .00007	.030	4	
3	7428108		.549	.004	.54920 + .00010	.030	8	
3	7428112		.549	.008 AND UP	.54940 + .00030	.030	8	
3	7428116	7428119	.550	MASTER	.55000 + .00002	.030	2	
3	7428118		.550	.0005	.55000 + .00004	.030	4	
3	7428122		.550	.002	.55010 + .00007	.030	4	
3	7428124		.550	.004	.55020 + .00010	.030	8	
3	7428128		.550	.008 AND UP	.55040 + .00030	.030	8	
3	7428132	7428135	.551	MASTER	.55100 + .00002	.030	2	
3	7428134		.551	.0005	.55100 + .00004	.030	4	
3	7428138		.551	.002	.55110 + .00007	.030	4	
3	7428140		.551	.004	.55120 + .00010	.030	8	
3	7428144		.551	.008 AND UP	.55140 + .00030	.030	8	
3	7428148	7428151	.552	MASTER	.55200 + .00002	.030	2	
3	7428150		.552	.0005	.55200 + .00004	.030	4	
3	7428154		.552	.002	.55210 + .00007	.030	4	
3	7428156		.552	.004	.55220 + .00010	.030	8	
3	7428160		.552	.008 AND UP	.55240 + .00030	.030	8	
3	7428164	7428167	.553	MASTER	.55300 + .00002	.030	2	
3	7428166		.553	.0005	.55300 + .00004	.030	4	
3	7428170		.553	.002	.55310 + .00007	.030	4	
3	7428172		.553	.004	.55320 + .00010	.030	8	
3	7428176		.553	.008 AND UP	.55340 + .00030	.030	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428180	7428183	.554	MASTER	.55400 + .00002	.030	2
3	7428182		.554	.0005	.55400 + .00004	.030	4
3	7428186		.554	.002	.55410 + .00007	.030	4
3	7428188		.554	.004	.55420 + .00010	.030	8
3	7428192		.554	.008 AND UP	.55440 + .00030	.030	8
3	7428196	7428199	.555	MASTER	.55500 + .00002	.030	2
3	7428198		.555	.0005	.55500 + .00004	.030	4
3	7428202		.555	.002	.55510 + .00007	.030	4
3	7428204		.555	.004	.55520 + .00010	.030	8
3	7428208		.555	.008 AND UP	.55540 + .00030	.030	8
3	7428212	7428215	.556	MASTER	.55600 + .00002	.030	2
3	7428214		.556	.0005	.55600 + .00004	.030	4
3	7428218		.556	.002	.55610 + .00007	.030	4
3	7428220		.556	.004	.55620 + .00010	.030	8
3	7428224		.556	.008 AND UP	.55640 + .00030	.030	8
3	7428228	7428231	.557	MASTER	.55700 + .00002	.030	2
3	7428230		.557	.0005	.55700 + .00004	.030	4
3	7428234		.557	.002	.55710 + .00007	.030	4
3	7428236		.557	.004	.55720 + .00010	.030	8
3	7428240		.557	.008 AND UP	.55740 + .00030	.030	8
3	7428244	7428247	.558	MASTER	.55800 + .00002	.030	2
3	7428246		.558	.0005	.55800 + .00004	.030	4
3	7428250		.558	.002	.55810 + .00007	.030	4
3	7428252		.558	.004	.55820 + .00010	.030	8
3	7428256		.558	.008 AND UP	.55840 + .00030	.030	8
3	7428260	7428263	.559	MASTER	.55900 + .00002	.030	2
3	7428262		.559	.0005	.55900 + .00004	.030	4
3	7428266		.559	.002	.55910 + .00007	.030	4
3	7428268		.559	.004	.55920 + .00010	.030	8
3	7428272		.559	.008 AND UP	.55940 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428276	7428279	.560	MASTER	.56000 + .00002	.030	2
3	7428278		.560	.0005	.56000 + .00004	.030	4
3	7428282		.560	.002	.56010 + .00007	.030	4
3	7428284		.560	.004	.56020 + .00010	.030	8
3	7428288		.560	.008 AND UP	.56040 + .00030	.030	8
3	7428292	7428295	.561	MASTER	.56100 + .00002	.030	2
3	7428294		.561	.0005	.56100 + .00004	.030	4
3	7428298		.561	.002	.56110 + .00007	.030	4
3	7428300		.561	.004	.56120 + .00010	.030	8
3	7428304		.561	.008 AND UP	.56140 + .00030	.030	8
3	7428308	7428311	.562	MASTER	.56200 + .00002	.030	2
3	7428310		.562	.0005	.56200 + .00004	.030	4
3	7428314		.562	.002	.56210 + .00007	.030	4
3	7428316		.562	.004	.56220 + .00010	.030	8
3	7428320		.562	.008 AND UP	.56240 + .00030	.030	8
3	7428324	7497371	.5625	MASTER	.56250 + .00002	.030	2
3	7497370		.5625	.0005	.56250 + .00004	.030	4
3	7497374		.5625	.002	.56260 + .00007	.030	4
3	7497376		.5625	.004	.56270 + .00010	.030	8
3	7497380		.5625	.008 AND UP	.56290 + .00030	.030	8
3	7428326	7428325	.563	MASTER	.56300 + .00002	.030	2
3	7428328		.563	.0005	.56300 + .00004	.030	4
3	7428332		.563	.002	.56310 + .00007	.030	4
3	7428334		.563	.004	.56320 + .00010	.030	8
3	7428338		.563	.008 AND UP	.56340 + .00030	.030	8
3	7428342	7428345	.564	MASTER	.56400 + .00002	.030	2
3	7428344		.564	.0005	.56400 + .00004	.030	4
3	7428348		.564	.002	.56410 + .00007	.030	4
3	7428350		.564	.004	.56420 + .00010	.030	8
3	7428354		.564	.008 AND UP	.56440 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
3	7428358	7428361	.565	MASTER	.56500 + .00002	.030	2
3	7428360		.565	.0005	.56500 + .00004	.030	4
3	7428364		.565	.002	.56510 + .00007	.030	4
3	7428366		.565	.004	.56520 + .00010	.030	8
3	7428370		.565	.008 AND UP	.56540 + .00030	.030	8
3	7428374	7428377	.566	MASTER	.56600 + .00002	.030	2
3	7428376		.566	.0005	.56600 + .00004	.030	4
3	7428380		.566	.002	.56610 + .00007	.030	4
3	7428382		.566	.004	.56620 + .00010	.030	8
3	7428386		.566	.008 AND UP	.56640 + .00030	.030	8
3	7428390	7428393	.567	MASTER	.56700 + .00002	.030	2
3	7428392		.567	.0005	.56700 + .00004	.030	4
3	7428396		.567	.002	.56710 + .00007	.030	4
3	7428398		.567	.004	.56720 + .00010	.030	8
3	7428402		.567	.008 AND UP	.56740 + .00030	.030	8
3	7428406	7428409	.568	MASTER	.56800 + .00002	.030	2
3	7428408		.568	.0005	.56800 + .00004	.030	4
3	7428412		.568	.002	.56810 + .00007	.030	4
3	7428414		.568	.004	.56820 + .00010	.030	8
3	7428418		.568	.008 AND UP	.56840 + .00030	.030	8
3	7428422	7428425	.569	MASTER	.56900 + .00002	.030	2
3	7428424		.569	.0005	.56900 + .00004	.030	4
3	7428428		.569	.002	.56910 + .00007	.030	4
3	7428430		.569	.004	.56920 + .00010	.030	8
3	7428434		.569	.008 AND UP	.56940 + .00030	.030	8
3	7428438	7428441	.570	MASTER	.57000 + .00002	.030	2
3	7428440		.570	.0005	.57000 + .00004	.030	4
3	7428444		.570	.002	.57010 + .00007	.030	4
3	7428446		.570	.004	.57020 + .00010	.030	8
3	7428450		.570	.008 AND UP	.57040 + .00030	.030	8

 ML-8D-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7428454	7428457	.571	MASTER	.57100 + .00002	.030	2
	7428456		.571	.0005	.57100 + .00004	.030	4
	7428460		.571	.002	.57110 + .00007	.030	4
	7428462		.571	.004	.57120 + .00010	.030	8
	7428466		.571	.008 AND UP	.57140 + .00030	.030	8
3 3 3 3 3	7428470	7428473	.572	MASTER	.57200 + .00002	.030	2
	7428472		.572	.0005	.57200 + .00004	.030	4
	7428476		.572	.002	.57210 + .00007	.030	4
	7428478		.572	.004	.57220 + .00010	.030	8
	7428482		.572	.008 AND UP	.57240 + .00030	.030	8
3 3 3 3 3	7428486	7428489	.573	MASTER	.57300 + .00002	.030	2
	7428488		.573	.0005	.57300 + .00004	.030	4
	7428492		.573	.002	.57310 + .00007	.030	4
	7428494		.573	.004	.57320 + .00010	.030	8
	7428498		.573	.008 AND UP	.57340 + .00030	.030	8
3 3 3 3 3	7428502	7428505	.574	MASTER	.57400 + .00002	.030	2
	7428504		.574	.0005	.57400 + .00004	.030	4
	7428508		.574	.002	.57410 + .00007	.030	4
	7428510		.574	.004	.57420 + .00010	.030	8
	7428514		.574	.008 AND UP	.57440 + .00030	.030	8
3 3 3 3 3	7428518	7428521	.575	MASTER	.57500 + .00002	.030	2
	7428520		.575	.0005	.57500 + .00004	.030	4
	7428524		.575	.002	.57510 + .00007	.030	4
	7428526		.575	.004	.57520 + .00010	.030	8
	7428530		.575	.008 AND UP	.57540 + .00030	.030	8
3 3 3 3 3	7428534	7428537	.576	MASTER	.57600 + .00002	.030	2
	7428536		.576	.0005	.57600 + .00004	.030	4
	7428540		.576	.002	.57610 + .00007	.030	4
	7428542		.576	.004	.57620 + .00010	.030	8
	7428546		.576	.008 AND UP	.57640 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7428550 7428552 7428556 7428558 7428562	7428553	.577 .577 .577 .577 .577	MASTER .0005 .002 .004 .008 AND UP	.57700 + .00002 .57700 + .00004 .57710 + .00007 .57720 + .00010 .57740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7423566 7428568 7428572 7428574 7428578		7428569	.578 .578 .578 .578 .578	MASTER .0005 .002 .004 .008 AND UP	.57800 + .00002 .57800 + .00004 .57810 + .00007 .57820 + .00010 .57840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7428582 7428584 7428588 7428590 7428594			7428585	.579 .579 .579 .579 .579	MASTER .0005 .002 .004 .008 AND UP	.57900 + .00002 .57900 + .00004 .57910 + .00007 .57920 + .00010 .57940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7428598 7428600 7428604 7428606 7428610				7428601	.580 .580 .580 .580 .580	MASTER .0005 .002 .004 .008 AND UP	.58000 + .00002 .58000 + .00004 .58010 + .00007 .58020 + .00010 .58040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7428614 7428616 7428620 7428622 7428626					7428617	.581 .581 .581 .581 .581	MASTER .0005 .002 .004 .008 AND UP	.58100 + .00002 .58100 + .00004 .58110 + .00007 .58120 + .00010 .58140 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7428630 7428632 7428636 7428638 7428642	7428633					.582 .582 .582 .582 .582	MASTER .0005 .002 .004 .008 AND UP	.58200 + .00002 .58200 + .00004 .58210 + .00007 .58220 + .00010 .58240 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428646	7428649	.583	MASTER	.58300 + .00002	.030	2
3	7428648		.583	.0005	.58300 + .00004	.030	4
3	7428652		.583	.002	.58310 + .00007	.030	4
3	7428654		.583	.004	.58320 + .00010	.030	8
3	7428658		.583	.008 AND UP	.58340 + .00030	.030	8
3	7428662	7428665	.584	MASTER	.58400 + .00002	.030	2
3	7428664		.584	.0005	.58400 + .00004	.030	4
3	7428668		.584	.002	.58410 + .00007	.030	4
3	7428670		.584	.004	.58420 + .00010	.030	8
3	7428674		.584	.008 AND UP	.58440 + .00030	.030	8
3	7428678	7428681	.585	MASTER	.58500 + .00002	.030	2
3	7428680		.585	.0005	.58500 + .00004	.030	4
3	7428684		.585	.002	.58510 + .00007	.030	4
3	7428686		.585	.004	.58520 + .00010	.030	8
3	7428690		.585	.008 AND UP	.58540 + .00030	.030	8
3	7428694	7428697	.586	MASTER	.58600 + .00002	.030	2
3	7428696		.586	.0005	.58600 + .00004	.030	4
3	7428700		.586	.002	.58610 + .00007	.030	4
3	7428702		.586	.004	.58620 + .00010	.030	8
3	7428706		.586	.008 AND UP	.58640 + .00030	.030	8
3	7428710	7428713	.587	MASTER	.58700 + .00002	.030	2
3	7428712		.587	.0005	.58700 + .00004	.030	4
3	7428716		.587	.002	.58710 + .00007	.030	4
3	7428718		.587	.004	.58720 + .00010	.030	8
3	7428722		.587	.008 AND UP	.58740 + .00030	.030	8
3	7428726	7428729	.588	MASTER	.58800 + .00002	.030	2
3	7428728		.588	.0005	.58800 + .00004	.030	4
3	7428732		.588	.002	.58810 + .00007	.030	4
3	7428734		.588	.004	.58820 + .00010	.030	8
3	7428738		.588	.008 AND UP	.58840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428742	7428745	.589	MASTER	.58900 + .00002	.030	2
3	7428744		.589	.0005	.58900 + .00004	.030	4
3	7428748		.589	.002	.58910 + .00007	.030	4
3	7428750		.589	.004	.58920 + .00010	.030	8
3	7428754		.589	.008 AND UP	.58940 + .00030	.030	8
3	7428758	7428761	.590	MASTER	.59000 + .00002	.030	2
3	7428760		.590	.0005	.59000 + .00004	.030	4
3	7428764		.590	.002	.59010 + .00007	.030	4
3	7428766		.590	.004	.59020 + .00010	.030	8
3	7428770		.590	.008 AND UP	.59040 + .00030	.030	8
3	7428774	7428777	.591	MASTER	.59100 + .00002	.030	2
3	7428776		.591	.0005	.59100 + .00004	.030	4
3	7428780		.591	.002	.59110 + .00007	.030	4
3	7428782		.591	.004	.59120 + .00010	.030	8
3	7428786		.591	.008 AND UP	.59140 + .00030	.030	8
3	7428790	7428793	.592	MASTER	.59200 + .00002	.030	2
3	7428792		.592	.0005	.59200 + .00004	.030	4
3	7428796		.592	.002	.59210 + .00007	.030	4
3	7428798		.592	.004	.59220 + .00010	.030	8
3	7428802		.592	.008 AND UP	.59240 + .00030	.030	8
3	7428806	7428809	.593	MASTER	.59300 + .00002	.030	2
3	7428808		.593	.0005	.59300 + .00004	.030	4
3	7428812		.593	.002	.59310 + .00007	.030	4
3	7428814		.593	.004	.59320 + .00010	.030	8
3	7428818		.593	.008 AND UP	.59340 + .00030	.030	8
3	7428822	7497385	.59375	MASTER	.59375 + .00002	.030	2
3	7497384		.59375	.0005	.59375 + .00004	.030	4
3	7497388		.59375	.002	.59385 + .00007	.030	4
3	7497390		.59375	.004	.59395 + .00010	.030	8
3	7497394		.59375	.008 AND UP	.59415 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7428824	7428827	.594	MASTER	.59400 + .00002	.030	2
3	7428826		.594	.0005	.59400 + .00004	.030	4
3	7428830		.594	.002	.59410 + .00007	.030	4
3	7428832		.594	.004	.59420 + .00010	.030	8
3	7428836		.594	.008 AND UP	.59440 + .00030	.030	8
3	7428840	7428843	.595	MASTER	.59500 + .00002	.030	2
3	7428842		.595	.0005	.59500 + .00004	.030	4
3	7428846		.595	.002	.59510 + .00007	.030	4
3	7428848		.595	.004	.59520 + .00010	.030	8
3	7428852		.595	.008 AND UP	.59540 + .00030	.030	8
3	7428856	7428859	.596	MASTER	.59600 + .00002	.030	2
3	7428853		.596	.0005	.59600 + .00004	.030	4
3	7428862		.596	.002	.59610 + .00007	.030	4
3	7428864		.596	.004	.59620 + .00010	.030	8
3	7428868		.596	.008 AND UP	.59640 + .00030	.030	8
3	7428872	7428875	.597	MASTER	.59700 + .00002	.030	2
3	7428874		.597	.0005	.59700 + .00004	.030	4
3	7428878		.597	.002	.59710 + .00007	.030	4
3	7428880		.597	.004	.59720 + .00010	.030	8
3	7428884		.597	.008 AND UP	.59740 + .00030	.030	8
3	7428888	7428891	.598	MASTER	.59800 + .00002	.030	2
3	7428890		.598	.0005	.59800 + .00004	.030	4
3	7428894		.598	.002	.59810 + .00007	.030	4
3	7428896		.598	.004	.59820 + .00010	.030	8
3	7428900		.598	.008 AND UP	.59840 + .00030	.030	8
3	7428904	7428907	.599	MASTER	.59900 + .00002	.030	2
3	7428906		.599	.0005	.59900 + .00004	.030	4
3	7428910		.599	.002	.59910 + .00007	.030	4
3	7428912		.599	.004	.59920 + .00010	.030	8
3	7428916		.599	.008 AND UP	.59940 + .00030	.030	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.				DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7428920 7428922 7428926 7428928 7428932	7428923	.600 .600 .600 .600 .600	MASTER .0005 .002 .004 .008 AND UP	.60000 + .00002 .60000 + .00004 .60010 + .00007 .60020 + .00010 .60040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7428936 7428938 7428942 7428944 7428948		7428939	.601 .601 .601 .601 .601	MASTER .0005 .002 .004 .008 AND UP	.60100 + .00002 .60100 + .00004 .60110 + .00007 .60120 + .00010 .60140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7428952 7428954 7428958 7428960 7428964			7428955	.602 .602 .602 .602 .602	MASTER .0005 .002 .004 .008 AND UP	.60200 + .00002 .60200 + .00004 .60210 + .00007 .60220 + .00010 .60240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7428968 7428970 7428974 7428976 7428980				7428971	.603 .603 .603 .603 .603	MASTER .0005 .002 .004 .008 AND UP	.60300 + .00002 .60300 + .00004 .60310 + .00007 .60320 + .00010 .60340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7428984 7428986 7428990 7428992 7428996					7428987	.604 .604 .604 .604 .604	MASTER .0005 .002 .004 .008 AND UP	.60400 + .00002 .60400 + .00004 .60410 + .00007 .60420 + .00010 .60440 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7429000 7429002 7429006 7429008 7429012	7429003					.605 .605 .605 .605 .605	MASTER .0005 .002 .004 .008 AND UP	.60500 + .00002 .60500 + .00004 .60510 + .00007 .60520 + .00010 .60540 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429016	7429019	.606	MASTER	.60600 + .00002	.030	2
3	7429018		.606	.0005	.60600 + .00004	.030	4
3	7429022		.606	.002	.60610 + .00007	.030	4
3	7429024		.606	.004	.60620 + .00010	.030	8
3	7429028		.606	.008 AND UP	.60640 + .00030	.030	8
3	7429032	7429035	.607	MASTER	.60700 + .00002	.030	2
3	7429034		.607	.0005	.60700 + .00004	.030	4
3	7429038		.607	.002	.60710 + .00007	.030	4
3	7429040		.607	.004	.60720 + .00010	.030	8
3	7429044		.607	.008 AND UP	.60740 + .00030	.030	8
3	7429048	7429051	.608	MASTER	.60800 + .00002	.030	2
3	7429050		.608	.0005	.60800 + .00004	.030	4
3	7429054		.608	.002	.60810 + .00007	.030	4
3	7429056		.608	.004	.60820 + .00010	.030	8
3	7429060		.608	.008 AND UP	.60840 + .00030	.030	8
3	7429064	7429067	.609	MASTER	.60900 + .00002	.030	2
3	7429066		.609	.0005	.60900 + .00004	.030	4
3	7429070		.609	.002	.60910 + .00007	.030	4
3	7429072		.609	.004	.60920 + .00010	.030	8
3	7429076		.609	.008 AND UP	.60940 + .00030	.030	8
3	7429080	7429083	.610	MASTER	.61000 + .00002	.030	2
3	7429082		.610	.0005	.61000 + .00004	.030	4
3	7429086		.610	.002	.61010 + .00007	.030	4
3	7429088		.610	.004	.61020 + .00010	.030	8
3	7429092		.610	.008	.61040 + .00030	.030	8
3	7429096	7429099	.611	MASTER	.61100 + .00002	.030	2
3	7429098		.611	.0005	.61100 + .00004	.030	4
3	7429102		.611	.002	.61110 + .00007	.030	4
3	7429104		.611	.004	.61120 + .00010	.030	8
3	7429108		.611	.008 AND UP	.61140 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429112	7429115	.612	MASTER	.61200 + .00002	.030	2
3	7429114		.612	.0005	.61200 + .00004	.030	4
3	7429118		.612	.002	.61210 + .00007	.030	4
3	7429120		.612	.004	.61220 + .00010	.030	8
3	7429124		.612	.008 AND UP	.61240 + .00030	.030	8
3	7429128	7429131	.613	MASTER	.61300 + .00002	.030	2
3	7429130		.613	.0005	.61300 + .00004	.030	4
3	7429134		.613	.002	.61310 + .00007	.030	4
3	7429136		.613	.004	.61320 + .00010	.030	8
3	7429140		.613	.008 AND UP	.61340 + .00030	.030	8
3	7429144	7429147	.614	MASTER	.61400 + .00002	.030	2
3	7429146		.614	.0005	.61400 + .00004	.030	4
3	7429150		.614	.002	.61410 + .00007	.030	4
3	7429152		.614	.004	.61420 + .00010	.030	8
3	7429156		.614	.008 AND UP	.61440 + .00030	.030	8
3	7429160	7429163	.615	MASTER	.61500 + .00002	.030	2
3	7429162		.615	.0005	.61500 + .00004	.030	4
3	7429166		.615	.002	.61510 + .00007	.030	4
3	7429168		.615	.004	.61520 + .00010	.030	8
3	7429172		.615	.008 AND UP	.61540 + .00030	.030	8
3	7429176	7429179	.616	MASTER	.61600 + .00002	.030	2
3	7429178		.616	.0005	.61600 + .00004	.030	4
3	7429182		.616	.002	.61610 + .00007	.030	4
3	7429184		.616	.004	.61620 + .00010	.030	8
3	7429188		.616	.008 AND UP	.61640 + .00030	.030	8
3	7429192	7429195	.617	MASTER	.61700 + .00002	.030	2
3	7429194		.617	.0005	.61700 + .00004	.030	4
3	7429198		.617	.002	.61710 + .00007	.030	4
3	7429200		.617	.004	.61720 + .00010	.030	8
3	7429204		.617	.008 AND UP	.61740 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN -- GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7429208	7429211	.618	MASTER	.61800 + .00002	.030	2
3	7429210		.618	.0005	.61800 + .00004	.030	4
3	7429214		.618	.002	.61810 + .00007	.030	4
3	7429216		.618	.004	.61820 + .00010	.030	8
3	7429220		.618	.008 AND UP	.61840 + .00030	.030	8
3	7429224	7429227	.619	MASTER	.61900 + .00002	.030	2
3	7429226		.619	.0005	.61900 + .00004	.030	4
3	7429230		.619	.002	.61910 + .00007	.030	4
3	7429232		.619	.004	.61920 + .00010	.030	8
3	7429236		.619	.008 AND UP	.61940 + .00030	.030	8
3	7429240	7429243	.620	MASTER	.62000 + .00002	.030	2
3	7429242		.620	.0005	.62000 + .00004	.030	4
3	7429246		.620	.002	.62010 + .00007	.030	4
3	7429248		.620	.004	.62020 + .00010	.030	8
3	7429252		.620	.008 AND UP	.62040 + .00030	.030	8
3	7429256	7429259	.621	MASTER	.62100 + .00002	.030	2
3	7429258		.621	.0005	.62100 + .00004	.030	4
3	7429262		.621	.002	.62110 + .00007	.030	4
3	7429264		.621	.004	.62120 + .00010	.030	8
3	7429268		.621	.008 AND UP	.62140 + .00030	.030	8
3	7429272	7429275	.622	MASTER	.62200 + .00002	.030	2
3	7429274		.622	.0005	.62200 + .00004	.030	4
3	7429278		.622	.002	.62210 + .00007	.030	4
3	7429280		.622	.004	.62220 + .00010	.030	8
3	7429284		.622	.008 AND UP	.62240 + .00030	.030	8
3	7429288	7429291	.623	MASTER	.62300 + .00002	.030	2
3	7429290		.623	.0005	.62300 + .00004	.030	4
3	7429294		.623	.002	.62310 + .00007	.030	4
3	7429296		.623	.004	.62320 + .00010	.030	8
3	7429300		.623	.008 AND UP	.62340 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
3	7429304	7429307	.624	MASTER	.62400 + .00002	.030	2
3	7429306		.624	.0005	.62400 + .00004	.030	4
3	7429310		.624	.002	.62410 + .00007	.030	4
3	7429312		.624	.004	.62420 + .00010	.030	8
3	7429316		.624	.008 AND UP	.62440 + .00030	.030	8
3	7429320	7429323	.625	MASTER	.62500 + .00002	.030	2
3	7429322		.625	.0005	.62500 + .00004	.030	4
3	7429326		.625	.002	.62510 + .00007	.030	4
3	7429328		.625	.004	.62520 + .00010	.030	8
3	7429332		.625	.008 AND UP	.62540 + .00030	.030	8
3	7429336	7429339	.626	MASTER	.62600 + .00002	.030	2
3	7429338		.626	.0005	.62600 + .00004	.030	4
3	7429342		.626	.002	.62610 + .00007	.030	4
3	7429344		.626	.004	.62620 + .00010	.030	8
3	7429348		.626	.008 AND UP	.62640 + .00030	.030	8
3	7429352	7429355	.627	MASTER	.62700 + .00002	.030	2
3	7429354		.627	.0005	.62700 + .00004	.030	4
3	7429358		.627	.002	.62710 + .00007	.030	4
3	7429360		.627	.004	.62720 + .00010	.030	8
3	7429364		.627	.008 AND UP	.62740 + .00030	.030	8
3	7429368	7429371	.628	MASTER	.62800 + .00002	.030	2
3	7429370		.628	.0005	.62800 + .00004	.030	4
3	7429374		.628	.002	.62810 + .00007	.030	4
3	7429376		.628	.004	.62820 + .00010	.030	8
3	7429380		.628	.008 AND UP	.62840 + .00030	.030	8
3	7429384	7429387	.629	MASTER	.62900 + .00002	.030	2
3	7429386		.629	.0005	.62900 + .00004	.030	4
3	7429390		.629	.002	.62910 + .00007	.030	4
3	7429392		.629	.004	.62920 + .00010	.030	8
3	7429396		.629	.008 AND UP	.62940 + .00030	.030	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3 3	7429400 7429402 7429406 7429408 7429412	7429403	.630 .630 .630 .630 .630	MASTER .0005 .002 .004 .008 AND UP	.63000 + .00002 .63000 + .00004 .63010 + .00007 .63020 + .00010 .63040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7429416 7429418 7429422 7429424 7429428		7429419	.631 .631 .631 .631 .631	MASTER .0005 .002 .004 .008 AND UP	.63100 + .00002 .63100 + .00004 .63110 + .00007 .63120 + .00010 .63140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7429432 7429434 7429438 7429440 7429444			7429435	.632 .632 .632 .632 .632	MASTER .0005 .002 .004 .008 AND UP	.63200 + .00002 .63200 + .00004 .63210 + .00007 .63220 + .00010 .63240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7429448 7429450 7429454 7429456 7429460				7429451	.633 .633 .633 .633 .633	MASTER .0005 .002 .004 .008 AND UP	.63300 + .00002 .63300 + .00004 .63310 + .00007 .63320 + .00010 .63340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429464 7429466 7429470 7429472 7429476					7429467	.634 .634 .634 .634 .634	MASTER .0005 .002 .004 .008 AND UP	.63400 + .00002 .63400 + .00004 .63410 + .00007 .63420 + .00010 .63440 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7429480 7429482 7429486 7429488 7429492	7429483					.635 .635 .635 .635 .635	MASTER .0005 .002 .004 .008 AND UP	.63500 + .00002 .63500 + .00004 .63510 + .00007 .63520 + .00010 .63540 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7429496	7429499	.636	MASTER	.63600 + .00002	.030	2
	7429498		.636	.0005	.63600 + .00004	.030	4
	7429502		.636	.002	.63610 + .00007	.030	4
	7429504		.636	.004	.63620 + .00010	.030	8
	7429508		.636	.008 AND UP	.63640 + .00030	.030	8
3 3 3 3 3	7429512	7429515	.637	MASTER	.63700 + .00002	.030	2
	7429514		.637	.0005	.63700 + .00004	.030	4
	7429518		.637	.002	.63710 + .00007	.030	4
	7429520		.637	.004	.63720 + .00010	.030	8
	7429524		.637	.008 AND UP	.63740 + .00030	.030	8
3 3 3 3 3	7429528	7429531	.638	MASTER	.63800 + .00002	.030	2
	7429530		.638	.0005	.63800 + .00004	.030	4
	7429534		.638	.002	.63810 + .00007	.030	4
	7429536		.638	.004	.63820 + .00010	.030	8
	7429540		.638	.008 AND UP	.63840 + .00030	.030	8
3 3 3 3 3	7429544	7429547	.639	MASTER	.63900 + .00002	.030	2
	7429546		.639	.0005	.63900 + .00004	.030	4
	7429550		.639	.002	.63910 + .00007	.030	4
	7429552		.639	.004	.63920 + .00010	.030	8
	7429556		.639	.008 AND UP	.63940 + .00030	.030	8
3 3 3 3 3	7429560	7429563	.640	MASTER	.64000 + .00002	.030	2
	7429562		.640	.0005	.64000 + .00004	.030	4
	7429566		.640	.002	.64010 + .00007	.030	4
	7429568		.640	.004	.64020 + .00010	.030	8
	7429572		.640	.008 AND UP	.64040 + .00030	.030	8
3 3 3 3 3	7429576	7429579	.641	MASTER	.64100 + .00002	.030	2
	7429578		.641	.0005	.64100 + .00004	.030	4
	7429582		.641	.002	.64110 + .00007	.030	4
	7429584		.641	.004	.64120 + .00010	.030	8
	7429588		.641	.008 AND UP	.64140 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7429592 7429594 7429598 7429600 7429604	7429595	.642 .642 .642 .642 .642	MASTER .0005 .002 .004 .008 AND UP	.64200 + .00002 .64200 + .00004 .64210 + .00007 .64220 + .00010 .64240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429608 7429610 7429614 7429616 7429620	7429611	.643 .643 .643 .643 .643	MASTER .0005 .002 .004 .008 AND UP	.64300 + .00002 .64300 + .00004 .64310 + .00007 .64320 + .00010 .64340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429624 7429626 7429630 7429632 7429636	7429627	.644 .644 .644 .644 .644	MASTER .0005 .002 .004 .008 AND UP	.64400 + .00002 .64400 + .00004 .64410 + .00007 .64420 + .00010 .64440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429640 7429642 7429646 7429648 7429652	7429643	.645 .645 .645 .645 .645	MASTER .0005 .002 .004 .008 AND UP	.64500 + .00002 .64500 + .00004 .64510 + .00007 .64520 + .00010 .64540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429656 7429658 7429662 7429664 7429668	7429659	.646 .646 .646 .646 .646	MASTER .0005 .002 .004 .008 AND UP	.64600 + .00002 .64600 + .00004 .64610 + .00007 .64620 + .00010 .64640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429672 7429674 7429678 7429680 7429684	7429675	.647 .647 .647 .647 .647	MASTER .0005 .002 .004 .008 AND UP	.64700 + .00002 .64700 + .00004 .64710 + .00007 .64720 + .00010 .64740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7429688	7429691	.648	MASTER	.64800 + .00002	.030	2
	7429690		.648	.0005	.64800 + .00004	.030	4
	7429694		.648	.002	.64810 + .00007	.030	4
	7429696		.648	.004	.64820 + .00010	.030	8
	7429700		.648	.008 AND UP	.64840 + .00030	.030	8
3 3 3 3 3	7429704	7429707	.649	MASTER	.64900 + .00002	.030	2
	7429706		.649	.0005	.64900 + .00004	.030	4
	7429710		.649	.002	.64910 + .00007	.030	4
	7429712		.649	.004	.64920 + .00010	.030	8
	7429716		.649	.008 AND UP	.64940 + .00030	.030	8
3 3 3 3 3	7429720	7429723	.650	MASTER	.65000 + .00002	.030	2
	7429722		.650	.0005	.65000 + .00004	.030	4
	7429726		.650	.002	.65010 + .00007	.030	4
	7429728		.650	.004	.65020 + .00010	.030	8
	7429732		.650	.008 AND UP	.64040 + .00030	.030	8
3 3 3 3 3	7429736	7429739	.651	MASTER	.65100 + .00002	.030	2
	7429738		.651	.0005	.65100 + .00004	.030	4
	7429742		.651	.002	.65110 + .00007	.030	4
	7429744		.651	.004	.65120 + .00010	.030	8
	7429748		.651	.008 AND UP	.65140 + .00030	.030	8
3 3 3 3 3	7429752	7429755	.652	MASTER	.65200 + .00002	.030	2
	7429754		.652	.0005	.65200 + .00004	.030	4
	7429758		.652	.002	.65210 + .00007	.030	4
	7429760		.652	.004	.65220 + .00010	.030	8
	7429764		.652	.008 AND UP	.65240 + .00030	.030	8
3 3 3 3 3	7429768	7429771	.653	MASTER	.65300 + .00002	.030	2
	7429770		.653	.0005	.65300 + .00004	.030	4
	7429774		.653	.002	.65310 + .00007	.030	4
	7429776		.653	.004	.65320 + .00010	.030	8
	7429780		.653	.008 AND UP	.65340 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7429784 7429786 7429790 7429792 7429796	7429787	.654 .654 .654 .654 .654	MASTER .0005 .002 .004 .008 AND UP	.65400 + .00002 .65400 + .00004 .65410 + .00007 .65420 + .00010 .65440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429800 7429802 7429806 7429808 7429812	7429803	.655 .655 .655 .655 .655	MASTER .0005 .002 .004 .008 AND UP	.65500 + .00002 .65500 + .00004 .65510 + .00007 .65520 + .00010 .65540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429816 7429818 7429822 7429824 7429828	7429819	.656 .656 .656 .656 .656	MASTER .0005 .002 .004 .008 AND UP	.65600 + .00002 .65600 + .00004 .65610 + .00007 .65620 + .00010 .65640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429832 7497398 7497402 7497404 7497408	7497399	.65625 .65625 .65625 .65625 .65625	MASTER .0005 .002 .004 .008 AND UP	.65625 + .00002 .65625 + .00004 .65635 + .00007 .65645 + .00010 .65665 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429834 7429836 7429840 7429842 7429846	7429837	.657 .657 .657 .657 .657	MASTER .0005 .002 .004 .008 AND UP	.65700 + .00002 .65700 + .00004 .65710 + .00007 .65720 + .00010 .65740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7429850 7429852 7429856 7429858 7429862	7429853	.658 .658 .658 .658 .658	MASTER .0005 .002 .004 .008 AND UP	.65800 + .00002 .65800 + .00004 .65810 + .00007 .65820 + .00010 .65840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3 3 3 3 3	7429866	7429869	.659	MASTER	.65900 + .00002	.030	2	
	7429868		.659	.0005	.65900 + .00004	.030	4	
	7429872		.659	.002	.65910 + .00007	.030	4	
	7429874		.659	.004	.65920 + .00010	.030	8	
	7429878		.659	.008 AND UP	.65940 + .00030	.030	8	
3 3 3 3 3	7429882	7429885	.660	MASTER	.66000 + .00002	.030	2	
	7429884		.660	.0005	.66000 + .00004	.030	4	
	7429888		.660	.002	.66010 + .00007	.030	4	
	7429890		.660	.004	.66020 + .00010	.030	8	
	7429894		.660	.008 AND UP	.66040 + .00030	.030	8	
3 3 3 3 3	7429898	7429901	.661	MASTER	.66100 + .00002	.030	2	
	7429900		.661	.0005	.66100 + .00004	.030	4	
	7429904		.661	.002	.66110 + .00007	.030	4	
	7429906		.661	.004	.66120 + .00010	.030	8	
	7429910		.661	.008 AND UP	.66140 + .00030	.030	8	
3 3 3 3 3	7429914	7429917	.662	MASTER	.66200 + .00002	.030	2	
	7429916		.662	.0005	.66200 + .00004	.030	4	
	7429920		.662	.002	.66210 + .00007	.030	4	
	7429922		.662	.004	.66220 + .00010	.030	8	
	7429926		.662	.008 AND UP	.66240 + .00030	.030	8	
3 3 3 3 3	7429930	7429933	.663	MASTER	.66300 + .00002	.030	2	
	7429932		.663	.0005	.66300 + .00004	.030	4	
	7429936		.663	.002	.66310 + .00007	.030	4	
	7429938		.663	.004	.66320 + .00010	.030	8	
	7429942		.663	.008 AND UP	.66340 + .00030	.030	8	
3 3 3 3 3	7429946	7429949	.664	MASTER	.66400 + .00002	.030	2	
	7429948		.664	.0005	.66400 + .00004	.030	4	
	7429952		.664	.002	.66410 + .00007	.030	4	
	7429954		.664	.004	.66420 + .00010	.030	8	
	7429958		.664	.008 AND UP	.66440 + .00030	.030	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7429962	7429965	.665	MASTER	.66500 + .00002	.030	2
	7429964		.665	.0005	.66500 + .00004	.030	4
	7429968		.665	.002	.66510 + .00007	.030	4
	7429970		.665	.004	.66520 + .00010	.030	8
	7429974		.665	.008 AND UP	.66540 + .00030	.030	8
3 3 3 3 3	7429978	7429981	.666	MASTER	.66600 + .00002	.030	2
	7429980		.666	.0005	.66600 + .00004	.030	4
	7429984		.666	.002	.66610 + .00007	.030	4
	7429986		.666	.004	.66620 + .00010	.030	8
	7429990		.666	.008 AND UP	.66640 + .00030	.030	8
3 3 3 3 3	7429994	7429997	.667	MASTER	.66700 + .00002	.030	2
	7429996		.667	.0005	.66700 + .00004	.030	4
	7430000		.667	.002	.66710 + .00007	.030	4
	7430002		.667	.004	.66720 + .00010	.030	8
	7430006		.667	.008 AND UP	.66740 + .00030	.030	8
3 3 3 3 3	7430010	7430013	.668	MASTER	.66800 + .00002	.030	2
	7430012		.668	.0005	.66800 + .00004	.030	4
	7430016		.668	.002	.66810 + .00007	.030	4
	7430018		.668	.004	.66820 + .00010	.030	8
	7430022		.668	.008 AND UP	.66840 + .00030	.030	8
3 3 3 3 3	7430026	7430029	.669	MASTER	.66900 + .00002	.030	2
	7430028		.669	.0005	.66900 + .00004	.030	4
	7430032		.669	.002	.66910 + .00007	.030	4
	7430034		.669	.004	.66920 + .00010	.030	8
	7430038		.669	.008 AND UP	.66940 + .00030	.030	8
3 3 3 3 3	7430042	7430045	.670	MASTER	.67000 + .00002	.030	2
	7430044		.670	.0005	.67000 + .00004	.030	4
	7430048		.670	.002	.67010 + .00007	.030	4
	7430050		.670	.004	.67020 + .00010	.030	8
	7430054		.670	.008 AND UP	.67040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430058	7430061	.671	MASTER	.67100 + .00002	.030	2
	7430060		.671	.0005	.67100 + .00004	.030	4
	7430064		.671	.002	.67110 + .00007	.030	4
	7430066		.671	.004	.67120 + .00010	.030	8
	7430070		.671	.008 AND UP	.67140 + .00030	.030	8
3 3 3 3 3	7430074	7430077	.672	MASTER	.67200 + .00002	.030	2
	7430076		.672	.0005	.67200 + .00004	.030	4
	7430080		.672	.002	.67210 + .00007	.030	4
	7430082		.672	.004	.67220 + .00010	.030	8
	7430086		.672	.008 AND UP	.67240 + .00030	.030	8
3 3 3 3 3	7430090	7430093	.673	MASTER	.67300 + .00002	.030	2
	7430092		.673	.0005	.67300 + .00004	.030	4
	7430096		.673	.002	.67310 + .00007	.030	4
	7430098		.673	.004	.67320 + .00010	.030	8
	7430102		.673	.008 AND UP	.67340 + .00030	.030	8
3 3 3 3 3	7430106	7430109	.674	MASTER	.67400 + .00002	.030	2
	7430108		.674	.0005	.67400 + .00004	.030	4
	7430112		.674	.002	.67410 + .00007	.030	4
	7430114		.674	.004	.67420 + .00010	.030	8
	7430118		.674	.008 AND UP	.67440 + .00030	.030	8
3 3 3 3 3	7430122	7430125	.675	MASTER	.67500 + .00002	.030	2
	7430124		.675	.0005	.67500 + .00004	.030	4
	7430128		.675	.002	.67510 + .00007	.030	4
	7430130		.675	.004	.67520 + .00010	.030	8
	7430134		.675	.008 AND UP	.67540 + .00030	.030	8
3 3 3 3 3	7430138	7430141	.676	MASTER	.67600 + .00002	.030	2
	7430140		.676	.0005	.67600 + .00004	.030	4
	7430144		.676	.002	.67610 + .00007	.030	4
	7430146		.676	.004	.67620 + .00010	.030	8
	7430150		.676	.008 AND UP	.67640 + .00030	.030	8

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430154	7430157	.677	MASTER	.67700 + .00002	.030	2
	7430156		.677	.0005	.67700 + .00004	.030	4
	7430160		.677	.002	.67710 + .00007	.030	4
	7430162		.677	.004	.67720 + .00010	.030	8
	7430166		.677	.008 AND UP	.67740 + .00030	.030	8
3 3 3 3 3	7430170	7430173	.678	MASTER	.67800 + .00002	.030	2
	7430172		.678	.0005	.67800 + .00004	.030	4
	7430176		.678	.002	.67810 + .00007	.030	4
	7430178		.678	.004	.67820 + .00010	.030	8
	7430182		.678	.008 AND UP	.67840 + .00030	.030	8
3 3 3 3 3	7430186	7430189	.679	MASTER	.67900 + .00002	.030	2
	7430188		.679	.0005	.67900 + .00004	.030	4
	7430192		.679	.002	.67910 + .00007	.030	4
	7430194		.679	.004	.67920 + .00010	.030	8
	7430198		.679	.008 AND UP	.67940 + .00030	.030	8
3 3 3 3 3	7430202	7430205	.680	MASTER	.68000 + .00002	.030	2
	7430204		.680	.0005	.68000 + .00004	.030	4
	7430208		.680	.002	.68010 + .00007	.030	4
	7430210		.680	.004	.68020 + .00010	.030	8
	7430214		.680	.008 AND UP	.68040 + .00030	.030	8
3 3 3 3 3	7430218	7430221	.681	MASTER	.68100 + .00002	.030	2
	7430220		.681	.0005	.68100 + .00004	.030	4
	7430224		.681	.002	.68110 + .00007	.030	4
	7430226		.681	.004	.68120 + .00010	.030	8
	7430230		.681	.008 AND UP	.68140 + .00030	.030	8
3 3 3 3 3	7430234	7430237	.682	MASTER	.68200 + .00002	.030	2
	7430236		.682	.0005	.68200 + .00004	.030	4
	7430240		.682	.002	.68210 + .00007	.030	4
	7430242		.682	.004	.68220 + .00010	.030	8
	7430246		.682	.008 AND UP	.68240 + .00030	.030	8

 RTI-820-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430250	7430253	.683	MASTER	.68300 + .00002	.030	2
	7430252		.683	.0005	.68300 + .00004	.030	4
	7430256		.683	.002	.68310 + .00007	.030	4
	7430258		.683	.004	.68320 + .00010	.030	8
	7430262		.683	.008 AND UP	.68340 + .00030	.030	8
3 3 3 3 3	7430266	7430269	.684	MASTER	.68400 + .00002	.030	2
	7430268		.684	.0005	.68400 + .00004	.030	4
	7430272		.684	.002	.68410 + .00007	.030	4
	7430274		.684	.004	.68420 + .00010	.030	8
	7430278		.684	.008 AND UP	.68440 + .00030	.030	8
3 3 3 3 3	7430282	7430285	.685	MASTER	.68500 + .00002	.030	2
	7430284		.685	.0005	.68500 + .00004	.030	4
	7430288		.685	.002	.68510 + .00007	.030	4
	7430290		.685	.004	.68520 + .00010	.030	8
	7430294		.685	.008 AND UP	.68540 + .00030	.030	8
3 3 3 3 3	7430298	7430301	.686	MASTER	.68600 + .00002	.030	2
	7430300		.686	.0005	.68600 + .00004	.030	4
	7430304		.686	.002	.68610 + .00007	.030	4
	7430306		.686	.004	.68620 + .00010	.030	8
	7430310		.686	.008 AND UP	.68640 + .00030	.030	8
3 3 3 3 3	7430314	7430317	.687	MASTER	.68700 + .00002	.030	2
	7430316		.687	.0005	.68700 + .00004	.030	4
	7430320		.687	.002	.68710 + .00007	.030	4
	7430322		.687	.004	.68720 + .00010	.030	8
	7430326		.687	.008 AND UP	.68740 + .00030	.030	8
3 3 3 3 3	7430330	7497413	.6875	MASTER	.68750 + .00002	.030	2
	7497412		.6875	.0005	.68750 + .00004	.030	4
	7497416		.6875	.002	.68760 + .00007	.030	4
	7497418		.6875	.004	.68770 + .00010	.030	8
	7497422		.6875	.008 AND UP	.68790 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430332	7430335	.688	MASTER	.68800 + .00002	.030	2
	7430334		.688	.0005	.68800 + .00004	.030	4
	7430338		.688	.002	.68810 + .00007	.030	4
	7430340		.688	.004	.68820 + .00010	.030	8
	7430344		.688	.008 AND UP	.68840 + .00030	.030	8
3	7430348	7430351	.689	MASTER	.68900 + .00002	.030	2
	7430350		.689	.0005	.68900 + .00004	.030	4
	7430354		.689	.002	.68910 + .00007	.030	4
	7430356		.689	.004	.68920 + .00010	.030	8
	7430360		.689	.008 AND UP	.68940 + .00030	.030	8
3	7430364	7430367	.690	MASTER	.69000 + .00002	.030	2
	7430366		.690	.0005	.69000 + .00004	.030	4
	7430370		.690	.002	.69010 + .00007	.030	4
	7430372		.690	.004	.69020 + .00010	.030	8
	7430376		.690	.008 AND UP	.69040 + .00030	.030	8
3	7430380	7430383	.691	MASTER	.69100 + .00002	.030	2
	7430382		.691	.0005	.69100 + .00004	.030	4
	7430386		.691	.002	.69110 + .00007	.030	4
	7430388		.691	.004	.69120 + .00010	.030	8
	7430392		.691	.008 AND UP	.69140 + .00030	.030	8
3	7430396	7430399	.692	MASTER	.69200 + .00002	.030	2
	7430398		.692	.0005	.69200 + .00004	.030	4
	7430402		.692	.002	.69210 + .00007	.030	4
	7430404		.692	.004	.69220 + .00010	.030	8
	7430408		.692	.008 AND UP	.69240 + .00030	.030	8
3	7430412	7430415	.693	MASTER	.69300 + .00002	.030	2
	7430414		.693	.0005	.69300 + .00004	.030	4
	7430418		.693	.002	.69310 + .00007	.030	4
	7430420		.693	.004	.69320 + .00010	.030	8
	7430424		.693	.008 AND UP	.69340 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430428	7430431	.694	MASTER	.69400 + .00002	.030	2
	7430430		.694	.0005	.69400 + .00004	.030	4
	7430434		.694	.002	.69410 + .00007	.030	4
	7430436		.694	.004	.69420 + .00010	.030	8
	7430440		.694	.008 AND UP	.69440 + .00030	.030	8
3 3 3 3 3	7430444	7430447	.695	MASTER	.69500 + .00002	.030	2
	7430446		.695	.0005	.69500 + .00004	.030	4
	7430450		.695	.002	.69510 + .00007	.030	4
	7430452		.695	.004	.69520 + .00010	.030	8
	7430456		.695	.008 AND UP	.69540 + .00030	.030	8
3 3 3 3 3	7430460	7430463	.696	MASTER	.69600 + .00002	.030	2
	7430462		.696	.0005	.69600 + .00004	.030	4
	7430466		.696	.002	.69610 + .00007	.030	4
	7430468		.696	.004	.69620 + .00010	.030	8
	7430472		.696	.008 AND UP	.69640 + .00030	.030	8
3 3 3 3 3	7430476	7430479	.697	MASTER	.69700 + .00002	.030	2
	7430478		.697	.0005	.69700 + .00004	.030	4
	7430482		.697	.002	.69710 + .00007	.030	4
	7430484		.697	.004	.69720 + .00010	.030	8
	7430488		.697	.008 AND UP	.69740 + .00030	.030	8
3 3 3 3 3	7430492	7430495	.698	MASTER	.69800 + .00002	.030	2
	7430494		.698	.0005	.69800 + .00004	.030	4
	7430498		.698	.002	.69810 + .00007	.030	4
	7430500		.698	.004	.69820 + .00010	.030	8
	7430504		.698	.008 AND UP	.69840 + .00030	.030	8
3 3 3 3 3	7430508	7430511	.699	MASTER	.69900 + .00002	.030	2
	7430510		.699	.0005	.69900 + .00004	.030	4
	7430514		.699	.002	.69910 + .00007	.030	4
	7430516		.699	.004	.69920 + .00010	.030	8
	7430520		.699	.008 AND UP	.69940 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430524	7430527	.700	MASTER	.70000 + .00002	.030	2
	7430526		.700	.0005	.70000 + .00004	.030	4
	7430530		.700	.002	.70010 + .00007	.030	4
	7430532		.700	.004	.70020 + .00010	.030	8
	7430536		.700	.008 AND UP	.70040 + .00030	.030	8
3 3 3 3 3	7430540	7430543	.701	MASTER	.70100 + .00002	.030	2
	7430542		.701	.0005	.70100 + .00004	.030	4
	7430546		.701	.002	.70110 + .00007	.030	4
	7430548		.701	.004	.70120 + .00010	.030	8
	7430552		.701	.008 AND UP	.70140 + .00030	.030	8
3 3 3 3 3	7430556	7430559	.702	MASTER	.70200 + .00002	.030	2
	7430558		.702	.0005	.70200 + .00004	.030	4
	7430562		.702	.002	.70210 + .00007	.030	4
	7430564		.702	.004	.70220 + .00010	.030	8
	7430568		.702	.008 AND UP	.70240 + .00030	.030	8
3 3 3 3 3	7430572	7430575	.703	MASTER	.70300 + .00002	.030	2
	7430574		.703	.0005	.70300 + .00004	.030	4
	7430578		.703	.002	.70310 + .00007	.030	4
	7430580		.703	.004	.70320 + .00010	.030	8
	7430584		.703	.008 AND UP	.70340 + .00030	.030	8
3 3 3 3 3	7430588	7430591	.704	MASTER	.70400 + .00002	.030	2
	7430590		.704	.0005	.70400 + .00004	.030	4
	7430594		.704	.002	.70410 + .00007	.030	4
	7430596		.704	.004	.70420 + .00010	.030	8
	7430600		.704	.008 AND UP	.70440 + .00030	.030	8
3 3 3 3 3	7430604	7430607	.705	MASTER	.70500 + .00002	.030	2
	7430606		.705	.0005	.70500 + .00004	.030	4
	7430610		.705	.002	.70510 + .00007	.030	4
	7430612		.705	.004	.70520 + .00010	.030	8
	7430616		.705	.008 AND UP	.70540 + .00030	.030	8

 KTL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7430620	7430623	.706	MASTER	.70600 + .00002	.030	2
3	7430622		.706	.0005	.70600 + .00004	.030	4
3	7430626		.706	.002	.70610 + .00007	.030	4
3	7430628		.706	.004	.70620 + .00010	.030	8
3	7430632		.706	.008 AND UP	.70640 + .00030	.030	8
3	7430636	7430639	.707	MASTER	.70700 + .00002	.030	2
3	7430638		.707	.0005	.70700 + .00004	.030	4
3	7430642		.707	.002	.70710 + .00007	.030	4
3	7430644		.707	.004	.70720 + .00010	.030	8
3	7430648		.707	.008 AND UP	.70740 + .00030	.030	8
3	7430652	7430655	.708	MASTER	.70800 + .00002	.030	2
3	7430654		.708	.0005	.70800 + .00004	.030	4
3	7430658		.708	.002	.70810 + .00007	.030	4
3	7430660		.708	.004	.70820 + .00010	.030	8
3	7430664		.708	.008 AND UP	.70840 + .00030	.030	8
3	7430668	7430671	.709	MASTER	.70900 + .00002	.030	2
3	7430670		.709	.0005	.70900 + .00004	.030	4
3	7430674		.709	.002	.70910 + .00007	.030	4
3	7430676		.709	.004	.70920 + .00010	.030	8
3	7430680		.709	.008 AND UP	.70940 + .00030	.030	8
3	7430684	7430687	.710	MASTER	.71000 + .00002	.030	2
3	7430686		.710	.0005	.71000 + .00004	.030	4
3	7430690		.710	.002	.71010 + .00007	.030	4
3	7430692		.710	.004	.71020 + .00010	.030	8
3	7430696		.710	.008 AND UP	.71040 + .00030	.030	8
3	7430700	7430703	.711	MASTER	.71100 + .00002	.030	2
3	7430702		.711	.0005	.71100 + .00004	.030	4
3	7430706		.711	.002	.71110 + .00007	.030	4
3	7430708		.711	.004	.71120 + .00010	.030	8
3	7430712		.711	.008 AND UP	.71140 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430716	7430719	.712	MASTER	.71200 + .00002	.030	2
	7430718		.712	.0005	.71200 + .00004	.030	4
	7430722		.712	.002	.71210 + .00007	.030	4
	7430724		.712	.004	.71220 + .00010	.030	8
	7430728		.712	.008 AND UP	.71240 + .00030	.030	8
3 3 3 3 3	7430732	7430735	.713	MASTER	.71300 + .00002	.030	2
	7430734		.713	.0005	.71300 + .00004	.030	4
	7430738		.713	.002	.71310 + .00007	.030	4
	7430740		.713	.004	.71320 + .00010	.030	8
	7430744		.713	.008 AND UP	.71340 + .00030	.030	8
3 3 3 3 3	7430748	7430751	.714	MASTER	.71400 + .00002	.030	2
	7430750		.714	.0005	.71400 + .00004	.030	4
	7430754		.714	.002	.71410 + .00007	.030	4
	7430756		.714	.004	.71420 + .00010	.030	8
	7430760		.714	.008 AND UP	.71440 + .00030	.030	8
3 3 3 3 3	7430764	7430767	.715	MASTER	.71500 + .00002	.030	2
	7430766		.715	.0005	.71500 + .00004	.030	4
	7430770		.715	.002	.71510 + .00007	.030	4
	7430772		.715	.004	.71520 + .00010	.030	8
	7430776		.715	.008 AND UP	.71540 + .00030	.030	8
3 3 3 3 3	7430780	7430783	.716	MASTER	.71600 + .00002	.030	2
	7430782		.716	.0005	.71600 + .00004	.030	4
	7430786		.716	.002	.71610 + .00007	.030	4
	7430788		.716	.004	.71620 + .00010	.030	8
	7430792		.716	.008 AND UP	.71640 + .00030	.030	8
3 3 3 3 3	7430796	7430799	.717	MASTER	.71700 + .00002	.030	2
	7430798		.717	.0005	.71700 + .00004	.030	4
	7430802		.717	.002	.71710 + .00007	.030	4
	7430804		.717	.004	.71720 + .00010	.030	8
	7430808		.717	.008 AND UP	.71740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
3 3 3 3 3	7430812 7430814 7430818 7430820 7430824	7430815	.718 .718 .718 .718 .718	MASTER .0005 .002 .004 .008 AND UP	.71800 + .00002 .71800 + .00004 .71810 + .00007 .71820 + .00010 .71840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7430828 7497426 7497430 7497432 7497436	7497427	.71875 .71875 .71875 .71875 .71875	MASTER .0005 .002 .004 .008 AND UP	.71875 + .00002 .71875 + .00004 .71885 + .00007 .71895 + .00010 .71915 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7430830 7430832 7430836 7430838 7430842	7430833	.719 .719 .719 .719 .719	MASTER .0005 .002 .004 .008 AND UP	.71900 + .00002 .71900 + .00004 .71910 + .00007 .71920 + .00010 .71940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7430846 7430848 7430852 7430854 7430858	7430849	.720 .720 .720 .720 .720	MASTER .0005 .002 .004 .008 AND UP	.72000 + .00002 .72000 + .00004 .72010 + .00007 .72020 + .00010 .72040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7430862 7430864 7430868 7430870 7430874	7430865	.721 .721 .721 .721 .721	MASTER .0005 .002 .004 .008 AND UP	.72100 + .00002 .72100 + .00004 .72110 + .00007 .72120 + .00010 .72140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7430878 7430880 7430884 7430886 7430890	7430881	.722 .722 .722 .722 .722	MASTER .0005 .002 .004 .008 AND UP	.72200 + .00002 .72200 + .00004 .72210 + .00007 .72220 + .00010 .72240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7430894	7430897	.723	MASTER	.72300 + .00002	.030	2
	7430896		.723	.0005	.72300 + .00004	.030	4
	7430900		.723	.002	.72310 + .00007	.030	4
	7430902		.723	.004	.72320 + .00010	.030	8
	7430906		.723	.008 AND UP	.72340 + .00030	.030	8
3 3 3 3 3	7430910	7430913	.724	MASTER	.72400 + .00002	.030	2
	7430912		.724	.0005	.72400 + .00004	.030	4
	7430916		.724	.002	.72410 + .00007	.030	4
	7430918		.724	.004	.72420 + .00010	.030	8
	7430922		.724	.008 AND UP	.72440 + .00030	.030	8
3 3 3 3 3	7430926	7430929	.725	MASTER	.72500 + .00002	.030	2
	7430928		.725	.0005	.72500 + .00004	.030	4
	7430932		.725	.002	.72510 + .00007	.030	4
	7430934		.725	.004	.72520 + .00010	.030	8
	7430938		.725	.008 AND UP	.72540 + .00030	.030	8
3 3 3 3 3	7430942	7430945	.726	MASTER	.72600 + .00002	.030	2
	7430944		.726	.0005	.72600 + .00004	.030	4
	7430948		.726	.002	.72610 + .00007	.030	4
	7430950		.726	.004	.72620 + .00010	.030	8
	7430954		.726	.008 AND UP	.72640 + .00030	.030	8
3 3 3 3 3	7430958	7430961	.727	MASTER	.72700 + .00002	.030	2
	7430960		.727	.0005	.72700 + .00004	.030	4
	7430964		.727	.002	.72710 + .00007	.030	4
	7430966		.727	.004	.72720 + .00010	.030	8
	7430970		.727	.008 AND UP	.72740 + .00030	.030	8
3 3 3 3 3	7430974	7430977	.728	MASTER	.72800 + .00002	.030	2
	7430976		.728	.0005	.72800 + .00004	.030	4
	7430980		.728	.002	.72810 + .00007	.030	4
	7430982		.728	.004	.72820 + .00010	.030	8
	7430986		.728	.008 AND UP	.72840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
3	7430990	7430993	.729	MASTER	.72900 + .00002	.030	2
3	7430992		.729	.0005	.72900 + .00004	.030	4
3	7430996		.729	.002	.72910 + .00007	.030	4
3	7430998		.729	.004	.72920 + .00010	.030	8
3	7431002		.729	.008 AND UP	.72940 + .00030	.030	8
3	7431006	7431009	.730	MASTER	.73000 + .00002	.030	2
3	7431008		.730	.0005	.73000 + .00004	.030	4
3	7431012		.730	.002	.73010 + .00007	.030	4
3	7431014		.730	.004	.73020 + .00010	.030	8
3	7431018		.730	.008 AND UP	.73040 + .00030	.030	8
3	7431022	7431025	.731	MASTER	.73100 + .00002	.030	2
3	7431024		.731	.0005	.73100 + .00004	.030	4
3	7431028		.731	.002	.73110 + .00007	.030	4
3	7431030		.731	.004	.73120 + .00010	.030	8
3	7431034		.731	.008 AND UP	.73140 + .00030	.030	8
3	7431038	7431041	.732	MASTER	.73200 + .00002	.030	2
3	7431040		.732	.0005	.73200 + .00004	.030	4
3	7431044		.732	.002	.73210 + .00007	.030	4
3	7431046		.732	.004	.73220 + .00010	.030	8
3	7431050		.732	.008 AND UP	.73240 + .00030	.030	8
3	7431054	7431057	.733	MASTER	.73300 + .00002	.030	2
3	7431056		.733	.0005	.73300 + .00004	.030	4
3	7431060		.733	.002	.73310 + .00007	.030	4
3	7431062		.733	.004	.73320 + .00010	.030	8
3	7431066		.733	.008 AND UP	.73340 + .00030	.030	8
3	7431070	7431073	.734	MASTER	.73400 + .00002	.030	2
3	7431072		.734	.0005	.73400 + .00004	.030	4
3	7431076		.734	.002	.73410 + .00007	.030	4
3	7431078		.734	.004	.73420 + .00010	.030	8
3	7431082		.734	.008 AND UP	.73440 + .00030	.030	8

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431086	7431089	.735	MASTER	.73500 + .00002	.030	2
3	7431088		.735	.0005	.73500 + .00004	.030	4
3	7431092		.735	.002	.73510 + .00007	.030	4
3	7431094		.735	.004	.73520 + .00010	.030	8
3	7431098		.735	.008 AND UP	.73540 + .00030	.030	8
3	7431102	7431105	.736	MASTER	.73600 + .00002	.030	2
3	7431104		.736	.0005	.73600 + .00004	.030	4
3	7431108		.736	.002	.73610 + .00007	.030	4
3	7431110		.736	.004	.73620 + .00010	.030	8
3	7431114		.736	.008 AND UP	.73640 + .00030	.030	8
3	7431118	7431121	.737	MASTER	.73700 + .00002	.030	2
3	7431120		.737	.0005	.73700 + .00004	.030	4
3	7431124		.737	.002	.73710 + .00007	.030	4
3	7431126		.737	.004	.73720 + .00010	.030	8
3	7431130		.737	.008 AND UP	.73740 + .00030	.030	8
3	7431134	7431137	.738	MASTER	.73800 + .00002	.030	2
3	7431136		.738	.0005	.73800 + .00004	.030	4
3	7431140		.738	.002	.73810 + .00007	.030	4
3	7431142		.738	.004	.73820 + .00010	.030	8
3	7431146		.738	.008 AND UP	.73840 + .00030	.030	8
3	7431150	7431153	.739	MASTER	.73900 + .00002	.030	2
3	7431152		.739	.0005	.73900 + .00004	.030	4
3	7431156		.739	.002	.73910 + .00007	.030	4
3	7431158		.739	.004	.73920 + .00010	.030	8
3	7431162		.739	.008 AND UP	.73940 + .00030	.030	8
3	7431166	7431169	.740	MASTER	.74000 + .00002	.030	2
3	7431168		.740	.0005	.74000 + .00004	.030	4
3	7431172		.740	.002	.74010 + .00007	.030	4
3	7431174		.740	.004	.74020 + .00010	.030	8
3	7431178		.740	.008 AND UP	.74040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431182	7431185	.741	MASTER	.74100 + .00002	.030	2
3	7431184		.741	.0005	.74100 + .00004	.030	4
3	7431188		.741	.002	.74110 + .00007	.030	4
3	7431190		.741	.004	.74120 + .00010	.030	8
3	7431194		.741	.008 AND UP	.74140 + .00030	.030	8
3	7431198	7431201	.742	MASTER	.74200 + .00002	.030	2
3	7431200		.742	.0005	.74200 + .00004	.030	4
3	7431204		.742	.002	.74210 + .00007	.030	4
3	7431206		.742	.004	.74220 + .00010	.030	8
3	7431210		.742	.008 AND UP	.74240 + .00030	.030	8
3	7431214	7431217	.743	MASTER	.74300 + .00002	.030	2
3	7431216		.743	.0005	.74300 + .00004	.030	4
3	7431220		.743	.002	.74310 + .00007	.030	4
3	7431222		.743	.004	.74320 + .00010	.030	8
3	7431226		.743	.008 AND UP	.74340 + .00030	.030	8
3	7431230	7431233	.744	MASTER	.74400 + .00002	.030	2
3	7431232		.744	.0005	.74400 + .00004	.030	4
3	7431236		.744	.002	.74410 + .00007	.030	4
3	7431238		.744	.004	.74420 + .00010	.030	8
3	7431242		.744	.008 AND UP	.74440 + .00030	.030	8
3	7431246	7431249	.745	MASTER	.74500 + .00002	.030	2
3	7431248		.745	.0005	.74500 + .00004	.030	4
3	7431252		.745	.002	.74510 + .00007	.030	4
3	7431254		.745	.004	.74520 + .00010	.030	8
3	7431258		.745	.008 AND UP	.74540 + .00030	.030	8
3	7431262	7431265	.746	MASTER	.74600 + .00002	.030	2
3	7431264		.746	.0005	.74600 + .00004	.030	4
3	7431268		.746	.002	.74610 + .00007	.030	4
3	7431270		.746	.004	.74620 + .00010	.030	8
3	7431274		.746	.008 AND UP	.74640 + .00030	.030	8

 MIL-STD-120A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3	7431278	7431281	.747	MASTER	.74700 + .00002	.030	2	
3	7431280		.747	.0005	.74700 + .00004	.030	4	
3	7431284		.747	.002	.74710 + .00007	.030	4	
3	7431286		.747	.004	.74720 + .00010	.030	8	
3	7431290		.747	.008 AND UP	.74740 + .00030	.030	8	
3	7431294	7431297	.748	MASTER	.74800 + .00002	.030	2	
3	7431296		.748	.0005	.74800 + .00004	.030	4	
3	7431300		.748	.002	.74810 + .00007	.030	4	
3	7431302		.748	.004	.74820 + .00010	.030	8	
3	7431306		.748	.008 AND UP	.74840 + .00030	.030	8	
3	7431310	7431313	.749	MASTER	.74900 + .00002	.030	2	
3	7431312		.749	.0005	.74900 + .00004	.030	4	
3	7431316		.749	.002	.74910 + .00007	.030	4	
3	7431318		.749	.004	.74920 + .00010	.030	8	
3	7431322		.749	.008 AND UP	.74940 + .00030	.030	8	
3	7431326	7431329	.750	MASTER	.75000 + .00002	.030	2	
3	7431328		.750	.0005	.75000 + .00004	.030	4	
3	7431332		.750	.002	.75010 + .00007	.030	4	
3	7431334		.750	.004	.75020 + .00010	.030	8	
3	7431338		.750	.008 AND UP	.75040 + .00030	.030	8	
3	7431342	7431345	.751	MASTER	.75100 + .00002	.030	2	
3	7431344		.751	.0005	.75100 + .00004	.030	4	
3	7431348		.751	.002	.75110 + .00007	.030	4	
3	7431350		.751	.004	.75120 + .00010	.030	8	
3	7431354		.751	.008 AND UP	.75140 + .00030	.030	8	
3	7431358	7431361	.752	MASTER	.75200 + .00002	.030	2	
3	7431360		.752	.0005	.75200 + .00004	.030	4	
3	7431364		.752	.002	.75210 + .00007	.030	4	
3	7431366		.752	.004	.75220 + .00010	.030	8	
3	7431370		.752	.008 AND UP	.75240 + .00030	.030	8	

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431374	7431377	.753	MASTER	.75300 + .00002	.030	2
3	7431376		.753	.0005	.75300 + .00004	.030	4
3	7431380		.753	.002	.75310 + .00007	.030	4
3	7431382		.753	.004	.75320 + .00010	.030	8
3	7431386		.753	.008 AND UP	.75340 + .00030	.030	8
3	7431390	7431393	.754	MASTER	.75400 + .00002	.030	2
3	7431392		.754	.0005	.75400 + .00004	.030	4
3	7431396		.754	.002	.75410 + .00007	.030	4
3	7431398		.754	.004	.75420 + .00010	.030	8
3	7431402		.754	.008 AND UP	.75440 + .00030	.030	8
3	7431406	7431409	.755	MASTER	.75500 + .00002	.030	2
3	7431408		.755	.0005	.75500 + .00004	.030	4
3	7431412		.755	.002	.75510 + .00007	.030	4
3	7431414		.755	.004	.75520 + .00010	.030	8
3	7431418		.755	.008 AND UP	.75540 + .00030	.030	8
3	7431422	7431425	.756	MASTER	.75600 + .00002	.030	2
3	7431424		.756	.0005	.75600 + .00004	.030	4
3	7431428		.756	.002	.75610 + .00007	.030	4
3	7431430		.756	.004	.75620 + .00010	.030	8
3	7431434		.756	.008 AND UP	.75640 + .00030	.030	8
3	7431438	7431441	.757	MASTER	.75700 + .00002	.030	2
3	7431440		.757	.0005	.75700 + .00004	.030	4
3	7431444		.757	.002	.75710 + .00007	.030	4
3	7431446		.757	.004	.75720 + .00010	.030	8
3	7431450		.757	.008 AND UP	.75740 + .00030	.030	8
3	7431454	7431457	.758	MASTER	.75800 + .00002	.030	2
3	7431456		.758	.0005	.75800 + .00004	.030	4
3	7431460		.758	.002	.75810 + .00007	.030	4
3	7431462		.758	.004	.75820 + .00010	.030	8
3	7431466		.758	.008 AND UP	.75840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431470	7431473	.759	MASTER	.75900 + .00002	.030	2
3	7431472		.759	.0005	.75900 + .00004	.030	4
3	7431476		.759	.002	.75910 + .00007	.030	4
3	7431478		.759	.004	.75920 + .00010	.030	8
3	7431482		.759	.008 AND UP	.75940 + .00030	.030	8
3	7431486	7431489	.760	MASTER	.76000 + .00002	.030	2
3	7431488		.760	.0005	.76000 + .00004	.030	4
3	7431492		.760	.002	.76010 + .00007	.030	4
3	7431494		.760	.004	.76020 + .00010	.030	8
3	7431498		.760	.008 AND UP	.76040 + .00030	.030	8
3	7431502	7431505	.761	MASTER	.76100 + .00002	.030	2
3	7431504		.761	.0005	.76100 + .00004	.030	4
3	7431508		.761	.002	.76110 + .00007	.030	4
3	7431510		.761	.004	.76120 + .00010	.030	8
3	7431514		.761	.008 AND UP	.76140 + .00030	.030	8
3	7431518	7431521	.762	MASTER	.76200 + .00002	.030	2
3	7431520		.762	.0005	.76200 + .00004	.030	4
3	7431524		.762	.002	.76210 + .00007	.030	4
3	7431526		.762	.004	.76220 + .00010	.030	8
3	7431530		.762	.008 AND UP	.76240 + .00030	.030	8
3	7431534	7431537	.763	MASTER	.76300 + .00002	.030	2
3	7431536		.763	.0005	.76300 + .00004	.030	4
3	7431540		.763	.002	.76310 + .00007	.030	4
3	7431542		.763	.004	.76320 + .00010	.030	8
3	7431546		.763	.008 AND UP	.76340 + .00030	.030	8
3	7431550	7431553	.764	MASTER	.76400 + .00002	.030	2
3	7431552		.764	.0005	.76400 + .00004	.030	4
3	7431556		.764	.002	.76410 + .00007	.030	4
3	7431558		.764	.004	.76420 + .00010	.030	8
3	7431562		.764	.008 AND UP	.76440 + .00030	.030	8

 JLF-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431566	7431569	.765	MASTER	.76500 + .00002	.030	2
3	7431568		.765	.0005	.76500 + .00004	.030	4
3	7431572		.765	.002	.76510 + .00007	.030	4
3	7431574		.765	.004	.76520 + .00010	.030	8
3	7431578		.765	.008 AND UP	.76540 + .00030	.030	8
3	7431582	7431585	.766	MASTER	.76600 + .00002	.030	2
3	7431584		.766	.0005	.76600 + .00004	.030	4
3	7431588		.766	.002	.76610 + .00007	.030	4
3	7431590		.766	.004	.76620 + .00010	.030	8
3	7431594		.766	.008 AND UP	.76640 + .00030	.030	8
3	7431598	7431601	.767	MASTER	.76700 + .00002	.030	2
3	7431600		.767	.0005	.76700 + .00004	.030	4
3	7431604		.767	.002	.76710 + .00007	.030	4
3	7431606		.767	.004	.76720 + .00010	.030	8
3	7431610		.767	.008 AND UP	.76740 + .00030	.030	8
3	7431614	7431617	.768	MASTER	.76800 + .00002	.030	2
3	7431616		.768	.0005	.76800 + .00004	.030	4
3	7431620		.768	.002	.76810 + .00007	.030	4
3	7431622		.768	.004	.76820 + .00010	.030	8
3	7431626		.768	.008 AND UP	.76840 + .00030	.030	8
3	7431630	7431633	.769	MASTER	.76900 + .00002	.030	2
3	7431632		.769	.0005	.76900 + .00004	.030	4
3	7431636		.769	.002	.76910 + .00007	.030	4
3	7431638		.769	.004	.76920 + .00010	.030	8
3	7431642		.769	.008 AND UP	.76940 + .00030	.030	8
3	7431646	7431649	.770	MASTER	.77000 + .00002	.030	2
3	7431648		.770	.0005	.77000 + .00004	.030	4
3	7431652		.770	.002	.77010 + .00007	.030	4
3	7431654		.770	.004	.77020 + .00010	.030	8
3	7431658		.770	.008 AND UP	.77040 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE			CHAMFER		
A	B	C	D	E	F	G	H
3	7431662	7431665	.771	MASTER	.77100 + .00002	.030	2
3	7431664		.771	.0005	.77100 + .00004	.030	4
3	7431668		.771	.002	.77110 + .00007	.030	4
3	7431670		.771	.004	.77120 + .00010	.030	8
3	7431674		.771	.008 AND UP	.77140 + .00030	.030	8
3	7431678	7431681	.772	MASTER	.77200 + .00002	.030	2
3	7431680		.772	.0005	.77200 + .00004	.030	4
3	7431684		.772	.002	.77210 + .00007	.030	4
3	7431686		.772	.004	.77220 + .00010	.030	8
3	7431690		.772	.008 AND UP	.77240 + .00030	.030	8
3	7431694	7431697	.773	MASTER	.77300 + .00002	.030	2
3	7431696		.773	.0005	.77300 + .00004	.030	4
3	7431700		.773	.002	.77310 + .00007	.030	4
3	7431702		.773	.004	.77320 + .00010	.030	8
3	7431706		.773	.008 AND UP	.77340 + .00030	.030	8
3	7431710	7431713	.774	MASTER	.77400 + .00002	.030	2
3	7431712		.774	.0005	.77400 + .00004	.030	4
3	7431716		.774	.002	.77410 + .00007	.030	4
3	7431718		.774	.004	.77420 + .00010	.030	8
3	7431722		.774	.008 AND UP	.77440 + .00030	.030	8
3	7431726	7431729	.775	MASTER	.77500 + .00002	.030	2
3	7431728		.775	.0005	.77500 + .00004	.030	4
3	7431732		.775	.002	.77510 + .00007	.030	4
3	7431734		.775	.004	.77520 + .00010	.030	8
3	7431738		.775	.008 AND UP	.77540 + .00030	.030	8
3	7431742	7431745	.776	MASTER	.77600 + .00002	.030	2
3	7431744		.776	.0005	.77600 + .00004	.030	4
3	7431748		.776	.002	.77610 + .00007	.030	4
3	7431750		.776	.004	.77620 + .00010	.030	8
3	7431754		.776	.008 AND UP	.77640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7431758	7431761	.777	MASTER	.77700 + .00002	.030	2
3	7431760		.777	.0005	.77700 + .00004	.030	4
3	7431764		.777	.002	.77710 + .00007	.030	4
3	7431766		.777	.004	.77720 + .00010	.030	8
3	7431770		.777	.008 AND UP	.77740 + .00030	.030	8
3	7431774	7431777	.778	MASTER	.77800 + .00002	.030	2
3	7431776		.778	.0005	.77800 + .00004	.030	4
3	7431780		.778	.002	.77810 + .00007	.030	4
3	7431782		.778	.004	.77820 + .00010	.030	8
3	7431786		.778	.008 AND UP	.77840 + .00030	.030	8
3	7431790	7431793	.779	MASTER	.77900 + .00002	.030	2
3	7431792		.779	.0005	.77900 + .00004	.030	4
3	7431796		.779	.002	.77910 + .00007	.030	4
3	7431798		.779	.004	.77920 + .00010	.030	8
3	7431802		.779	.008 AND UP	.77940 + .00030	.030	8
3	7431806	7431809	.780	MASTER	.78000 + .00002	.030	2
3	7431808		.780	.0005	.78000 + .00004	.030	4
3	7431812		.780	.002	.78010 + .00007	.030	4
3	7431814		.780	.004	.78020 + .00010	.030	8
3	7431818		.780	.008 AND UP	.78040 + .00030	.030	8
3	7431822	7431825	.781	MASTER	.78100 + .00002	.030	2
3	7431824		.781	.0005	.78100 + .00004	.030	4
3	7431828		.781	.002	.78110 + .00007	.030	4
3	7431830		.781	.004	.78120 + .00010	.030	8
3	7431834		.781	.008 AND UP	.78140 + .00030	.030	8
3	7431838	7497441	.78125	MASTER	.78125 + .00002	.030	2
3	7497440		.78125	.0005	.78125 + .00004	.030	4
3	7497444		.78125	.002	.78135 + .00007	.030	4
3	7497446		.78125	.004	.78145 + .00010	.030	8
3	7497450		.78125	.008 AND UP	.78165 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7431840 7431842 7431846 7431848 7431852	7431843	.782 .782 .782 .782 .782	MASTER .0005 .002 .004 .008 AND UP	.78200 + .00002 .78200 + .00004 .78210 + .00007 .78220 + .00010 .78240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7431856 7431858 7431862 7431864 7431868	7431859	.783 .783 .783 .783 .783	MASTER .0005 .002 .004 .008 AND UP	.78300 + .00002 .78300 + .00004 .78310 + .00007 .78320 + .00010 .78340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7431872 7431874 7431878 7431880 7431884	7431875	.784 .784 .784 .784 .784	MASTER .0005 .002 .004 .008 AND UP	.78400 + .00002 .78400 + .00004 .78410 + .00007 .78420 + .00010 .78440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7431888 7431890 7431894 7431896 7431900	7431891	.785 .785 .785 .785 .785	MASTER .0005 .002 .004 .008 AND UP	.78500 + .00002 .78500 + .00004 .78510 + .00007 .78520 + .00010 .78540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7431904 7431906 7431910 7431912 7431916	7431907	.786 .786 .786 .786 .786	MASTER .0005 .002 .004 .008 AND UP	.78600 + .00002 .78600 + .00004 .78610 + .00007 .78620 + .00010 .78640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7431920 7431922 7431926 7431928 7431932	7431923	.787 .787 .787 .787 .787	MASTER .0005 .002 .004 .008 AND UP	.78700 + .00002 .78700 + .00004 .78710 + .00007 .78720 + .00010 .78740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7431935	7431939	.788	MASTER	.78800 + .00002	.030	2
	7431938		.788	.0005	.78800 + .00004	.030	4
	7431942		.788	.002	.78810 + .00007	.030	4
	7431944		.788	.004	.78820 + .00010	.030	8
	7431948		.788	.008 AND UP	.78840 + .00030	.030	8
3 3 3 3 3	7431952	7431955	.789	MASTER	.78900 + .00002	.030	2
	7431954		.789	.0005	.78900 + .00004	.030	4
	7431958		.789	.002	.78910 + .00007	.030	4
	7431960		.789	.004	.78920 + .00010	.030	8
	7431964		.789	.008 AND UP	.78940 + .00030	.030	8
3 3 3 3 3	7431968	7431971	.790	MASTER	.79000 + .00002	.030	2
	7431970		.790	.0005	.79000 + .00004	.030	4
	7431974		.790	.002	.79010 + .00007	.030	4
	7431976		.790	.004	.79020 + .00010	.030	8
	7431980		.790	.008 AND UP	.79040 + .00030	.030	8
3 3 3 3 3	7431984	7431987	.791	MASTER	.79100 + .00002	.030	2
	7431986		.791	.0005	.79100 + .00004	.030	4
	7431990		.791	.002	.79110 + .00007	.030	4
	7431992		.791	.004	.79120 + .00010	.030	8
	7431996		.791	.008 AND UP	.79140 + .00030	.030	8
3 3 3 3 3	7432000	7432003	.792	MASTER	.79200 + .00002	.030	2
	7432002		.792	.0005	.79200 + .00004	.030	4
	7432006		.792	.002	.79210 + .00007	.030	4
	7432008		.792	.004	.79220 + .00010	.030	8
	7432012		.792	.008 AND UP	.79240 + .00030	.030	8
3 3 3 3 3	7432016	7432019	.793	MASTER	.79300 + .00002	.030	2
	7432018		.793	.0005	.79300 + .00004	.030	4
	7432022		.793	.002	.79310 + .00007	.030	4
	7432024		.793	.004	.79320 + .00010	.030	8
	7432028		.793	.008 AND UP	.79340 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7432032 7432034 7432038 7432040 7432044	7432035	.794 .794 .794 .794 .794	MASTER .0005 .002 .004 .008 AND UP	.79400 + .00002 .79400 + .00004 .79410 + .00007 .79420 + .00010 .79440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7432048 7432050 7432054 7432056 7432060		7432051	.795 .795 .795 .795 .795	MASTER .0005 .002 .004 .008 AND UP	.79500 + .00002 .79500 + .00004 .79510 + .00007 .79520 + .00010 .79540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7432064 7432066 7432070 7432072 7432076			7432067	.796 .796 .796 .796 .796	MASTER .0005 .002 .004 .008 AND UP	.79600 + .00002 .79600 + .00004 .79610 + .00007 .79620 + .00010 .79640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7432080 7432082 7432086 7432088 7432092				7432083	.797 .797 .797 .797 .797	MASTER .0005 .002 .004 .008 AND UP	.79700 + .00002 .79700 + .00004 .79710 + .00007 .79720 + .00010 .79740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7432096 7432098 7432102 7432104 7432108					7432099	.798 .798 .798 .798 .798	MASTER .0005 .002 .004 .008 AND UP	.79800 + .00002 .79800 + .00004 .79810 + .00007 .79820 + .00010 .79840 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7432112 7432114 7432118 7432120 7432124	7432115					.799 .799 .799 .799 .799	MASTER .0005 .002 .004 .008 AND UP	.79900 + .00002 .79900 + .00004 .79910 + .00007 .79920 + .00010 .79940 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432128	7432131	.800	MASTER	.80000 + .00002	.030	2
3	7432130		.800	.0005	.80000 + .00004	.030	4
3	7432134		.800	.002	.80010 + .00007	.030	4
3	7432136		.800	.004	.80020 + .00010	.030	8
3	7432140		.800	.008 AND UP	.80040 + .00030	.030	8
3	7432144	7432147	.801	MASTER	.80100 + .00002	.030	2
3	7432146		.801	.0005	.80100 + .00004	.030	4
3	7432150		.801	.002	.80110 + .00007	.030	4
3	7432152		.801	.004	.80120 + .00010	.030	8
3	7432156		.801	.008 AND UP	.80140 + .00030	.030	8
3	7432160	7432163	.802	MASTER	.80200 + .00002	.030	2
3	7432162		.802	.0005	.80200 + .00004	.030	4
3	7432166		.802	.002	.80210 + .00007	.030	4
3	7432168		.802	.004	.80220 + .00010	.030	8
3	7432172		.802	.008 AND UP	.80240 + .00030	.030	8
3	7432176	7432179	.803	MASTER	.80300 + .00002	.030	2
3	7432178		.803	.0005	.80300 + .00004	.030	4
3	7432182		.803	.002	.80310 + .00007	.030	4
3	7432184		.803	.004	.80320 + .00010	.030	8
3	7432188		.803	.008 AND UP	.80340 + .00030	.030	8
3	7432192	7432195	.804	MASTER	.80400 + .00002	.030	2
3	7432194		.804	.0005	.80400 + .00004	.030	4
3	7432198		.804	.002	.80410 + .00007	.030	4
3	7432200		.804	.004	.80420 + .00010	.030	8
3	7432204		.804	.008 AND UP	.80440 + .00030	.030	8
3	7432208	7432211	.805	MASTER	.80500 + .00002	.030	2
3	7432210		.805	.0005	.80500 + .00004	.030	4
3	7432214		.805	.002	.80510 + .00007	.030	4
3	7432216		.805	.004	.80520 + .00010	.030	8
3	7432220		.805	.008 AND UP	.80540 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432224	7432227	.806	MASTER	.80600 + .00002	.030	2
	7432226		.806	.0005	.80600 + .00004	.030	4
	7432230		.806	.002	.80610 + .00007	.030	4
	7432232		.806	.004	.80620 + .00010	.030	8
	7432236		.806	.008 AND UP	.80640 + .00030	.030	8
3	7432240	7432243	.807	MASTER	.80700 + .00002	.030	2
	7432242		.807	.0005	.80700 + .00004	.030	4
	7432246		.807	.002	.80710 + .00007	.030	4
	7432248		.807	.004	.80720 + .00010	.030	8
	7432252		.807	.008 AND UP	.80740 + .00030	.030	8
3	7432256	7432259	.808	MASTER	.80800 + .00002	.030	2
	7432258		.808	.0005	.80800 + .00004	.030	4
	7432262		.808	.002	.80810 + .00007	.030	4
	7432264		.808	.004	.80820 + .00010	.030	8
	7432268		.808	.008 AND UP	.80840 + .00030	.030	8
3	7432272	7432275	.809	MASTER	.80900 + .00002	.030	2
	7432274		.809	.0005	.80900 + .00004	.030	4
	7432278		.809	.002	.80910 + .00007	.030	4
	7432280		.809	.004	.80920 + .00010	.030	8
	7432284		.809	.008 AND UP	.80940 + .00030	.030	8
3	7432288	7432291	.810	MASTER	.81000 + .00002	.030	2
	7432290		.810	.0005	.81000 + .00004	.030	4
	7432294		.810	.002	.81010 + .00007	.030	4
	7432296		.810	.004	.81020 + .00010	.030	8
	7432300		.810	.008 AND UP	.81040 + .00030	.030	8
3	7432304	7432307	.811	MASTER	.81100 + .00002	.030	2
	7432306		.811	.0005	.81100 + .00004	.030	4
	7432310		.811	.002	.81110 + .00007	.030	4
	7432312		.811	.004	.81120 + .00010	.030	8
	7432316		.811	.008 AND UP	.81140 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432320	7432323	.812	MASTER	.81200 + .00002	.030	2
3	7432322		.812	.0005	.81200 + .00004	.030	4
3	7432326		.812	.002	.81210 + .00007	.030	4
3	7432328		.812	.004	.81220 + .00010	.030	8
3	7432332		.812	.008 AND UP	.81240 + .00030	.030	8
3	7432336	7497455	.8125	MASTER	.81250 + .00002	.030	2
3	7497454		.8125	.0005	.81250 + .00004	.030	4
3	7497458		.8125	.002	.81260 + .00007	.030	4
3	7497460		.8125	.004	.81270 + .00010	.030	8
3	7497464		.8125	.008 AND UP	.81290 + .00030	.030	8
3	7432338	7432341	.813	MASTER	.81300 + .00002	.030	2
3	7432340		.813	.0005	.81300 + .00004	.030	4
3	7432344		.813	.002	.81310 + .00007	.030	4
3	7432346		.813	.004	.81320 + .00010	.030	8
3	7432350		.813	.008 AND UP	.81340 + .00030	.030	8
3	7432354	7432357	.814	MASTER	.81400 + .00002	.030	2
3	7432356		.814	.0005	.81400 + .00004	.030	4
3	7432360		.814	.002	.81410 + .00007	.030	4
3	7432362		.814	.004	.81420 + .00010	.030	8
3	7432366		.814	.008 AND UP	.81440 + .00030	.030	8
3	7432370	7432373	.815	MASTER	.81500 + .00002	.030	2
3	7432372		.815	.0005	.81500 + .00004	.030	4
3	7432376		.815	.002	.81510 + .00007	.030	4
3	7432378		.815	.004	.81520 + .00010	.030	8
3	7432382		.815	.008 AND UP	.81540 + .00030	.030	8
3	7432386	7432389	.816	MASTER	.81600 + .00002	.030	2
3	7432388		.816	.0005	.81600 + .00004	.030	4
3	7432392		.816	.002	.81610 + .00007	.030	4
3	7432394		.816	.004	.81620 + .00010	.030	8
3	7432398		.816	.008 AND UP	.81640 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432402	7432405	.817	MASTER	.81700 + .00002	.030	2
3	7432404		.817	.0005	.81700 + .00004	.030	4
3	7432408		.817	.002	.81710 + .00007	.030	4
3	7432410		.817	.004	.81720 + .00010	.030	8
3	7432414		.817	.008 AND UP	.81740 + .00030	.030	8
3	7432418	7432421	.818	MASTER	.81800 + .00002	.030	2
3	7432420		.818	.0005	.81800 + .00004	.030	4
3	7432424		.818	.002	.81810 + .00007	.030	4
3	7432426		.818	.004	.81820 + .00010	.030	8
3	7432430		.818	.008 AND UP	.81840 + .00030	.030	8
3	7432434	7432437	.819	MASTER	.81900 + .00002	.030	2
3	7432436		.819	.0005	.81900 + .00004	.030	4
3	7432440		.819	.002	.81910 + .00007	.030	4
3	7432442		.819	.004	.81920 + .00010	.030	8
3	7432446		.819	.008 AND UP	.81940 + .00030	.030	8
3	7432450	7432453	.820	MASTER	.82000 + .00002	.030	2
3	7432452		.820	.0005	.82000 + .00004	.030	4
3	7432456		.820	.002	.82010 + .00007	.030	4
3	7432458		.820	.004	.82020 + .00010	.030	8
3	7432462		.820	.008 AND UP	.82040 + .00030	.030	8
3	7432466	7432469	.821	MASTER	.82100 + .00002	.030	2
3	7432468		.821	.0005	.82100 + .00004	.030	4
3	7432472		.821	.002	.82110 + .00007	.030	4
3	7432474		.821	.004	.82120 + .00010	.030	8
3	7432478		.821	.008 AND UP	.82140 + .00030	.030	8
3	7432482	7432485	.822	MASTER	.82200 + .00002	.030	2
3	7432484		.822	.0005	.82200 + .00004	.030	4
3	7432488		.822	.002	.82210 + .00007	.030	4
3	7432490		.822	.004	.82220 + .00010	.030	8
3	7432494		.822	.008 AND UP	.82240 + .00030	.030	8

 RTI-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
3	7432498	7432501	.823	MASTER	.82300 + .00002	.030	2
3	7432500		.823	.0005	.82300 + .00004	.030	4
3	7432501		.823	.002	.82310 + .00007	.030	4
3	7432506		.823	.004	.82320 + .00010	.030	8
3	7432510		.823	.008 AND UP	.82340 + .00030	.030	8
3	7432514	7432517	.824	MASTER	.82400 + .00002	.030	2
3	7432516		.824	.0005	.82400 + .00004	.030	4
3	7432520		.824	.002	.82410 + .00007	.030	4
3	7432522		.824	.004	.82420 + .00010	.030	8
3	7432526		.824	.008 AND UP	.82440 + .00030	.030	8
3	7432530	7432533	.825	MASTER	.82500 + .00002	.030	2
3	7432532		.825	.0005	.82500 + .00004	.030	4
3	7432536		.825	.002	.82510 + .00007	.030	4
3	7432538		.825	.004	.82520 + .00010	.030	8
3	7432542		.825	.008 AND UP	.82540 + .00030	.030	8
3	7432546	7432549	.826	MASTER	.82600 + .00003	.030	2
3	7432548		.826	.0005	.82600 + .00006	.030	4
3	7432552		.826	.002	.82610 + .00009	.030	4
3	7432554		.826	.004	.82620 + .00012	.030	8
3	7432558		.826	.008 AND UP	.82640 + .00030	.030	8
3	7432562	7432565	.827	MASTER	.82700 + .00003	.030	2
3	7432564		.827	.0005	.82700 + .00006	.030	4
3	7432568		.827	.002	.82710 + .00009	.030	4
3	7432570		.827	.004	.82720 + .00012	.030	8
3	7432574		.827	.008 AND UP	.82740 + .00030	.030	8
3	7432578	7432581	.828	MASTER	.82800 + .00003	.030	2
3	7432580		.828	.0005	.82800 + .00006	.030	4
3	7432584		.828	.002	.82810 + .00009	.030	4
3	7432586		.828	.004	.82820 + .00012	.030	8
3	7432590		.828	.008 AND UP	.82840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7432594	7432597	.829	MASTER	.82900 + .00003	.030	2
	7432596		.829	.0005	.82900 + .00006	.030	4
	7432600		.829	.002	.82910 + .00009	.030	4
	7432602		.829	.004	.82920 + .00012	.030	8
	7432606		.829	.008 AND UP	.82940 + .00030	.030	8
3 3 3 3 3	7432610	7432613	.830	MASTER	.83000 + .00003	.030	2
	7432612		.830	.0005	.83000 + .00006	.030	4
	7432616		.830	.002	.83010 + .00009	.030	4
	7432618		.830	.004	.83020 + .00012	.030	8
	7432622		.830	.008 AND UP	.83040 + .00030	.030	8
3 3 3 3 3	7432626	7432629	.831	MASTER	.83100 + .00003	.030	2
	7432628		.831	.0005	.83100 + .00006	.030	4
	7432632		.831	.002	.83110 + .00009	.030	4
	7432634		.831	.004	.83120 + .00012	.030	8
	7432638		.831	.008 AND UP	.83140 + .00030	.030	8
3 3 3 3 3	7432642	7432645	.832	MASTER	.83200 + .00003	.030	2
	7432644		.832	.0005	.83200 + .00006	.030	4
	7432648		.832	.002	.83210 + .00009	.030	4
	7432650		.832	.004	.83220 + .00012	.030	8
	7432654		.832	.008 AND UP	.83240 + .00030	.030	8
3 3 3 3 3	7432658	7432661	.833	MASTER	.83300 + .00003	.030	2
	7432660		.833	.0005	.83300 + .00006	.030	4
	7432664		.833	.002	.83310 + .00009	.030	4
	7432666		.833	.004	.83320 + .00012	.030	8
	7432670		.833	.008 AND UP	.83340 + .00030	.030	8
3 3 3 3 3	7432674	7432677	.834	MASTER	.83400 + .00003	.030	2
	7432676		.834	.0005	.83400 + .00006	.030	4
	7432680		.834	.002	.83410 + .00009	.030	4
	7432682		.834	.004	.83420 + .00012	.030	8
	7432686		.834	.008 AND UP	.83440 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3	7432690	7432693	.835	MASTER	.83500 + .00003	.030	2	
3	7432692		.835	.0005	.83500 + .00006	.030	4	
3	7432696		.835	.002	.83510 + .00009	.030	4	
3	7432698		.835	.004	.83520 + .00012	.030	8	
3	7432702		.835	.008 AND UP	.83540 + .00030	.030	8	
3	7432706	7432709	.836	MASTER	.83600 + .00003	.030	2	
3	7432708		.836	.0005	.83600 + .00006	.030	4	
3	7432712		.836	.002	.83610 + .00009	.030	4	
3	7432714		.836	.004	.83620 + .00012	.030	8	
3	7432718		.836	.008 AND UP	.83640 + .00030	.030	8	
3	7432722	7432725	.837	MASTER	.83700 + .00003	.030	2	
3	7432724		.837	.0005	.83700 + .00006	.030	4	
3	7432728		.837	.002	.83710 + .00009	.030	4	
3	7432730		.837	.004	.83720 + .00012	.030	8	
3	7432734		.837	.008 AND UP	.83740 + .00030	.030	8	
3	7432738	7432741	.838	MASTER	.83800 + .00003	.030	2	
3	7432740		.838	.0005	.83800 + .00006	.030	4	
3	7432744		.838	.002	.83810 + .00009	.030	4	
3	7432746		.838	.004	.83820 + .00012	.030	8	
3	7432750		.838	.008 AND UP	.83840 + .00030	.030	8	
3	7432754	7432757	.839	MASTER	.83900 + .00003	.030	2	
3	7432756		.839	.0005	.83900 + .00006	.030	4	
3	7432760		.839	.002	.83910 + .00009	.030	4	
3	7432762		.839	.004	.83920 + .00012	.030	8	
3	7432766		.839	.008 AND UP	.83940 + .00030	.030	8	
3	7432770	7432773	.840	MASTER	.84000 + .00003	.030	2	
3	7432772		.840	.0005	.84000 + .00006	.030	4	
3	7432776		.840	.002	.84010 + .00009	.030	4	
3	7432778		.840	.004	.84020 + .00012	.030	8	
3	7432782		.840	.008 AND UP	.84040 + .00030	.030	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN — GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 mm	7432786	7432789	.841	MASTER	.84100 + .00003	.030	2
	7432788		.841	.0005	.84100 + .00006	.030	4
	7432792		.841	.002	.84110 + .00009	.030	4
	7432794		.841	.004	.84120 + .00012	.030	8
	7432798		.841	.008 AND UP	.84140 + .00030	.030	8
3 mm	7432802	7432805	.842	MASTER	.84200 + .00003	.030	2
	7432804		.842	.0005	.84200 + .00006	.030	4
	7432808		.842	.002	.84210 + .00009	.030	4
	7432810		.842	.004	.84220 + .00012	.030	8
	7432814		.842	.008 AND UP	.84240 + .00030	.030	8
3 mm	7432818	7432821	.843	MASTER	.84300 + .00003	.030	2
	7432820		.843	.0005	.84300 + .00006	.030	4
	7432824		.843	.002	.84310 + .00009	.030	4
	7432826		.843	.004	.84320 + .00012	.030	8
	7432830		.843	.008 AND UP	.84340 + .00030	.030	8
3 mm	7432834	7497469	.84375	MASTER	.84375 + .00003	.030	2
	7497468		.84375	.0005	.84375 + .00006	.030	4
	7497472		.84375	.002	.84385 + .00009	.030	4
	7497474		.84375	.004	.84395 + .00012	.030	8
	7497478		.84375	.008 AND UP	.84415 + .00030	.030	8
3 mm	7432836	7432839	.844	MASTER	.84400 + .00003	.030	2
	7432838		.844	.0005	.84400 + .00006	.030	4
	7432842		.844	.002	.84410 + .00009	.030	4
	7432844		.844	.004	.84420 + .00012	.030	8
	7432848		.844	.008 AND UP	.84440 + .00030	.030	8
3 mm	7432852	7432855	.845	MASTER	.84500 + .00003	.030	2
	7432854		.845	.0005	.84500 + .00006	.030	4
	7432858		.845	.002	.84510 + .00009	.030	4
	7432860		.845	.004	.84520 + .00012	.030	8
	7432864		.845	.008 AND UP	.84540 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7432868 7432870 7432874 7432876 7432880	7432871	.846 .845 .846 .845 .846	MASTER .0005 .002 .004 .008 AND UP	.84600 + .00003 .84600 + .00006 .84610 + .00009 .84620 + .00012 .84640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7432884 7432886 7432890 7432892 7432896		7432887	.847 .847 .847 .847 .847	MASTER .0005 .002 .004 .008 AND UP	.84700 + .00003 .84700 + .00006 .84710 + .00009 .84720 + .00012 .84740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7432900 7432902 7432906 7432908 7432912			7432903	.848 .848 .848 .848 .848	MASTER .0005 .002 .004 .008 AND UP	.84800 + .00003 .84800 + .00006 .84810 + .00009 .84820 + .00012 .84840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7432916 7432918 7432922 7432924 7432928				7432919	.849 .849 .849 .849 .849	MASTER .0005 .002 .004 .008 AND UP	.84900 + .00003 .84900 + .00006 .84910 + .00009 .84920 + .00012 .84940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7432932 7432934 7432938 7432940 7432944					7432935	.850 .850 .850 .850 .850	MASTER .0005 .002 .004 .008 AND UP	.85000 + .00003 .85000 + .00006 .85010 + .00009 .85020 + .00012 .85040 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7432948 7432950 7432954 7432956 7432960	7432951					.851 .851 .851 .851 .851	MASTER .0005 .002 .004 .008 AND UP	.85100 + .00003 .85100 + .00006 .85110 + .00009 .85120 + .00012 .85140 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7432964	7432967	.852	MASTER	.85200 + .00003	.030	2
3	7432966		.852	.0005	.85200 + .00006	.030	4
3	7432970		.852	.002	.85210 + .00009	.030	4
3	7432972		.852	.004	.85220 + .00012	.030	8
3	7432976		.852	.008 AND UP	.85240 + .00030	.030	8
3	7432980	7432983	.853	MASTER	.85300 + .00003	.030	2
3	7432982		.853	.0005	.85300 + .00006	.030	4
3	7432986		.853	.002	.85310 + .00009	.030	4
3	7432988		.853	.004	.85320 + .00012	.030	8
3	7432992		.853	.008 AND UP	.85340 + .00030	.030	8
3	7432996	7432999	.854	MASTER	.85400 + .00003	.030	2
3	7432998		.854	.0005	.85400 + .00006	.030	4
3	7433002		.854	.002	.85410 + .00009	.030	4
3	7433004		.854	.004	.85420 + .00012	.030	8
3	7433008		.854	.008 AND UP	.85440 + .00030	.030	8
3	7433012	7433015	.855	MASTER	.85500 + .00003	.030	2
3	7433014		.855	.0005	.85500 + .00006	.030	4
3	7433018		.855	.002	.85510 + .00009	.030	4
3	7433020		.855	.004	.85520 + .00012	.030	8
3	7433024		.855	.008 AND UP	.85540 + .00030	.030	8
3	7433028	7433031	.856	MASTER	.85600 + .00003	.030	2
3	7433030		.856	.0005	.85600 + .00006	.030	4
3	7433034		.856	.002	.85610 + .00009	.030	4
3	7433036		.856	.004	.85620 + .00012	.030	8
3	7433040		.856	.008 AND UP	.85640 + .00030	.030	8
3	7433044	7433047	.857	MASTER	.85700 + .00003	.030	2
3	7433046		.857	.0005	.85700 + .00006	.030	4
3	7433050		.857	.002	.85710 + .00009	.030	4
3	7433052		.857	.004	.85720 + .00012	.030	8
3	7433056		.857	.008 AND UP	.85740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433060	7433063	.858	MASTER	.85800 + .00003	.030	2
3	7433062		.858	.0005	.85800 + .00006	.030	4
3	7433066		.858	.002	.85810 + .00009	.030	4
3	7433068		.858	.004	.85820 + .00012	.030	8
3	7433072		.858	.008 AND UP	.85840 + .00030	.030	8
3	7433076	7433079	.859	MASTER	.85900 + .00003	.030	2
3	7433078		.859	.0005	.85900 + .00006	.030	4
3	7433082		.859	.002	.85910 + .00009	.030	4
3	7433084		.859	.004	.85920 + .00012	.030	8
3	7433088		.859	.008 AND UP	.85940 + .00030	.030	8
3	7433092	7433095	.860	MASTER	.86000 + .00003	.030	2
3	7433094		.860	.0005	.86000 + .00006	.030	4
3	7433098		.860	.002	.86010 + .00009	.030	4
3	7433100		.860	.004	.86020 + .00012	.030	8
3	7433104		.860	.008 AND UP	.86040 + .00030	.030	8
3	7433108	7433111	.861	MASTER	.86100 + .00003	.030	2
3	7433110		.861	.0005	.86100 + .00006	.030	4
3	7433114		.861	.002	.86110 + .00009	.030	4
3	7433116		.861	.004	.86120 + .00012	.030	8
3	7433120		.861	.008 AND UP	.86140 + .00030	.030	8
3	7433124	7433127	.862	MASTER	.86200 + .00003	.030	2
3	7433126		.862	.0005	.86200 + .00006	.030	4
3	7433130		.862	.002	.86210 + .00009	.030	4
3	7433132		.862	.004	.86220 + .00012	.030	8
3	7433136		.862	.008 AND UP	.86240 + .00030	.030	8
3	7433140	7433143	.863	MASTER	.86300 + .00003	.030	2
3	7433142		.863	.0005	.86300 + .00006	.030	4
3	7433146		.863	.002	.86310 + .00009	.030	4
3	7433148		.863	.004	.86320 + .00012	.030	8
3	7433152		.863	.008 AND UP	.86340 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7433156	7433159	.864	MASTER	.86400 + .00003	.030	2
	7433158		.864	.0005	.86400 + .00006	.030	4
	7433162		.864	.002	.86410 + .00009	.030	4
	7433164		.864	.004	.86420 + .00012	.030	8
	7433168		.864	.008 AND UP	.86440 + .00030	.030	8
3 3 3 3 3	7433172	7433175	.865	MASTER	.86500 + .00003	.030	2
	7433174		.865	.0005	.86500 + .00006	.030	4
	7433178		.865	.002	.86510 + .00009	.030	4
	7433180		.865	.004	.86520 + .00012	.030	8
	7433184		.865	.008 AND UP	.86540 + .00030	.030	8
3 3 3 3 3	7433188	7433191	.866	MASTER	.86600 + .00003	.030	2
	7433190		.866	.0005	.86600 + .00006	.030	4
	7433194		.866	.002	.86610 + .00009	.030	4
	7433196		.866	.004	.86620 + .00012	.030	8
	7433200		.866	.008 AND UP	.86640 + .00030	.030	8
3 3 3 3 3	7433204	7433207	.867	MASTER	.86700 + .00003	.030	2
	7433206		.867	.0005	.86700 + .00006	.030	4
	7433210		.867	.002	.86710 + .00009	.030	4
	7433212		.867	.004	.86720 + .00012	.030	8
	7433216		.867	.008 AND UP	.86740 + .00030	.030	8
3 3 3 3 3	7433220	7433223	.868	MASTER	.86800 + .00003	.030	2
	7433222		.868	.0005	.86800 + .00006	.030	4
	7433226		.868	.002	.86810 + .00009	.030	4
	7433228		.868	.004	.86820 + .00012	.030	8
	7433232		.868	.008 AND UP	.86840 + .00030	.030	8
3 3 3 3 3	7433236	7433239	.869	MASTER	.86900 + .00003	.030	2
	7433238		.869	.0005	.86900 + .00006	.030	4
	7433242		.869	.002	.86910 + .00009	.030	4
	7433244		.869	.004	.86920 + .00012	.030	8
	7433248		.869	.008 AND UP	.86940 + .00030	.030	8

JUL-SEP-1954
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433252	7433255	.870	MASTER	.87000 + .00003	.030	2
3	7433254		.870	.0005	.87000 + .00006	.030	4
3	7433258		.870	.002	.87010 + .00009	.030	4
3	7433260		.870	.004	.87020 + .00012	.030	8
3	7433264		.870	.008 AND UP	.87040 + .00030	.030	8
3	7433268	7433271	.871	MASTER	.87100 + .00003	.030	2
3	7433270		.871	.0005	.87100 + .00006	.030	4
3	7433274		.871	.002	.87110 + .00009	.030	4
3	7433276		.871	.004	.87120 + .00012	.030	8
3	7433280		.871	.008 AND UP	.87140 + .00030	.030	8
3	7433284	7433287	.872	MASTER	.87200 + .00003	.030	2
3	7433286		.872	.0005	.87200 + .00006	.030	4
3	7433290		.872	.002	.87210 + .00009	.030	4
3	7433292		.872	.004	.87220 + .00012	.030	8
3	7433296		.872	.008 AND UP	.87240 + .00030	.030	8
3	7433300	7433303	.873	MASTER	.87300 + .00003	.030	2
3	7433302		.873	.0005	.87300 + .00006	.030	4
3	7433306		.873	.002	.87310 + .00009	.030	4
3	7433308		.873	.004	.87320 + .00012	.030	8
3	7433312		.873	.008 AND UP	.87340 + .00030	.030	8
3	7433316	7433319	.874	MASTER	.87400 + .00003	.030	2
3	7433318		.874	.0005	.87400 + .00006	.030	4
3	7433322		.874	.002	.87410 + .00009	.030	4
3	7433324		.874	.004	.87420 + .00012	.030	8
3	7433328		.874	.008 AND UP	.87440 + .00030	.030	8
3	7433332	7433335	.875	MASTER	.87500 + .00003	.030	2
3	7433334		.875	.0005	.87500 + .00006	.030	4
3	7433338		.875	.002	.87510 + .00009	.030	4
3	7433340		.875	.004	.87520 + .00012	.030	8
3	7433344		.875	.008 AND UP	.87540 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7433348 7433350 7433354 7433356 7433360	7433351	.876 .876 .876 .876 .876	MASTER .0005 .002 .004 .008 AND UP	.87600 + .00003 .87600 + .00006 .87610 + .00009 .87620 + .00012 .87640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7433364 7433366 7433370 7433372 7433376	7433367	.877 .877 .877 .877 .877	MASTER .0005 .002 .004 .008 AND UP	.87700 + .00003 .87700 + .00006 .87710 + .00009 .87720 + .00012 .87740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7433380 7433382 7433386 7433388 7433392	7433383	.878 .878 .878 .878 .878	MASTER .0005 .002 .004 .008 AND UP	.87800 + .00003 .87800 + .00006 .87810 + .00009 .87820 + .00012 .87840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7433396 7433398 7433402 7433404 7433408	7433399	.879 .879 .879 .879 .879	MASTER .0005 .002 .004 .008 AND UP	.87900 + .00003 .87900 + .00006 .87910 + .00009 .87920 + .00012 .87940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7433412 7433414 7433418 7433420 7433424	7433415	.880 .880 .880 .880 .880	MASTER .0005 .002 .004 .008 AND UP	.88000 + .00003 .88000 + .00006 .88010 + .00009 .88020 + .00012 .88040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7433428 7433430 7433434 7433436 7433440	7433431	.881 .881 .881 .881 .881	MASTER .0005 .002 .004 .008 AND UP	.88100 + .00003 .88100 + .00006 .88110 + .00009 .88120 + .00012 .88140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3 3 3 3 3	7433444	7433447	.882	MASTER	.88200 + .00003	.030	2	
	7433446		.882	.0005	.88200 + .00006	.030	4	
	7433450		.882	.002	.88210 + .00009	.030	4	
	7433452		.882	.004	.88220 + .00012	.030	8	
	7433456		.882	.008 AND UP	.88240 + .00030	.030	8	
3 3 3 3 3	7433460	7433463	.883	MASTER	.88300 + .00003	.030	2	
	7433462		.883	.0005	.88300 + .00006	.030	4	
	7433466		.883	.002	.88310 + .00009	.030	4	
	7433468		.883	.004	.88320 + .00012	.030	8	
	7433472		.883	.008 AND UP	.88340 + .00030	.030	8	
3 3 3 3 3	7433476	7433479	.884	MASTER	.88400 + .00003	.030	2	
	7433478		.884	.0005	.88400 + .00006	.030	4	
	7433482		.884	.002	.88410 + .00009	.030	4	
	7433484		.884	.004	.88420 + .00012	.030	8	
	7433488		.884	.008 AND UP	.88440 + .00030	.030	8	
3 3 3 3 3	7433492	7433495	.885	MASTER	.88500 + .00003	.030	2	
	7433494		.885	.0005	.88500 + .00006	.030	4	
	7433498		.885	.002	.88510 + .00009	.030	4	
	7433500		.885	.004	.88520 + .00012	.030	8	
	7433504		.885	.008 AND UP	.88540 + .00030	.030	8	
3 3 3 3 3	7433508	7433511	.886	MASTER	.88600 + .00003	.030	2	
	7433510		.886	.0005	.88600 + .00006	.030	4	
	7433514		.886	.002	.88610 + .00009	.030	4	
	7433516		.886	.004	.88620 + .00012	.030	8	
	7433520		.886	.008 AND UP	.88640 + .00030	.030	8	
3 3 3 3 3	7433524	7433527	.887	MASTER	.88700 + .00003	.030	2	
	7433526		.887	.0005	.88700 + .00006	.030	4	
	7433530		.887	.002	.88710 + .00009	.030	4	
	7433532		.887	.004	.88720 + .00012	.030	8	
	7433536		.887	.008 AND UP	.88740 + .00030	.030	8	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7433540	7433543	.888	MASTER	.88800 + .00003	.030	2
	7433542		.888	.0005	.88800 + .00006	.030	4
	7433546		.888	.002	.88810 + .00009	.030	4
	7433548		.888	.004	.88820 + .00012	.030	8
	7433552		.888	.008 AND UP	.88840 + .00030	.030	8
3 3 3 3 3	7433556	7433559	.889	MASTER	.88900 + .00003	.030	2
	7433558		.889	.0005	.88900 + .00006	.030	4
	7433562		.889	.002	.88910 + .00009	.030	4
	7433564		.889	.004	.88920 + .00012	.030	8
	7433568		.889	.008 AND UP	.88940 + .00030	.030	8
3 3 3 3 3	7433572	7433575	.890	MASTER	.89000 + .00003	.030	2
	7433574		.890	.0005	.89000 + .00006	.030	4
	7433578		.890	.002	.89010 + .00009	.030	4
	7433580		.890	.004	.89020 + .00012	.030	8
	7433584		.890	.008 AND UP	.89040 + .00030	.030	8
3 3 3 3 3	7433588	7433591	.891	MASTER	.89100 + .00003	.030	2
	7433590		.891	.0005	.89100 + .00006	.030	4
	7433594		.891	.002	.89110 + .00009	.030	4
	7433596		.891	.004	.89120 + .00012	.030	8
	7433600		.891	.008 AND UP	.89140 + .00030	.030	8
3 3 3 3 3	7433604	7433607	.892	MASTER	.89200 + .00003	.030	2
	7433606		.892	.0005	.89200 + .00006	.030	4
	7433610		.892	.002	.89210 + .00009	.030	4
	7433612		.892	.004	.89220 + .00012	.030	8
	7433616		.892	.008 AND UP	.89240 + .00030	.030	8
3 3 3 3 3	7433620	7433623	.893	MASTER	.89300 + .00003	.030	2
	7433622		.893	.0005	.89300 + .00006	.030	4
	7433626		.893	.002	.89310 + .00009	.030	4
	7433628		.893	.004	.89320 + .00012	.030	8
	7433632		.893	.008 AND UP	.89340 + .00030	.030	8

 KIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433636	7433639	.894	MASTER	.89400 + .00003	.030	2
3	7433638		.894	.0005	.89400 + .00006	.030	4
3	7433642		.894	.002	.89410 + .00009	.030	4
3	7433644		.894	.004	.89420 + .00012	.030	8
3	7433648		.894	.008 AND UP	.89440 + .00030	.030	8
3	7433652	7433655	.895	MASTER	.89500 + .00003	.030	2
3	7433654		.895	.0005	.89500 + .00006	.030	4
3	7433658		.895	.002	.89510 + .00009	.030	4
3	7433660		.895	.004	.89520 + .00012	.030	8
3	7433664		.895	.008 AND UP	.89540 + .00030	.030	8
3	7433668	7433671	.896	MASTER	.89600 + .00003	.030	2
3	7433670		.896	.0005	.89600 + .00006	.030	4
3	7433674		.896	.002	.89610 + .00009	.030	4
3	7433676		.896	.004	.89620 + .00012	.030	8
3	7433680		.896	.008 AND UP	.89640 + .00030	.030	8
3	7433684	7433687	.897	MASTER	.89700 + .00003	.030	2
3	7433686		.897	.0005	.89700 + .00006	.030	4
3	7433690		.897	.002	.89710 + .00009	.030	4
3	7433692		.897	.004	.89720 + .00012	.030	8
3	7433696		.897	.008 AND UP	.89740 + .00030	.030	8
3	7433700	7433703	.898	MASTER	.89800 + .00003	.030	2
3	7433702		.898	.0005	.89800 + .00006	.030	4
3	7433706		.898	.002	.89810 + .00009	.030	4
3	7433708		.898	.004	.89820 + .00012	.030	8
3	7433712		.898	.008 AND UP	.89840 + .00030	.030	8
3	7433716	7433719	.899	MASTER	.89900 + .00003	.030	2
3	7433718		.899	.0005	.89900 + .00006	.030	4
3	7433722		.899	.002	.89910 + .00009	.030	4
3	7433724		.899	.004	.89920 + .00012	.030	8
3	7433728		.899	.008 AND UP	.89940 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7433732	7433735	.900	MASTER	.90000 + .00003	.030	2
	7433734		.900	.0005	.90000 + .00006	.030	4
	7433738		.900	.002	.90010 + .00009	.030	4
	7433740		.900	.004	.90020 + .00012	.030	8
	7433744		.900	.008 AND UP	.90040 + .00030	.030	8
3 3 3 3 3	7433748	7433751	.901	MASTER	.90100 + .00003	.030	2
	7433750		.901	.0005	.90100 + .00006	.030	4
	7433754		.901	.002	.90110 + .00009	.030	4
	7433756		.901	.004	.90120 + .00012	.030	8
	7433760		.901	.008 AND UP	.90140 + .00030	.030	8
3 3 3 3 3	7433764	7433767	.902	MASTER	.90200 + .00003	.030	2
	7433766		.902	.0005	.90200 + .00006	.030	4
	7433770		.902	.002	.90210 + .00009	.030	4
	7433772		.902	.004	.90220 + .00012	.030	8
	7433776		.902	.008 AND UP	.90240 + .00030	.030	8
3 3 3 3 3	7433780	7433783	.903	MASTER	.90300 + .00003	.030	2
	7433782		.903	.0005	.90300 + .00006	.030	4
	7433786		.903	.002	.90310 + .00009	.030	4
	7433788		.903	.004	.90320 + .00012	.030	8
	7433792		.903	.008 AND UP	.90340 + .00030	.030	8
3 3 3 3 3	7433796	7433799	.904	MASTER	.90400 + .00003	.030	2
	7433798		.904	.0005	.90400 + .00006	.030	4
	7433802		.904	.002	.90410 + .00009	.030	4
	7433804		.904	.004	.90420 + .00012	.030	8
	7433808		.904	.008 AND UP	.90440 + .00030	.030	8
3 3 3 3 3	7433812	7433815	.905	MASTER	.90500 + .00003	.030	2
	7433814		.905	.0005	.90500 + .00006	.030	4
	7433818		.905	.002	.90510 + .00009	.030	4
	7433820		.905	.004	.90520 + .00012	.030	8
	7433824		.905	.008 AND UP	.90540 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433828	7433831	.906	MASTER	.90600 + .00003	.030	2
3	7433830		.906	.0005	.90600 + .00006	.030	4
3	7433834		.906	.002	.90610 + .00009	.030	4
3	7433836		.906	.004	.90620 + .00012	.030	8
3	7433840		.906	.008 AND UP	.90640 + .00030	.030	8
3	7433844	7497483	.90625	MASTER	.90625 + .00003	.030	2
3	7497482		.90625	.0005	.90625 + .00006	.030	4
3	7497486		.90625	.002	.90635 + .00009	.030	4
3	7497488		.90625	.004	.90645 + .00012	.030	8
3	7497492		.90625	.008 AND UP	.90665 + .00030	.030	8
3	7433846	7433849	.907	MASTER	.90700 + .00003	.030	2
3	7433848		.907	.0005	.90700 + .00006	.030	4
3	7433852		.907	.002	.90710 + .00009	.030	4
3	7433854		.907	.004	.90720 + .00012	.030	8
3	7433858		.907	.008 AND UP	.90740 + .00030	.030	8
3	7433862	7433865	.908	MASTER	.90800 + .00003	.030	2
3	7433864		.908	.0005	.90800 + .00006	.030	4
3	7433868		.908	.002	.90810 + .00009	.030	4
3	7433870		.908	.004	.90820 + .00012	.030	8
3	7433874		.908	.008 AND UP	.90840 + .00030	.030	8
3	7433878	7433881	.909	MASTER	.90900 + .00003	.030	2
3	7433880		.909	.0005	.90900 + .00006	.030	4
3	7433884		.909	.002	.90910 + .00009	.030	4
3	7433886		.909	.004	.90920 + .00012	.030	8
3	7433890		.909	.008 AND UP	.90940 + .00030	.030	8
3	7433894	7433897	.910	MASTER	.91000 + .00003	.030	2
3	7433896		.910	.0005	.91000 + .00006	.030	4
3	7433900		.910	.002	.91010 + .00009	.030	4
3	7433902		.910	.004	.91020 + .00012	.030	8
3	7433906		.910	.008 AND UP	.91040 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7433910	7433913	.911	MASTER	.91100 + .00003	.030	2
	7433912		.911	.0005	.91100 + .00006	.030	4
	7433916		.911	.002	.91110 + .00009	.030	4
	7433918		.911	.004	.91120 + .00012	.030	8
	7433922		.911	.008 AND UP	.91140 + .00030	.030	8
3	7433926	7433929	.912	MASTER	.91200 + .00003	.030	2
	7433928		.912	.0005	.91200 + .00006	.030	4
	7433932		.912	.002	.91210 + .00009	.030	4
	7433934		.912	.004	.91220 + .00012	.030	8
	7433938		.912	.008 AND UP	.91240 + .00030	.030	8
3	7433942	7433945	.913	MASTER	.91300 + .00003	.030	2
	7433944		.913	.0005	.91300 + .00006	.030	4
	7433948		.913	.002	.91310 + .00009	.030	4
	7433950		.913	.004	.91320 + .00012	.030	8
	7433954		.913	.008 AND UP	.91340 + .00030	.030	8
3	7433958	7433961	.914	MASTER	.91400 + .00003	.030	2
	7433960		.914	.0005	.91400 + .00006	.030	4
	7433964		.914	.002	.91410 + .00009	.030	4
	7433966		.914	.004	.91420 + .00012	.030	8
	7433970		.914	.008 AND UP	.91440 + .00030	.030	8
3	7433974	7433977	.915	MASTER	.91500 + .00003	.030	2
	7433976		.915	.0005	.91500 + .00006	.030	4
	7433980		.915	.002	.91510 + .00009	.030	4
	7433982		.915	.004	.91520 + .00012	.030	8
	7433986		.915	.008 AND UP	.91540 + .00030	.030	8
3	7433990	7433993	.916	MASTER	.91600 + .00003	.030	2
	7433992		.916	.0005	.91600 + .00006	.030	4
	7433996		.916	.002	.91610 + .00009	.030	4
	7433998		.916	.004	.91620 + .00012	.030	8
	7434002		.916	.008 AND UP	.91640 + .00030	.030	8

 RTU-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
3 3 3 3 3	7434006	7434009	.917	MASTER	.91700 + .00003	.030	2
	7434008		.917	.0005	.91700 + .00006	.030	4
	7434012		.917	.002	.91710 + .00009	.030	4
	7434014		.917	.004	.91720 + .00012	.030	8
	7434018		.917	.008 AND UP	.91740 + .00030	.030	8
3 3 3 3 3	7434022	7434025	.918	MASTER	.91800 + .00003	.030	2
	7434024		.918	.0005	.91800 + .00006	.030	4
	7434028		.918	.002	.91810 + .00009	.030	4
	7434030		.918	.004	.91820 + .00012	.030	8
	7434034		.918	.008 AND UP	.91840 + .00030	.030	8
3 3 3 3 3	7434038	7434041	.919	MASTER	.91900 + .00003	.030	2
	7434040		.919	.0005	.91900 + .00006	.030	4
	7434044		.919	.002	.91910 + .00009	.030	4
	7434046		.919	.004	.91920 + .00012	.030	8
	7434050		.919	.008 AND UP	.91940 + .00030	.030	8
3 3 3 3 3	7434054	7434057	.920	MASTER	.92000 + .00003	.030	2
	7434056		.920	.0005	.92000 + .00006	.030	4
	7434060		.920	.002	.92010 + .00009	.030	4
	7434062		.920	.004	.92020 + .00012	.030	8
	7434066		.920	.008 AND UP	.92040 + .00030	.030	8
3 3 3 3 3	7434070	7434073	.921	MASTER	.92100 + .00003	.030	2
	7434072		.921	.0005	.92100 + .00006	.030	4
	7434076		.921	.002	.92110 + .00009	.030	4
	7434078		.921	.004	.92120 + .00012	.030	8
	7434082		.921	.008 AND UP	.92140 + .00030	.030	8
3 3 3 3 3	7434086	7434089	.922	MASTER	.92200 + .00003	.030	2
	7434088		.922	.0005	.92200 + .00006	.030	4
	7434092		.922	.002	.92210 + .00009	.030	4
	7434094		.922	.004	.92220 + .00012	.030	8
	7434098		.922	.008 AND UP	.92240 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7434102	7434105	.923	MASTER	.92300 + .00003	.030	2
	7434104		.923	.0005	.92300 + .00006	.030	4
	7434108		.923	.002	.92310 + .00009	.030	4
	7434110		.923	.004	.92320 + .00012	.030	8
	7434114		.923	.008 AND UP	.92340 + .00030	.030	8
3 3 3 3 3	7434118	7434121	.924	MASTER	.92400 + .00003	.030	2
	7434120		.924	.0005	.92400 + .00006	.030	4
	7434124		.924	.002	.92410 + .00009	.030	4
	7434126		.924	.004	.92420 + .00012	.030	8
	7434130		.924	.008 AND UP	.92440 + .00030	.030	8
3 3 3 3 3	7434134	7434137	.925	MASTER	.92500 + .00003	.030	2
	7434136		.925	.0005	.92500 + .00006	.030	4
	7434140		.925	.002	.92510 + .00009	.030	4
	7434142		.925	.004	.92520 + .00012	.030	8
	7434146		.925	.008 AND UP	.92540 + .00030	.030	8
3 3 3 3 3	7434150	7434153	.926	MASTER	.92600 + .00003	.030	2
	7434152		.926	.0005	.92600 + .00006	.030	4
	7434156		.926	.002	.92610 + .00009	.030	4
	7434158		.926	.004	.92620 + .00012	.030	8
	7434162		.926	.008 AND UP	.92640 + .00030	.030	8
3 3 3 3 3	7434166	7434169	.927	MASTER	.92700 + .00003	.030	2
	7434168		.927	.0005	.92700 + .00006	.030	4
	7434172		.927	.002	.92710 + .00009	.030	4
	7434174		.927	.004	.92720 + .00012	.030	8
	7434178		.927	.008 AND UP	.92740 + .00030	.030	8
3 3 3 3 3	7434182	7434185	.928	MASTER	.92800 + .00003	.030	2
	7434184		.928	.0005	.92800 + .00006	.030	4
	7434188		.928	.002	.92810 + .00009	.030	4
	7434190		.928	.004	.92820 + .00012	.030	8
	7434194		.928	.008 AND UP	.92840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434198	7434201	.929	MASTER	.92900 + .00003	.030	2
3	7434200		.929	.0005	.92900 + .00006	.030	4
3	7434204		.929	.002	.92910 + .00009	.030	4
3	7434206		.929	.004	.92920 + .00012	.030	8
3	7434210		.929	.008 AND UP	.92940 + .00030	.030	8
3	7434214	7434217	.930	MASTER	.93000 + .00003	.030	2
3	7434216		.930	.0005	.93000 + .00006	.030	4
3	7434220		.930	.002	.93010 + .00009	.030	4
3	7434222		.930	.004	.93020 + .00012	.030	8
3	7434226		.930	.008 AND UP	.93040 + .00030	.030	8
3	7434230	7434233	.931	MASTER	.93100 + .00003	.030	2
3	7434232		.931	.0005	.93100 + .00006	.030	4
3	7434236		.931	.002	.93110 + .00009	.030	4
3	7434238		.931	.004	.93120 + .00012	.030	8
3	7434242		.931	.008 AND UP	.93140 + .00030	.030	8
3	7434246	7434249	.932	MASTER	.93200 + .00003	.030	2
3	7434248		.932	.0005	.93200 + .00006	.030	4
3	7434252		.932	.002	.93210 + .00009	.030	4
3	7434254		.932	.004	.93220 + .00012	.030	8
3	7434258		.932	.008 AND UP	.93240 + .00030	.030	8
3	7434262	7434265	.933	MASTER	.93300 + .00003	.030	2
3	7434264		.933	.0005	.93300 + .00006	.030	4
3	7434268		.933	.002	.93310 + .00009	.030	4
3	7434270		.933	.004	.93320 + .00012	.030	8
3	7434274		.933	.008 AND UP	.93340 + .00030	.030	8
3	7434278	7434281	.934	MASTER	.93400 + .00003	.030	2
3	7434280		.934	.0005	.93400 + .00006	.030	4
3	7434284		.934	.002	.93410 + .00009	.030	4
3	7434286		.934	.004	.93420 + .00012	.030	8
3	7434290		.934	.008 AND UP	.93440 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434294	7434297	.935	MASTER	.93500 + .00003	.030	2
3	7434296		.935	.0005	.93500 + .00006	.030	4
3	7434300		.935	.002	.93510 + .00009	.030	4
3	7434302		.935	.004	.93520 + .00012	.030	8
3	7434306		.935	.008 AND UP	.93540 + .00030	.030	8
3	7434310	7434313	.936	MASTER	.93600 + .00003	.030	2
3	7434312		.936	.0005	.93600 + .00006	.030	4
3	7434316		.936	.002	.93610 + .00009	.030	4
3	7434318		.936	.004	.93620 + .00012	.030	8
3	7434322		.936	.008 AND UP	.93640 + .00030	.030	8
3	7434326	7434329	.937	MASTER	.93700 + .00003	.030	2
3	7434328		.937	.0005	.93700 + .00006	.030	4
3	7434332		.937	.002	.93710 + .00009	.030	4
3	7434334		.937	.004	.93720 + .00012	.030	8
3	7434338		.937	.008 AND UP	.93740 + .00030	.030	8
3	7434342	7497497	.9375	MASTER	.93750 + .00003	.030	2
3	7497496		.9375	.0005	.93750 + .00006	.030	4
3	7497500		.9375	.002	.93760 + .00009	.030	4
3	7497502		.9375	.004	.93770 + .00012	.030	8
3	7497506		.9375	.008 AND UP	.93790 + .00030	.030	8
3	7434344	7434347	.938	MASTER	.93800 + .00003	.030	2
3	7434346		.938	.0005	.93800 + .00006	.030	4
3	7434350		.938	.002	.93810 + .00009	.030	4
3	7434352		.938	.004	.93820 + .00012	.030	8
3	7434356		.938	.008 AND UP	.93840 + .00030	.030	8
3	7434360	7434363	.939	MASTER	.93900 + .00003	.030	2
3	7434362		.939	.0005	.93900 + .00006	.030	4
3	7434366		.939	.002	.93910 + .00009	.030	4
3	7434368		.939	.004	.93920 + .00012	.030	8
3	7434372		.939	.008 AND UP	.93940 + .00030	.030	8

JPL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7434376 7434378 7434382 7434384 7434388	7434379	.940 .940 .940 .940 .940	MASTER .0005 .002 .004 .008 AND UP	.94000 + .00003 .94000 + .00006 .94010 + .00009 .94020 + .00012 .94040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434392 7434394 7434398 7434400 7434404	7434395	.941 .941 .941 .941 .941	MASTER .0005 .002 .004 .008 AND UP	.94100 + .00003 .94100 + .00006 .94110 + .00009 .94120 + .00012 .94140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434408 7434410 7434414 7434416 7434420	7434411	.942 .942 .942 .942 .942	MASTER .0005 .002 .004 .008 AND UP	.94200 + .00003 .94200 + .00006 .94210 + .00009 .94220 + .00012 .94240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434424 7434426 7434430 7434432 7434436	7434427	.943 .943 .943 .943 .943	MASTER .0005 .002 .004 .008 AND UP	.94300 + .00003 .94300 + .00006 .94310 + .00009 .94320 + .00012 .94340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434440 7434442 7434446 7434448 7434452	7434443	.944 .944 .944 .944 .944	MASTER .0005 .002 .004 .008 AND UP	.94400 + .00003 .94400 + .00006 .94410 + .00009 .94420 + .00012 .94440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434456 7434458 7434462 7434464 7434468	7434459	.945 .945 .945 .945 .945	MASTER .0005 .002 .004 .008 AND UP	.94500 + .00003 .94500 + .00006 .94510 + .00009 .94520 + .00012 .94540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7434472 7434474 7434478 7434480 7434484	7434475	.946 .946 .946 .946 .946	MASTER .0005 .002 .004 .008 AND UP	.94600 + .00003 .94600 + .00006 .94610 + .00009 .94620 + .00012 .94640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434488 7434490 7434494 7434496 7434500	7434491	.947 .947 .947 .947 .947	MASTER .0005 .002 .004 .008 AND UP	.94700 + .00003 .94700 + .00006 .94710 + .00009 .94720 + .00012 .94740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434504 7434506 7434510 7434512 7434516	7434507	.948 .948 .948 .948 .948	MASTER .0005 .002 .004 .008 AND UP	.94800 + .00003 .94800 + .00006 .94810 + .00009 .94820 + .00012 .94840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434520 7434522 7434526 7434528 7434532	7434523	.949 .949 .949 .949 .949	MASTER .0005 .002 .004 .008 AND UP	.94900 + .00003 .94900 + .00006 .94910 + .00009 .94920 + .00012 .94940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434536 7434538 7434542 7434544 7434548	7434539	.950 .950 .950 .950 .950	MASTER .0005 .002 .004 .008 AND UP	.95000 + .00003 .95000 + .00006 .95010 + .00009 .95020 + .00012 .95040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434552 7434554 7434558 7434560 7434564	7434555	.951 .951 .951 .951 .951	MASTER .0005 .002 .004 .008 AND UP	.95100 + .00003 .95100 + .00006 .95110 + .00009 .95120 + .00012 .95140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7434568	7434571	.952	MASTER	.95200 + .00003	.030	2
	7434570		.952	.0005	.95200 + .00006	.030	4
	7434574		.952	.002	.95210 + .00009	.030	4
	7434576		.952	.004	.95220 + .00012	.030	8
	7434580		.952	.008 AND UP	.95240 + .00030	.030	8
3 3 3 3 3	7434584	7434587	.953	MASTER	.95300 + .00003	.030	2
	7434586		.953	.0005	.95300 + .00006	.030	4
	7434590		.953	.002	.95310 + .00009	.030	4
	7434592		.953	.004	.95320 + .00012	.030	8
	7434596		.953	.008 AND UP	.95340 + .00030	.030	8
3 3 3 3 3	7434600	7434603	.954	MASTER	.95400 + .00003	.030	2
	7434602		.954	.0005	.95400 + .00006	.030	4
	7434606		.954	.002	.95410 + .00009	.030	4
	7434608		.954	.004	.95420 + .00012	.030	8
	7434612		.954	.008 AND UP	.95440 + .00030	.030	8
3 3 3 3 3	7434616	7434619	.955	MASTER	.95500 + .00003	.030	2
	7434618		.955	.0005	.95500 + .00006	.030	4
	7434622		.955	.002	.95510 + .00009	.030	4
	7434624		.955	.004	.95520 + .00012	.030	8
	7434628		.955	.008 AND UP	.95540 + .00030	.030	8
3 3 3 3 3	7434632	7434635	.956	MASTER	.95600 + .00003	.030	2
	7434634		.956	.0005	.95600 + .00006	.030	4
	7434638		.956	.002	.95610 + .00009	.030	4
	7434640		.956	.004	.95620 + .00012	.030	8
	7434644		.956	.008 AND UP	.95640 + .00030	.030	8
3 3 3 3 3	7434648	7434651	.957	MASTER	.95700 + .00003	.030	2
	7434650		.957	.0005	.95700 + .00006	.030	4
	7434654		.957	.002	.95710 + .00009	.030	4
	7434656		.957	.004	.95720 + .00012	.030	8
	7434660		.957	.008 AND UP	.95740 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434664	7434667	.958	MASTER	.95800 + .00003	.030	2
3	7434666		.958	.0005	.95800 + .00006	.030	4
3	7434670		.958	.002	.95810 + .00009	.030	4
3	7434672		.958	.004	.95820 + .00012	.030	8
3	7434676		.958	.008 AND UP	.95840 + .00030	.030	8
3	7434680	7434683	.959	MASTER	.95900 + .00003	.030	2
3	7434682		.959	.0005	.95900 + .00006	.030	4
3	7434686		.959	.002	.95910 + .00009	.030	4
3	7434688		.959	.004	.95920 + .00012	.030	8
3	7434692		.959	.008 AND UP	.95940 + .00030	.030	8
3	7434696	7434699	.960	MASTER	.96000 + .00003	.030	2
3	7434698		.960	.0005	.96000 + .00006	.030	4
3	7434702		.960	.002	.96010 + .00009	.030	4
3	7434704		.960	.004	.96020 + .00012	.030	8
3	7434708		.960	.008 AND UP	.96040 + .00030	.030	8
3	7434712	7434715	.961	MASTER	.96100 + .00003	.030	2
3	7434714		.961	.0005	.96100 + .00006	.030	4
3	7434718		.961	.002	.96110 + .00009	.030	4
3	7434720		.961	.004	.96120 + .00012	.030	8
3	7434724		.961	.008 AND UP	.96140 + .00030	.030	8
3	7434728	7434731	.962	MASTER	.96200 + .00003	.030	2
3	7434730		.962	.0005	.96200 + .00006	.030	4
3	7434734		.962	.002	.96210 + .00009	.030	4
3	7434736		.962	.004	.96220 + .00012	.030	8
3	7434740		.962	.008 AND UP	.96240 + .00030	.030	8
3	7434744	7434747	.963	MASTER	.96300 + .00003	.030	2
3	7434746		.963	.0005	.96300 + .00006	.030	4
3	7434750		.963	.002	.96310 + .00009	.030	4
3	7434752		.963	.004	.96320 + .00012	.030	8
3	7434756		.963	.008 AND UP	.96340 + .00030	.030	8

 MIL-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7434760 7434762 7434766 7434768 7434772	7434763	.964 .964 .964 .964 .964	MASTER .0005 .002 .004 .008 AND UP	.96400 + .00003 .96400 + .00006 .96410 + .00009 .96420 + .00012 .96440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434776 7434778 7434782 7434784 7434788	7434779	.965 .965 .965 .965 .965	MASTER .0005 .002 .004 .008 AND UP	.96500 + .00003 .96500 + .00006 .96510 + .00009 .96520 + .00012 .96540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434792 7434794 7434798 7434800 7434804	7434795	.966 .966 .966 .966 .966	MASTER .0005 .002 .004 .008 AND UP	.96600 + .00003 .96600 + .00006 .96610 + .00009 .96620 + .00012 .96640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434808 7434810 7434814 7434816 7434820	7434811	.967 .967 .967 .967 .967	MASTER .0005 .002 .004 .008 AND UP	.96700 + .00003 .96700 + .00006 .96710 + .00009 .96720 + .00012 .96740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434824 7434826 7434830 7434832 7434836	7434827	.968 .968 .968 .968 .968	MASTER .0005 .002 .004 .008 AND UP	.96800 + .00003 .96800 + .00006 .96810 + .00009 .96820 + .00012 .96840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7434840 7497510 7497514 7497516 7497520	7497511	.96875 .96875 .96875 .96875 .96875	MASTER .0005 .002 .004 .008 AND UP	.96875 + .00003 .96875 + .00006 .96885 + .00009 .96895 + .00012 .96915 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7434842	7434845	.969	MASTER	.96900 + .00003	.030	2
3	7434844		.969	.0005	.96900 + .00006	.030	4
3	7434848		.969	.002	.96910 + .00009	.030	4
3	7434850		.969	.004	.96920 + .00012	.030	8
3	7434854		.969	.008 AND UP	.96940 + .00030	.030	8
3	7434858	7434861	.970	MASTER	.97000 + .00003	.030	2
3	7434860		.970	.0005	.97000 + .00006	.030	4
3	7434864		.970	.002	.97010 + .00009	.030	4
3	7434866		.970	.004	.97020 + .00012	.030	8
3	7434870		.970	.008 AND UP	.97040 + .00030	.030	8
3	7434874	7434877	.971	MASTER	.97100 + .00003	.030	2
3	7434876		.971	.0005	.97100 + .00006	.030	4
3	7434880		.971	.002	.97110 + .00009	.030	4
3	7434882		.971	.004	.97120 + .00012	.030	8
3	7434886		.971	.008 AND UP	.97140 + .00030	.030	8
3	7434890	7434893	.972	MASTER	.97200 + .00003	.030	2
3	7434892		.972	.0005	.97200 + .00006	.030	4
3	7434896		.972	.002	.97210 + .00009	.030	4
3	7434898		.972	.004	.97220 + .00012	.030	8
3	7434902		.972	.008 AND UP	.97240 + .00030	.030	8
3	7434906	7434909	.973	MASTER	.97300 + .00003	.030	2
3	7434908		.973	.0005	.97300 + .00006	.030	4
3	7434912		.973	.002	.97310 + .00009	.030	4
3	7434914		.973	.004	.97320 + .00012	.030	8
3	7434918		.973	.008 AND UP	.97340 + .00030	.030	8
3	7434922	7434925	.974	MASTER	.97400 + .00003	.030	2
3	7434924		.974	.0005	.97400 + .00006	.030	4
3	7434928		.974	.002	.97410 + .00009	.030	4
3	7434930		.974	.004	.97420 + .00012	.030	8
3	7434934		.974	.008 AND UP	.97440 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7434938 7434940 7434944 7434946 7434950	7434941	.975 .975 .975 .975 .975	MASTER .0005 .002 .004 .008 AND UP	.97500 + .00003 .97500 + .00006 .97510 + .00009 .97520 + .00012 .97540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7434954 7434956 7434960 7434962 7434966		7434957	.976 .976 .976 .976 .976	MASTER .0005 .002 .004 .008 AND UP	.97600 + .00003 .97600 + .00006 .97610 + .00009 .97620 + .00012 .97640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7434970 7434972 7434976 7434978 7434982			7434973	.977 .977 .977 .977 .977	MASTER .0005 .002 .004 .008 AND UP	.97700 + .00003 .97700 + .00006 .97710 + .00009 .97720 + .00012 .97740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7434986 7434988 7434992 7434994 7434998				7434989	.978 .978 .978 .978 .978	MASTER .0005 .002 .004 .008 AND UP	.97800 + .00003 .97800 + .00006 .97810 + .00009 .97820 + .00012 .97840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7435002 7435004 7435008 7435010 7435014					7435005	.979 .979 .979 .979 .979	MASTER .0005 .002 .004 .008 AND UP	.97900 + .00003 .97900 + .00006 .97910 + .00009 .97920 + .00012 .97940 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7435018 7435020 7435024 7435026 7435030	7435021					.980 .980 .980 .980 .980	MASTER .0005 .002 .004 .008 AND UP	.98000 + .00003 .98000 + .00006 .98010 + .00009 .98020 + .00012 .98040 + .00030	.030 .030 .030 .030 .030

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7435034	7435037	.981	MASTER	.98100 + .00003	.030	2
	7435036		.981	.0005	.98100 + .00006	.030	4
	7435040		.981	.002	.98110 + .00009	.030	4
	7435042		.981	.004	.98120 + .00012	.030	8
	7435046		.981	.008 AND UP	.98140 + .00030	.030	8
3 3 3 3 3	7435050	7435053	.982	MASTER	.98200 + .00003	.030	2
	7435052		.982	.0005	.98200 + .00006	.030	4
	7435056		.982	.002	.98210 + .00009	.030	4
	7435058		.982	.004	.98220 + .00012	.030	8
	7435062		.982	.008 AND UP	.98240 + .00030	.030	8
3 3 3 3 3	7435066	7435069	.983	MASTER	.98300 + .00003	.030	2
	7435068		.983	.0005	.98300 + .00006	.030	4
	7435072		.983	.002	.98310 + .00009	.030	4
	7435074		.983	.004	.98320 + .00012	.030	8
	7435078		.983	.008 AND UP	.98340 + .00030	.030	8
3 3 3 3 3	7435082	7435085	.984	MASTER	.98400 + .00003	.030	2
	7435084		.984	.0005	.98400 + .00006	.030	4
	7435088		.984	.002	.98410 + .00009	.030	4
	7435090		.984	.004	.98420 + .00012	.030	8
	7435094		.984	.008 AND UP	.98440 + .00030	.030	8
3 3 3 3 3	7435098	7435101	.985	MASTER	.98500 + .00003	.030	2
	7435100		.985	.0005	.98500 + .00006	.030	4
	7435104		.985	.002	.98510 + .00009	.030	4
	7435106		.985	.004	.98520 + .00012	.030	8
	7435110		.985	.008 AND UP	.98540 + .00030	.030	8
3 3 3 3 3	7435114	7435117	.986	MASTER	.98600 + .00003	.030	2
	7435116		.986	.0005	.98600 + .00006	.030	4
	7435120		.986	.002	.98610 + .00009	.030	4
	7435122		.986	.004	.98620 + .00012	.030	8
	7435126		.986	.008 AND UP	.98640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435130	7435133	.987	MASTER	.98700 + .00003	.030	2
3	7435132		.987	.0005	.98700 + .00006	.030	4
3	7435136		.987	.002	.98710 + .00009	.030	4
3	7435138		.987	.004	.98720 + .00012	.030	8
3	7435142		.987	.008 AND UP	.98740 + .00030	.030	8
3	7435146	7435149	.988	MASTER	.98800 + .00003	.030	2
3	7435148		.988	.0005	.98800 + .00006	.030	4
3	7435152		.988	.002	.98810 + .00009	.030	4
3	7435154		.988	.004	.98820 + .00012	.030	8
3	7435158		.988	.008 AND UP	.98840 + .00030	.030	8
3	7435162	7435165	.989	MASTER	.98900 + .00003	.030	2
3	7435164		.989	.0005	.98900 + .00006	.030	4
3	7435168		.989	.002	.98910 + .00009	.030	4
3	7435170		.989	.004	.98920 + .00012	.030	8
3	7435174		.989	.008 AND UP	.98940 + .00030	.030	8
3	7435178	7435181	.990	MASTER	.99000 + .00003	.030	2
3	7435180		.990	.0005	.99000 + .00006	.030	4
3	7435184		.990	.002	.99010 + .00009	.030	4
3	7435186		.990	.004	.99020 + .00012	.030	8
3	7435190		.990	.008 AND UP	.99040 + .00030	.030	8
3	7435194	7435197	.991	MASTER	.99100 + .00003	.030	2
3	7435196		.991	.0005	.99100 + .00006	.030	4
3	7435200		.991	.002	.99110 + .00009	.030	4
3	7435202		.991	.004	.99120 + .00012	.030	8
3	7435206		.991	.008 AND UP	.99140 + .00030	.030	8
3	7435210	7435213	.992	MASTER	.99200 + .00003	.030	2
3	7435212		.992	.0005	.99200 + .00006	.030	4
3	7435216		.992	.002	.99210 + .00009	.030	4
3	7435218		.992	.004	.99220 + .00012	.030	8
3	7435222		.992	.008 AND UP	.99240 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7435226	7435229	.993	MASTER	.99300 + .00003	.030	2
	7435228		.993	.0005	.99300 + .00006	.030	4
	7435232		.993	.002	.99310 + .00009	.030	4
	7435234		.993	.004	.99320 + .00012	.030	8
	7435238		.993	.008 AND UP	.99340 + .00030	.030	8
3 3 3 3 3	7435242	7435245	.994	MASTER	.99400 + .00003	.030	2
	7435244		.994	.0005	.99400 + .00006	.030	4
	7435248		.994	.002	.99410 + .00009	.030	4
	7435250		.994	.004	.99420 + .00012	.030	8
	7435254		.994	.008 AND UP	.99440 + .00030	.030	8
3 3 3 3 3	7435258	7435261	.995	MASTER	.99500 + .00003	.030	2
	7435260		.995	.0005	.99500 + .00006	.030	4
	7435264		.995	.002	.99510 + .00009	.030	4
	7435266		.995	.004	.99520 + .00012	.030	8
	7435270		.995	.008 AND UP	.99540 + .00030	.030	8
3 3 3 3 3	7435274	7435277	.996	MASTER	.99600 + .00003	.030	2
	7435276		.996	.0005	.99600 + .00006	.030	4
	7435280		.996	.002	.99610 + .00009	.030	4
	7435282		.996	.004	.99620 + .00012	.030	8
	7435286		.996	.008 AND UP	.99640 + .00030	.030	8
3 3 3 3 3	7435290	7435293	.997	MASTER	.99700 + .00003	.030	2
	7435292		.997	.0005	.99700 + .00006	.030	4
	7435296		.997	.002	.99710 + .00009	.030	4
	7435298		.997	.004	.99720 + .00012	.030	8
	7435302		.997	.008 AND UP	.99740 + .00030	.030	8
3 3 3 3 3	7435306	7435309	.998	MASTER	.99800 + .00003	.030	2
	7435308		.998	.0005	.99800 + .00006	.030	4
	7435312		.998	.002	.99810 + .00009	.030	4
	7435314		.998	.004	.99820 + .00012	.030	8
	7435318		.998	.008 AND UP	.99840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435322	7435325	.999	MASTER	.99900 + .00003	.030	2
3	7435324		.999	.0005	.99900 + .00006	.030	4
3	7435328		.999	.002	.99910 + .00009	.030	4
3	7435330		.999	.004	.99920 + .00012	.030	8
3	7435334		.999	.008 AND UP	.99940 + .00030	.030	8
3	7435338	7435341	1.000	MASTER	1.00000 + .00003	.030	2
3	7435340		1.000	.0005	1.00000 + .00006	.030	4
3	7435344		1.000	.002	1.00010 + .00009	.030	4
3	7435346		1.000	.004	1.00020 + .00012	.030	8
3	7435350		1.000	.008 AND UP	1.00040 + .00030	.030	8
3	7435354	7435357	1.001	MASTER	1.00100 + .00003	.030	2
3	7435356		1.001	.0005	1.00100 + .00006	.030	4
3	7435360		1.001	.002	1.00110 + .00009	.030	4
3	7435362		1.001	.004	1.00120 + .00012	.030	8
3	7435366		1.001	.008 AND UP	1.00140 + .00030	.030	8
3	7435370	7435373	1.002	MASTER	1.00200 + .00003	.030	2
3	7435372		1.002	.0005	1.00200 + .00006	.030	4
3	7435376		1.002	.002	1.00210 + .00009	.030	4
3	7435378		1.002	.004	1.00220 + .00012	.030	8
3	7435382		1.002	.008 AND UP	1.00240 + .00030	.030	8
3	7435386	7435389	1.003	MASTER	1.00300 + .00003	.030	2
3	7435388		1.003	.0005	1.00300 + .00006	.030	4
3	7435392		1.003	.002	1.00310 + .00009	.030	4
3	7435394		1.003	.004	1.00320 + .00012	.030	8
3	7435398		1.003	.008 AND UP	1.00340 + .00030	.030	8
3	7435402	7435405	1.004	MASTER	1.00400 + .00003	.030	2
3	7435404		1.004	.0005	1.00400 + .00006	.030	4
3	7435408		1.004	.002	1.00410 + .00009	.030	4
3	7435410		1.004	.004	1.00420 + .00012	.030	8
3	7435414		1.004	.008 AND UP	1.00440 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

Table I. Tabulation of Design and Dimensional Data							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7435418	7435421	1.005	MASTER	1.00500 + .00003	.030	2
	7435420		1.005	.0005	1.00500 + .00006	.030	4
	7435424		1.005	.002	1.00510 + .00009	.030	4
	7435426		1.005	.004	1.00520 + .00012	.030	8
	7435430		1.005	.008 AND UP	1.00540 + .00030	.030	8
3 3 3 3 3	7435434	7435437	1.006	MASTER	1.00600 + .00003	.030	2
	7435436		1.006	.0005	1.00600 + .00006	.030	4
	7435440		1.006	.002	1.00610 + .00009	.030	4
	7435442		1.006	.004	1.00620 + .00012	.030	8
	7435446		1.006	.008 AND UP	1.00640 + .00030	.030	8
3 3 3 3 3	7435450	7435453	1.007	MASTER	1.00700 + .00003	.030	2
	7435452		1.007	.0005	1.00700 + .00006	.030	4
	7435456		1.007	.002	1.00710 + .00009	.030	4
	7435458		1.007	.004	1.00720 + .00012	.030	8
	7435462		1.007	.008 AND UP	1.00740 + .00030	.030	8
3 3 3 3 3	7435466	7435469	1.008	MASTER	1.00800 + .00003	.030	2
	7435468		1.008	.0005	1.00800 + .00006	.030	4
	7435472		1.008	.002	1.00810 + .00009	.030	4
	7435474		1.008	.004	1.00820 + .00012	.030	8
	7435478		1.008	.008 AND UP	1.00840 + .00030	.030	8
3 3 3 3 3	7435482	7435485	1.009	MASTER	1.00900 + .00003	.030	2
	7435484		1.009	.0005	1.00900 + .00006	.030	4
	7435488		1.009	.002	1.00910 + .00009	.030	4
	7435490		1.009	.004	1.00920 + .00012	.030	8
	7435494		1.009	.008 AND UP	1.00940 + .00030	.030	8
3 3 3 3 3	7435498	7435501	1.010	MASTER	1.01000 + .00003	.030	2
	7435500		1.010	.0005	1.01000 + .00006	.030	4
	7435504		1.010	.002	1.01010 + .00009	.030	4
	7435506		1.010	.004	1.01020 + .00012	.030	8
	7435510		1.010	.008 AND UP	1.01040 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7435514 7435516 7435520 7435522 7435526	7435517	1.011 1.011 1.011 1.011 1.011	MASTER .0005 .002 .004 .008 AND UP	1.01100 + .00003 1.01100 + .00006 1.01110 + .00009 1.01120 + .00012 1.01140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7435530 7435532 7435536 7435538 7435542		7435533	1.012 1.012 1.012 1.012 1.012	MASTER .0005 .002 .004 .008 AND UP	1.01200 + .00003 1.01200 + .00006 1.01210 + .00009 1.01220 + .00012 1.01240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7435546 7435548 7435552 7435554 7435558			7435549	1.013 1.013 1.013 1.013 1.013	MASTER .0005 .002 .004 .008 AND UP	1.01300 + .00003 1.01300 + .00006 1.01310 + .00009 1.01320 + .00012 1.01340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7435562 7435564 7435568 7435570 7435574				7435565	1.014 1.014 1.014 1.014 1.014	MASTER .0005 .002 .004 .008 AND UP	1.01400 + .00003 1.01400 + .00006 1.01410 + .00009 1.01420 + .00012 1.01440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7435578 7435580 7435584 7435586 7435590					7435581	1.015 1.015 1.015 1.015 1.015	MASTER .0005 .002 .004 .008 AND UP	1.01500 + .00003 1.01500 + .00006 1.01510 + .00009 1.01520 + .00012 1.01540 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7435594 7435596 7435600 7435602 7435606	7435597					1.016 1.016 1.016 1.016 1.016	MASTER .0005 .002 .004 .008 AND UP	1.01600 + .00003 1.01600 + .00006 1.01610 + .00009 1.01620 + .00012 1.01640 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

Table 1. Tabulation of Design and Tolerances							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3 3	7435610	7435613	1.017	MASTER	1.01700 + .00003	.030	2
	7435612		1.017	.0005	1.01700 + .00006	.030	4
	7435616		1.017	.002	1.01710 + .00009	.030	4
	7435618		1.017	.004	1.01720 + .00012	.030	8
	7435622		1.017	.008 AND UP	1.01740 + .00030	.030	8
3 3 3 3 3 3	7435626	7435629	1.018	MASTER	1.01800 + .00003	.030	2
	7435628		1.018	.0005	1.01800 + .00006	.030	4
	7435632		1.018	.002	1.01810 + .00009	.030	4
	7435634		1.018	.004	1.01820 + .00012	.030	8
	7435638		1.018	.008 AND UP	1.01840 + .00030	.030	8
3 3 3 3 3 3	7435642	7435645	1.019	MASTER	1.01900 + .00003	.030	2
	7435644		1.019	.0005	1.01900 + .00006	.030	4
	7435648		1.019	.002	1.01910 + .00009	.030	4
	7435650		1.019	.004	1.01920 + .00012	.030	8
	7435654		1.019	.008 AND UP	1.01940 + .00030	.030	8
3 3 3 3 3 3	7435658	7435661	1.020	MASTER	1.02000 + .00003	.030	2
	7435660		1.020	.0005	1.02000 + .00006	.030	4
	7435664		1.020	.002	1.02010 + .00009	.030	4
	7435666		1.020	.004	1.02020 + .00012	.030	8
	7435670		1.020	.008 AND UP	1.02040 + .00030	.030	8
3 3 3 3 3 3	7435674	7435677	1.021	MASTER	1.02100 + .00003	.030	2
	7435676		1.021	.0005	1.02100 + .00006	.030	4
	7435680		1.021	.002	1.02110 + .00009	.030	4
	7435682		1.021	.004	1.02120 + .00012	.030	8
	7435686		1.021	.008 AND UP	1.02140 + .00030	.030	8
3 3 3 3 3 3	7435690	7435693	1.022	MASTER	1.02200 + .00003	.030	2
	7435692		1.022	.0005	1.02200 + .00006	.030	4
	7435696		1.022	.002	1.02210 + .00009	.030	4
	7435698		1.022	.004	1.02220 + .00012	.030	8
	7435702		1.022	.008 AND UP	1.02240 + .00030	.030	8

MIL-STD-1104
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435706	7435709	1.023	MASTER	1.02300 + .00003	.030	2
3	7435708		1.023	.0005	1.02300 + .00006	.030	4
3	7435712		1.023	.002	1.02310 + .00009	.030	4
3	7435714		1.023	.004	1.02320 + .00012	.030	8
3	7435718		1.023	.008 AND UP	1.02340 + .00030	.030	8
3	7435722	7435725	1.024	MASTER	1.02400 + .00003	.030	2
3	7435724		1.024	.0005	1.02400 + .00006	.030	4
3	7435728		1.024	.002	1.02410 + .00009	.030	4
3	7435730		1.024	.004	1.02420 + .00012	.030	8
3	7435734		1.024	.008 AND UP	1.02440 + .00030	.030	8
3	7435738	7435741	1.025	MASTER	1.02500 + .00003	.030	2
3	7435740		1.025	.0005	1.02500 + .00006	.030	4
3	7435744		1.025	.002	1.02510 + .00009	.030	4
3	7435746		1.025	.004	1.02520 + .00012	.030	8
3	7435750		1.025	.008 AND UP	1.02540 + .00030	.030	8
3	7435754	7435757	1.026	MASTER	1.02600 + .00003	.030	2
3	7435756		1.026	.0005	1.02600 + .00006	.030	4
3	7435760		1.026	.002	1.02610 + .00009	.030	4
3	7435762		1.026	.004	1.02620 + .00012	.030	8
3	7435766		1.026	.008 AND UP	1.02640 + .00030	.030	8
3	7435770	7435773	1.027	MASTER	1.02700 + .00003	.030	2
3	7435772		1.027	.0005	1.02700 + .00006	.030	4
3	7435776		1.027	.002	1.02710 + .00009	.030	4
3	7435778		1.027	.004	1.02720 + .00012	.030	8
3	7435782		1.027	.008 AND UP	1.02740 + .00030	.030	8
3	7435786	7435789	1.028	MASTER	1.02800 + .00003	.030	2
3	7435788		1.028	.0005	1.02800 + .00006	.030	4
3	7435792		1.028	.002	1.02810 + .00009	.030	4
3	7435794		1.028	.004	1.02820 + .00012	.030	8
3	7435798		1.028	.008 AND UP	1.02840 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7435802 7435804 7435808 7435810 7435814	7435805	1.029 1.029 1.029 1.029 1.029	MASTER .0005 .002 .004 .008 AND UP	1.02300 + .00003 1.02900 + .00006 1.02910 + .00009 1.02920 + .00012 1.02940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7435818 7435820 7435824 7435826 7435830		7435821	1.030 1.030 1.030 1.030 1.030	MASTER .0005 .002 .004 .008 AND UP	1.03000 + .00003 1.03000 + .00006 1.03010 + .00009 1.03020 + .00012 1.03040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7435834 7435836 7435840 7435842 7435846			7435837	1.031 1.031 1.031 1.031 1.031	MASTER .0005 .002 .004 .008 AND UP	1.03100 + .00003 1.03100 + .00006 1.03110 + .00009 1.03120 + .00012 1.03140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7435850 7497524 7497528 7497530 7497534				7497525	1.03125 1.03125 1.03125 1.03125 1.03125	MASTER .0005 .002 .004 .008 AND UP	1.03125 + .00003 1.03125 + .00006 1.03135 + .00009 1.03145 + .00012 1.03165 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7435852 7435854 7435858 7435860 7435864					7435855	1.032 1.032 1.032 1.032 1.032	MASTER .0005 .002 .004 .008 AND UP	1.03200 + .00003 1.03200 + .00006 1.03210 + .00009 1.03220 + .00012 1.03240 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7435868 7435870 7435874 7435876 7435880	7435871					1.033 1.033 1.033 1.033 1.033	MASTER .0005 .002 .004 .008 AND UP	1.03300 + .00003 1.03300 + .00006 1.03310 + .00009 1.03320 + .00012 1.03340 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7435884	7435887	1.034	MASTER	1.03400 + .00003	.030	2
3	7435886		1.034	.0005	1.03400 + .00006	.030	4
3	7435890		1.034	.002	1.03410 + .00009	.030	4
3	7435892		1.034	.004	1.03420 + .00012	.030	8
3	7435896		1.034	.008 AND UP	1.03440 + .00030	.030	8
3	7435900	7435903	1.035	MASTER	1.03500 + .00003	.030	2
3	7435902		1.035	.0005	1.03500 + .00006	.030	4
3	7435906		1.035	.002	1.03510 + .00009	.030	4
3	7435908		1.035	.004	1.03520 + .00012	.030	8
3	7435912		1.035	.008 AND UP	1.03540 + .00030	.030	8
3	7435916	7435919	1.036	MASTER	1.03600 + .00003	.030	2
3	7435918		1.036	.0005	1.03600 + .00006	.030	4
3	7435922		1.036	.002	1.03610 + .00009	.030	4
3	7435924		1.036	.004	1.03620 + .00012	.030	8
3	7435928		1.036	.008 AND UP	1.03640 + .00030	.030	8
3	7435932	7435935	1.037	MASTER	1.03700 + .00003	.030	2
3	7435934		1.037	.0005	1.03700 + .00006	.030	4
3	7435938		1.037	.002	1.03710 + .00009	.030	4
3	7435940		1.037	.004	1.03720 + .00012	.030	8
3	7435944		1.037	.008 AND UP	1.03740 + .00030	.030	8
3	7435948	7435951	1.038	MASTER	1.03800 + .00003	.030	2
3	7435950		1.038	.0005	1.03800 + .00006	.030	4
3	7435954		1.038	.002	1.03810 + .00009	.030	4
3	7435956		1.038	.004	1.03820 + .00012	.030	8
3	7435960		1.038	.008 AND UP	1.03840 + .00030	.030	8
3	7435964	7435967	1.039	MASTER	1.03900 + .00003	.030	2
3	7435966		1.039	.0005	1.03900 + .00006	.030	4
3	7435970		1.039	.002	1.03910 + .00009	.030	4
3	7435972		1.039	.004	1.03920 + .00012	.030	8
3	7435976		1.039	.008 AND UP	1.03940 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 mm 3	7435980	7435983	1.040	MASTER	1.04000 + .00003	.030	2
	7435982		1.040	.0005	1.04000 + .00006	.030	4
	7435986		1.040	.002	1.04010 + .00009	.030	4
	7435988		1.040	.004	1.04020 + .00012	.030	8
	7435992		1.040	.008 AND UP	1.04040 + .00030	.030	8
3 mm 3	7435996	7435999	1.041	MASTER	1.04100 + .00003	.030	2
	7435998		1.041	.0005	1.04100 + .00006	.030	4
	7436002		1.041	.002	1.04110 + .00009	.030	4
	7436004		1.041	.004	1.04120 + .00012	.030	8
	7436008		1.041	.008 AND UP	1.04140 + .00030	.030	8
3 mm 3	7436012	7436015	1.042	MASTER	1.04200 + .00003	.030	2
	7436014		1.042	.0005	1.04200 + .00006	.030	4
	7436018		1.042	.002	1.04210 + .00009	.030	4
	7436020		1.042	.004	1.04220 + .00012	.030	8
	7436024		1.042	.008 AND UP	1.04240 + .00030	.030	8
3 mm 3	7436028	7436031	1.043	MASTER	1.04300 + .00003	.030	2
	7436030		1.043	.0005	1.04300 + .00006	.030	4
	7436034		1.043	.002	1.04310 + .00009	.030	4
	7436036		1.043	.004	1.04320 + .00012	.030	8
	7436040		1.043	.008 AND UP	1.04340 + .00030	.030	8
3 mm 3	7436044	7436047	1.044	MASTER	1.04400 + .00003	.030	2
	7436046		1.044	.0005	1.04400 + .00006	.030	4
	7436050		1.044	.002	1.04410 + .00009	.030	4
	7436052		1.044	.004	1.04420 + .00012	.030	8
	7436056		1.044	.008 AND UP	1.04440 + .00030	.030	8
3 mm 3	7436060	7436063	1.045	MASTER	1.04500 + .00003	.030	2
	7436062		1.045	.0005	1.04500 + .00006	.030	4
	7436066		1.045	.002	1.04510 + .00009	.030	4
	7436068		1.045	.004	1.04520 + .00012	.030	8
	7436072		1.045	.008 AND UP	1.04540 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7436076 7436078 7436082 7436084 7436088	7436079	1.046 1.046 1.046 1.046 1.046	MASTER .0005 .002 .004 .008 AND UP	1.04600 + .00003 1.04600 + .00006 1.04610 + .00009 1.04620 + .00012 1.04640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7436092 7436094 7436098 7436100 7436104		7436095	1.047 1.047 1.047 1.047 1.047	MASTER .0005 .002 .004 .008 AND UP	1.04700 + .00003 1.04700 + .00006 1.04710 + .00009 1.04720 + .00012 1.04740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7436108 7436110 7436114 7436116 7436120			7436111	1.048 1.048 1.048 1.048 1.048	MASTER .0005 .002 .004 .008 AND UP	1.04800 + .00003 1.04800 + .00006 1.04810 + .00009 1.04820 + .00012 1.04840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7436124 7436126 7436130 7436132 7436136				7436127	1.049 1.049 1.049 1.049 1.049	MASTER .0005 .002 .004 .008 AND UP	1.04900 + .00003 1.04900 + .00006 1.04910 + .00009 1.04920 + .00012 1.04940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436140 7436142 7436146 7436148 7436152					7436143	1.050 1.050 1.050 1.050 1.050	MASTER .0005 .002 .004 .008 AND UP	1.05000 + .00003 1.05000 + .00006 1.05010 + .00009 1.05020 + .00012 1.05040 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7436156 7436158 7436162 7436164 7436168	7436159					1.051 1.051 1.051 1.051 1.051	MASTER .0005 .002 .004 .008 AND UP	1.05100 + .00003 1.05100 + .00006 1.05110 + .00009 1.05120 + .00012 1.05140 + .00030	.030 .030 .030 .030 .030

 62
 8 December 1955
 MIL-STD-110A

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436172	7436175	1.052	MASTER	1.05200 + .00003	.030	2
	7436174		1.052	.0005	1.05200 + .00006	.030	4
	7436178		1.052	.002	1.05210 + .00009	.030	4
	7436180		1.052	.004	1.05220 + .00012	.030	8
	7436184		1.052	.008 AND UP	1.05240 + .00030	.030	8
3	7436188	7436191	1.053	MASTER	1.05300 + .00003	.030	2
	7436190		1.053	.0005	1.05300 + .00006	.030	4
	7436194		1.053	.002	1.05310 + .00009	.030	4
	7436196		1.053	.004	1.05320 + .00012	.030	8
	7436200		1.053	.008 AND UP	1.05340 + .00030	.030	8
3	7436204	7436207	1.054	MASTER	1.05400 + .00003	.030	2
	7436206		1.054	.0005	1.05400 + .00006	.030	4
	7436210		1.054	.002	1.05410 + .00009	.030	4
	7436212		1.054	.004	1.05420 + .00012	.030	8
	7436216		1.054	.008 AND UP	1.05440 + .00030	.030	8
3	7436220	7436223	1.055	MASTER	1.05500 + .00003	.030	2
	7436222		1.055	.0005	1.05500 + .00006	.030	4
	7436226		1.055	.002	1.05510 + .00009	.030	4
	7436228		1.055	.004	1.05520 + .00012	.030	8
	7436232		1.055	.008 AND UP	1.05540 + .00030	.030	8
3	7436236	7436239	1.056	MASTER	1.05600 + .00003	.030	2
	7436238		1.056	.0005	1.05600 + .00006	.030	4
	7436242		1.056	.002	1.05610 + .00009	.030	4
	7436244		1.056	.004	1.05620 + .00012	.030	8
	7436248		1.056	.008 AND UP	1.05640 + .00030	.030	8
3	7436252	7436255	1.057	MASTER	1.05700 + .00003	.030	2
	7436254		1.057	.0005	1.05700 + .00006	.030	4
	7436258		1.057	.002	1.05710 + .00009	.030	4
	7436260		1.057	.004	1.05720 + .00012	.030	8
	7436264		1.057	.008 AND UP	1.05740 + .00030	.030	8

JUL-STD-110A
6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7436268 7436270 7436274 7436276 7436280	7436271	1.058 1.058 1.058 1.058 1.058	MASTER .0005 .002 .004 .008 AND UP	1.05800 + .00003 1.05800 + .00006 1.05810 + .00009 1.05820 + .00012 1.05840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7436284 7436286 7436290 7436292 7436296		7436287	1.059 1.059 1.059 1.059 1.059	MASTER .0005 .002 .004 .008 AND UP	1.05900 + .00003 1.05900 + .00006 1.05910 + .00009 1.05920 + .00012 1.05940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7436300 7436302 7436305 7436308 7436312			7436303	1.060 1.060 1.060 1.060 1.060	MASTER .0005 .002 .004 .008 AND UP	1.06000 + .00003 1.06000 + .00006 1.06010 + .00009 1.06020 + .00012 1.06040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7436316 7436318 7436322 7436324 7436328				7436319	1.061 1.061 1.061 1.061 1.061	MASTER .0005 .002 .004 .008 AND UP	1.06100 + .00003 1.06100 + .00006 1.06110 + .00009 1.06120 + .00012 1.06140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436332 7436334 7436338 7436340 7436344					7436335	1.062 1.062 1.062 1.062 1.062	MASTER .0005 .002 .004 .008 AND UP	1.06200 + .00003 1.06200 + .00006 1.06210 + .00009 1.06220 + .00012 1.06240 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7436348 7497538 7497542 7497544 7497548	7497539					1.0625 1.0625 1.0625 1.0625 1.0625	MASTER .0005 .002 .004 .008 AND UP	1.06250 + .00003 1.06250 + .00006 1.06260 + .00009 1.06270 + .00012 1.06290 + .00030	.030 .030 .030 .030 .030

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436350	7436353	1.063	MASTER	1.06300 + .00003	.030	2
	7436352		1.063	.0005	1.06300 + .00006	.030	4
	7436356		1.063	.002	1.06310 + .00009	.030	4
	7436358		1.063	.004	1.06320 + .00012	.030	8
	7436362		1.063	.008 AND UP	1.06340 + .00030	.030	8
3	7436366	7436369	1.064	MASTER	1.06400 + .00003	.030	2
	7436368		1.064	.0005	1.06400 + .00006	.030	4
	7436372		1.064	.002	1.06410 + .00009	.030	4
	7436374		1.064	.004	1.06420 + .00012	.030	8
	7436378		1.064	.008 AND UP	1.06440 + .00030	.030	8
3	7436382	7436385	1.065	MASTER	1.06500 + .00003	.030	2
	7436384		1.065	.0005	1.06500 + .00006	.030	4
	7436388		1.065	.002	1.06510 + .00009	.030	4
	7436390		1.065	.004	1.06520 + .00012	.030	8
	7436394		1.065	.008 AND UP	1.06540 + .00030	.030	8
3	7436398	7436401	1.066	MASTER	1.06600 + .00003	.030	2
	7436400		1.066	.0005	1.06600 + .00006	.030	4
	7436404		1.066	.002	1.06610 + .00009	.030	4
	7436406		1.066	.004	1.06620 + .00012	.030	8
	7436410		1.066	.008 AND UP	1.06640 + .00030	.030	8
3	7436414	7436417	1.067	MASTER	1.06700 + .00003	.030	2
	7436416		1.067	.0005	1.06700 + .00006	.030	4
	7436420		1.067	.002	1.06710 + .00009	.030	4
	7436422		1.067	.004	1.06720 + .00012	.030	8
	7436426		1.067	.008 AND UP	1.06740 + .00030	.030	8
3	7436430	7436433	1.068	MASTER	1.06800 + .00003	.030	2
	7436432		1.068	.0005	1.06800 + .00006	.030	4
	7436436		1.068	.002	1.06810 + .00009	.030	4
	7436438		1.068	.004	1.06820 + .00012	.030	8
	7436442		1.068	.008 AND UP	1.06840 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436446	7436449	1.069	MASTER	1.06900 + .00003	.030	2
3	7436448		1.069	.0005	1.06900 + .00006	.030	4
3	7436452		1.069	.002	1.06910 + .00009	.030	4
3	7436454		1.069	.004	1.06920 + .00012	.030	8
3	7436458		1.069	.008 AND UP	1.06940 + .00030	.030	8
3	7436462	7436465	1.070	MASTER	1.07000 + .00003	.030	2
3	7436464		1.070	.0005	1.07000 + .00006	.030	4
3	7436468		1.070	.002	1.07010 + .00009	.030	4
3	7436470		1.070	.004	1.07020 + .00012	.030	8
3	7436474		1.070	.008 AND UP	1.07040 + .00030	.030	8
3	7436478	7436481	1.071	MASTER	1.07100 + .00003	.030	2
3	7436480		1.071	.0005	1.07100 + .00006	.030	4
3	7436484		1.071	.002	1.07110 + .00009	.030	4
3	7436486		1.071	.004	1.07120 + .00012	.030	8
3	7436490		1.071	.008 AND UP	1.07140 + .00030	.030	8
3	7436494	7436497	1.072	MASTER	1.07200 + .00003	.030	2
3	7436496		1.072	.0005	1.07200 + .00006	.030	4
3	7436500		1.072	.002	1.07210 + .00009	.030	4
3	7436502		1.072	.004	1.07220 + .00012	.030	8
3	7436506		1.072	.008 AND UP	1.07240 + .00030	.030	8
3	7436510	7436513	1.073	MASTER	1.07300 + .00003	.030	2
3	7436512		1.073	.0005	1.07300 + .00006	.030	4
3	7436516		1.073	.002	1.07310 + .00009	.030	4
3	7436518		1.073	.004	1.07320 + .00012	.030	8
3	7436522		1.073	.008 AND UP	1.07340 + .00030	.030	8
3	7436526	7436529	1.074	MASTER	1.07400 + .00003	.030	2
3	7436528		1.074	.0005	1.07400 + .00006	.030	4
3	7436532		1.074	.002	1.07410 + .00009	.030	4
3	7436534		1.074	.004	1.07420 + .00012	.030	8
3	7436538		1.074	.008 AND UP	1.07440 + .00030	.030	8

 8 December 1955
 MIL-STD-110A

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436542	7436545	1.075	MASTER	1.07500 + .00003	.030	2
3	7436544		1.075	.0005	1.07500 + .00006	.030	4
3	7436548		1.075	.002	1.07510 + .00009	.030	4
3	7436550		1.075	.004	1.07520 + .00012	.030	8
3	7436554		1.075	.008 AND UP	1.07540 + .00030	.030	8
3	7436558	7436561	1.076	MASTER	1.07600 + .00003	.030	2
3	7436560		1.076	.0005	1.07600 + .00006	.030	4
3	7436564		1.076	.002	1.07610 + .00009	.030	4
3	7436566		1.076	.004	1.07620 + .00012	.030	8
3	7436570		1.076	.008 AND UP	1.07640 + .00030	.030	8
3	7436574	7436577	1.077	MASTER	1.07700 + .00003	.030	2
3	7436576		1.077	.0005	1.07700 + .00006	.030	4
3	7436580		1.077	.002	1.07710 + .00009	.030	4
3	7436582		1.077	.004	1.07720 + .00012	.030	8
3	7436586		1.077	.008 AND UP	1.07740 + .00030	.030	8
3	7436590	7436593	1.078	MASTER	1.07800 + .00003	.030	2
3	7436592		1.078	.0005	1.07800 + .00006	.030	4
3	7436596		1.078	.002	1.07810 + .00009	.030	4
3	7436598		1.078	.004	1.07820 + .00012	.030	8
3	7436602		1.078	.008 AND UP	1.07840 + .00030	.030	8
3	7436606	7436609	1.079	MASTER	1.07900 + .00003	.030	2
3	7436608		1.079	.0005	1.07900 + .00006	.030	4
3	7436612		1.079	.002	1.07910 + .00009	.030	4
3	7436614		1.079	.004	1.07920 + .00012	.030	8
3	7436618		1.079	.008 AND UP	1.07940 + .00030	.030	8
3	7436622	7436625	1.080	MASTER	1.08000 + .00003	.030	2
3	7436624		1.080	.0005	1.08000 + .00006	.030	4
3	7436628		1.080	.002	1.08010 + .00009	.030	4
3	7436630		1.080	.004	1.08020 + .00012	.030	8
3	7436634		1.080	.008 AND UP	1.08040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7436638	7436641	1.081	MASTER	1.08100 + .00003	.030	2
3	7436640		1.081	.0005	1.08100 + .00006	.030	4
3	7436644		1.081	.002	1.08110 + .00009	.030	4
3	7436646		1.081	.004	1.08120 + .00012	.030	8
3	7436650		1.081	.008 AND UP	1.08140 + .00030	.030	8
3	7436654	7436657	1.082	MASTER	1.08200 + .00003	.030	2
3	7436656		1.082	.0005	1.08200 + .00006	.030	4
3	7436660		1.082	.002	1.08210 + .00009	.030	4
3	7436662		1.082	.004	1.08220 + .00012	.030	8
3	7436666		1.082	.008 AND UP	1.08240 + .00030	.030	8
3	7436670	7436673	1.083	MASTER	1.08300 + .00003	.030	2
3	7436672		1.083	.0005	1.08300 + .00006	.030	4
3	7436676		1.083	.002	1.08310 + .00009	.030	4
3	7436678		1.083	.004	1.08320 + .00012	.030	8
3	7436682		1.083	.008 AND UP	1.08340 + .00030	.030	8
3	7436686	7436689	1.084	MASTER	1.08400 + .00003	.030	2
3	7436688		1.084	.0005	1.08400 + .00006	.030	4
3	7436692		1.084	.002	1.08410 + .00009	.030	4
3	7436694		1.084	.004	1.08420 + .00012	.030	8
3	7436698		1.084	.008 AND UP	1.08440 + .00030	.030	8
3	7436702	7436705	1.085	MASTER	1.08500 + .00003	.030	2
3	7436704		1.085	.0005	1.08500 + .00006	.030	4
3	7436708		1.085	.002	1.08510 + .00009	.030	4
3	7436710		1.085	.004	1.08520 + .00012	.030	8
3	7436714		1.085	.008 AND UP	1.08540 + .00030	.030	8
3	7436718	7436721	1.086	MASTER	1.08600 + .00003	.030	2
3	7436720		1.086	.0005	1.08600 + .00006	.030	4
3	7436724		1.086	.002	1.08610 + .00009	.030	4
3	7436726		1.086	.004	1.08620 + .00012	.030	8
3	7436730		1.086	.008 AND UP	1.08640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7436734	7436737	1.087	MASTER	1.08700 + .00003	.030	2
	7436736		1.087	.0005	1.08700 + .00006	.030	4
	7436740		1.087	.002	1.08710 + .00009	.030	4
	7436742		1.087	.004	1.08720 + .00012	.030	8
	7436746		1.087	.008 AND UP	1.08740 + .00030	.030	8
3 3 3 3 3	7436750	7436753	1.088	MASTER	1.08800 + .00003	.030	2
	7436752		1.088	.0005	1.08800 + .00006	.030	4
	7436756		1.088	.002	1.08810 + .00009	.030	4
	7436758		1.088	.004	1.08820 + .00012	.030	8
	7436762		1.088	.008 AND UP	1.08840 + .00030	.030	8
3 3 3 3 3	7436766	7436769	1.089	MASTER	1.08900 + .00003	.030	2
	7436768		1.089	.0005	1.08900 + .00006	.030	4
	7436772		1.089	.002	1.08910 + .00009	.030	4
	7436774		1.089	.004	1.08920 + .00012	.030	8
	7436778		1.089	.008 AND UP	1.08940 + .00030	.030	8
3 3 3 3 3	7436782	7436785	1.090	MASTER	1.09000 + .00003	.030	2
	7436784		1.090	.0005	1.09000 + .00006	.030	4
	7436788		1.090	.002	1.09010 + .00009	.030	4
	7436790		1.090	.004	1.09020 + .00012	.030	8
	7436794		1.090	.008 AND UP	1.09040 + .00030	.030	8
3 3 3 3 3	7436798	7436801	1.091	MASTER	1.09100 + .00003	.030	2
	7436800		1.091	.0005	1.09100 + .00006	.030	4
	7436804		1.091	.002	1.09110 + .00009	.030	4
	7436806		1.091	.004	1.09120 + .00012	.030	8
	7436810		1.091	.008 AND UP	1.09140 + .00030	.030	8
3 3 3 3 3	7436814	7436817	1.092	MASTER	1.09200 + .00003	.030	2
	7436816		1.092	.0005	1.09200 + .00006	.030	4
	7436820		1.092	.002	1.09210 + .00009	.030	4
	7436822		1.092	.004	1.09220 + .00012	.030	8
	7436826		1.092	.008 AND UP	1.09240 + .00030	.030	8

MIL-STD-104
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7436830 7436832 7436836 7436838 7436842	7436833	1.093 1.093 1.093 1.093 1.093	MASTER .0005 .002 .004 .008 AND UP	1.09300 + .00003 1.09300 + .00006 1.09310 + .00009 1.09320 + .00012 1.09340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436846 7497552 7497556 7497558 7497562	7497553	1.09375 1.09375 1.09375 1.09375 1.09375	MASTER .0005 .002 .004 .008 AND UP	1.09375 + .00003 1.09375 + .00006 1.09385 + .00009 1.09395 + .00012 1.09415 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436848 7436850 7436854 7436856 7436860	7436851	1.094 1.094 1.094 1.094 1.094	MASTER .0005 .002 .004 .008 AND UP	1.09400 + .00003 1.09400 + .00006 1.09410 + .00009 1.09420 + .00012 1.09440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436864 7436866 7436870 7436872 7436876	7436867	1.095 1.095 1.095 1.095 1.095	MASTER .0005 .002 .004 .008 AND UP	1.09500 + .00003 1.09500 + .00006 1.09510 + .00009 1.09520 + .00012 1.09540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436880 7436882 7436886 7436888 7436892	7436883	1.096 1.096 1.096 1.096 1.096	MASTER .0005 .002 .004 .008 AND UP	1.09600 + .00003 1.09600 + .00006 1.09610 + .00009 1.09620 + .00012 1.09640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7436896 7436898 7436902 7436904 7436908	7436899	1.097 1.097 1.097 1.097 1.097	MASTER .0005 .002 .004 .008 AND UP	1.09700 + .00003 1.09700 + .00006 1.09710 + .00009 1.09720 + .00012 1.09740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

Table 1. Tabulation of Design and Identification							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 mm mm mm mm mm	7436912	7436915	1.098	MASTER	1.09800 + .00003	.030	2
	7436914		1.098	.0005	1.09800 + .00006	.030	4
	7436918		1.098	.002	1.09810 + .00009	.030	4
	7436920		1.098	.004	1.09820 + .00012	.030	8
	7436924		1.098	.008 AND UP	1.09840 + .00030	.030	8
3 mm mm mm mm mm	7436928	7436931	1.099	MASTER	1.09900 + .00003	.030	2
	7436930		1.099	.0005	1.09900 + .00006	.030	4
	7436934		1.099	.002	1.09910 + .00009	.030	4
	7436936		1.099	.004	1.09920 + .00012	.030	8
	7436940		1.099	.008 AND UP	1.09940 + .00030	.030	8
3 mm mm mm mm mm	7436944	7436947	1.100	MASTER	1.10000 + .00003	.030	2
	7436946		1.100	.0005	1.10000 + .00006	.030	4
	7436950		1.100	.002	1.10010 + .00009	.030	4
	7436952		1.100	.004	1.10020 + .00012	.030	8
	7436956		1.100	.008 AND UP	1.10040 + .00030	.030	8
3 mm mm mm mm mm	7436960	7436963	1.101	MASTER	1.10100 + .00003	.030	2
	7436962		1.101	.0005	1.10100 + .00006	.030	4
	7436966		1.101	.002	1.10110 + .00009	.030	4
	7436968		1.101	.004	1.10120 + .00012	.030	8
	7436972		1.101	.008 AND UP	1.10140 + .00030	.030	8
3 mm mm mm mm mm	7436976	7436979	1.102	MASTER	1.10200 + .00003	.030	2
	7436978		1.102	.0005	1.10200 + .00006	.030	4
	7436982		1.102	.002	1.10210 + .00009	.030	4
	7436984		1.102	.004	1.10220 + .00012	.030	8
	7436988		1.102	.008 AND UP	1.10240 + .00030	.030	8
3 mm mm mm mm mm	7436992	7436995	1.103	MASTER	1.10300 + .00003	.030	2
	7436994		1.103	.0005	1.10300 + .00006	.030	4
	7436998		1.103	.002	1.10310 + .00009	.030	4
	7437000		1.103	.004	1.10320 + .00012	.030	8
	7437004		1.103	.008 AND UP	1.10340 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7437008 7437010 7437014 7437016 7437020	7437011	1.104 1.104 1.104 1.104 1.104	MASTER .0005 .002 .004 .008 AND UP	1.10400 + .00003 1.10400 + .00006 1.10410 + .00009 1.10420 + .00012 1.10440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437024 7437026 7437030 7437032 7437036	7437027	1.105 1.105 1.105 1.105 1.105	MASTER .0005 .002 .004 .008 AND UP	1.10500 + .00003 1.10500 + .00006 1.10510 + .00009 1.10520 + .00012 1.10540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437040 7437042 7437046 7437048 7437052	7437043	1.106 1.106 1.106 1.106 1.106	MASTER .0005 .002 .004 .008 AND UP	1.10600 + .00003 1.10600 + .00006 1.10610 + .00009 1.10620 + .00012 1.10640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437056 7437058 7437062 7437064 7437068	7437059	1.107 1.107 1.107 1.107 1.107	MASTER .0005 .002 .004 .008 AND UP	1.10700 + .00003 1.10700 + .00006 1.10710 + .00009 1.10720 + .00012 1.10740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437072 7437074 7437078 7437080 7437084	7437075	1.108 1.108 1.108 1.108 1.108	MASTER .0005 .002 .004 .008 AND UP	1.10800 + .00003 1.10800 + .00006 1.10810 + .00009 1.10820 + .00012 1.10840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437088 7437090 7437094 7437096 7437100	7437091	1.109 1.109 1.109 1.109 1.109	MASTER .0005 .002 .004 .008 AND UP	1.10900 + .00003 1.10900 + .00006 1.10910 + .00009 1.10920 + .00012 1.10940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7437104 7437106 7437110 7437112 7437116	7437107	1.110 1.110 1.110 1.110 1.110	MASTER .0005 .002 .004 .008 AND UP	1.11000 + .00003 1.11000 + .00006 1.11010 + .00009 1.11020 + .00012 1.11040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437120 7437122 7437126 7437128 7437132	7437123	1.111 1.111 1.111 1.111 1.111	MASTER .0005 .002 .004 .008 AND UP	1.11100 + .00003 1.11100 + .00006 1.11110 + .00009 1.11120 + .00012 1.11140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437136 7437138 7437142 7437144 7437148	7437139	1.112 1.112 1.112 1.112 1.112	MASTER .0005 .002 .004 .008 AND UP	1.11200 + .00003 1.11200 + .00006 1.11210 + .00009 1.11220 + .00012 1.11240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437152 7437154 7437158 7437160 7437164	7437155	1.113 1.113 1.113 1.113 1.113	MASTER .0005 .002 .004 .008 AND UP	1.11300 + .00003 1.11300 + .00006 1.11310 + .00009 1.11320 + .00012 1.11340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437168 7437170 7437174 7437176 7437180	7437171	1.114 1.114 1.114 1.114 1.114	MASTER .0005 .002 .004 .008 AND UP	1.11400 + .00003 1.11400 + .00006 1.11410 + .00009 1.11420 + .00012 1.11440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437184 7437186 7437190 7437192 7437196	7437187	1.115 1.115 1.115 1.115 1.115	MASTER .0005 .002 .004 .008 AND UP	1.11500 + .00003 1.11500 + .00006 1.11510 + .00009 1.11520 + .00012 1.11540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437200	7437203	1.116	MASTER	1.11600 + .00003	.030	2
3	7437202		1.116	.0005	1.11600 + .00006	.030	4
3	7437206		1.116	.002	1.11610 + .00009	.030	4
3	7437208		1.116	.004	1.11620 + .00012	.030	8
3	7437212		1.116	.008 AND UP	1.11640 + .00030	.030	8
3	7437216	7437219	1.117	MASTER	1.11700 + .00003	.030	2
3	7437218		1.117	.0005	1.11700 + .00006	.030	4
3	7437222		1.117	.002	1.11710 + .00009	.030	4
3	7437224		1.117	.004	1.11720 + .00012	.030	8
3	7437228		1.117	.008 AND UP	1.11740 + .00030	.030	8
3	7437232	7437235	1.118	MASTER	1.11800 + .00003	.030	2
3	7437234		1.118	.0005	1.11800 + .00006	.030	4
3	7437238		1.118	.002	1.11810 + .00009	.030	4
3	7437240		1.118	.004	1.11820 + .00012	.030	8
3	7437244		1.118	.008 AND UP	1.11840 + .00030	.030	8
3	7437248	7437251	1.119	MASTER	1.11900 + .00003	.030	2
3	7437250		1.119	.0005	1.11900 + .00006	.030	4
3	7437254		1.119	.002	1.11910 + .00009	.030	4
3	7437256		1.119	.004	1.11920 + .00012	.030	8
3	7437260		1.119	.008 AND UP	1.11940 + .00030	.030	8
3	7437264	7437267	1.120	MASTER	1.12000 + .00003	.030	2
3	7437266		1.120	.0005	1.12000 + .00006	.030	4
3	7437270		1.120	.002	1.12010 + .00009	.030	4
3	7437272		1.120	.004	1.12020 + .00012	.030	8
3	7437276		1.120	.008 AND UP	1.12040 + .00030	.030	8
3	7437280	7437283	1.121	MASTER	1.12100 + .00003	.030	2
3	7437282		1.121	.0005	1.12100 + .00006	.030	4
3	7437286		1.121	.002	1.12110 + .00009	.030	4
3	7437288		1.121	.004	1.12120 + .00012	.030	8
3	7437292		1.121	.008 AND UP	1.12140 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437296	7437299	1.122	MASTER	1.12200 + .00003	.030	2
3	7437298		1.122	.0005	1.12200 + .00006	.030	4
3	7437302		1.122	.002	1.12210 + .00009	.030	4
3	7437304		1.122	.004	1.12220 + .00012	.030	8
3	7437308		1.122	.008 AND UP	1.12240 + .00030	.030	8
3	7437312	7437315	1.123	MASTER	1.12300 + .00003	.030	2
3	7437314		1.123	.0005	1.12300 + .00006	.030	4
3	7437318		1.123	.002	1.12310 + .00009	.030	4
3	7437320		1.123	.004	1.12320 + .00012	.030	8
3	7437324		1.123	.008 AND UP	1.12340 + .00030	.030	8
3	7437328	7437331	1.124	MASTER	1.12400 + .00003	.030	2
3	7437330		1.124	.0005	1.12400 + .00006	.030	4
3	7437334		1.124	.002	1.12410 + .00009	.030	4
3	7437336		1.124	.004	1.12420 + .00012	.030	8
3	7437340		1.124	.008 AND UP	1.12440 + .00030	.030	8
3	7437344	7437347	1.125	MASTER	1.12500 + .00003	.030	2
3	7437346		1.125	.0005	1.12500 + .00006	.030	4
3	7437350		1.125	.002	1.12510 + .00009	.030	4
3	7437352		1.125	.004	1.12520 + .00012	.030	8
3	7437356		1.125	.008 AND UP	1.12540 + .00030	.030	8
3	7437360	7437363	1.126	MASTER	1.12600 + .00003	.030	2
3	7437362		1.126	.0005	1.12600 + .00006	.030	4
3	7437366		1.126	.002	1.12610 + .00009	.030	4
3	7437368		1.126	.004	1.12620 + .00012	.030	8
3	7437372		1.126	.008 AND UP	1.12640 + .00030	.030	8
3	7437376	7437379	1.127	MASTER	1.12700 + .00003	.030	2
3	7437378		1.127	.0005	1.12700 + .00006	.030	4
3	7437382		1.127	.002	1.12710 + .00009	.030	4
3	7437384		1.127	.004	1.12720 + .00012	.030	8
3	7437388		1.127	.008 AND UP	1.12740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437392	7437395	1.128	MASTER	1.12800 + .00003	.030	2
3	7437394		1.128	.0005	1.12800 + .00006	.030	4
3	7437398		1.128	.002	1.12810 + .00009	.030	4
3	7437400		1.128	.004	1.12820 + .00012	.030	8
3	7437404		1.128	.008 AND UP	1.12840 + .00030	.030	8
3	7437408	7437411	1.129	MASTER	1.12900 + .00003	.030	2
3	7437410		1.129	.0005	1.12900 + .00006	.030	4
3	7437414		1.129	.002	1.12910 + .00009	.030	4
3	7437416		1.129	.004	1.12920 + .00012	.030	8
3	7437420		1.129	.008 AND UP	1.12940 + .00030	.030	8
3	7437424	7437427	1.130	MASTER	1.13000 + .00003	.030	2
3	7437426		1.130	.0005	1.13000 + .00006	.030	4
3	7437430		1.130	.002	1.13010 + .00009	.030	4
3	7437432		1.130	.004	1.13020 + .00012	.030	8
3	7437436		1.130	.008 AND UP	1.13040 + .00030	.030	8
3	7437440	7437443	1.131	MASTER	1.13100 + .00003	.030	2
3	7437442		1.131	.0005	1.13100 + .00006	.030	4
3	7437446		1.131	.002	1.13110 + .00009	.030	4
3	7437448		1.131	.004	1.13120 + .00012	.030	8
3	7437452		1.131	.008 AND UP	1.13140 + .00030	.030	8
3	7437456	7437459	1.132	MASTER	1.13200 + .00003	.030	2
3	7437458		1.132	.0005	1.13200 + .00006	.030	4
3	7437462		1.132	.002	1.13210 + .00009	.030	4
3	7437464		1.132	.004	1.13220 + .00012	.030	8
3	7437468		1.132	.008 AND UP	1.13240 + .00030	.030	8
3	7437472	7437475	1.133	MASTER	1.13300 + .00003	.030	2
3	7437474		1.133	.0005	1.13300 + .00006	.030	4
3	7437478		1.133	.002	1.13310 + .00009	.030	4
3	7437480		1.133	.004	1.13320 + .00012	.030	8
3	7437484		1.133	.008 AND UP	1.13340 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7437488 7437490 7437494 7437496 7437500	7437491	1.134 1.134 1.134 1.134 1.134	MASTER .0005 .002 .004 .008 AND UP	1.13400 + .00003 1.13400 + .00006 1.13410 + .00009 1.13420 + .00012 1.13440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437504 7437506 7437510 7437512 7437516	7437507	1.135 1.135 1.135 1.135 1.135	MASTER .0005 .002 .004 .008 AND UP	1.13500 + .00003 1.13500 + .00006 1.13510 + .00009 1.13520 + .00012 1.13540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437520 7437522 7437526 7437528 7437532	7437523	1.136 1.136 1.136 1.136 1.136	MASTER .0005 .002 .004 .008 AND UP	1.13600 + .00003 1.13600 + .00006 1.13610 + .00009 1.13620 + .00012 1.13640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437536 7437538 7437542 7437544 7437548	7437539	1.137 1.137 1.137 1.137 1.137	MASTER .0005 .002 .004 .008 AND UP	1.13700 + .00003 1.13700 + .00006 1.13710 + .00009 1.13720 + .00012 1.13740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437552 7437554 7437558 7437560 7437564	7437555	1.138 1.138 1.138 1.138 1.138	MASTER .0005 .002 .004 .008 AND UP	1.13800 + .00003 1.13800 + .00006 1.13810 + .00009 1.13820 + .00012 1.13840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437568 7437570 7437574 7437576 7437580	7437571	1.139 1.139 1.139 1.139 1.139	MASTER .0005 .002 .004 .008 AND UP	1.13900 + .00003 1.13900 + .00006 1.13910 + .00009 1.13920 + .00012 1.13940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437584	7437587	1.140	MASTER	1.14000 + .00003	.030	2
3	7437586		1.140	.0005	1.14000 + .00006	.030	4
3	7437590		1.140	.002	1.14010 + .00009	.030	4
3	7437592		1.140	.004	1.14020 + .00012	.030	8
3	7437596		1.140	.008 AND UP	1.14040 + .00030	.030	8
3	7437600	7437603	1.141	MASTER	1.14100 + .00003	.030	2
3	7437602		1.141	.0005	1.14100 + .00006	.030	4
3	7437606		1.141	.002	1.14110 + .00009	.030	4
3	7437608		1.141	.004	1.14120 + .00012	.030	8
3	7437612		1.141	.008 AND UP	1.14140 + .00030	.030	8
3	7437616	7437619	1.142	MASTER	1.14200 + .00003	.030	2
3	7437618		1.142	.0005	1.14200 + .00006	.030	4
3	7437622		1.142	.002	1.14210 + .00009	.030	4
3	7437624		1.142	.004	1.14220 + .00012	.030	8
3	7437628		1.142	.008 AND UP	1.14240 + .00030	.030	8
3	7437632	7437635	1.143	MASTER	1.14300 + .00003	.030	2
3	7437634		1.143	.0005	1.14300 + .00006	.030	4
3	7437638		1.143	.002	1.14310 + .00009	.030	4
3	7437640		1.143	.004	1.14320 + .00012	.030	8
3	7437644		1.143	.008 AND UP	1.14340 + .00030	.030	8
3	7437648	7437651	1.144	MASTER	1.14400 + .00003	.030	2
3	7437650		1.144	.0005	1.14400 + .00006	.030	4
3	7437654		1.144	.002	1.14410 + .00009	.030	4
3	7437656		1.144	.004	1.14420 + .00012	.030	8
3	7437660		1.144	.008 AND UP	1.14440 + .00030	.030	8
3	7437664	7437667	1.145	MASTER	1.14500 + .00003	.030	2
3	7437666		1.145	.0005	1.14500 + .00006	.030	4
3	7437670		1.145	.002	1.14510 + .00009	.030	4
3	7437672		1.145	.004	1.14520 + .00012	.030	8
3	7437676		1.145	.008 AND UP	1.14540 + .00030	.030	8

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7437680 7437682 7437686 7437688 7437692	7437683	1.146 1.146 1.146 1.146 1.146	MASTER .0005 .002 .004 .008 AND UP	1.14600 + .00003 1.14600 + .00006 1.14610 + .00009 1.14620 + .00012 1.14640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7437696 7437698 7437702 7437704 7437708		7437699	1.147 1.147 1.147 1.147 1.147	MASTER .0005 .002 .004 .008 AND UP	1.14700 + .00003 1.14700 + .00006 1.14710 + .00009 1.14720 + .00012 1.14740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7437712 7437714 7437718 7437720 7437724			7437715	1.148 1.148 1.148 1.148 1.148	MASTER .0005 .002 .004 .008 AND UP	1.14800 + .00003 1.14800 + .00006 1.14810 + .00009 1.14820 + .00012 1.14840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7437728 7437730 7437734 7437736 7437740				7437731	1.149 1.149 1.149 1.149 1.149	MASTER .0005 .002 .004 .008 AND UP	1.14900 + .00003 1.14900 + .00006 1.14910 + .00009 1.14920 + .00012 1.14940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437744 7437746 7437750 7437752 7437756					7437747	1.150 1.150 1.150 1.150 1.150	MASTER .0005 .002 .004 .008 AND UP	1.15000 + .00003 1.15000 + .00006 1.15010 + .00009 1.15020 + .00012 1.15040 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7437760 7437762 7437766 7437768 7437772	7437763					1.151 1.151 1.151 1.151 1.151	MASTER .0005 .002 .004 .008 AND UP	1.15100 + .00003 1.15100 + .00006 1.15110 + .00009 1.15120 + .00012 1.15140 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7437776 7437778 7437782 7437784 7437788	7437779	1.152 1.152 1.152 1.152 1.152	MASTER .0005 .002 .004 .008 AND UP	1.15200 + .00003 1.15200 + .00006 1.15210 + .00009 1.15220 + .00012 1.15240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437792 7437794 7437798 7437800 7437804	7437795	1.153 1.153 1.153 1.153 1.153	MASTER .0005 .002 .004 .008 AND UP	1.15300 + .00003 1.15300 + .00006 1.15310 + .00009 1.15320 + .00012 1.15340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437808 7437810 7437814 7437816 7437820	7437811	1.154 1.154 1.154 1.154 1.154	MASTER .0005 .002 .004 .008 AND UP	1.15400 + .00003 1.15400 + .00006 1.15410 + .00009 1.15420 + .00012 1.15440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437824 7437826 7437830 7437832 7437836	7437827	1.155 1.155 1.155 1.155 1.155	MASTER .0005 .002 .004 .008 AND UP	1.15500 + .00003 1.15500 + .00006 1.15510 + .00009 1.15520 + .00012 1.15540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437840 7437842 7437846 7437848 7437852	7437843	1.156 1.156 1.156 1.156 1.156	MASTER .0005 .002 .004 .008 AND UP	1.15600 + .00003 1.15600 + .00006 1.15610 + .00009 1.15620 + .00012 1.15640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437856 7497566 7497570 7497572 7497576	7497567	1.15625 1.15625 1.15625 1.15625 1.15625	MASTER .0005 .002 .004 .008 AND UP	1.15625 + .00003 1.15625 + .00006 1.15635 + .00009 1.15645 + .00012 1.15665 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7437858 7437860 7437864 7437866 7437870	7437861	1.157 1.157 1.157 1.157 1.157	MASTER .0005 .002 .004 .008 AND UP	1.15700 + .00003 1.15700 + .00006 1.15710 + .00009 1.15720 + .00012 1.15740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7437874 7437876 7437880 7437882 7437886		7437877	1.158 1.158 1.158 1.158 1.158	MASTER .0005 .002 .004 .008 AND UP	1.15800 + .00003 1.15800 + .00006 1.15810 + .00009 1.15820 + .00012 1.15840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7437890 7437892 7437896 7437898 7437902			7437893	1.159 1.159 1.159 1.159 1.159	MASTER .0005 .002 .004 .008 AND UP	1.15900 + .00003 1.15900 + .00006 1.15910 + .00009 1.15920 + .00012 1.15940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7437906 7437908 7437912 7437914 7437918				7437909	1.160 1.160 1.160 1.160 1.160	MASTER .0005 .002 .004 .008 AND UP	1.16000 + .00003 1.16000 + .00006 1.16010 + .00009 1.16020 + .00012 1.16040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7437922 7437924 7437928 7437930 7437934					7437925	1.161 1.161 1.161 1.161 1.161	MASTER .0005 .002 .004 .008 AND UP	1.16100 + .00003 1.16100 + .00006 1.16110 + .00009 1.16120 + .00012 1.16140 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7437938 7437940 7437944 7437946 7437950	7437941					1.162 1.162 1.162 1.162 1.162	MASTER .0005 .002 .004 .008 AND UP	1.16200 + .00003 1.16200 + .00006 1.16210 + .00009 1.16220 + .00012 1.16240 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7437954	7437957	1.163	MASTER	1.16300 + .00003	.030	2
	7437956		1.163	.0005	1.16300 + .00006	.030	4
	7437960		1.163	.002	1.16310 + .00009	.030	4
	7437962		1.163	.004	1.16320 + .00012	.030	8
	7437966		1.163	.008 AND UP	1.16340 + .00030	.030	8
3	7437970	7437973	1.164	MASTER	1.16400 + .00003	.030	2
	7437972		1.164	.0005	1.16400 + .00006	.030	4
	7437976		1.164	.002	1.16410 + .00009	.030	4
	7437978		1.164	.004	1.16420 + .00012	.030	8
	7437982		1.164	.008 AND UP	1.16440 + .00030	.030	8
3	7437986	7437989	1.165	MASTER	1.16500 + .00003	.030	2
	7437988		1.165	.0005	1.16500 + .00006	.030	4
	7437992		1.165	.002	1.16510 + .00009	.030	4
	7437994		1.165	.004	1.16520 + .00012	.030	8
	7437998		1.165	.008 AND UP	1.16540 + .00030	.030	8
3	7438002	7438005	1.166	MASTER	1.16600 + .00003	.030	2
	7438004		1.166	.0005	1.16600 + .00006	.030	4
	7438008		1.166	.002	1.16610 + .00009	.030	4
	7438010		1.166	.004	1.16620 + .00012	.030	8
	7438014		1.166	.008 AND UP	1.16640 + .00030	.030	8
3	7438018	7438021	1.167	MASTER	1.16700 + .00003	.030	2
	7438020		1.167	.0005	1.16700 + .00006	.030	4
	7438024		1.167	.002	1.16710 + .00009	.030	4
	7438026		1.167	.004	1.16720 + .00012	.030	8
	7438030		1.167	.008 AND UP	1.16740 + .00030	.030	8
3	7438034	7438037	1.168	MASTER	1.16800 + .00003	.030	2
	7438036		1.168	.0005	1.16800 + .00006	.030	4
	7438040		1.168	.002	1.16810 + .00009	.030	4
	7438042		1.168	.004	1.16820 + .00012	.030	8
	7438046		1.168	.008 AND UP	1.16840 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7438050	7438053	1.169	MASTER	1.16900 + .00003	.030	2
	7438052		1.169	.0005	1.16900 + .00006	.030	4
	7438056		1.169	.002	1.16910 + .00009	.030	4
	7438058		1.169	.004	1.16920 + .00012	.030	8
	7438062		1.169	.008 AND UP	1.16940 + .00030	.030	8
3 3 3 3 3	7438066	7438069	1.170	MASTER	1.17000 + .00003	.030	2
	7438068		1.170	.0005	1.17000 + .00006	.030	4
	7438072		1.170	.002	1.17010 + .00009	.030	4
	7438074		1.170	.004	1.17020 + .00012	.030	8
	7438078		1.170	.008 AND UP	1.17040 + .00030	.030	8
3 3 3 3 3	7438082	7438085	1.171	MASTER	1.17100 + .00003	.030	2
	7438084		1.171	.0005	1.17100 + .00006	.030	4
	7438088		1.171	.002	1.17110 + .00009	.030	4
	7438090		1.171	.004	1.17120 + .00012	.030	8
	7438094		1.171	.008 AND UP	1.17140 + .00030	.030	8
3 3 3 3 3	7438098	7438101	1.172	MASTER	1.17200 + .00003	.030	2
	7438100		1.172	.0005	1.17200 + .00006	.030	4
	7438104		1.172	.002	1.17210 + .00009	.030	4
	7438106		1.172	.004	1.17220 + .00012	.030	8
	7438110		1.172	.008 AND UP	1.17240 + .00030	.030	8
3 3 3 3 3	7438114	7438117	1.173	MASTER	1.17300 + .00003	.030	2
	7438116		1.173	.0005	1.17300 + .00006	.030	4
	7438120		1.173	.002	1.17310 + .00009	.030	4
	7438122		1.173	.004	1.17320 + .00012	.030	8
	7438126		1.173	.008 AND UP	1.17340 + .00030	.030	8
3 3 3 3 3	7438130	7438133	1.174	MASTER	1.17400 + .00003	.030	2
	7438132		1.174	.0005	1.17400 + .00006	.030	4
	7438136		1.174	.002	1.17410 + .00009	.030	4
	7438138		1.174	.004	1.17420 + .00012	.030	8
	7438142		1.174	.008 AND UP	1.17440 + .00030	.030	8

 MIL-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7438146	7438149	1.175	MASTER	1.17500 + .00003	.030	2
	7438148		1.175	.0005	1.17500 + .00006	.030	4
	7438152		1.175	.002	1.17510 + .00009	.030	4
	7438154		1.175	.004	1.17520 + .00012	.030	8
	7438158		1.175	.008 AND UP	1.17540 + .00030	.030	8
3 3 3 3 3	7438162	7438165	1.176	MASTER	1.17600 + .00003	.030	2
	7438164		1.176	.0005	1.17600 + .00006	.030	4
	7438168		1.176	.002	1.17610 + .00009	.030	4
	7438170		1.176	.004	1.17620 + .00012	.030	8
	7438174		1.176	.008 AND UP	1.17640 + .00030	.030	8
3 3 3 3 3	7438178	7438181	1.177	MASTER	1.17700 + .00003	.030	2
	7438180		1.177	.0005	1.17700 + .00006	.030	4
	7438184		1.177	.002	1.17710 + .00009	.030	4
	7438186		1.177	.004	1.17720 + .00012	.030	8
	7438190		1.177	.008 AND UP	1.17740 + .00030	.030	8
3 3 3 3 3	7438194	7438197	1.178	MASTER	1.17800 + .00003	.030	2
	7438196		1.178	.0005	1.17800 + .00006	.030	4
	7438200		1.178	.002	1.17810 + .00009	.030	4
	7438202		1.178	.004	1.17820 + .00012	.030	8
	7438206		1.178	.008 AND UP	1.17840 + .00030	.030	8
3 3 3 3 3	7438210	7438213	1.179	MASTER	1.17900 + .00003	.030	2
	7438212		1.179	.0005	1.17900 + .00006	.030	4
	7438216		1.179	.002	1.17910 + .00009	.030	4
	7438218		1.179	.004	1.17920 + .00012	.030	8
	7438222		1.179	.008 AND UP	1.17940 + .00030	.030	8
3 3 3 3 3	7438226	7438229	1.180	MASTER	1.18000 + .00003	.030	2
	7438228		1.180	.0005	1.18000 + .00006	.030	4
	7438232		1.180	.002	1.18010 + .00009	.030	4
	7438234		1.180	.004	1.18020 + .00012	.030	8
	7438238		1.180	.008 AND UP	1.18040 + .00030	.030	8

ML-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438242	7438245	1.181	MASTER	1.18100 + .00003	.030	2
3	7438244		1.181	.0005	1.18100 + .00006	.030	4
3	7438248		1.181	.002	1.18110 + .00009	.030	4
3	7438250		1.181	.004	1.18120 + .00012	.030	8
3	7438254		1.181	.008 AND UP	1.18140 + .00030	.030	8
3	7438258	7438261	1.182	MASTER	1.18200 + .00003	.030	2
3	7438260		1.182	.0005	1.18200 + .00006	.030	4
3	7438264		1.182	.002	1.18210 + .00009	.030	4
3	7438266		1.182	.004	1.18220 + .00012	.030	8
3	7438270		1.182	.008 AND UP	1.18240 + .00030	.030	8
3	7438274	7438277	1.183	MASTER	1.18300 + .00003	.030	2
3	7438276		1.183	.0005	1.18300 + .00006	.030	4
3	7438280		1.183	.002	1.18310 + .00009	.030	4
3	7438282		1.183	.004	1.18320 + .00012	.030	8
3	7438286		1.183	.008 AND UP	1.18340 + .00030	.030	8
3	7438290	7438293	1.184	MASTER	1.18400 + .00003	.030	2
3	7438292		1.184	.0005	1.18400 + .00006	.030	4
3	7438296		1.184	.002	1.18410 + .00009	.030	4
3	7438298		1.184	.004	1.18420 + .00012	.030	8
3	7438302		1.184	.008 AND UP	1.18440 + .00030	.030	8
3	7438306	7438309	1.185	MASTER	1.18500 + .00003	.030	2
3	7438308		1.185	.0005	1.18500 + .00006	.030	4
3	7438312		1.185	.002	1.18510 + .00009	.030	4
3	7438314		1.185	.004	1.18520 + .00012	.030	8
3	7438318		1.185	.008 AND UP	1.18540 + .00030	.030	8
3	7438322	7438325	1.186	MASTER	1.18600 + .00003	.030	2
3	7438324		1.186	.0005	1.18600 + .00006	.030	4
3	7438328		1.186	.002	1.18610 + .00009	.030	4
3	7438330		1.186	.004	1.18620 + .00012	.030	8
3	7438334		1.186	.008 AND UP	1.18640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7438338 7438340 7438344 7438346 7438350	7438341	1.187 1.187 1.187 1.187 1.187	MASTER .0005 .002 .004 .008 AND UP	1.18700 + .00003 1.18700 + .00006 1.18710 + .00009 1.18720 + .00012 1.18740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438354 7497580 7497584 7497586 7497590	7497581	1.1875 1.1875 1.1875 1.1875 1.1875	MASTER .0005 .002 .004 .008 AND UP	1.18750 + .00003 1.18750 + .00006 1.18760 + .00009 1.18770 + .00012 1.18790 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438356 7438358 7438362 7438364 7438368	7438359	1.188 1.188 1.188 1.188 1.188	MASTER .0005 .002 .004 .008 AND UP	1.18800 + .00003 1.18800 + .00006 1.18810 + .00009 1.18820 + .00012 1.18840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438372 7438374 7438378 7438380 7438384	7438375	1.189 1.189 1.189 1.189 1.189	MASTER .0005 .002 .004 .008 AND UP	1.18900 + .00003 1.18900 + .00006 1.18910 + .00009 1.18920 + .00012 1.18940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438388 7438390 7438394 7438396 7438400	7438391	1.190 1.190 1.190 1.190 1.190	MASTER .0005 .002 .004 .008 AND UP	1.19000 + .00003 1.19000 + .00006 1.19010 + .00009 1.19020 + .00012 1.19040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438404 7438406 7438410 7438412 7438416	7438407	1.191 1.191 1.191 1.191 1.191	MASTER .0005 .002 .004 .008 AND UP	1.19100 + .00003 1.19100 + .00006 1.19110 + .00009 1.19120 + .00012 1.19140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINH-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438420	7438423	1.192	MASTER	1.19200 + .00003	.030	2
3	7438422		1.192	.0005	1.19200 + .00006	.030	4
3	7438426		1.192	.002	1.19210 + .00009	.030	4
3	7438428		1.192	.004	1.19220 + .00012	.030	8
3	7438432		1.192	.008 AND UP	1.19240 + .00030	.030	8
3	7438436	7438439	1.193	MASTER	1.19300 + .00003	.030	2
3	7438438		1.193	.0005	1.19300 + .00006	.030	4
3	7438442		1.193	.002	1.19310 + .00009	.030	4
3	7438444		1.193	.004	1.19320 + .00012	.030	8
3	7438448		1.193	.008 AND UP	1.19340 + .00030	.030	8
3	7438452	7438455	1.194	MASTER	1.19400 + .00003	.030	2
3	7438454		1.194	.0005	1.19400 + .00006	.030	4
3	7438458		1.194	.002	1.19410 + .00009	.030	4
3	7438460		1.194	.004	1.19420 + .00012	.030	8
3	7438464		1.194	.008 AND UP	1.19440 + .00030	.030	8
3	7438468	7438471	1.195	MASTER	1.19500 + .00003	.030	2
3	7438470		1.195	.0005	1.19500 + .00006	.030	4
3	7438474		1.195	.002	1.19510 + .00009	.030	4
3	7438476		1.195	.004	1.19520 + .00012	.030	8
3	7438480		1.195	.008 AND UP	1.19540 + .00030	.030	8
3	7438484	7438487	1.196	MASTER	1.19600 + .00003	.030	2
3	7438486		1.196	.0005	1.19600 + .00006	.030	4
3	7438490		1.196	.002	1.19610 + .00009	.030	4
3	7438492		1.196	.004	1.19620 + .00012	.030	8
3	7438496		1.196	.008 AND UP	1.19640 + .00030	.030	8
3	7438500	7438503	1.197	MASTER	1.19700 + .00003	.030	2
3	7438502		1.197	.0005	1.19700 + .00006	.030	4
3	7438506		1.197	.002	1.19710 + .00009	.030	4
3	7438508		1.197	.004	1.19720 + .00012	.030	8
3	7438512		1.197	.008 AND UP	1.19740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7438516 7438518 7438522 7438524 7438528	7438519	1.198 1.198 1.198 1.198 1.198	MASTER .0005 .002 .004 .008 AND UP	1.19800 + .00003 1.19800 + .00006 1.19810 + .00009 1.19820 + .00012 1.19840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7438532 7438534 7438538 7438540 7438544		7438535	1.199 1.199 1.199 1.199 1.199	MASTER .0005 .002 .004 .008 AND UP	1.19900 + .00003 1.19900 + .00006 1.19910 + .00009 1.19920 + .00012 1.19940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7438548 7438550 7438554 7438556 7438560			7438551	1.200 1.200 1.200 1.200 1.200	MASTER .0005 .002 .004 .008 AND UP	1.20000 + .00003 1.20000 + .00006 1.20010 + .00009 1.20020 + .00012 1.20040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7438564 7438566 7438570 7438572 7438576				7438567	1.201 1.201 1.201 1.201 1.201	MASTER .0005 .002 .004 .008 AND UP	1.20100 + .00003 1.20100 + .00006 1.20110 + .00009 1.20120 + .00012 1.20140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438580 7438582 7438586 7438588 7438592					7438583	1.202 1.202 1.202 1.202 1.202	MASTER .0005 .002 .004 .008 AND UP	1.20200 + .00003 1.20200 + .00006 1.20210 + .00009 1.20220 + .00012 1.20240 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7438596 7438598 7438602 7438604 7438608	7438599					1.203 1.203 1.203 1.203 1.203	MASTER .0005 .002 .004 .008 AND UP	1.20300 + .00003 1.20300 + .00006 1.20310 + .00009 1.20320 + .00012 1.20340 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438612	7438615	1.204	MASTER	1.20400 + .00003	.030	2
	7438614		1.204	.0005	1.20400 + .00006	.030	4
	7438618		1.204	.002	1.20410 + .00009	.030	4
	7438620		1.204	.004	1.20420 + .00012	.030	8
	7438624		1.204	.008 AND UP	1.20440 + .00030	.030	8
3	7438628	7438631	1.205	MASTER	1.20500 + .00003	.030	2
	7438630		1.205	.0005	1.20500 + .00006	.030	4
	7438634		1.205	.002	1.20510 + .00009	.030	4
	7438636		1.205	.004	1.20520 + .00012	.030	8
	7438640		1.205	.008 AND UP	1.20540 + .00030	.030	8
3	7438644	7438647	1.206	MASTER	1.20600 + .00003	.030	2
	7438646		1.206	.0005	1.20600 + .00006	.030	4
	7438650		1.206	.002	1.20610 + .00009	.030	4
	7438652		1.206	.004	1.20620 + .00012	.030	8
	7438656		1.206	.008 AND UP	1.20640 + .00030	.030	8
3	7438660	7438663	1.207	MASTER	1.20700 + .00003	.030	2
	7438662		1.207	.0005	1.20700 + .00006	.030	4
	7438666		1.207	.002	1.20710 + .00009	.030	4
	7438668		1.207	.004	1.20720 + .00012	.030	8
	7438672		1.207	.008 AND UP	1.20740 + .00030	.030	8
3	7438676	7438679	1.208	MASTER	1.20800 + .00003	.030	2
	7438678		1.208	.0005	1.20800 + .00006	.030	4
	7438682		1.208	.002	1.20810 + .00009	.030	4
	7438684		1.208	.004	1.20820 + .00012	.030	8
	7438688		1.208	.008 AND UP	1.20840 + .00030	.030	8
3	7438692	7438695	1.209	MASTER	1.20900 + .00003	.030	2
	7438694		1.209	.0005	1.20900 + .00006	.030	4
	7438698		1.209	.002	1.20910 + .00009	.030	4
	7438700		1.209	.004	1.20920 + .00012	.030	8
	7438704		1.209	.008 AND UP	1.20940 + .00030	.030	8

 MIL-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7438708 7438710 7438714 7438716 7438720	7438711	1.210 1.210 1.210 1.210 1.210	MASTER .0005 .002 .004 .008 AND UP	1.21000 + .00003 1.21000 + .00006 1.21010 + .00009 1.21020 + .00012 1.21040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7438724 7438726 7438730 7438732 7438736		7438727	1.211 1.211 1.211 1.211 1.211	MASTER .0005 .002 .004 .008 AND UP	1.21100 + .00003 1.21100 + .00006 1.21110 + .00009 1.21120 + .00012 1.21140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7438740 7438742 7438746 7438748 7438752			7438743	1.212 1.212 1.212 1.212 1.212	MASTER .0005 .002 .004 .008 AND UP	1.21200 + .00003 1.21200 + .00006 1.21210 + .00009 1.21220 + .00012 1.21240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7438756 7438758 7438762 7438764 7438768				7438759	1.213 1.213 1.213 1.213 1.213	MASTER .0005 .002 .004 .008 AND UP	1.21300 + .00003 1.21300 + .00006 1.21310 + .00009 1.21320 + .00012 1.21340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438772 7438774 7438778 7438780 7438784					7438775	1.214 1.214 1.214 1.214 1.214	MASTER .0005 .002 .004 .008 AND UP	1.21400 + .00003 1.21400 + .00006 1.21410 + .00009 1.21420 + .00012 1.21440 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7438788 7438790 7438794 7438796 7438800	7438791					1.215 1.215 1.215 1.215 1.215	MASTER .0005 .002 .004 .008 AND UP	1.21500 + .00003 1.21500 + .00006 1.21510 + .00009 1.21520 + .00012 1.21540 + .00030	.030 .030 .030 .030 .030

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
333333	7438804	7438807	1.216	MASTER	1.21600 + .00003	.030	2
	7438806		1.216	.0005	1.21600 + .00006	.030	4
	7438810		1.216	.002	1.21610 + .00009	.030	4
	7438812		1.216	.004	1.21620 + .00012	.030	8
	7438816		1.216	.008 AND UP	1.21640 + .00030	.030	8
333333	7438820	7438823	1.217	MASTER	1.21700 + .00003	.030	2
	7438822		1.217	.0005	1.21700 + .00006	.030	4
	7438826		1.217	.002	1.21710 + .00009	.030	4
	7438828		1.217	.004	1.21720 + .00012	.030	8
	7438832		1.217	.008 AND UP	1.21740 + .00030	.030	8
333333	7438836	7438839	1.218	MASTER	1.21800 + .00003	.030	2
	7438838		1.218	.0005	1.21800 + .00006	.030	4
	7438842		1.218	.002	1.21810 + .00009	.030	4
	7438844		1.218	.004	1.21820 + .00012	.030	8
	7438848		1.218	.008 AND UP	1.21840 + .00030	.030	8
333333	7438852	7497595	1.21875	MASTER	1.21875 + .00003	.030	2
	7497594		1.21875	.0005	1.21875 + .00006	.030	4
	7497598		1.21875	.002	1.21885 + .00009	.030	4
	7497600		1.21875	.004	1.21895 + .00012	.030	8
	7497604		1.21875	.008 AND UP	1.21915 + .00030	.030	8
333333	7438854	7438857	1.219	MASTER	1.21900 + .00003	.030	2
	7438856		1.219	.0005	1.21900 + .00006	.030	4
	7438860		1.219	.002	1.21910 + .00009	.030	4
	7438862		1.219	.004	1.21920 + .00012	.030	8
	7438866		1.219	.008 AND UP	1.21940 + .00030	.030	8
333333	7438870	7438873	1.220	MASTER	1.22000 + .00003	.030	2
	7438872		1.220	.0005	1.22000 + .00006	.030	4
	7438876		1.220	.002	1.22010 + .00009	.030	4
	7438878		1.220	.004	1.22020 + .00012	.030	8
	7438882		1.220	.008 AND UP	1.22040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7438886 7438888 7438882 7438894 7438898	7438889	1.221 1.221 1.221 1.221 1.221	MASTER .0005 .002 .004 .008 AND UP	1.22100 + .00003 1.22100 + .00006 1.22110 + .00009 1.22120 + .00012 1.22140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7438902 7438904 7438908 7438910 7438914		7438905	1.222 1.222 1.222 1.222 1.222	MASTER .0005 .002 .004 .008 AND UP	1.22200 + .00003 1.22200 + .00006 1.22210 + .00009 1.22220 + .00012 1.22240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7438918 7438920 7438924 7438926 7438930			7438921	1.223 1.223 1.223 1.223 1.223	MASTER .0005 .002 .004 .008 AND UP	1.22300 + .00003 1.22300 + .00006 1.22310 + .00009 1.22320 + .00012 1.22340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7438934 7438936 7438940 7438942 7438946				7438937	1.224 1.224 1.224 1.224 1.224	MASTER .0005 .002 .004 .008 AND UP	1.22400 + .00003 1.22400 + .00006 1.22410 + .00009 1.22420 + .00012 1.22440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7438950 7438952 7438956 7438958 7438962					7438953	1.225 1.225 1.225 1.225 1.225	MASTER .0005 .002 .004 .008 AND UP	1.22500 + .00003 1.22500 + .00006 1.22510 + .00009 1.22520 + .00012 1.22540 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7438966 7438968 7438972 7438974 7438978	7438969					1.226 1.226 1.226 1.226 1.226	MASTER .0005 .002 .004 .008 AND UP	1.22600 + .00003 1.22600 + .00006 1.22610 + .00009 1.22620 + .00012 1.22640 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7438982	7438985	1.227	MASTER	1.22700 + .00003	.030	2
3	7438984		1.227	.0005	1.22700 + .00006	.030	4
3	7438988		1.227	.002	1.22710 + .00009	.030	4
3	7438990		1.227	.004	1.22720 + .00012	.030	8
3	7438994		1.227	.008 AND UP	1.22740 + .00030	.030	8
3	7438998	7439001	1.228	MASTER	1.22800 + .00003	.030	2
3	7439000		1.228	.0005	1.22800 + .00006	.030	4
3	7439004		1.228	.002	1.22810 + .00009	.030	4
3	7439006		1.228	.004	1.22820 + .00012	.030	8
3	7439010		1.228	.008 AND UP	1.22840 + .00030	.030	8
3	7439014	7439017	1.229	MASTER	1.22900 + .00003	.030	2
3	7439016		1.229	.0005	1.22900 + .00006	.030	4
3	7439020		1.229	.002	1.22910 + .00009	.030	4
3	7439022		1.229	.004	1.22920 + .00012	.030	8
3	7439026		1.229	.008 AND UP	1.22940 + .00030	.030	8
3	7439030	7439033	1.230	MASTER	1.23000 + .00003	.030	2
3	7439032		1.230	.0005	1.23000 + .00006	.030	4
3	7439036		1.230	.002	1.23010 + .00009	.030	4
3	7439038		1.230	.004	1.23020 + .00012	.030	8
3	7439042		1.230	.008 AND UP	1.23040 + .00030	.030	8
3	7439046	7439049	1.231	MASTER	1.23100 + .00003	.030	2
3	7439048		1.231	.0005	1.23100 + .00006	.030	4
3	7439052		1.231	.002	1.23110 + .00009	.030	4
3	7439054		1.231	.004	1.23120 + .00012	.030	8
3	7439058		1.231	.008 AND UP	1.23140 + .00030	.030	8
3	7439062	7439065	1.232	MASTER	1.23200 + .00003	.030	2
3	7439064		1.232	.0005	1.23200 + .00006	.030	4
3	7439068		1.232	.002	1.23210 + .00009	.030	4
3	7439070		1.232	.004	1.23220 + .00012	.030	8
3	7439074		1.232	.008 AND UP	1.23240 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7439078 7439080 7439084 7439086 7439090	7439081	1.233 1.233 1.233 1.233 1.233	MASTER .0005 .002 .004 .008 AND UP	1.23300 + .00003 1.23300 + .00006 1.23310 + .00009 1.23320 + .00012 1.23340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7439094 7439096 7439100 7439102 7439106		7439097	1.234 1.234 1.234 1.234 1.234	MASTER .0005 .002 .004 .008 AND UP	1.23400 + .00003 1.23400 + .00006 1.23410 + .00009 1.23420 + .00012 1.23440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7439110 7439112 7439116 7439118 7439122			7439113	1.235 1.235 1.235 1.235 1.235	MASTER .0005 .002 .004 .008 AND UP	1.23500 + .00003 1.23500 + .00006 1.23510 + .00009 1.23520 + .00012 1.23540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7439126 7439128 7439132 7439134 7439138				7439129	1.236 1.236 1.236 1.236 1.236	MASTER .0005 .002 .004 .008 AND UP	1.23600 + .00003 1.23600 + .00006 1.23610 + .00009 1.23620 + .00012 1.23640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439142 7439144 7439148 7439150 7439154					7439145	1.237 1.237 1.237 1.237 1.237	MASTER .0005 .002 .004 .008 AND UP	1.23700 + .00003 1.23700 + .00006 1.23710 + .00009 1.23720 + .00012 1.23740 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7439158 7439160 7439164 7439166 7439170	7439161					1.238 1.238 1.238 1.238 1.238	MASTER .0005 .002 .004 .008 AND UP	1.23800 + .00003 1.23800 + .00006 1.23810 + .00009 1.23820 + .00012 1.23840 + .00030	.030 .030 .030 .030 .030

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7439174	7439177	1.239	MASTER	1.23900 + .00003	.030	2
	7439176		1.239	.0005	1.23900 + .00006	.030	4
	7439180		1.239	.002	1.23910 + .00009	.030	4
	7439182		1.239	.004	1.23920 + .00012	.030	8
	7439186		1.239	.008 AND UP	1.23940 + .00030	.030	8
3 3 3 3 3	7439190	7439193	1.240	MASTER	1.24000 + .00003	.030	2
	7439192		1.240	.0005	1.24000 + .00006	.030	4
	7439196		1.240	.002	1.24010 + .00009	.030	4
	7439198		1.240	.004	1.24020 + .00012	.030	8
	7439202		1.240	.008 AND UP	1.24040 + .00030	.030	8
3 3 3 3 3	7439206	7439209	1.241	MASTER	1.24100 + .00003	.030	2
	7439208		1.241	.0005	1.24100 + .00006	.030	4
	7439212		1.241	.002	1.24110 + .00009	.030	4
	7439214		1.241	.004	1.24120 + .00012	.030	8
	7439218		1.241	.008 AND UP	1.24140 + .00030	.030	8
3 3 3 3 3	7439222	7439225	1.242	MASTER	1.24200 + .00003	.030	2
	7439224		1.242	.0005	1.24200 + .00006	.030	4
	7439228		1.242	.002	1.24210 + .00009	.030	4
	7439230		1.242	.004	1.24220 + .00012	.030	8
	7439234		1.242	.008 AND UP	1.24240 + .00030	.030	8
3 3 3 3 3	7439238	7439241	1.243	MASTER	1.24300 + .00003	.030	2
	7439240		1.243	.0005	1.24300 + .00006	.030	4
	7439244		1.243	.002	1.24310 + .00009	.030	4
	7439246		1.243	.004	1.24320 + .00012	.030	8
	7439250		1.243	.008 AND UP	1.24340 + .00030	.030	8
3 3 3 3 3	7439254	7439257	1.244	MASTER	1.24400 + .00003	.030	2
	7439256		1.244	.0005	1.24400 + .00006	.030	4
	7439260		1.244	.002	1.24410 + .00009	.030	4
	7439262		1.244	.004	1.24420 + .00012	.030	8
	7439266		1.244	.008 AND UP	1.24440 + .00030	.030	8

 RTI-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7439270 7439272 7439276 7439278 7439282	7439273	1.245 1.245 1.245 1.245 1.245	MASTER .0005 .002 .004 .008 AND UP	1.24500 + .00003 1.24500 + .00006 1.24510 + .00009 1.24520 + .00012 1.24540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7439286 7439288 7439292 7439294 7439298		7439289	1.246 1.246 1.246 1.246 1.246	MASTER .0005 .002 .004 .008 AND UP	1.24600 + .00003 1.24600 + .00006 1.24610 + .00009 1.24620 + .00012 1.24640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7439302 7439304 7439308 7439310 7439314			7439305	1.247 1.247 1.247 1.247 1.247	MASTER .0005 .002 .004 .008 AND UP	1.24700 + .00003 1.24700 + .00006 1.24710 + .00009 1.24720 + .00012 1.24740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7439318 7439320 7439324 7439326 7439330				7439321	1.248 1.248 1.248 1.248 1.248	MASTER .0005 .002 .004 .008 AND UP	1.24800 + .00003 1.24800 + .00006 1.24810 + .00009 1.24820 + .00012 1.24840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439334 7439336 7439340 7439342 7439346					7439337	1.249 1.249 1.249 1.249 1.249	MASTER .0005 .002 .004 .008 AND UP	1.24900 + .00003 1.24900 + .00006 1.24910 + .00009 1.24920 + .00012 1.24940 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7439350 7439352 7439356 7439358 7439362	7439353					1.250 1.250 1.250 1.250 1.250	MASTER .0005 .002 .004 .008 AND UP	1.25000 + .00003 1.25000 + .00006 1.25010 + .00009 1.25020 + .00012 1.25040 + .00030	.030 .030 .030 .030 .030

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7439366 7439368 7439372 7439374 7439378	7439369	1.251 1.251 1.251 1.251 1.251	MASTER .0005 .002 .004 .008 AND UP	1.25100 + .00003 1.25100 + .00006 1.25110 + .00009 1.25120 + .00012 1.25140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439382 7439384 7439388 7439390 7439394	7439385	1.252 1.252 1.252 1.252 1.252	MASTER .0005 .002 .004 .008 AND UP	1.25200 + .00003 1.25200 + .00006 1.25210 + .00009 1.25220 + .00012 1.25240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439398 7439400 7439404 7439406 7439410	7439401	1.253 1.253 1.253 1.253 1.253	MASTER .0005 .002 .004 .008 AND UP	1.25300 + .00003 1.25300 + .00006 1.25310 + .00009 1.25320 + .00012 1.25340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439414 7439416 7439420 7439422 7439426	7439417	1.254 1.254 1.254 1.254 1.254	MASTER .0005 .002 .004 .008 AND UP	1.25400 + .00003 1.25400 + .00006 1.25410 + .00009 1.25420 + .00012 1.25440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439430 7439432 7439436 7439438 7439442	7439433	1.255 1.255 1.255 1.255 1.255	MASTER .0005 .002 .004 .008 AND UP	1.25500 + .00003 1.25500 + .00006 1.25510 + .00009 1.25520 + .00012 1.25540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439446 7439448 7439452 7439454 7439458	7439449	1.256 1.256 1.256 1.256 1.256	MASTER .0005 .002 .004 .008 AND UP	1.25600 + .00003 1.25600 + .00006 1.25610 + .00009 1.25620 + .00012 1.25640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439462	7439465	1.257	MASTER	1.25700 + .00003	.030	2
3	7439464		1.257	.0005	1.25700 + .00006	.030	4
3	7439468		1.257	.002	1.25710 + .00009	.030	8
3	7439470		1.257	.004	1.25720 + .00012	.030	8
3	7439474		1.257	.008 AND UP	1.25740 + .00030	.030	8
3	7439478	7439481	1.258	MASTER	1.25800 + .00003	.030	2
3	7439480		1.258	.0005	1.25800 + .00006	.030	4
3	7439484		1.258	.002	1.25810 + .00009	.030	8
3	7439486		1.258	.004	1.25820 + .00012	.030	8
3	7439490		1.258	.008 AND UP	1.25840 + .00030	.030	8
3	7439494	7439497	1.259	MASTER	1.25900 + .00003	.030	2
3	7439496		1.259	.0005	1.25900 + .00006	.030	4
3	7439500		1.259	.002	1.25910 + .00009	.030	8
3	7439502		1.259	.004	1.25920 + .00012	.030	8
3	7439506		1.259	.008 AND UP	1.25940 + .00030	.030	8
3	7439510	7439513	1.260	MASTER	1.26000 + .00003	.030	2
3	7439512		1.260	.0005	1.26000 + .00006	.030	4
3	7439516		1.260	.002	1.26010 + .00009	.030	8
3	7439518		1.260	.004	1.26020 + .00012	.030	8
3	7439522		1.260	.008 AND UP	1.26040 + .00030	.030	8
3	7439526	7439529	1.261	MASTER	1.26100 + .00003	.030	2
3	7439528		1.261	.0005	1.26100 + .00006	.030	4
3	7439532		1.261	.002	1.26110 + .00009	.030	8
3	7439534		1.261	.004	1.26120 + .00012	.030	8
3	7439538		1.261	.008 AND UP	1.26140 + .00030	.030	8
3	7439542	7439545	1.262	MASTER	1.26200 + .00003	.030	2
3	7439544		1.262	.0005	1.26200 + .00006	.030	4
3	7439548		1.262	.002	1.26210 + .00009	.030	8
3	7439550		1.262	.004	1.26220 + .00012	.030	8
3	7439554		1.262	.008 AND UP	1.26240 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7439558 7439560 7439564 7439566 7439570	7439561	1.263 1.263 1.263 1.263 1.263	MASTER .0005 .002 .004 .008 AND UP	1.26300 + .00003 1.26300 + .00006 1.26310 + .00009 1.26320 + .00012 1.26340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7439574 7439576 7439580 7439582 7439586		7439577	1.264 1.264 1.264 1.264 1.264	MASTER .0005 .002 .004 .008 AND UP	1.26400 + .00003 1.26400 + .00006 1.26410 + .00009 1.26420 + .00012 1.26440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7439590 7439592 7439596 7439598 7439602			7439593	1.265 1.265 1.265 1.265 1.265	MASTER .0005 .002 .004 .008 AND UP	1.26500 + .00003 1.26500 + .00006 1.26510 + .00009 1.26520 + .00012 1.26540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7439606 7439608 7439612 7439614 7439618				7439609	1.266 1.266 1.266 1.266 1.266	MASTER .0005 .002 .004 .008 AND UP	1.26600 + .00003 1.26600 + .00006 1.26610 + .00009 1.26620 + .00012 1.26640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7439622 7439624 7439628 7439630 7439634					7439625	1.267 1.267 1.267 1.267 1.267	MASTER .0005 .002 .004 .008 AND UP	1.26700 + .00003 1.26700 + .00006 1.26710 + .00009 1.26720 + .00012 1.26740 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7439638 7439640 7439644 7439646 7439650	7439641					1.268 1.268 1.268 1.268 1.268	MASTER .0005 .002 .004 .008 AND UP	1.26800 + .00003 1.26800 + .00006 1.26810 + .00009 1.26820 + .00012 1.26840 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439654	7439657	1.269	MASTER	1.26900 + .00003	.030	2
3	7439656		1.269	.0005	1.26900 + .00006	.030	4
3	7439660		1.269	.002	1.26910 + .00009	.030	4
3	7439662		1.269	.004	1.26920 + .00012	.030	8
3	7439666		1.269	.008 AND UP	1.26940 + .00030	.030	8
3	7439670	7439673	1.270	MASTER	1.27000 + .00003	.030	2
3	7439672		1.270	.0005	1.27000 + .00006	.030	4
3	7439676		1.270	.002	1.27010 + .00009	.030	4
3	7439678		1.270	.004	1.27020 + .00012	.030	8
3	7439682		1.270	.008 AND UP	1.27040 + .00030	.030	8
3	7439686	7439689	1.271	MASTER	1.27100 + .00003	.030	2
3	7439688		1.271	.0005	1.27100 + .00006	.030	4
3	7439692		1.271	.002	1.27110 + .00009	.030	4
3	7439694		1.271	.004	1.27120 + .00012	.030	8
3	7439698		1.271	.008 AND UP	1.27140 + .00030	.030	8
3	7439702	7439705	1.272	MASTER	1.27200 + .00003	.030	2
3	7439704		1.272	.0005	1.27200 + .00006	.030	4
3	7439708		1.272	.002	1.27210 + .00009	.030	4
3	7439710		1.272	.004	1.27220 + .00012	.030	8
3	7439714		1.272	.008 AND UP	1.27240 + .00030	.030	8
3	7439718	7439721	1.273	MASTER	1.27300 + .00003	.030	2
3	7439720		1.273	.0005	1.27300 + .00006	.030	4
3	7439724		1.273	.002	1.27310 + .00009	.030	4
3	7439726		1.273	.004	1.27320 + .00012	.030	8
3	7439730		1.273	.008 AND UP	1.27340 + .00030	.030	8
3	7439734	7439737	1.274	MASTER	1.27400 + .00003	.030	2
3	7439736		1.274	.0005	1.27400 + .00006	.030	4
3	7439740		1.274	.002	1.27410 + .00009	.030	4
3	7439742		1.274	.004	1.27420 + .00012	.030	8
3	7439746		1.274	.008 AND UP	1.27440 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439750	7439753	1.275	MASTER	1.27500 + .00003	.030	2
3	7439752		1.275	.0005	1.27500 + .00006	.030	4
3	7439756		1.275	.002	1.27510 + .00009	.030	4
3	7439758		1.275	.004	1.27520 + .00012	.030	8
3	7439762		1.275	.008 AND UP	1.27540 + .00030	.030	8
3	7439766	7439769	1.276	MASTER	1.27600 + .00003	.030	2
3	7439768		1.276	.0005	1.27600 + .00006	.030	4
3	7439772		1.276	.002	1.27610 + .00009	.030	4
3	7439774		1.276	.004	1.27620 + .00012	.030	8
3	7439778		1.276	.008 AND UP	1.27640 + .00030	.030	8
3	7439782	7439785	1.277	MASTER	1.27700 + .00003	.030	2
3	7439784		1.277	.0005	1.27700 + .00006	.030	4
3	7439788		1.277	.002	1.27710 + .00009	.030	4
3	7439790		1.277	.004	1.27720 + .00012	.030	8
3	7439794		1.277	.008 AND UP	1.27740 + .00030	.030	8
3	7439798	7439801	1.278	MASTER	1.27800 + .00003	.030	2
3	7439800		1.278	.0005	1.27800 + .00006	.030	4
3	7439804		1.278	.002	1.27810 + .00009	.030	4
3	7439806		1.278	.004	1.27820 + .00012	.030	8
3	7439810		1.278	.008 AND UP	1.27840 + .00030	.030	8
3	7439814	7439817	1.279	MASTER	1.27900 + .00003	.030	2
3	7439816		1.279	.0005	1.27900 + .00006	.030	4
3	7439820		1.279	.002	1.27910 + .00009	.030	4
3	7439822		1.279	.004	1.27920 + .00012	.030	8
3	7439826		1.279	.008 AND UP	1.27940 + .00030	.030	8
3	7439830	7439833	1.280	MASTER	1.28000 + .00003	.030	2
3	7439832		1.280	.0005	1.28000 + .00006	.030	4
3	7439836		1.280	.002	1.28010 + .00009	.030	4
3	7439838		1.280	.004	1.28020 + .00012	.030	8
3	7439842		1.280	.008 AND UP	1.28040 + .00030	.030	8

 MIL-STD-120A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439846	7439849	1.281	MASTER	1.28100 + .00003	.030	2
3	7439848		1.281	.0005	1.28100 + .00006	.030	4
3	7439852		1.281	.002	1.28110 + .00009	.030	4
3	7439854		1.281	.004	1.28120 + .00012	.030	8
3	7439858		1.281	.008 AND UP	1.28140 + .00030	.030	8
3	7439862	7497609	1.28125	MASTER	1.28125 + .00003	.030	2
3	7497608		1.28125	.0005	1.28125 + .00006	.030	4
3	7497612		1.28125	.002	1.28135 + .00009	.030	4
3	7497614		1.28125	.004	1.28145 + .00012	.030	8
3	7497618		1.28125	.008 AND UP	1.28165 + .00030	.030	8
3	7439864	7439867	1.282	MASTER	1.28200 + .00003	.030	2
3	7439866		1.282	.0005	1.28200 + .00006	.030	4
3	7439870		1.282	.002	1.28210 + .00009	.030	4
3	7439872		1.282	.004	1.28220 + .00012	.030	8
3	7439876		1.282	.008 AND UP	1.28240 + .00030	.030	8
3	7439880	7439883	1.283	MASTER	1.28300 + .00003	.030	2
3	7439882		1.283	.0005	1.28300 + .00006	.030	4
3	7439886		1.283	.002	1.28310 + .00009	.030	4
3	7439888		1.283	.004	1.28320 + .00012	.030	8
3	7439892		1.283	.008 AND UP	1.28340 + .00030	.030	8
3	7439896	7439899	1.284	MASTER	1.28400 + .00003	.030	2
3	7439898		1.284	.0005	1.28400 + .00006	.030	4
3	7439902		1.284	.002	1.28410 + .00009	.030	4
3	7439904		1.284	.004	1.28420 + .00012	.030	8
3	7439908		1.284	.008 AND UP	1.28440 + .00030	.030	8
3	7439912	7439915	1.285	MASTER	1.28500 + .00003	.030	2
3	7439914		1.285	.0005	1.28500 + .00006	.030	4
3	7439918		1.285	.002	1.28510 + .00009	.030	4
3	7439920		1.285	.004	1.28520 + .00012	.030	8
3	7439924		1.285	.008 AND UP	1.28540 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7439928	7439931	1.286	MASTER	1.28600 + .00003	.030	2
3	7439930		1.286	.0005	1.28600 + .00006	.030	4
3	7439934		1.286	.002	1.28610 + .00009	.030	4
3	7439936		1.286	.004	1.28620 + .00012	.030	8
3	7439940		1.286	.008 AND UP	1.28640 + .00030	.030	8
3	7439944	7439947	1.287	MASTER	1.28700 + .00003	.030	2
3	7439946		1.287	.0005	1.28700 + .00006	.030	4
3	7439950		1.287	.002	1.28710 + .00009	.030	4
3	7439952		1.287	.004	1.28720 + .00012	.030	8
3	7439956		1.287	.008 AND UP	1.28740 + .00030	.030	8
3	7439960	7439963	1.288	MASTER	1.28800 + .00003	.030	2
3	7439962		1.288	.0005	1.28800 + .00006	.030	4
3	7439966		1.288	.002	1.28810 + .00009	.030	4
3	7439968		1.288	.004	1.28820 + .00012	.030	8
3	7439972		1.288	.008 AND UP	1.28840 + .00030	.030	8
3	7439976	7439979	1.289	MASTER	1.28900 + .00003	.030	2
3	7439978		1.289	.0005	1.28900 + .00006	.030	4
3	7439982		1.289	.002	1.28910 + .00009	.030	4
3	7439984		1.289	.004	1.28920 + .00012	.030	8
3	7439988		1.289	.008 AND UP	1.28940 + .00030	.030	8
3	7439992	7439995	1.290	MASTER	1.29000 + .00003	.030	2
3	7439994		1.290	.0005	1.29000 + .00006	.030	4
3	7439998		1.290	.002	1.29010 + .00009	.030	4
3	7440000		1.290	.004	1.29020 + .00012	.030	8
3	7440004		1.290	.008 AND UP	1.29040 + .00030	.030	8
3	7440008	7440011	1.291	MASTER	1.29100 + .00003	.030	2
3	7440010		1.291	.0005	1.29100 + .00006	.030	4
3	7440014		1.291	.002	1.29110 + .00009	.030	4
3	7440016		1.291	.004	1.29120 + .00012	.030	8
3	7440020		1.291	.008 AND UP	1.29140 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7440024	7440027	1.292	MASTER	1.29200 + .00003	.030	2
	7440026		1.292	.0005	1.29200 + .00006	.030	4
	7440030		1.292	.002	1.29210 + .00009	.030	4
	7440032		1.292	.004	1.29220 + .00012	.030	8
	7440036		1.292	.008 AND UP	1.29240 + .00030	.030	8
3 3 3 3 3	7440040	7440043	1.293	MASTER	1.29300 + .00003	.030	2
	7440042		1.293	.0005	1.29300 + .00006	.030	4
	7440046		1.293	.002	1.29310 + .00009	.030	4
	7440048		1.293	.004	1.29320 + .00012	.030	8
	7440052		1.293	.008 AND UP	1.29340 + .00030	.030	8
3 3 3 3 3	7440056	7440059	1.294	MASTER	1.29400 + .00003	.030	2
	7440058		1.294	.0005	1.29400 + .00006	.030	4
	7440062		1.294	.002	1.29410 + .00009	.030	4
	7440064		1.294	.004	1.29420 + .00012	.030	8
	7440068		1.294	.008 AND UP	1.29440 + .00030	.030	8
3 3 3 3 3	7440072	7440075	1.295	MASTER	1.29500 + .00003	.030	2
	7440074		1.295	.0005	1.29500 + .00006	.030	4
	7440078		1.295	.002	1.29510 + .00009	.030	4
	7440080		1.295	.004	1.29520 + .00012	.030	8
	7440084		1.295	.008 AND UP	1.29540 + .00030	.030	8
3 3 3 3 3	7440088	7440091	1.296	MASTER	1.29600 + .00003	.030	2
	7440090		1.296	.0005	1.29600 + .00006	.030	4
	7440094		1.296	.002	1.29610 + .00009	.030	4
	7440096		1.296	.004	1.29620 + .00012	.030	8
	7440100		1.296	.008 AND UP	1.29640 + .00030	.030	8
3 3 3 3 3	7440104	7440107	1.297	MASTER	1.29700 + .00003	.030	2
	7440106		1.297	.0005	1.29700 + .00006	.030	4
	7440110		1.297	.002	1.29710 + .00009	.030	4
	7440112		1.297	.004	1.29720 + .00012	.030	8
	7440116		1.297	.008 AND UP	1.29740 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

NO. GAGE	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		H SIN 13			
	FILM - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 4 3 3 3	7440120 7440122 7440126 7440128 7440132	7440123	1.298 1.298 1.298 1.298 1.298	MASTER .0005 .002 .004 .008 AND UP	1.29800 + .00003 1.29800 + .00006 1.29810 + .00009 1.29820 + .00012 1.29840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7440136 7440138 7440142 7440144 7440148		7440139	1.299 1.299 1.299 1.299 1.299	MASTER .0005 .002 .004 .008 AND UP	1.29900 + .00003 1.29900 + .00006 1.29910 + .00009 1.29920 + .00012 1.29940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7440152 7440154 7440158 7440160 7440164			7440155	1.300 1.300 1.300 1.300 1.300	MASTER .0005 .002 .004 .008 AND UP	1.30000 + .00003 1.30000 + .00006 1.30010 + .00009 1.30020 + .00012 1.30040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7440168 7440170 7440174 7440176 7440180				7440171	1.301 1.301 1.301 1.301 1.301	MASTER .0005 .002 .004 .008 AND UP	1.30100 + .00003 1.30100 + .00006 1.30110 + .00009 1.30120 + .00012 1.30140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440184 7440186 7440190 7440192 7440196					7440187	1.302 1.302 1.302 1.302 1.302	MASTER .0005 .002 .004 .008 AND UP	1.30200 + .00003 1.30200 + .00006 1.30210 + .00009 1.30220 + .00012 1.30240 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7440200 7440202 7440206 7440208 7440212	7440203					1.303 1.303 1.303 1.303 1.303	MASTER .0005 .002 .004 .008 AND UP	1.30300 + .00003 1.30300 + .00006 1.30310 + .00009 1.30320 + .00012 1.30340 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3 3	7440216 7440218 7440222 7440224 7440228	7440219	1.304 1.304 1.304 1.304 1.304	MASTER .0005 .002 .004 .008 AND UP	1.30400 + .00003 1.30400 + .00006 1.30410 + .00009 1.30420 + .00012 1.30440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440232 7440234 7440238 7440240 7440244	7440235	1.305 1.305 1.305 1.305 1.305	MASTER .0005 .002 .004 .008 AND UP	1.30500 + .00003 1.30500 + .00006 1.30510 + .00009 1.30520 + .00012 1.30540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440248 7440250 7440254 7440256 7440260	7440251	1.306 1.306 1.306 1.306 1.306	MASTER .0005 .002 .004 .008 AND UP	1.30600 + .00003 1.30600 + .00006 1.30610 + .00009 1.30620 + .00012 1.30640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440264 7440266 7440270 7440272 7440276	7440267	1.307 1.307 1.307 1.307 1.307	MASTER .0005 .002 .004 .008 AND UP	1.30700 + .00003 1.30700 + .00006 1.30710 + .00009 1.30720 + .00012 1.30740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440280 7440282 7440286 7440288 7440292	7440283	1.308 1.308 1.308 1.308 1.308	MASTER .0005 .002 .004 .008 AND UP	1.30800 + .00003 1.30800 + .00006 1.30810 + .00009 1.30820 + .00012 1.30840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440296 7440298 7440302 7440304 7440308	7440299	1.309 1.309 1.309 1.309 1.309	MASTER .0005 .002 .004 .008 AND UP	1.30900 + .00003 1.30900 + .00006 1.30910 + .00009 1.30920 + .00012 1.30940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MI-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7440312	7440315	1.310	MASTER	1.31000 + .00003	.030	2
3	7440314		1.310	.0005	1.31000 + .00006	.030	4
3	7440318		1.310	.002	1.31010 + .00009	.030	4
3	7440320		1.310	.004	1.31020 + .00012	.030	8
3	7440324		1.310	.008 AND UP	1.31040 + .00030	.030	8
3	7440328	7440331	1.311	MASTER	1.31100 + .00003	.030	2
3	7440330		1.311	.0005	1.31100 + .00006	.030	4
3	7440334		1.311	.002	1.31110 + .00009	.030	4
3	7440336		1.311	.004	1.31120 + .00012	.030	8
3	7440340		1.311	.008 AND UP	1.31140 + .00030	.030	8
3	7440344	7440347	1.312	MASTER	1.31200 + .00003	.030	2
3	7440346		1.312	.0005	1.31200 + .00006	.030	4
3	7440350		1.312	.002	1.31210 + .00009	.030	4
3	7440352		1.312	.004	1.31220 + .00012	.030	8
3	7440356		1.312	.008 AND UP	1.31240 + .00030	.030	8
3	7440360	7497623	1.3125	MASTER	1.31250 + .00003	.030	2
3	7497622		1.3125	.0005	1.31250 + .00006	.030	4
3	7497626		1.3125	.002	1.31260 + .00009	.030	4
3	7497628		1.3125	.004	1.31270 + .00012	.030	8
3	7497632		1.3125	.008 AND UP	1.31290 + .00030	.030	8
3	7440362	7440365	1.313	MASTER	1.31300 + .00003	.030	2
3	7440364		1.313	.0005	1.31300 + .00006	.030	4
3	7440368		1.313	.002	1.31310 + .00009	.030	4
3	7440370		1.313	.004	1.31320 + .00012	.030	8
3	7440374		1.313	.008 AND UP	1.31340 + .00030	.030	8
3	7440378	7440381	1.314	MASTER	1.31400 + .00003	.030	2
3	7440380		1.314	.0005	1.31400 + .00006	.030	4
3	7440384		1.314	.002	1.31410 + .00009	.030	4
3	7440386		1.314	.004	1.31420 + .00012	.030	8
3	7440390		1.314	.008 AND UP	1.31440 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7440394 7440396 7440400 7440402 7440406	7440397	1.315 1.315 1.315 1.315 1.315	MASTER .0005 .002 .004 .008 AND UP	1.31500 + .00003 1.31500 + .00006 1.31510 + .00009 1.31520 + .00012 1.31540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7440410 7440412 7440416 7440418 7440422		7440413	1.316 1.316 1.316 1.316 1.316	MASTER .0005 .002 .004 .008 AND UP	1.31600 + .00003 1.31600 + .00006 1.31610 + .00009 1.31620 + .00012 1.31640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7440426 7440428 7440432 7440434 7440438			7440429	1.317 1.317 1.317 1.317 1.317	MASTER .0005 .002 .004 .008 AND UP	1.31700 + .00003 1.31700 + .00006 1.31710 + .00009 1.31720 + .00012 1.31740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7440442 7440444 7440448 7440450 7440454				7440445	1.318 1.318 1.318 1.318 1.318	MASTER .0005 .002 .004 .008 AND UP	1.31800 + .00003 1.31800 + .00006 1.31810 + .00009 1.31820 + .00012 1.31840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440458 7440460 7440464 7440466 7440470					7440461	1.319 1.319 1.319 1.319 1.319	MASTER .0005 .002 .004 .008 AND UP	1.31900 + .00003 1.31900 + .00006 1.31910 + .00009 1.31920 + .00012 1.31940 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7440474 7440476 7440480 7440482 7440486	7440477					1.320 1.320 1.320 1.320 1.320	MASTER .0005 .002 .004 .008 AND UP	1.32000 + .00003 1.32000 + .00006 1.32010 + .00009 1.32020 + .00012 1.32040 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING OIL GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7440490	7440493	1.321	MASTER	1.32100 + .00003	.030	2
3	7440492		1.321	.0005	1.32100 + .00006	.030	4
3	7440496		1.321	.002	1.32110 + .00009	.030	4
3	7440498		1.321	.004	1.32120 + .00012	.030	8
3	7440502		1.321	.008 AND UP	1.32140 + .00030	.030	8
3	7440506	7440509	1.322	MASTER	1.32200 + .00003	.030	2
3	7440508		1.322	.0005	1.32200 + .00006	.030	4
3	7440512		1.322	.002	1.32210 + .00009	.030	4
3	7440514		1.322	.004	1.32220 + .00012	.030	8
3	7440518		1.322	.008 AND UP	1.32240 + .00030	.030	8
3	7440522	7440525	1.323	MASTER	1.32300 + .00003	.030	2
3	7440524		1.323	.0005	1.32300 + .00006	.030	4
3	7440528		1.323	.002	1.32310 + .00009	.030	4
3	7440530		1.323	.004	1.32320 + .00012	.030	8
3	7440534		1.323	.008 AND UP	1.32340 + .00030	.030	8
3	7440538	7440541	1.324	MASTER	1.32400 + .00003	.030	2
3	7440540		1.324	.0005	1.32400 + .00006	.030	4
3	7440544		1.324	.002	1.32410 + .00009	.030	4
3	7440546		1.324	.004	1.32420 + .00012	.030	8
3	7440550		1.324	.008 AND UP	1.32440 + .00030	.030	8
3	7440554	7440557	1.325	MASTER	1.32500 + .00003	.030	2
3	7440556		1.325	.0005	1.32500 + .00006	.030	4
3	7440560		1.325	.002	1.32510 + .00009	.030	4
3	7440562		1.325	.004	1.32520 + .00012	.030	8
3	7440566		1.325	.008 AND UP	1.32540 + .00030	.030	8
3	7440570	7440573	1.326	MASTER	1.32600 + .00003	.030	2
3	7440572		1.326	.0005	1.32600 + .00006	.030	4
3	7440576		1.326	.002	1.32610 + .00009	.030	4
3	7440578		1.326	.004	1.32620 + .00012	.030	8
3	7440582		1.326	.008 AND UP	1.32640 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7440586	7440589	1.327	MASTER	1.32700 + .00003	.030	2
	7440588		1.327	.0005	1.32700 + .00006	.030	4
	7440592		1.327	.002	1.32710 + .00009	.030	4
	7440594		1.327	.004	1.32720 + .00012	.030	8
	7440598		1.327	.008 AND UP	1.32740 + .00030	.030	8
3 3 3 3 3	7440602	7440605	1.328	MASTER	1.32800 + .00003	.030	2
	7440604		1.328	.0005	1.32800 + .00006	.030	4
	7440608		1.328	.002	1.32810 + .00009	.030	4
	7440610		1.328	.004	1.32820 + .00012	.030	8
	7440614		1.328	.008 AND UP	1.32840 + .00030	.030	8
3 3 3 3 3	7440618	7440621	1.329	MASTER	1.32900 + .00003	.030	2
	7440620		1.329	.0005	1.32900 + .00006	.030	4
	7440624		1.329	.002	1.32910 + .00009	.030	4
	7440626		1.329	.004	1.32920 + .00012	.030	8
	7440630		1.329	.008 AND UP	1.32940 + .00030	.030	8
3 3 3 3 3	7440634	7440637	1.330	MASTER	1.33000 + .00003	.030	2
	7440636		1.330	.0005	1.33000 + .00006	.030	4
	7440640		1.330	.002	1.33010 + .00009	.030	4
	7440642		1.330	.004	1.33020 + .00012	.030	8
	7440646		1.330	.008 AND UP	1.33040 + .00030	.030	8
3 3 3 3 3	7440650	7440653	1.331	MASTER	1.33100 + .00003	.030	2
	7440652		1.331	.0005	1.33100 + .00006	.030	4
	7440656		1.331	.002	1.33110 + .00009	.030	4
	7440658		1.331	.004	1.33120 + .00012	.030	8
	7440662		1.331	.008 AND UP	1.33140 + .00030	.030	8
3 3 3 3 3	7440666	7440669	1.332	MASTER	1.33200 + .00003	.030	2
	7440668		1.332	.0005	1.33200 + .00006	.030	4
	7440672		1.332	.002	1.33210 + .00009	.030	4
	7440674		1.332	.004	1.33220 + .00012	.030	8
	7440678		1.332	.008 AND UP	1.33240 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7440682 7440684 7440688 7440690 7440694	7440685	1.333 1.333 1.333 1.333 1.333	MASTER .0005 .002 .004 .008 AND UP	1.33300 + .00003 1.33300 + .00006 1.33310 + .00009 1.33320 + .00012 1.33340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440698 7440700 7440704 7440706 7440710	7440701	1.334 1.334 1.334 1.334 1.334	MASTER .0005 .002 .004 .008 AND UP	1.33400 + .00003 1.33400 + .00006 1.33410 + .00009 1.33420 + .00012 1.33440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440714 7440716 7440720 7440722 7440726	7440717	1.335 1.335 1.335 1.335 1.335	MASTER .0005 .002 .004 .008 AND UP	1.33500 + .00003 1.33500 + .00006 1.33510 + .00009 1.33520 + .00012 1.33540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440730 7440732 7440736 7440738 7440742	7440733	1.336 1.336 1.336 1.336 1.336	MASTER .0005 .002 .004 .008 AND UP	1.33600 + .00003 1.33600 + .00006 1.33610 + .00009 1.33620 + .00012 1.33640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440746 7440748 7440752 7440754 7440758	7440749	1.337 1.337 1.337 1.337 1.337	MASTER .0005 .002 .004 .008 AND UP	1.33700 + .00003 1.33700 + .00006 1.33710 + .00009 1.33720 + .00012 1.33740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440762 7440764 7440768 7440770 7440774	7440765	1.338 1.338 1.338 1.338 1.338	MASTER .0005 .002 .004 .008 AND UP	1.33800 + .00003 1.33800 + .00006 1.33810 + .00009 1.33820 + .00012 1.33840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7440778 7440780 7440784 7440786 7440790	7440781	1.339 1.339 1.339 1.339 1.339	MASTER .0005 .002 .004 .008 AND UP	1.33900 + .00003 1.33900 + .00006 1.33910 + .00009 1.33920 + .00012 1.33940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440794 7440796 7440800 7440802 7440806	7440797	1.340 1.340 1.340 1.340 1.340	MASTER .0005 .002 .004 .008 AND UP	1.34000 + .00003 1.34000 + .00006 1.34010 + .00009 1.34020 + .00012 1.34040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440810 7440812 7440816 7440818 7440822	7440813	1.341 1.341 1.341 1.341 1.341	MASTER .0005 .002 .004 .008 AND UP	1.34100 + .00003 1.34100 + .00006 1.34110 + .00009 1.34120 + .00012 1.34140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440826 7440828 7440832 7440834 7440838	7440829	1.342 1.342 1.342 1.342 1.342	MASTER .0005 .002 .004 .008 AND UP	1.34200 + .00003 1.34200 + .00006 1.34210 + .00009 1.34220 + .00012 1.34240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440842 7440844 7440848 7440850 7440854	7440845	1.343 1.343 1.343 1.343 1.343	MASTER .0005 .002 .004 .008 AND UP	1.34300 + .00003 1.34300 + .00006 1.34310 + .00009 1.34320 + .00012 1.34340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440858 7497636 7497640 7497642 7497646	7497637	1.34375 1.34375 1.34375 1.34375 1.34375	MASTER .0005 .002 .004 .008 AND UP	1.34375 + .00003 1.34375 + .00006 1.34385 + .00009 1.34395 + .00012 1.34415 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7440860 7440862 7440866 7440868 7440872	7440863	1.344 1.344 1.344 1.344 1.344	MASTER .0005 .002 .004 .008 AND UP	1.34400 + .00003 1.34400 + .00006 1.34410 + .00009 1.34420 + .00012 1.34440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440876 7440878 7440882 7440884 7440888	7440879	1.345 1.345 1.345 1.345 1.345	MASTER .0005 .002 .004 .008 AND UP	1.34500 + .00003 1.34500 + .00006 1.34510 + .00009 1.34520 + .00012 1.34540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440892 7440894 7440898 7440900 7440904	7440895	1.346 1.346 1.346 1.346 1.346	MASTER .0005 .002 .004 .008 AND UP	1.34600 + .00003 1.34600 + .00006 1.34610 + .00009 1.34620 + .00012 1.34640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440908 7440910 7440914 7440916 7440920	7440911	1.347 1.347 1.347 1.347 1.347	MASTER .0005 .002 .004 .008 AND UP	1.34700 + .00003 1.34700 + .00006 1.34710 + .00009 1.34720 + .00012 1.34740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440924 7440926 7440930 7440932 7440936	7440927	1.348 1.348 1.348 1.348 1.348	MASTER .0005 .002 .004 .008 AND UP	1.34800 + .00003 1.34800 + .00006 1.34810 + .00009 1.34820 + .00012 1.34840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7440940 7440942 7440946 7440948 7440952	7440943	1.349 1.349 1.349 1.349 1.349	MASTER .0005 .002 .004 .008 AND UP	1.34900 + .00003 1.34900 + .00006 1.34910 + .00009 1.34920 + .00012 1.34940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7440956	7440959	1.350	MASTER	1.35000 + .00003	.030	2
	7440958		1.350	.0005	1.35000 + .00006	.030	4
	7440962		1.350	.002	1.35010 + .00009	.030	4
	7440964		1.350	.004	1.35020 + .00012	.030	8
	7440968		1.350	.008 AND UP	1.35040 + .00030	.030	8
3 3 3 3 3	7440972	7440975	1.351	MASTER	1.35100 + .00003	.030	2
	7440974		1.351	.0005	1.35100 + .00006	.030	4
	7440978		1.351	.002	1.35110 + .00009	.030	4
	7440980		1.351	.004	1.35120 + .00012	.030	8
	7440984		1.351	.008 AND UP	1.35140 + .00030	.030	8
3 3 3 3 3	7440988	7440991	1.352	MASTER	1.35200 + .00003	.030	2
	7440990		1.352	.0005	1.35200 + .00006	.030	4
	7440994		1.352	.002	1.35210 + .00009	.030	4
	7440996		1.352	.004	1.35220 + .00012	.030	8
	7441000		1.352	.008 AND UP	1.35240 + .00030	.030	8
3 3 3 3 3	7441004	7441007	1.353	MASTER	1.35300 + .00003	.030	2
	7441006		1.353	.0005	1.35300 + .00006	.030	4
	7441010		1.353	.002	1.35310 + .00009	.030	4
	7441012		1.353	.004	1.35320 + .00012	.030	8
	7441016		1.353	.008 AND UP	1.35340 + .00030	.030	8
3 3 3 3 3	7441020	7441023	1.354	MASTER	1.35400 + .00003	.030	2
	7441022		1.354	.0005	1.35400 + .00006	.030	4
	7441026		1.354	.002	1.35410 + .00009	.030	4
	7441028		1.354	.004	1.35420 + .00012	.030	8
	7441032		1.354	.008 AND UP	1.35440 + .00030	.030	8
3 3 3 3 3	7441036	7441039	1.355	MASTER	1.35500 + .00003	.030	2
	7441038		1.355	.0005	1.35500 + .00006	.030	4
	7441042		1.355	.002	1.35510 + .00009	.030	4
	7441044		1.355	.004	1.35520 + .00012	.030	8
	7441048		1.355	.008 AND UP	1.35540 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441052	7441055	1.356	MASTER	1.35600 + .00003	.030	2
	7441054		1.356	.0005	1.35600 + .00006	.030	4
	7441058		1.356	.002	1.35610 + .00009	.030	4
	7441060		1.356	.004	1.35620 + .00012	.030	8
	7441064		1.356	.008 AND UP	1.35640 + .00030	.030	8
3	7441068	7441071	1.357	MASTER	1.35700 + .00003	.030	2
	7441070		1.357	.0005	1.35700 + .00006	.030	4
	7441074		1.357	.002	1.35710 + .00009	.030	4
	7441076		1.357	.004	1.35720 + .00012	.030	8
	7441080		1.357	.008 AND UP	1.35740 + .00030	.030	8
3	7441084	7441087	1.358	MASTER	1.35800 + .00003	.030	2
	7441086		1.358	.0005	1.35800 + .00006	.030	4
	7441090		1.358	.002	1.35810 + .00009	.030	4
	7441092		1.358	.004	1.35820 + .00012	.030	8
	7441096		1.358	.008 AND UP	1.35840 + .00030	.030	8
3	7441100	7441103	1.359	MASTER	1.35900 + .00003	.030	2
	7441102		1.359	.0005	1.35900 + .00006	.030	4
	7441106		1.359	.002	1.35910 + .00009	.030	4
	7441108		1.359	.004	1.35920 + .00012	.030	8
	7441112		1.359	.008 AND UP	1.35940 + .00030	.030	8
3	7441116	7441119	1.360	MASTER	1.36000 + .00003	.030	2
	7441118		1.360	.0005	1.36000 + .00006	.030	4
	7441122		1.360	.002	1.36010 + .00009	.030	4
	7441124		1.360	.004	1.36020 + .00012	.030	8
	7441128		1.360	.008 AND UP	1.36040 + .00030	.030	8
3	7441132	7441135	1.361	MASTER	1.36100 + .00003	.030	2
	7441134		1.361	.0005	1.36100 + .00006	.030	4
	7441138		1.361	.002	1.36110 + .00009	.030	4
	7441140		1.361	.004	1.36120 + .00012	.030	8
	7441144		1.361	.008 AND UP	1.36140 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441148	7441151	1.362	MASTER	1.36200 + .00003	.030	2
3	7441150		1.362	.0005	1.36200 + .00006	.030	4
3	7441154		1.362	.002	1.36210 + .00009	.030	4
3	7441156		1.362	.004	1.36220 + .00012	.030	8
3	7441160		1.362	.008 AND UP	1.36240 + .00030	.030	8
3	7441164	7441167	1.363	MASTER	1.36300 + .00003	.030	2
3	7441166		1.363	.0005	1.36300 + .00006	.030	4
3	7441170		1.363	.002	1.36310 + .00009	.030	4
3	7441172		1.363	.004	1.36320 + .00012	.030	8
3	7441176		1.363	.008 AND UP	1.36340 + .00030	.030	8
3	7441180	7441183	1.364	MASTER	1.36400 + .00003	.030	2
3	7441182		1.364	.0005	1.36400 + .00006	.030	4
3	7441186		1.364	.002	1.36410 + .00009	.030	4
3	7441188		1.364	.004	1.36420 + .00012	.030	8
3	7441192		1.364	.008 AND UP	1.36440 + .00030	.030	8
3	7441196	7441199	1.365	MASTER	1.36500 + .00003	.030	2
3	7441198		1.365	.0005	1.36500 + .00006	.030	4
3	7441202		1.365	.002	1.36510 + .00009	.030	4
3	7441204		1.365	.004	1.36520 + .00012	.030	8
3	7441208		1.365	.008 AND UP	1.36540 + .00030	.030	8
3	7441212	7441215	1.366	MASTER	1.36600 + .00003	.030	2
3	7441214		1.366	.0005	1.36600 + .00006	.030	4
3	7441218		1.366	.002	1.36610 + .00009	.030	4
3	7441220		1.366	.004	1.36620 + .00012	.030	8
3	7441224		1.366	.008 AND UP	1.36640 + .00030	.030	8
3	7441228	7441231	1.367	MASTER	1.36700 + .00003	.030	2
3	7441230		1.367	.0005	1.36700 + .00006	.030	4
3	7441234		1.367	.002	1.36710 + .00009	.030	4
3	7441236		1.367	.004	1.36720 + .00012	.030	8
3	7441240		1.367	.008 AND UP	1.36740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued).

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441244	7441247	1.368	MASTER	1.36800 + .00003	.030	2
3	7441246		1.368	.0005	1.36800 + .00006	.030	4
3	7441250		1.368	.002	1.36810 + .00009	.030	8
3	7441252		1.368	.004	1.36820 + .00012	.030	8
3	7441256		1.368	.008 AND UP	1.36840 + .00030	.030	8
3	7441260	7441263	1.369	MASTER	1.36900 + .00003	.030	2
3	7441262		1.369	.0005	1.36900 + .00006	.030	4
3	7441266		1.369	.002	1.36910 + .00009	.030	8
3	7441268		1.369	.004	1.36920 + .00012	.030	8
3	7441272		1.369	.008 AND UP	1.36940 + .00030	.030	8
3	7441276	7441279	1.370	MASTER	1.37000 + .00003	.030	2
3	7441278		1.370	.0005	1.37000 + .00006	.030	4
3	7441282		1.370	.002	1.37010 + .00009	.030	8
3	7441284		1.370	.004	1.37020 + .00012	.030	8
3	7441288		1.370	.008 AND UP	1.37040 + .00030	.030	8
3	7441292	7441295	1.371	MASTER	1.37100 + .00003	.030	2
3	7441294		1.371	.0005	1.37100 + .00006	.030	4
3	7441298		1.371	.002	1.37110 + .00009	.030	8
3	7441300		1.371	.004	1.37120 + .00012	.030	8
3	7441304		1.371	.008 AND UP	1.37140 + .00030	.030	8
3	7441308	7441311	1.372	MASTER	1.37200 + .00003	.030	2
3	7441310		1.372	.0005	1.37200 + .00006	.030	4
3	7441314		1.372	.002	1.37210 + .00009	.030	8
3	7441316		1.372	.004	1.37220 + .00012	.030	8
3	7441320		1.372	.008 AND UP	1.37240 + .00030	.030	8
3	7441324	7441327	1.373	MASTER	1.37300 + .00003	.030	2
3	7441326		1.373	.0005	1.37300 + .00006	.030	4
3	7441330		1.373	.002	1.37310 + .00009	.030	8
3	7441332		1.373	.004	1.37320 + .00012	.030	8
3	7441336		1.373	.008 AND UP	1.37340 + .00030	.030	8

 MIL-STD-120A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441340	7441343	1.374	MASTER	1.37400 + .00003	.030	2
3	7441342		1.374	.0005	1.37400 + .00006	.030	4
3	7441346		1.374	.002	1.37410 + .00009	.030	4
3	7441348		1.374	.004	1.37420 + .00012	.030	8
3	7441352		1.374	.008 AND UP	1.37440 + .00030	.030	8
3	7441356	7441359	1.375	MASTER	1.37500 + .00003	.030	2
3	7441358		1.375	.0005	1.37500 + .00006	.030	4
3	7441362		1.375	.002	1.37510 + .00009	.030	4
3	7441364		1.375	.004	1.37520 + .00012	.030	8
3	7441368		1.375	.008 AND UP	1.37540 + .00030	.030	8
3	7441372	7441375	1.376	MASTER	1.37600 + .00003	.030	2
3	7441374		1.376	.0005	1.37600 + .00006	.030	4
3	7441378		1.376	.002	1.37610 + .00009	.030	4
3	7441380		1.376	.004	1.37620 + .00012	.030	8
3	7441384		1.376	.008 AND UP	1.37640 + .00030	.030	8
3	7441388	7441391	1.377	MASTER	1.37700 + .00003	.030	2
3	7441390		1.377	.0005	1.37700 + .00006	.030	4
3	7441394		1.377	.002	1.37710 + .00009	.030	4
3	7441396		1.377	.004	1.37720 + .00012	.030	8
3	7441400		1.377	.008 AND UP	1.37740 + .00030	.030	8
3	7441404	7441407	1.378	MASTER	1.37800 + .00003	.030	2
3	7441406		1.378	.0005	1.37800 + .00006	.030	4
3	7441410		1.378	.002	1.37810 + .00009	.030	4
3	7441412		1.378	.004	1.37820 + .00012	.030	8
3	7441416		1.378	.008 AND UP	1.37840 + .00030	.030	8
3	7441420	7441423	1.379	MASTER	1.37900 + .00003	.030	2
3	7441422		1.379	.0005	1.37900 + .00006	.030	4
3	7441426		1.379	.002	1.37910 + .00009	.030	4
3	7441428		1.379	.004	1.37920 + .00012	.030	8
3	7441432		1.379	.008 AND UP	1.37940 + .00030	.030	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
3	7441436	7441439	1.380	MASTER	1.38000 + .00003	.030	2	
3	7441438		1.380	.0005	1.38000 + .00006	.030	4	
3	7441442		1.380	.002	1.38010 + .00009	.030	4	
3	7441444		1.380	.004	1.38020 + .00012	.030	8	
3	7441448		1.380	.008 AND UP	1.38040 + .00030	.030	8	
3	7441452	7441455	1.381	MASTER	1.38100 + .00003	.030	2	
3	7441454		1.381	.0005	1.38100 + .00006	.030	4	
3	7441458		1.381	.002	1.38110 + .00009	.030	4	
3	7441460		1.381	.004	1.38120 + .00012	.030	8	
3	7441464		1.381	.008 AND UP	1.38140 + .00030	.030	8	
3	7441468	7441471	1.382	MASTER	1.38200 + .00003	.030	2	
3	7441470		1.382	.0005	1.38200 + .00006	.030	4	
3	7441474		1.382	.002	1.38210 + .00009	.030	4	
3	7441476		1.382	.004	1.38220 + .00012	.030	8	
3	7441480		1.382	.008 AND UP	1.38240 + .00030	.030	8	
3	7441484	7441487	1.383	MASTER	1.38300 + .00003	.030	2	
3	7441486		1.383	.0005	1.38300 + .00006	.030	4	
3	7441490		1.383	.002	1.38310 + .00009	.030	4	
3	7441492		1.383	.004	1.38320 + .00012	.030	8	
3	7441496		1.383	.008 AND UP	1.38340 + .00030	.030	8	
3	7441500	7441503	1.384	MASTER	1.38400 + .00003	.030	2	
3	7441502		1.384	.0005	1.38400 + .00006	.030	4	
3	7441506		1.384	.002	1.38410 + .00009	.030	4	
3	7441508		1.384	.004	1.38420 + .00012	.030	8	
3	7441512		1.384	.008 AND UP	1.38440 + .00030	.030	8	
3	7441516	7441519	1.385	MASTER	1.38500 + .00003	.030	2	
3	7441518		1.385	.0005	1.38500 + .00006	.030	4	
3	7441522		1.385	.002	1.38510 + .00009	.030	4	
3	7441524		1.385	.004	1.38520 + .00012	.030	8	
3	7441528		1.385	.008 AND UP	1.38540 + .00030	.030	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3 3	7441532 7441534 7441538 7441540 7441544	7441535	1.386 1.386 1.386 1.386 1.386	MASTER .0005 .002 .004 .008 AND UP	1.38600 + .00003 1.38600 + .00006 1.38610 + .00009 1.38620 + .00012 1.38640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441548 7441550 7441554 7441556 7441560	7441551	1.387 1.387 1.387 1.387 1.387	MASTER .0005 .002 .004 .008 AND UP	1.38700 + .00003 1.38700 + .00006 1.38710 + .00009 1.38720 + .00012 1.38740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441564 7441566 7441570 7441572 7441576	7441567	1.388 1.388 1.388 1.388 1.388	MASTER .0005 .002 .004 .008 AND UP	1.38800 + .00003 1.38800 + .00006 1.38810 + .00009 1.38820 + .00012 1.38840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441580 7441582 7441586 7441588 7441592	7441583	1.389 1.389 1.389 1.389 1.389	MASTER .0005 .002 .004 .008 AND UP	1.38900 + .00003 1.38900 + .00006 1.38910 + .00009 1.38920 + .00012 1.38940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441596 7441598 7441602 7441604 7441608	7441599	1.390 1.390 1.390 1.390 1.390	MASTER .0005 .002 .004 .008 AND UP	1.39000 + .00003 1.39000 + .00006 1.39010 + .00009 1.39020 + .00012 1.39040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441612 7441614 7441618 7441620 7441624	7441615	1.391 1.391 1.391 1.391 1.391	MASTER .0005 .002 .004 .008 AND UP	1.39100 + .00003 1.39100 + .00006 1.39110 + .00009 1.39120 + .00012 1.39140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441628	7441631	1.392	MASTER	1.39200 + .00003	.030	2
3	7441630		1.392	.0005	1.39200 + .00006	.030	4
3	7441634		1.392	.002	1.39210 + .00009	.030	4
3	7441636		1.392	.004	1.39220 + .00012	.030	8
3	7441640		1.392	.008 AND UP	1.39240 + .00030	.030	8
3	7441644	7441647	1.393	MASTER	1.39300 + .00003	.030	2
3	7441646		1.393	.0005	1.39300 + .00006	.030	4
3	7441650		1.393	.002	1.39310 + .00009	.030	4
3	7441652		1.393	.004	1.39320 + .00012	.030	8
3	7441656		1.393	.008 AND UP	1.39340 + .00030	.030	8
3	7441660	7441663	1.394	MASTER	1.39400 + .00003	.030	2
3	7441662		1.394	.0005	1.39400 + .00006	.030	4
3	7441666		1.394	.002	1.39410 + .00009	.030	4
3	7441668		1.394	.004	1.39420 + .00012	.030	8
3	7441672		1.394	.008 AND UP	1.39440 + .00030	.030	8
3	7441676	7441679	1.395	MASTER	1.39500 + .00003	.030	2
3	7441678		1.395	.0005	1.39500 + .00006	.030	4
3	7441682		1.395	.002	1.39510 + .00009	.030	4
3	7441684		1.395	.004	1.39520 + .00012	.030	8
3	7441688		1.395	.008 AND UP	1.39540 + .00030	.030	8
3	7441692	7441695	1.396	MASTER	1.39600 + .00003	.030	2
3	7441694		1.396	.0005	1.39600 + .00006	.030	4
3	7441698		1.396	.002	1.39610 + .00009	.030	4
3	7441700		1.396	.004	1.39620 + .00012	.030	8
3	7441704		1.396	.008 AND UP	1.39640 + .00030	.030	8
3	7441708	7441711	1.397	MASTER	1.39700 + .00003	.030	2
3	7441710		1.397	.0005	1.39700 + .00006	.030	4
3	7441714		1.397	.002	1.39710 + .00009	.030	4
3	7441716		1.397	.004	1.39720 + .00012	.030	8
3	7441720		1.397	.008 AND UP	1.39740 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3 3	7441724 7441726 7441730 7441732 7441736	7441727	1.398 1.398 1.398 1.398 1.398	MASTER .0005 .002 .004 .008 AND UP	1.39800 + .00003 1.39800 + .00006 1.39810 + .00009 1.39820 + .00012 1.39840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441740 7441742 7441746 7441748 7441752	7441743	1.399 1.399 1.399 1.399 1.399	MASTER .0005 .002 .004 .008 AND UP	1.39900 + .00003 1.39900 + .00006 1.39910 + .00009 1.39920 + .00012 1.39940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441756 7441758 7441762 7441764 7441768	7441759	1.400 1.400 1.400 1.400 1.400	MASTER .0005 .002 .004 .008 AND UP	1.40000 + .00003 1.40000 + .00006 1.40010 + .00009 1.40020 + .00012 1.40040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441772 7441774 7441778 7441780 7441784	7441775	1.401 1.401 1.401 1.401 1.401	MASTER .0005 .002 .004 .008 AND UP	1.40100 + .00003 1.40100 + .00006 1.40110 + .00009 1.40120 + .00012 1.40140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441788 7441790 7441794 7441796 7441800	7441791	1.402 1.402 1.402 1.402 1.402	MASTER .0005 .002 .004 .008 AND UP	1.40200 + .00003 1.40200 + .00006 1.40210 + .00009 1.40220 + .00012 1.40240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3 3	7441804 7441806 7441810 7441812 7441816	7441807	1.403 1.403 1.403 1.403 1.403	MASTER .0005 .002 .004 .008 AND UP	1.40300 + .00003 1.40300 + .00006 1.40310 + .00009 1.40320 + .00012 1.40340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7441820	7441823	1.404	MASTER	1.40400 + .00003	.030	2
	7441822		1.404	.0005	1.40400 + .00006	.030	4
	7441826		1.404	.002	1.40410 + .00009	.030	4
	7441828		1.404	.004	1.40420 + .00012	.030	8
	7441832		1.404	.008 AND UP	1.40440 + .00030	.030	8
3 3 3 3 3	7441836	7441839	1.405	MASTER	1.40500 + .00003	.030	2
	7441838		1.405	.0005	1.40500 + .00006	.030	4
	7441842		1.405	.002	1.40510 + .00009	.030	4
	7441844		1.405	.004	1.40520 + .00012	.030	8
	7441848		1.405	.008 AND UP	1.40540 + .00030	.030	8
3 3 3 3 3	7441852	7441855	1.406	MASTER	1.40600 + .00003	.030	2
	7441854		1.406	.0005	1.40600 + .00006	.030	4
	7441858		1.406	.002	1.40610 + .00009	.030	4
	7441860		1.406	.004	1.40620 + .00012	.030	8
	7441864		1.406	.008 AND UP	1.40640 + .00030	.030	8
3 3 3 3 3	7441868	7447651	1.40625	MASTER	1.40625 + .00003	.030	2
	7447650		1.40625	.0005	1.40625 + .00006	.030	4
	7447651		1.40625	.002	1.40635 + .00009	.030	4
	7447656		1.40625	.004	1.40645 + .00012	.030	8
	7447660		1.40625	.008 AND UP	1.40665 + .00030	.030	8
3 3 3 3 3	7441870	7441873	1.407	MASTER	1.40700 + .00003	.030	2
	7441872		1.407	.0005	1.40700 + .00006	.030	4
	7441876		1.407	.002	1.40710 + .00009	.030	4
	7441878		1.407	.004	1.40720 + .00012	.030	8
	7441882		1.407	.008 AND UP	1.40740 + .00030	.030	8
3 3 3 3 3	7441886	7441889	1.408	MASTER	1.40800 + .00003	.030	2
	7441888		1.408	.0005	1.40800 + .00006	.030	4
	7441892		1.408	.002	1.40810 + .00009	.030	4
	7441894		1.408	.004	1.40820 + .00012	.030	8
	7441898		1.408	.008 AND UP	1.40840 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7441902 7441904 7441908 7441910 7441914	7441905	1.409 1.409 1.409 1.409 1.409	MASTER .0005 .002 .004 .008 AND UP	1.40900 + .00003 1.40900 + .00006 1.40910 + .00009 1.40920 + .00012 1.40940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7441918 7441920 7441924 7441926 7441930	7441921	1.410 1.410 1.410 1.410 1.410	MASTER .0005 .002 .004 .008 AND UP	1.41000 + .00003 1.41000 + .00006 1.41010 + .00009 1.41020 + .00012 1.41040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7441934 7441936 7441940 7441942 7441946	7441937	1.411 1.411 1.411 1.411 1.411	MASTER .0005 .002 .004 .008 AND UP	1.41100 + .00003 1.41100 + .00006 1.41110 + .00009 1.41120 + .00012 1.41140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7441950 7441952 7441956 7441958 7441962	7441953	1.412 1.412 1.412 1.412 1.412	MASTER .0005 .002 .004 .008 AND UP	1.41200 + .00003 1.41200 + .00006 1.41210 + .00009 1.41220 + .00012 1.41240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7441966 7441968 7441972 7441974 7441978	7441969	1.413 1.413 1.413 1.413 1.413	MASTER .0005 .002 .004 .008 AND UP	1.41300 + .00003 1.41300 + .00006 1.41310 + .00009 1.41320 + .00012 1.41340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7441982 7441984 7441988 7441990 7441994	7441985	1.414 1.414 1.414 1.414 1.414	MASTER .0005 .002 .004 .008 AND UP	1.41400 + .00003 1.41400 + .00006 1.41410 + .00009 1.41420 + .00012 1.41440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7441998	7442001	1.415	MASTER	1.41500 + .00003	.030	2
3	7442000		1.415	.0005	1.41500 + .00006	.030	4
3	7442004		1.415	.002	1.41510 + .00009	.030	4
3	7442006		1.415	.004	1.41520 + .00012	.030	8
3	7442010		1.415	.008 AND UP	1.41540 + .00030	.030	8
3	7442014	7442017	1.416	MASTER	1.41600 + .00003	.030	2
3	7442016		1.416	.0005	1.41600 + .00006	.030	4
3	7442020		1.416	.002	1.41610 + .00009	.030	4
3	7442022		1.416	.004	1.41620 + .00012	.030	8
3	7442026		1.416	.008 AND UP	1.41640 + .00030	.030	8
3	7442030	7442033	1.417	MASTER	1.41700 + .00003	.030	2
3	7442032		1.417	.0005	1.41700 + .00006	.030	4
3	7442036		1.417	.002	1.41710 + .00009	.030	4
3	7442038		1.417	.004	1.41720 + .00012	.030	8
3	7442042		1.417	.008 AND UP	1.41740 + .00030	.030	8
3	7442046	7442049	1.418	MASTER	1.41800 + .00003	.030	2
3	7442048		1.418	.0005	1.41800 + .00006	.030	4
3	7442052		1.418	.002	1.41810 + .00009	.030	4
3	7442054		1.418	.004	1.41820 + .00012	.030	8
3	7442058		1.418	.008 AND UP	1.41840 + .00030	.030	8
3	7442062	7442065	1.419	MASTER	1.41900 + .00003	.030	2
3	7442064		1.419	.0005	1.41900 + .00006	.030	4
3	7442068		1.419	.002	1.41910 + .00009	.030	4
3	7442070		1.419	.004	1.41920 + .00012	.030	8
3	7442074		1.419	.008 AND UP	1.41940 + .00030	.030	8
3	7442078	7442081	1.420	MASTER	1.42000 + .00003	.030	2
3	7442080		1.420	.0005	1.42000 + .00006	.030	4
3	7442084		1.420	.002	1.42010 + .00009	.030	4
3	7442086		1.420	.004	1.42020 + .00012	.030	8
3	7442090		1.420	.008 AND UP	1.42040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 mm mm mm mm	7442094	7442097	1.421	MASTER	1.42100 + .00003	.030	2
	7442096		1.421	.0005	1.42100 + .00006	.030	4
	7442100		1.421	.002	1.42110 + .00009	.030	4
	7442102		1.421	.004	1.42120 + .00012	.030	8
	7442106		1.421	.008 AND UP	1.42140 + .00030	.030	8
3 mm mm mm mm	7442110	7442113	1.422	MASTER	1.42200 + .00003	.030	2
	7442112		1.422	.0005	1.42200 + .00006	.030	4
	7442116		1.422	.002	1.42210 + .00009	.030	4
	7442118		1.422	.004	1.42220 + .00012	.030	8
	7442122		1.422	.008 AND UP	1.42240 + .00030	.030	8
3 mm mm mm mm	7442126	7442129	1.423	MASTER	1.42300 + .00003	.030	2
	7442128		1.423	.0005	1.42300 + .00006	.030	4
	7442132		1.423	.002	1.42310 + .00009	.030	4
	7442134		1.423	.004	1.42320 + .00012	.030	8
	7442138		1.423	.008 AND UP	1.42340 + .00030	.030	8
3 mm mm mm mm	7442142	7442145	1.424	MASTER	1.42400 + .00003	.030	2
	7442144		1.424	.0005	1.42400 + .00006	.030	4
	7442148		1.424	.002	1.42410 + .00009	.030	4
	7442150		1.424	.004	1.42420 + .00012	.030	8
	7442154		1.424	.008 AND UP	1.42440 + .00030	.030	8
3 mm mm mm mm	7442158	7442161	1.425	MASTER	1.42500 + .00003	.030	2
	7442160		1.425	.0005	1.42500 + .00006	.030	4
	7442164		1.425	.002	1.42510 + .00009	.030	4
	7442166		1.425	.004	1.42520 + .00012	.030	8
	7442170		1.425	.008 AND UP	1.42540 + .00030	.030	8
3 mm mm mm mm	7442174	7442177	1.426	MASTER	1.42600 + .00003	.030	2
	7442176		1.426	.0005	1.42600 + .00006	.030	4
	7442180		1.426	.002	1.42610 + .00009	.030	4
	7442182		1.426	.004	1.42620 + .00012	.030	8
	7442186		1.426	.008 AND UP	1.42640 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7442190	7442193	1.427	MASTER	1.42700 + .00003	.030	2
	7442192		1.427	.0005	1.42700 + .00006	.030	4
	7442196		1.427	.002	1.42710 + .00009	.030	4
	7442198		1.427	.004	1.42720 + .00012	.030	8
	7442202		1.427	.008 AND UP	1.42740 + .00030	.030	8
3 3 3 3 3	7442206	7442209	1.428	MASTER	1.42800 + .00003	.030	2
	7442208		1.428	.0005	1.42800 + .00006	.030	4
	7442212		1.428	.002	1.42810 + .00009	.030	4
	7442214		1.428	.004	1.42820 + .00012	.030	8
	7442218		1.428	.008 AND UP	1.42840 + .00030	.030	8
3 3 3 3 3	7442222	7442225	1.429	MASTER	1.42900 + .00003	.030	2
	7442224		1.429	.0005	1.42900 + .00006	.030	4
	7442228		1.429	.002	1.42910 + .00009	.030	4
	7442230		1.429	.004	1.42920 + .00012	.030	8
	7442234		1.429	.008 AND UP	1.42940 + .00030	.030	8
3 3 3 3 3	7442238	7442241	1.430	MASTER	1.43000 + .00003	.030	2
	7442240		1.430	.0005	1.43000 + .00006	.030	4
	7442244		1.430	.002	1.43010 + .00009	.030	4
	7442246		1.430	.004	1.43020 + .00012	.030	8
	7442250		1.430	.008 AND UP	1.43040 + .00030	.030	8
3 3 3 3 3	7442254	7442257	1.431	MASTER	1.43100 + .00003	.030	2
	7442256		1.431	.0005	1.43100 + .00006	.030	4
	7442260		1.431	.002	1.43110 + .00009	.030	4
	7442262		1.431	.004	1.43120 + .00012	.030	8
	7442266		1.431	.008 AND UP	1.43140 + .00030	.030	8
3 3 3 3 3	7442270	7442273	1.432	MASTER	1.43200 + .00003	.030	2
	7442272		1.432	.0005	1.43200 + .00006	.030	4
	7442276		1.432	.002	1.43210 + .00009	.030	4
	7442278		1.432	.004	1.43220 + .00012	.030	8
	7442282		1.432	.008 AND UP	1.43240 + .00030	.030	8

MIL-STD-110A
9 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7442286	7442289	1.433	MASTER	1.43300 + .00003	.030	2
	7442288		1.433	.0005	1.43300 + .00006	.030	4
	7442292		1.433	.002	1.43310 + .00009	.030	4
	7442294		1.433	.004	1.43320 + .00012	.030	8
	7442298		1.433	.008 AND UP	1.43340 + .00030	.030	8
3 3 3 3 3	7442302	7442305	1.434	MASTER	1.43400 + .00003	.030	2
	7442304		1.434	.0005	1.43400 + .00006	.030	4
	7442308		1.434	.002	1.43410 + .00009	.030	4
	7442310		1.434	.004	1.43420 + .00012	.030	8
	7442314		1.434	.008 AND UP	1.43440 + .00030	.030	8
3 3 3 3 3	7442318	7442321	1.435	MASTER	1.43500 + .00003	.030	2
	7442320		1.435	.0005	1.43500 + .00006	.030	4
	7442324		1.435	.002	1.43510 + .00009	.030	4
	7442326		1.435	.004	1.43520 + .00012	.030	8
	7442330		1.435	.008 AND UP	1.43540 + .00030	.030	8
3 3 3 3 3	7442334	7442337	1.436	MASTER	1.43600 + .00003	.030	2
	7442336		1.436	.0005	1.43600 + .00006	.030	4
	7442340		1.436	.002	1.43610 + .00009	.030	4
	7442342		1.436	.004	1.43620 + .00012	.030	8
	7442346		1.436	.008 AND UP	1.43640 + .00030	.030	8
3 3 3 3 3	7442350	7442353	1.437	MASTER	1.43700 + .00003	.030	2
	7442352		1.437	.0005	1.43700 + .00006	.030	4
	7442356		1.437	.002	1.43710 + .00009	.030	4
	7442358		1.437	.004	1.43720 + .00012	.030	8
	7442362		1.437	.008 AND UP	1.43740 + .00030	.030	8
3 3 3 3 3	7442366	7497665	1.4375	MASTER	1.43750 + .00003	.030	2
	7497664		1.4375	.0005	1.43750 + .00006	.030	4
	7497668		1.4375	.002	1.43760 + .00009	.030	4
	7497670		1.4375	.004	1.43770 + .00012	.030	8
	7497674		1.4375	.008 AND UP	1.43790 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7442368 7442370 7442374 7442376 7442380	7442371	1.438 1.438 1.438 1.438 1.438	MASTER .0005 .002 .004 .008 AND UP	1.43800 + .00003 1.43800 + .00006 1.43810 + .00009 1.43820 + .00012 1.43840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442384 7442386 7442390 7442392 7442396	7442387	1.439 1.439 1.439 1.439 1.439	MASTER .0005 .002 .004 .008 AND UP	1.43900 + .00003 1.43900 + .00006 1.43910 + .00009 1.43920 + .00012 1.43940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442400 7442402 7442406 7442408 7442412	7442403	1.440 1.440 1.440 1.440 1.440	MASTER .0005 .002 .004 .008 AND UP	1.44000 + .00003 1.44000 + .00006 1.44010 + .00009 1.44020 + .00012 1.44040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442416 7442418 7442422 7442424 7442426	7442419	1.441 1.441 1.441 1.441 1.441	MASTER .0005 .002 .004 .008 AND UP	1.44100 + .00003 1.44100 + .00006 1.44110 + .00009 1.44120 + .00012 1.44140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442432 7442434 7442438 7442440 7442444	7442435	1.442 1.442 1.442 1.442 1.442	MASTER .0005 .002 .004 .008 AND UP	1.44200 + .00003 1.44200 + .00006 1.44210 + .00009 1.44220 + .00012 1.44240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442448 7442450 7442454 7442456 7442460	7442451	1.443 1.443 1.443 1.443 1.443	MASTER .0005 .002 .004 .008 AND UP	1.44300 + .00003 1.44300 + .00006 1.44310 + .00009 1.44320 + .00012 1.44340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table 1. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7442464 7442466 7442470 7442472 7442476	7442467	1.444 1.444 1.444 1.444 1.444	MASTER .0005 .002 .004 .008 AND UP	1.44400 + .00003 1.44400 + .00006 1.44410 + .00009 1.44420 + .00012 1.44440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7442480 7442482 7442486 7442488 7442492		7442483	1.445 1.445 1.445 1.445 1.445	MASTER .0005 .002 .004 .008 AND UP	1.44500 + .00003 1.44500 + .00006 1.44510 + .00009 1.44520 + .00012 1.44540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7442496 7442498 7442502 7442504 7442508			7442499	1.446 1.446 1.446 1.446 1.446	MASTER .0005 .002 .004 .008 AND UP	1.44600 + .00003 1.44600 + .00006 1.44610 + .00009 1.44620 + .00012 1.44640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7442512 7442514 7442518 7442520 7442524				7442515	1.447 1.447 1.447 1.447 1.447	MASTER .0005 .002 .004 .008 AND UP	1.44700 + .00003 1.44700 + .00006 1.44710 + .00009 1.44720 + .00012 1.44740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442528 7442530 7442534 7442536 7442540					7442531	1.448 1.448 1.448 1.448 1.448	MASTER .0005 .002 .004 .008 AND UP	1.44800 + .00003 1.44800 + .00006 1.44810 + .00009 1.44820 + .00012 1.44840 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7442544 7442546 7442550 7442552 7442556	7442547					1.449 1.449 1.449 1.449 1.449	MASTER .0005 .002 .004 .008 AND UP	1.44900 + .00003 1.44900 + .00006 1.44910 + .00009 1.44920 + .00012 1.44940 + .00030	.030 .030 .030 .030 .030

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7442560 7442562 7442566 7442568 7442572	7442563	1.450 1.450 1.450 1.450 1.450	MASTER .0005 .002 .004 .008 AND UP	1.45000 + .00003 1.45000 + .00006 1.45010 + .00009 1.45020 + .00012 1.45040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7442576 7442578 7442582 7442584 7442588		7442579	1.451 1.451 1.451 1.451 1.451	MASTER .0005 .002 .004 .008 AND UP	1.45100 + .00003 1.45100 + .00006 1.45110 + .00009 1.45120 + .00012 1.45140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7442592 7442594 7442598 7442600 7442604			7442595	1.452 1.452 1.452 1.452 1.452	MASTER .0005 .002 .004 .008 AND UP	1.45200 + .00003 1.45200 + .00006 1.45210 + .00009 1.45220 + .00012 1.45240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7442608 7442610 7442614 7442616 7442620				7442611	1.453 1.453 1.453 1.453 1.453	MASTER .0005 .002 .004 .008 AND UP	1.45300 + .00003 1.45300 + .00006 1.45310 + .00009 1.45320 + .00012 1.45340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442624 7442626 7442630 7442632 7442636					7442627	1.454 1.454 1.454 1.454 1.454	MASTER .0005 .002 .004 .008 AND UP	1.45400 + .00003 1.45400 + .00006 1.45410 + .00009 1.45420 + .00012 1.45440 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7442640 7442642 7442646 7442648 7442652	7442643					1.455 1.455 1.455 1.455 1.455	MASTER .0005 .002 .004 .008 AND UP	1.45500 + .00003 1.45500 + .00006 1.45510 + .00009 1.45520 + .00012 1.45540 + .00030	.030 .030 .030 .030 .030

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442656	7442659	1.456	MASTER	1.45600 + .00003	.030	2
3	7442658		1.456	.0005	1.45600 + .00006	.030	4
3	7442662		1.456	.002	1.45610 + .00009	.030	4
3	7442664		1.456	.004	1.45620 + .00012	.030	8
3	7442668		1.456	.008 AND UP	1.45640 + .00030	.030	8
3	7442672	7442675	1.457	MASTER	1.45700 + .00003	.030	2
3	7442674		1.457	.0005	1.45700 + .00006	.030	4
3	7442678		1.457	.002	1.45710 + .00009	.030	4
3	7442680		1.457	.004	1.45720 + .00012	.030	8
3	7442684		1.457	.008 AND UP	1.45740 + .00030	.030	8
3	7442688	7442691	1.458	MASTER	1.45800 + .00003	.030	2
3	7442690		1.458	.0005	1.45800 + .00006	.030	4
3	7442694		1.458	.002	1.45810 + .00009	.030	4
3	7442696		1.458	.004	1.45820 + .00012	.030	8
3	7442700		1.458	.008 AND UP	1.45840 + .00030	.030	8
3	7442704	7442707	1.459	MASTER	1.45900 + .00003	.030	2
3	7442706		1.459	.0005	1.45900 + .00006	.030	4
3	7442710		1.459	.002	1.45910 + .00009	.030	4
3	7442712		1.459	.004	1.45920 + .00012	.030	8
3	7442716		1.459	.008 AND UP	1.45940 + .00030	.030	8
3	7442720	7442723	1.460	MASTER	1.46000 + .00003	.030	2
3	7442722		1.460	.0005	1.46000 + .00006	.030	4
3	7442726		1.460	.002	1.46010 + .00009	.030	4
3	7442728		1.460	.004	1.46020 + .00012	.030	8
3	7442732		1.460	.008 AND UP	1.46040 + .00030	.030	8
3	7442736	7442739	1.461	MASTER	1.46100 + .00003	.030	2
3	7442738		1.461	.0005	1.46100 + .00006	.030	4
3	7442742		1.461	.002	1.46110 + .00009	.030	4
3	7442744		1.461	.004	1.46120 + .00012	.030	8
3	7442748		1.461	.008 AND UP	1.46140 + .00030	.030	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442752	7442755	1.462	MASTER	1.46200 + .00003	.030	2
3	7442754		1.462	.0005	1.46200 + .00006	.030	4
3	7442758		1.462	.002	1.46210 + .00009	.030	4
3	7442760		1.462	.004	1.46220 + .00012	.030	8
3	7442764		1.462	.008 AND UP	1.46240 + .00030	.030	8
3	7442768	7442771	1.463	MASTER	1.46300 + .00003	.030	2
3	7442770		1.463	.0005	1.46300 + .00006	.030	4
3	7442774		1.463	.002	1.46310 + .00009	.030	4
3	7442776		1.463	.004	1.46320 + .00012	.030	8
3	7442780		1.463	.008 AND UP	1.46340 + .00030	.030	8
3	7442784	7442787	1.464	MASTER	1.46400 + .00003	.030	2
3	7442786		1.464	.0005	1.46400 + .00006	.030	4
3	7442790		1.464	.002	1.46410 + .00009	.030	4
3	7442792		1.464	.004	1.46420 + .00012	.030	8
3	7442796		1.464	.008 AND UP	1.46440 + .00030	.030	8
3	7442800	7442803	1.465	MASTER	1.46500 + .00003	.030	2
3	7442802		1.465	.0005	1.46500 + .00006	.030	4
3	7442806		1.465	.002	1.46510 + .00009	.030	4
3	7442808		1.465	.004	1.46520 + .00012	.030	8
3	7442812		1.465	.008 AND UP	1.46540 + .00030	.030	8
3	7442816	7442819	1.466	MASTER	1.46600 + .00003	.030	2
3	7442818		1.466	.0005	1.46600 + .00006	.030	4
3	7442822		1.466	.002	1.46610 + .00009	.030	4
3	7442824		1.466	.004	1.46620 + .00012	.030	8
3	7442828		1.466	.008 AND UP	1.46640 + .00030	.030	8
3	7442832	7442835	1.467	MASTER	1.46700 + .00003	.030	2
3	7442834		1.467	.0005	1.46700 + .00006	.030	4
3	7442838		1.467	.002	1.46710 + .00009	.030	4
3	7442840		1.467	.004	1.46720 + .00012	.030	8
3	7442844		1.467	.008 AND UP	1.46740 + .00030	.030	8

 REF. STD-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7442848 7442850 7442854 7442856 7442860	7442851	1.468 1.468 1.468 1.468 1.468	MASTER .0005 .002 .004 .008 AND UP	1.46800 + .00003 1.46800 + .00006 1.46810 + .00009 1.46820 + .00012 1.46840 + .00030	.030 .030 .030 .030 .030	2 4 4 4 8
3 3 3 3 3	7442864 7497678 7497682 7497684 7497688	7497679	1.46875 1.46875 1.46875 1.46875 1.46875	MASTER .0005 .002 .004 .008 AND UP	1.46875 + .00003 1.46875 + .00006 1.46885 + .00009 1.46895 + .00012 1.46915 + .00030	.030 .030 .030 .030 .030	2 4 4 4 8
3 3 3 3 3	7442866 7442868 7442872 7442874 7442878	7442869	1.469 1.469 1.469 1.469 1.469	MASTER .0005 .002 .004 .008 AND UP	1.46900 + .00003 1.46900 + .00006 1.46910 + .00009 1.46920 + .00012 1.46940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442882 7442884 7442888 7442890 7442894	7442885	1.470 1.470 1.470 1.470 1.470	MASTER .0005 .002 .004 .008 AND UP	1.47000 + .00003 1.47000 + .00006 1.47010 + .00009 1.47020 + .00012 1.47040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442898 7442900 7442904 7442906 7442910	7442901	1.471 1.471 1.471 1.471 1.471	MASTER .0005 .002 .004 .008 AND UP	1.47100 + .00003 1.47100 + .00006 1.47110 + .00009 1.47120 + .00012 1.47140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7442914 7442916 7442920 7442922 7442926	7442917	1.472 1.472 1.472 1.472 1.472	MASTER .0005 .002 .004 .008 AND UP	1.47200 + .00003 1.47200 + .00006 1.47210 + .00009 1.47220 + .00012 1.47240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3	7442930	7442933	1.473	MASTER	1.47300 + .00003	.030	2
3	7442932		1.473	.0005	1.47300 + .00006	.030	4
3	7442936		1.473	.002	1.47310 + .00009	.030	4
3	7442938		1.473	.004	1.47320 + .00012	.030	8
3	7442942		1.473	.008 AND UP	1.47340 + .00030	.030	8
3	7442946	7442949	1.474	MASTER	1.47400 + .00003	.030	2
3	7442948		1.474	.0005	1.47400 + .00006	.030	4
3	7442952		1.474	.002	1.47410 + .00009	.030	4
3	7442954		1.474	.004	1.47420 + .00012	.030	8
3	7442958		1.474	.008 AND UP	1.47440 + .00030	.030	8
3	7442962	7442965	1.475	MASTER	1.47500 + .00003	.030	2
3	7442964		1.475	.0005	1.47500 + .00006	.030	4
3	7442966		1.475	.002	1.47510 + .00009	.030	4
3	7442970		1.475	.004	1.47520 + .00012	.030	8
3	7442974		1.475	.008 AND UP	1.47540 + .00030	.030	8
3	7442978	7442981	1.476	MASTER	1.47600 + .00003	.030	2
3	7442980		1.476	.0005	1.47600 + .00006	.030	4
3	7442984		1.476	.002	1.47610 + .00009	.030	4
3	7442986		1.476	.004	1.47620 + .00012	.030	8
3	7442990		1.476	.008 AND UP	1.47640 + .00030	.030	8
3	7442994	7442997	1.477	MASTER	1.47700 + .00003	.030	2
3	7442996		1.477	.0005	1.47700 + .00006	.030	4
3	7443000		1.477	.002	1.47710 + .00009	.030	4
3	7443002		1.477	.004	1.47720 + .00012	.030	8
3	7443006		1.477	.008 AND UP	1.47740 + .00030	.030	8
3	7443010	7443013	1.478	MASTER	1.47800 + .00003	.030	2
3	7443012		1.478	.0005	1.47800 + .00006	.030	4
3	7443016		1.478	.002	1.47810 + .00009	.030	4
3	7443018		1.478	.004	1.47820 + .00012	.030	8
3	7443022		1.478	.008 AND UP	1.47840 + .00030	.030	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
3 3 3 3 3	7443026 7443028 7443032 7443034 7443038	7443029	1.479 1.479 1.479 1.479 1.479	MASTER .0005 .002 .004 .008 AND UP	1.47900 + .00003 1.47900 + .00006 1.47910 + .00009 1.47920 + .00012 1.47940 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8			
3 3 3 3 3	7443042 7443044 7443048 7443050 7443054		7443045	1.480 1.480 1.480 1.480 1.480	MASTER .0005 .002 .004 .008 AND UP	1.48000 + .00003 1.48000 + .00006 1.48010 + .00009 1.48020 + .00012 1.48040 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8		
3 3 3 3 3	7443058 7443060 7443064 7443066 7443070			7443061	1.481 1.481 1.481 1.481 1.481	MASTER .0005 .002 .004 .008 AND UP	1.48100 + .00003 1.48100 + .00006 1.48110 + .00009 1.48120 + .00012 1.48140 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8	
3 3 3 3 3	7443074 7443076 7443080 7443082 7443086				7443077	1.482 1.482 1.482 1.482 1.482	MASTER .0005 .002 .004 .008 AND UP	1.48200 + .00003 1.48200 + .00006 1.48210 + .00009 1.48220 + .00012 1.48240 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7443090 7443092 7443096 7443098 7443102					7443093	1.483 1.483 1.483 1.483 1.483	MASTER .0005 .002 .004 .008 AND UP	1.48300 + .00003 1.48300 + .00006 1.48310 + .00009 1.48320 + .00012 1.48340 + .00030	.030 .030 .030 .030 .030
3 3 3 3 3	7443106 7443108 7443112 7443114 7443118	7443109					1.484 1.484 1.484 1.484 1.484	MASTER .0005 .002 .004 .008 AND UP	1.48400 + .00003 1.48400 + .00006 1.48410 + .00009 1.48420 + .00012 1.48440 + .00030	.030 .030 .030 .030 .030

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE			CHAMFER		
A	B	C	D	E	F	G	H
3	7443122	7443125	1.485	MASTER	1.48500 + .00003	.030	2
3	7443124		1.485	.0005	1.48500 + .00006	.030	4
3	7443128		1.485	.002	1.48510 + .00009	.030	4
3	7443130		1.485	.004	1.48520 + .00012	.030	8
3	7443134		1.485	.008 AND UP	1.48540 + .00030	.030	8
3	7443138	7443141	1.486	MASTER	1.48600 + .00003	.030	2
3	7443140		1.486	.0005	1.48600 + .00006	.030	4
3	7443144		1.486	.002	1.48610 + .00009	.030	4
3	7443146		1.486	.004	1.48620 + .00012	.030	8
3	7443150		1.486	.008 AND UP	1.48640 + .00030	.030	8
3	7443154	7443157	1.487	MASTER	1.48700 + .00003	.030	2
3	7443156		1.487	.0005	1.48700 + .00006	.030	4
3	7443160		1.487	.002	1.48710 + .00009	.030	4
3	7443162		1.487	.004	1.48720 + .00012	.030	8
3	7443166		1.487	.008 AND UP	1.48740 + .00030	.030	8
3	7443170	7443173	1.488	MASTER	1.48800 + .00003	.030	2
3	7443172		1.488	.0005	1.48800 + .00006	.030	4
3	7443176		1.488	.002	1.48810 + .00009	.030	4
3	7443178		1.488	.004	1.48820 + .00012	.030	8
3	7443182		1.488	.008 AND UP	1.48840 + .00030	.030	8
3	7443186	7443189	1.489	MASTER	1.48900 + .00003	.030	2
3	7443188		1.489	.0005	1.48900 + .00006	.030	4
3	7443192		1.489	.002	1.48910 + .00009	.030	4
3	7443194		1.489	.004	1.48920 + .00012	.030	8
3	7443198		1.489	.008 AND UP	1.48940 + .00030	.030	8
3	7443202	7443205	1.490	MASTER	1.49000 + .00003	.030	2
3	7443204		1.490	.0005	1.49000 + .00006	.030	4
3	7443208		1.490	.002	1.49110 + .00009	.030	4
3	7443210		1.490	.004	1.49020 + .00012	.030	8
3	7443214		1.490	.008 AND UP	1.49040 + .00030	.030	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
3 3 3 3 3	7443218	7443221	1.491	MASTER	1.49100 + .00003	.030	2
	7443220		1.491	.0005	1.49100 + .00006	.030	4
	7443224		1.491	.002	1.49110 + .00009	.030	4
	7443226		1.491	.004	1.49120 + .00012	.030	8
	7443230		1.491	.008 AND UP	1.49140 + .00030	.030	8
3 3 3 3 3	7443234	7443237	1.492	MASTER	1.49200 + .00003	.030	2
	7443236		1.492	.0005	1.49200 + .00006	.030	4
	7443240		1.492	.002	1.49210 + .00009	.030	4
	7443242		1.492	.004	1.49220 + .00012	.030	8
	7443246		1.492	.008 AND UP	1.49240 + .00030	.030	8
3 3 3 3 3	7443250	7443253	1.493	MASTER	1.49300 + .00003	.030	2
	7443252		1.493	.0005	1.49300 + .00006	.030	4
	7443256		1.493	.002	1.49310 + .00009	.030	4
	7443258		1.493	.004	1.49320 + .00012	.030	8
	7443262		1.493	.008 AND UP	1.49340 + .00030	.030	8
3 3 3 3 3	7443266	7443269	1.494	MASTER	1.49400 + .00003	.030	2
	7443268		1.494	.0005	1.49400 + .00006	.030	4
	7443272		1.494	.002	1.49410 + .00009	.030	4
	7443274		1.494	.004	1.49420 + .00012	.030	8
	7443278		1.494	.008 AND UP	1.49440 + .00030	.030	8
3 3 3 3 3	7443282	7443285	1.495	MASTER	1.49500 + .00003	.030	2
	7443284		1.495	.0005	1.49500 + .00006	.030	4
	7443288		1.495	.002	1.49510 + .00009	.030	4
	7443290		1.495	.004	1.49520 + .00012	.030	8
	7443294		1.495	.008 AND UP	1.49540 + .00030	.030	8
3 3 3 3 3	7443298	7443301	1.496	MASTER	1.49600 + .00003	.030	2
	7443300		1.496	.0005	1.49600 + .00006	.030	4
	7443304		1.496	.002	1.49610 + .00009	.030	4
	7443306		1.496	.004	1.49620 + .00012	.030	8
	7443310		1.496	.008 AND UP	1.49640 + .00030	.030	8

 MIL-STD-129A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2	7443314	7443317	1.497	MASTER	1.49700 + .00003	.030	2
3	7443316		1.497	.0005	1.49700 + .00006	.030	4
3	7443320		1.497	.002	1.49710 + .00009	.030	4
3	7443322		1.497	.004	1.49720 + .00012	.030	8
2	7443326		1.497	.008 AND UP	1.49740 + .00030	.030	8
3	7443330	7443333	1.498	MASTER	1.49800 + .00003	.030	2
3	7443332		1.498	.0005	1.49800 + .00006	.030	4
3	7443336		1.498	.002	1.49810 + .00009	.030	4
3	7443338		1.498	.004	1.49820 + .00012	.030	8
3	7443342		1.498	.008 AND UP	1.49840 + .00030	.030	8
3	7443346	7443349	1.499	MASTER	1.49900 + .00003	.030	2
3	7443348		1.499	.0005	1.49900 + .00006	.030	4
3	7443352		1.499	.002	1.49910 + .00009	.030	4
3	7443354		1.499	.004	1.49920 + .00012	.030	8
2	7443358		1.499	.008 AND UP	1.49940 + .00030	.030	8
3	7443362	7443365	1.500	MASTER	1.50000 + .00003	.030	2
3	7443364		1.500	.0005	1.50000 + .00006	.030	4
3	7443368		1.500	.002	1.50010 + .00009	.030	4
3	7443370		1.500	.004	1.50020 + .00012	.030	8
3	7443374		1.500	.008 AND UP	1.50040 + .00030	.030	8
3	7443378	7443381	1.501	MASTER	1.50100 + .00003	.030	2
3	7443380		1.501	.0005	1.50100 + .00006	.030	4
3	7443384		1.501	.002	1.50110 + .00009	.030	4
3	7443386		1.501	.004	1.50120 + .00012	.030	8
3	7443390		1.501	.008 AND UP	1.50140 + .00030	.030	8
3	7443394	7443397	1.502	MASTER	1.50200 + .00003	.030	2
3	7443396		1.502	.0005	1.50200 + .00006	.030	4
3	7443400		1.502	.002	1.50210 + .00009	.030	4
3	7443402		1.502	.004	1.50220 + .00012	.030	8
3	7443406		1.502	.008 AND UP	1.50240 + .00030	.030	8

H1-STD-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
2 3 3 3 3	7443410 7443412 7443416 7443418 7443422	7443413	1.503 1.503 1.503 1.503 1.503	MASTER .0005 .002 .004 .008 AND UP	1.50300 + .00003 1.50300 + .00006 1.50310 + .00009 1.50320 + .00012 1.50340 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7443426 7443428 7443432 7443434 7443438	7443429	1.504 1.504 1.504 1.504 1.504	MASTER .0005 .002 .004 .008 AND UP	1.50400 + .00003 1.50400 + .00006 1.50410 + .00009 1.50420 + .00012 1.50440 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7443442 7443444 7443448 7443450 7443454	7443445	1.505 1.505 1.505 1.505 1.505	MASTER .0005 .002 .004 .008 AND UP	1.50500 + .00003 1.50500 + .00006 1.50510 + .00009 1.50520 + .00012 1.50540 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7443458 7443460 7443464 7443466 7443470	7443461	1.506 1.506 1.506 1.506 1.506	MASTER .0005 .002 .004 .008 AND UP	1.50600 + .00003 1.50600 + .00006 1.50610 + .00009 1.50620 + .00012 1.50640 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7443474 7443476 7443480 7443482 7443486	7443477	1.507 1.507 1.507 1.507 1.507	MASTER .0005 .002 .004 .008 AND UP	1.50700 + .00003 1.50700 + .00006 1.50710 + .00009 1.50720 + .00012 1.50740 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8
3 3 3 3 3	7443490 7443492 7443496 7443498 7443502	7443493	1.508 1.508 1.508 1.508 1.508	MASTER .0005 .002 .004 .008 AND UP	1.50800 + .00003 1.50800 + .00006 1.50810 + .00009 1.50820 + .00012 1.50840 + .00030	.030 .030 .030 .030 .030	2 4 4 8 8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE			CHAMFER		
A	B	C	D	E	F	G	H
3	7443506	7443509	1.509	MASTER	1.50900 + .00003	.030	2
3	7443508		1.509	.0005	1.50900 + .00006	.030	4
3	7443512		1.509	.002	1.50910 + .00009	.030	4
3	7443514		1.509	.004	1.50920 + .00012	.030	8
3	7443518		1.509	.008 AND UP	1.50940 + .00030	.030	8
3	7443522	7443525	1.510	MASTER	1.51000 + .00003	.030	2
3	7443524		1.510	.0005	1.51000 + .00006	.030	4
3	7443528		1.510	.002	1.51010 + .00009	.030	4
3	7443530		1.510	.004	1.51020 + .00012	.030	8
3	7443534		1.510	.008 AND UP	1.51040 + .00030	.030	8
4	7443538	7443541	1.511	MASTER	1.51100 + .00004	.050	2
4	7443540		1.511	.001	1.51100 + .00008	.050	4
4	7443542		1.511	.002	1.51108 + .00012	.050	4
4	7443544		1.511	.004	1.51120 + .00016	.050	8
4	7443548		1.511	.008 AND UP	1.51140 + .00040	.050	8
4	7443552	7443555	1.512	MASTER	1.51200 + .00004	.050	2
4	7443554		1.512	.001	1.51200 + .00008	.050	4
4	7443556		1.512	.002	1.51208 + .00012	.050	4
4	7443558		1.512	.004	1.51220 + .00016	.050	8
4	7443562		1.512	.008 AND UP	1.51240 + .00040	.050	8
4	7443566	7443569	1.513	MASTER	1.51300 + .00004	.050	2
4	7443568		1.513	.001	1.51300 + .00008	.050	4
4	7443570		1.513	.002	1.51308 + .00012	.050	4
4	7443572		1.513	.004	1.51320 + .00016	.050	8
4	7443576		1.513	.008 AND UP	1.51340 + .00040	.050	8
4	7443580	7443583	1.514	MASTER	1.51400 + .00004	.050	2
4	7443582		1.514	.001	1.51400 + .00008	.050	4
4	7443584		1.514	.002	1.51408 + .00012	.050	4
4	7443586		1.514	.004	1.51420 + .00016	.050	8
4	7443590		1.514	.008 AND UP	1.51440 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
h h h h h	7443594 7443596 7443598 7443600 7443604	7443597	1.515 1.515 1.515 1.515 1.515	MASTER .001 .002 .004 .008 AND UP	1.51500 + .00004 1.51500 + .00008 1.51508 + .00012 1.51520 + .00016 1.51540 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
h h h h h	7443608 7443610 7443612 7443614 7443618		7443611	1.516 1.516 1.516 1.516 1.516	MASTER .001 .002 .004 .008 AND UP	1.51600 + .00004 1.51600 + .00008 1.51608 + .00012 1.51620 + .00016 1.51640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
h h h h h	7443622 7443624 7443626 7443628 7443632			7443625	1.517 1.517 1.517 1.517 1.517	MASTER .001 .002 .004 .008 AND UP	1.51700 + .00004 1.51700 + .00008 1.51708 + .00012 1.51720 + .00016 1.51740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
h h h h h	7443636 7443638 7443640 7443642 7443646				7443639	1.518 1.518 1.518 1.518 1.518	MASTER .001 .002 .004 .008 AND UP	1.51800 + .00004 1.51800 + .00008 1.51808 + .00012 1.51820 + .00016 1.51840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7443650 7443652 7443654 7443656 7443660					7443653	1.519 1.519 1.519 1.519 1.519	MASTER .001 .002 .004 .008 AND UP	1.51900 + .00004 1.51900 + .00008 1.51908 + .00012 1.51920 + .00016 1.51940 + .00040	.050 .050 .050 .050 .050
h h h h h	7443664 7443666 7443668 7443670 7443674	7443667					1.520 1.520 1.520 1.520 1.520	MASTER .001 .002 .004 .008 AND UP	1.52000 + .00004 1.52000 + .00008 1.52008 + .00012 1.52020 + .00016 1.52040 + .00040	.050 .050 .050 .050 .050

 MIL-STD-1904
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7443678	7443681	1.521	MASTER	1.52100 + .00004	.050	2
h	7443680		1.521	.001	1.52100 + .00008	.050	4
h	7443682		1.521	.002	1.52108 + .00012	.050	4
h	7443684		1.521	.004	1.52120 + .00016	.050	8
h	7443688		1.521	.008 AND UP	1.52140 + .00040	.050	8
h	7443692	7443695	1.522	MASTER	1.52200 + .00004	.050	2
h	7443694		1.522	.001	1.52200 + .00008	.050	4
h	7443696		1.522	.002	1.52208 + .00012	.050	4
h	7443698		1.522	.004	1.52220 + .00016	.050	8
h	7443702		1.522	.008 AND UP	1.52240 + .00040	.050	8
h	7443706	7443709	1.523	MASTER	1.52300 + .00004	.050	2
h	7443708		1.523	.001	1.52300 + .00008	.050	4
h	7443710		1.523	.002	1.52308 + .00012	.050	4
h	7443712		1.523	.004	1.52320 + .00016	.050	8
h	7443716		1.523	.008 AND UP	1.52340 + .00040	.050	8
h	7443720	7443723	1.524	MASTER	1.52400 + .00004	.050	2
h	7443722		1.524	.001	1.52400 + .00008	.050	4
h	7443724		1.524	.002	1.52408 + .00012	.050	4
h	7443726		1.524	.004	1.52420 + .00016	.050	8
h	7443730		1.524	.008 AND UP	1.52440 + .00040	.050	8
h	7443734	7443737	1.525	MASTER	1.52500 + .00004	.050	2
h	7443736		1.525	.001	1.52500 + .00008	.050	4
h	7443738		1.525	.002	1.52508 + .00012	.050	4
h	7443740		1.525	.004	1.52520 + .00016	.050	8
h	7443744		1.525	.008 AND UP	1.52540 + .00040	.050	8
h	7443748	7443751	1.526	MASTER	1.52600 + .00004	.050	2
h	7443750		1.526	.001	1.52600 + .00008	.050	4
h	7443752		1.526	.002	1.52608 + .00012	.050	4
h	7443754		1.526	.004	1.52620 + .00016	.050	8
h	7443758		1.526	.008 AND UP	1.52640 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7443762	7443765	1.527	MASTER	1.52700 + .00004	.050	2
h	7443764		1.527	.001	1.52700 + .00008	.050	4
h	7443766		1.527	.002	1.52708 + .00012	.050	4
h	7443768		1.527	.004	1.52720 + .00016	.050	8
h	7443772		1.527	.008 AND UP	1.52740 + .00040	.050	8
h	7443776	7443779	1.528	MASTER	1.52800 + .00004	.050	2
h	7443778		1.528	.001	1.52800 + .00008	.050	4
h	7443780		1.528	.002	1.52808 + .00012	.050	4
h	7443782		1.528	.004	1.52820 + .00016	.050	8
h	7443786		1.528	.008 AND UP	1.52840 + .00040	.050	8
h	7443790	7443793	1.529	MASTER	1.52900 + .00004	.050	2
h	7443792		1.529	.001	1.52900 + .00008	.050	4
h	7443794		1.529	.002	1.52908 + .00012	.050	4
h	7443796		1.529	.004	1.52920 + .00016	.050	8
h	7443800		1.529	.008 AND UP	1.52940 + .00040	.050	8
h	7443804	7443807	1.530	MASTER	1.53000 + .00004	.050	2
h	7443806		1.530	.001	1.53000 + .00008	.050	4
h	7443808		1.530	.002	1.53008 + .00012	.050	4
h	7443810		1.530	.004	1.53020 + .00016	.050	8
h	7443814		1.530	.008 AND UP	1.53040 + .00040	.050	8
h	7443818	7443821	1.531	MASTER	1.53100 + .00004	.050	2
h	7443820		1.531	.001	1.53100 + .00008	.050	4
h	7443822		1.531	.002	1.53108 + .00012	.050	4
h	7443824		1.531	.004	1.53120 + .00016	.050	8
h	7443828		1.531	.008 AND UP	1.53140 + .00040	.050	8
h	7443832	7497693	1.53125	MASTER	1.53125 + .00004	.050	2
h	7497692		1.53125	.001	1.53125 + .00008	.050	4
h	7497694		1.53125	.002	1.53133 + .00012	.050	4
h	7497696		1.53125	.004	1.53145 + .00016	.050	8
h	7497700		1.53125	.008 AND UP	1.53165 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7443834	7443837	1.532	MASTER	1.53200 + .00004	.050	2
4	7443836		1.532	.001	1.53200 + .00008	.050	4
4	7443838		1.532	.002	1.53208 + .00012	.050	4
4	7443840		1.532	.004	1.53220 + .00016	.050	8
4	7443844		1.532	.008 AND UP	1.53240 + .00040	.050	8
4	7443848	7443851	1.533	MASTER	1.53300 + .00004	.050	2
4	7443850		1.533	.001	1.53300 + .00008	.050	4
4	7443852		1.533	.002	1.53308 + .00012	.050	4
4	7443854		1.533	.004	1.53320 + .00016	.050	8
4	7443858		1.533	.008 AND UP	1.53340 + .00040	.050	8
4	7443862	7443865	1.534	MASTER	1.53400 + .00004	.050	2
4	7443864		1.534	.001	1.53400 + .00008	.050	4
4	7443866		1.534	.002	1.53408 + .00012	.050	4
4	7443868		1.534	.004	1.53420 + .00016	.050	8
4	7443872		1.534	.008 AND UP	1.53440 + .00040	.050	8
4	7443876	7443879	1.535	MASTER	1.53500 + .00004	.050	2
4	7443878		1.535	.001	1.53500 + .00008	.050	4
4	7443880		1.535	.002	1.53508 + .00012	.050	4
4	7443882		1.535	.004	1.53520 + .00016	.050	8
4	7443886		1.535	.008 AND UP	1.53540 + .00040	.050	8
4	7443890	7443893	1.536	MASTER	1.53600 + .00004	.050	2
4	7443892		1.536	.001	1.53600 + .00008	.050	4
4	7443894		1.536	.002	1.53608 + .00012	.050	4
4	7443896		1.536	.004	1.53620 + .00016	.050	8
4	7443900		1.536	.008 AND UP	1.53640 + .00040	.050	8
4	7443904	7443907	1.537	MASTER	1.53700 + .00004	.050	2
4	7443906		1.537	.001	1.53700 + .00008	.050	4
4	7443908		1.537	.002	1.53708 + .00012	.050	4
4	7443910		1.537	.004	1.53720 + .00016	.050	8
4	7443914		1.537	.008 AND UP	1.53740 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIM-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
h	7443918	7443921	1.538	MASTER	1.53800 + .00004	.050	2
h	7443920		1.538	.001	1.53800 + .00008	.050	4
h	7443922		1.538	.002	1.53808 + .00012	.050	4
h	7443924		1.538	.004	1.53820 + .00016	.050	8
h	7443928		1.538	.008 AND UP	1.53840 + .00040	.050	8
h	7443932	7443935	1.539	MASTER	1.53900 + .00004	.050	2
h	7443934		1.539	.001	1.53900 + .00008	.050	4
h	7443936		1.539	.002	1.53908 + .00012	.050	4
h	7443938		1.539	.004	1.53920 + .00016	.050	8
h	7443942		1.539	.008 AND UP	1.53940 + .00040	.050	8
h	7443946	7443949	1.540	MASTER	1.54000 + .00004	.050	2
h	7443948		1.540	.001	1.54000 + .00008	.050	4
h	7443950		1.540	.002	1.54008 + .00012	.050	4
h	7443952		1.540	.004	1.54020 + .00016	.050	8
h	7443956		1.540	.008 AND UP	1.54040 + .00040	.050	8
h	7443960	7443963	1.541	MASTER	1.54100 + .00004	.050	2
h	7443962		1.541	.001	1.54100 + .00008	.050	4
h	7443964		1.541	.002	1.54108 + .00012	.050	4
h	7443966		1.541	.004	1.54120 + .00016	.050	8
h	7443970		1.541	.008 AND UP	1.54140 + .00040	.050	8
h	7443974	7443977	1.542	MASTER	1.54200 + .00004	.050	2
h	7443976		1.542	.001	1.54200 + .00008	.050	4
h	7443978		1.542	.002	1.54208 + .00012	.050	4
h	7443980		1.542	.004	1.54220 + .00016	.050	8
h	7443984		1.542	.008 AND UP	1.54240 + .00040	.050	8
h	7443988	7443991	1.543	MASTER	1.54300 + .00004	.050	2
h	7443990		1.543	.001	1.54300 + .00008	.050	4
h	7443992		1.543	.002	1.54308 + .00012	.050	4
h	7443994		1.543	.004	1.54320 + .00016	.050	8
h	7443998		1.543	.008 AND UP	1.54340 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444002	7444005	1.544	MASTER	1.54400 + .00004	.050	2
h	7444004		1.544	.001	1.54400 + .00008	.050	4
h	7444006		1.544	.002	1.54408 + .00012	.050	4
h	7444008		1.544	.004	1.54420 + .00016	.050	8
h	7444012		1.544	.008 AND UP	1.54440 + .00040	.050	8
h	7444016	7444019	1.545	MASTER	1.54500 + .00004	.050	2
h	7444018		1.545	.001	1.54500 + .00008	.050	4
h	7444020		1.545	.002	1.54508 + .00012	.050	4
h	7444022		1.545	.004	1.54520 + .00016	.050	8
h	7444026		1.545	.008 AND UP	1.54540 + .00040	.050	8
h	7444030	7444033	1.546	MASTER	1.54600 + .00004	.050	2
h	7444032		1.546	.001	1.54600 + .00008	.050	4
h	7444034		1.546	.002	1.54608 + .00012	.050	4
h	7444036		1.546	.004	1.54620 + .00016	.050	8
h	7444040		1.546	.008 AND UP	1.54640 + .00040	.050	8
h	7444044	7444047	1.547	MASTER	1.54700 + .00004	.050	2
h	7444046		1.547	.001	1.54700 + .00008	.050	4
h	7444048		1.547	.002	1.54708 + .00012	.050	4
h	7444050		1.547	.004	1.54720 + .00016	.050	8
h	7444054		1.547	.008 AND UP	1.54740 + .00040	.050	8
h	7444058	7444061	1.548	MASTER	1.54800 + .00004	.050	2
h	7444060		1.548	.001	1.54800 + .00008	.050	4
h	7444062		1.548	.002	1.54808 + .00012	.050	4
h	7444064		1.548	.004	1.54820 + .00016	.050	8
h	7444068		1.548	.008 AND UP	1.54840 + .00040	.050	8
h	7444072	7444075	1.549	MASTER	1.54900 + .00004	.050	2
h	7444074		1.549	.001	1.54900 + .00008	.050	4
h	7444076		1.549	.002	1.54908 + .00012	.050	4
h	7444078		1.549	.004	1.54920 + .00016	.050	8
h	7444082		1.549	.008 AND UP	1.54940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444086	7444089	1.550	MASTER	1.55000 + .00004	.050	2
h	7444088		1.550	.001	1.55000 + .00008	.050	4
h	7444090		1.550	.002	1.55008 + .00012	.050	4
h	7444092		1.550	.004	1.55020 + .00016	.050	8
h	7444096		1.550	.008 AND UP	1.55040 + .00040	.050	8
h	7444100	7444103	1.551	MASTER	1.55100 + .00004	.050	2
h	7444102		1.551	.001	1.55100 + .00008	.050	4
h	7444104		1.551	.002	1.55108 + .00012	.050	4
h	7444106		1.551	.004	1.55120 + .00016	.050	8
h	7444110		1.551	.008 AND UP	1.55140 + .00040	.050	8
h	7444114	7444117	1.552	MASTER	1.55200 + .00004	.050	2
h	7444116		1.552	.001	1.55200 + .00008	.050	4
h	7444118		1.552	.002	1.55208 + .00012	.050	4
h	7444120		1.552	.004	1.55220 + .00016	.050	8
h	7444124		1.552	.008 AND UP	1.55240 + .00040	.050	8
h	7444128	7444131	1.553	MASTER	1.55300 + .00004	.050	2
h	7444130		1.553	.001	1.55300 + .00008	.050	4
h	7444132		1.553	.002	1.55308 + .00012	.050	4
h	7444134		1.553	.004	1.55320 + .00016	.050	8
h	7444138		1.553	.008 AND UP	1.55340 + .00040	.050	8
h	7444142	7444145	1.554	MASTER	1.55400 + .00004	.050	2
h	7444144		1.554	.001	1.55400 + .00008	.050	4
h	7444146		1.554	.002	1.55408 + .00012	.050	4
h	7444148		1.554	.004	1.55420 + .00016	.050	8
h	7444152		1.554	.008 AND UP	1.55440 + .00040	.050	8
h	7444156	7444159	1.555	MASTER	1.55500 + .00004	.050	2
h	7444158		1.555	.001	1.55500 + .00008	.050	4
h	7444160		1.555	.002	1.55508 + .00012	.050	4
h	7444162		1.555	.004	1.55520 + .00016	.050	8
h	7444166		1.555	.008 AND UP	1.55540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444170	7444173	1.556	MASTER	1.55600 + .00004	.050	2
h	7444172		1.556	.001	1.55600 + .00008	.050	4
h	7444174		1.556	.002	1.55608 + .00012	.050	4
h	7444176		1.556	.004	1.55620 + .00016	.050	8
h	7444180		1.556	.008 AND UP	1.55640 + .00040	.050	8
h	7444184	7444187	1.557	MASTER	1.55700 + .00004	.050	2
h	7444186		1.557	.001	1.55700 + .00008	.050	4
h	7444188		1.557	.002	1.55708 + .00012	.050	4
h	7444190		1.557	.004	1.55720 + .00016	.050	8
h	7444194		1.557	.008 AND UP	1.55740 + .00040	.050	8
h	7444198	7444201	1.558	MASTER	1.55800 + .00004	.050	2
h	7444200		1.558	.001	1.55800 + .00008	.050	4
h	7444202		1.558	.002	1.55808 + .00012	.050	4
h	7444204		1.558	.004	1.55820 + .00016	.050	8
h	7444208		1.558	.008 AND UP	1.55840 + .00040	.050	8
h	7444212	7444215	1.559	MASTER	1.55900 + .00004	.050	2
h	7444214		1.559	.001	1.55900 + .00008	.050	4
h	7444216		1.559	.002	1.55908 + .00012	.050	4
h	7444218		1.559	.004	1.55920 + .00016	.050	8
h	7444222		1.559	.008 AND UP	1.55940 + .00040	.050	8
h	7444226	7444229	1.560	MASTER	1.56000 + .00004	.050	2
h	7444228		1.560	.001	1.56000 + .00008	.050	4
h	7444230		1.560	.002	1.56008 + .00012	.050	4
h	7444232		1.560	.004	1.56020 + .00016	.050	8
h	7444236		1.560	.008 AND UP	1.56040 + .00040	.050	8
h	7444240	7444243	1.561	MASTER	1.56100 + .00004	.050	2
h	7444242		1.561	.001	1.56100 + .00008	.050	4
h	7444244		1.561	.002	1.56108 + .00012	.050	4
h	7444246		1.561	.004	1.56120 + .00016	.050	8
h	7444250		1.561	.008 AND UP	1.56140 + .00040	.050	8

 MIL-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444254	7444257	1.562	MASTER	1.56200 + .00004	.050	2
h	7444256		1.562	.001	1.56200 + .00008	.050	4
h	7444258		1.562	.002	1.56208 + .00012	.050	4
h	7444260		1.562	.004	1.56220 + .00016	.050	8
h	7444264		1.562	.008 AND UP	1.56240 + .00040	.050	8
h	7444268	7497705	1.5625	MASTER	1.56250 + .00004	.050	2
h	7497704		1.5625	.001	1.56250 + .00008	.050	4
h	7497706		1.5625	.002	1.56258 + .00012	.050	4
h	7497708		1.5625	.004	1.56270 + .00016	.050	8
h	7497712		1.5625	.008 AND UP	1.56290 + .00040	.050	8
h	7444270	7444273	1.563	MASTER	1.56300 + .00004	.050	2
h	7444272		1.563	.001	1.56300 + .00008	.050	4
h	7444274		1.563	.002	1.56308 + .00012	.050	4
h	7444276		1.563	.004	1.56320 + .00016	.050	8
h	7444280		1.563	.008 AND UP	1.56340 + .00040	.050	8
h	7444284	7444287	1.564	MASTER	1.56400 + .00004	.050	2
h	7444286		1.564	.001	1.56400 + .00008	.050	4
h	7444288		1.564	.002	1.56408 + .00012	.050	4
h	7444290		1.564	.004	1.56420 + .00016	.050	8
h	7444294		1.564	.008 AND UP	1.56440 + .00040	.050	8
h	7444298	7444301	1.565	MASTER	1.56500 + .00004	.050	2
h	7444300		1.565	.001	1.56500 + .00008	.050	4
h	7444302		1.565	.002	1.56508 + .00012	.050	4
h	7444304		1.565	.004	1.56520 + .00016	.050	8
h	7444308		1.565	.008 AND UP	1.56540 + .00040	.050	8
h	7444312	7444315	1.566	MASTER	1.56600 + .00004	.050	2
h	7444314		1.566	.001	1.56600 + .00008	.050	4
h	7444316		1.566	.002	1.56608 + .00012	.050	4
h	7444318		1.566	.004	1.56620 + .00016	.050	8
h	7444322		1.566	.008 AND UP	1.56640 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444326	7444329	1.567	MASTER	1.56700 + .00004	.050	2
h	7444328		1.567	.001	1.56700 + .00008	.050	4
h	7444330		1.567	.002	1.56708 + .00012	.050	4
h	7444332		1.567	.004	1.56720 + .00016	.050	8
h	7444336		1.567	.008 AND UP	1.56740 + .00040	.050	8
h	7444340	7444343	1.568	MASTER	1.56800 + .00004	.050	2
h	7444342		1.568	.001	1.56800 + .00008	.050	4
h	7444344		1.568	.002	1.56808 + .00012	.050	4
h	7444346		1.568	.004	1.56820 + .00016	.050	8
h	7444350		1.568	.008 AND UP	1.56840 + .00040	.050	8
h	7444354	7444357	1.569	MASTER	1.56900 + .00004	.050	2
h	7444356		1.569	.001	1.56900 + .00008	.050	4
h	7444358		1.569	.002	1.56908 + .00012	.050	4
h	7444360		1.569	.004	1.56920 + .00016	.050	8
h	7444364		1.569	.008 AND UP	1.56940 + .00040	.050	8
h	7444368	7444371	1.570	MASTER	1.57000 + .00004	.050	2
h	7444370		1.570	.001	1.57000 + .00008	.050	4
h	7444372		1.570	.002	1.57008 + .00012	.050	4
h	7444374		1.570	.004	1.57020 + .00016	.050	8
h	7444378		1.570	.008 AND UP	1.57040 + .00040	.050	8
h	7444382	7444385	1.571	MASTER	1.57100 + .00004	.050	2
h	7444384		1.571	.001	1.57100 + .00008	.050	4
h	7444386		1.571	.002	1.57108 + .00012	.050	4
h	7444388		1.571	.004	1.57120 + .00016	.050	8
h	7444392		1.571	.008 AND UP	1.57140 + .00040	.050	8
h	7444396	7444399	1.572	MASTER	1.57200 + .00004	.050	2
h	7444398		1.572	.001	1.57200 + .00008	.050	4
h	7444400		1.572	.002	1.57208 + .00012	.050	4
h	7444402		.572	.004	1.57220 + .00016	.050	8
h	7444406		1.572	.008 AND UP	1.57240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FINN-GAGE STOCK NO.				DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
4 4 4 4 4	7444410 7444412 7444414 7444416 7444420	7444413	1.573 1.573 1.573 1.573 1.573	MASTER .001 .002 .004 .008 AND UP	1.57300 + .00004 1.57300 + .00008 1.57308 + .00012 1.57320 + .00016 1.57340 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
4 4 4 4 4	7444424 7444426 7444428 7444430 7444434		7444427	1.574 1.574 1.574 1.574 1.574	MASTER .001 .002 .004 .008 AND UP	1.57400 + .00004 1.57400 + .00008 1.57408 + .00012 1.57420 + .00016 1.57440 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
4 4 4 4 4	7444438 7444440 7444442 7444444 7444448			7444441	1.575 1.575 1.575 1.575 1.575	MASTER .001 .002 .004 .008 AND UP	1.57500 + .00004 1.57500 + .00008 1.57508 + .00012 1.57520 + .00016 1.57540 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7444452 7444454 7444456 7444458 7444462				7444455	1.576 1.576 1.576 1.576 1.576	MASTER .001 .002 .004 .008 AND UP	1.57600 + .00004 1.57600 + .00008 1.57608 + .00012 1.57620 + .00016 1.57640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7444466 7444468 7444470 7444472 7444476					7444469	1.577 1.577 1.577 1.577 1.577	MASTER .001 .002 .004 .008 AND UP	1.57700 + .00004 1.57700 + .00008 1.57708 + .00012 1.57720 + .00016 1.57740 + .00040	.050 .050 .050 .050 .050
4 4 4 4 4	7444480 7444482 7444484 7444486 7444490	7444483					1.578 1.578 1.578 1.578 1.578	MASTER .001 .002 .004 .008 AND UP	1.57800 + .00004 1.57800 + .00008 1.57808 + .00012 1.57820 + .00016 1.57840 + .00040	.050 .050 .050 .050 .050

 6 December 1955
 MIL-STD-110A

Table I. Tabulation of Design and Identification Data (Continued)

Table I. Tabulation of Design and Dimensional Data							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444494	7444497	1.579	MASTER	1.57900 + .00004	.050	2
h	7444496		1.579	.001	1.57900 + .00008	.050	4
h	7444498		1.579	.002	1.57908 + .00012	.050	4
h	7444500		1.579	.004	1.57920 + .00016	.050	8
h	7444504		1.579	.008 AND UP	1.57940 + .00040	.050	8
h	7444508	7444511	1.580	MASTER	1.58000 + .00004	.050	2
h	7444510		1.580	.001	1.58000 + .00008	.050	4
h	7444512		1.580	.002	1.58008 + .00012	.050	4
h	7444514		1.580	.004	1.58020 + .00016	.050	8
h	7444518		1.580	.008 AND UP	1.58040 + .00040	.050	8
h	7444522	7444525	1.581	MASTER	1.58100 + .00004	.050	2
h	7444524		1.581	.001	1.58100 + .00008	.050	4
h	7444526		1.581	.002	1.58108 + .00012	.050	4
h	7444528		1.581	.004	1.58120 + .00016	.050	8
h	7444532		1.581	.008 AND UP	1.58140 + .00040	.050	8
h	7444536	7444539	1.582	MASTER	1.58200 + .00004	.050	2
h	7444538		1.582	.001	1.58200 + .00008	.050	4
h	7444540		1.582	.002	1.58208 + .00012	.050	4
h	7444542		1.582	.004	1.58220 + .00016	.050	8
h	7444546		1.582	.008 AND UP	1.58240 + .00040	.050	8
h	7444550	7444553	1.583	MASTER	1.58300 + .00004	.050	2
h	7444552		1.583	.001	1.58300 + .00008	.050	4
h	7444554		1.583	.002	1.58308 + .00012	.050	4
h	7444556		1.583	.004	1.58320 + .00016	.050	8
h	7444560		1.583	.008 AND UP	1.58340 + .00040	.050	8
h	7444564	7444567	1.584	MASTER	1.58400 + .00004	.050	2
h	7444566		1.584	.001	1.58400 + .00008	.050	4
h	7444568		1.584	.002	1.58408 + .00012	.050	4
h	7444570		1.584	.004	1.58420 + .00016	.050	8
h	7444574		1.584	.008 AND UP	1.58440 + .00040	.050	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7444578	7444581	1.585	MASTER	1.58500 + .00004	.050	2
4	7444580		1.585	.001	1.58500 + .00008	.050	4
4	7444582		1.585	.002	1.58508 + .00012	.050	4
4	7444584		1.585	.004	1.58520 + .00016	.050	8
4	7444588		1.585	.008 AND UP	1.58540 + .00040	.050	8
4	7444592	7444595	1.586	MASTER	1.58600 + .00004	.050	2
4	7444594		1.586	.001	1.58600 + .00008	.050	4
4	7444596		1.586	.002	1.58608 + .00012	.050	4
4	7444598		1.586	.004	1.58620 + .00016	.050	8
4	7444602		1.586	.008 AND UP	1.58640 + .00040	.050	8
4	7444606	7444609	1.587	MASTER	1.58700 + .00004	.050	2
4	7444608		1.587	.001	1.58700 + .00008	.050	4
4	7444610		1.587	.002	1.58708 + .00012	.050	4
4	7444612		1.587	.004	1.58720 + .00016	.050	8
4	7444616		1.587	.008 AND UP	1.58740 + .00040	.050	8
4	7444620	7444623	1.588	MASTER	1.58800 + .00004	.050	2
4	7444622		1.588	.001	1.58800 + .00008	.050	4
4	7444624		1.588	.002	1.58808 + .00012	.050	4
4	7444626		1.588	.004	1.58820 + .00016	.050	8
4	7444630		1.588	.008 AND UP	1.58840 + .00040	.050	8
4	7444634	7444637	1.589	MASTER	1.58900 + .00004	.050	2
4	7444636		1.589	.001	1.58900 + .00008	.050	4
4	7444638		1.589	.002	1.58908 + .00012	.050	4
4	7444640		1.589	.004	1.58920 + .00016	.050	8
4	7444644		1.589	.008 AND UP	1.58940 + .00040	.050	8
4	7444648	7444651	1.590	MASTER	1.59000 + .00004	.050	2
4	7444650		1.590	.001	1.59000 + .00008	.050	4
4	7444652		1.590	.002	1.59008 + .00012	.050	4
4	7444654		1.590	.004	1.59020 + .00016	.050	8
4	7444658		1.590	.008 AND UP	1.59040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444662	7444665	1.591	MASTER	1.59100 + .00004	.050	2
h	7444664		1.591	.001	1.59100 + .00008	.050	4
h	7444666		1.591	.002	1.59108 + .00012	.050	4
h	7444668		1.591	.004	1.59120 + .00016	.050	8
h	7444672		1.591	.008 AND UP	1.59140 + .00040	.050	8
h	7444676	7444679	1.592	MASTER	1.59200 + .00004	.050	2
h	7444678		1.592	.001	1.59200 + .00008	.050	4
h	7444680		1.592	.002	1.59208 + .00012	.050	4
h	7444682		1.592	.004	1.59220 + .00016	.050	8
h	7444686		1.592	.008 AND UP	1.59240 + .00040	.050	8
h	7444690	7444693	1.593	MASTER	1.59300 + .00004	.050	2
h	7444692		1.593	.001	1.59300 + .00008	.050	4
h	7444694		1.593	.002	1.59308 + .00012	.050	4
h	7444696		1.593	.004	1.59320 + .00016	.050	8
h	7444700		1.593	.008 AND UP	1.59340 + .00040	.050	8
h	7444704	7497717	1.59375	MASTER	1.59375 + .00004	.050	2
h	7497716		1.59375	.001	1.59375 + .00008	.050	4
h	7497718		1.59375	.002	1.59383 + .00012	.050	4
h	7497720		1.59375	.004	1.59395 + .00016	.050	8
h	7497724		1.59375	.008 AND UP	1.59415 + .00040	.050	8
h	7444706	7444709	1.594	MASTER	1.59400 + .00004	.050	2
h	7444708		1.594	.001	1.59400 + .00008	.050	4
h	7444710		1.594	.002	1.59408 + .00012	.050	4
h	7444712		1.594	.004	1.59420 + .00016	.050	8
h	7444716		1.594	.008 AND UP	1.59440 + .00040	.050	8
h	7444720	7444723	1.595	MASTER	1.59500 + .00004	.050	2
h	7444722		1.595	.001	1.59500 + .00008	.050	4
h	7444724		1.595	.002	1.59508 + .00012	.050	4
h	7444726		1.595	.004	1.59520 + .00016	.050	8
h	7444730		1.595	.008 AND UP	1.59540 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h h h h h	7444734	7444737	1.596	MASTER	1.59600 + .00004	.050	2
	7444736		1.596	.001	1.59600 + .00008	.050	4
	7444738		1.596	.002	1.59608 + .00012	.050	4
	7444740		1.596	.004	1.59620 + .00016	.050	8
	7444744		1.596	.008 AND UP	1.59640 + .00040	.050	8
h h h h h	7444748	7444751	1.597	MASTER	1.59700 + .00004	.050	2
	7444750		1.597	.001	1.59700 + .00008	.050	4
	7444752		1.597	.002	1.59708 + .00012	.050	4
	7444754		1.597	.004	1.59720 + .00016	.050	8
	7444758		1.597	.008 AND UP	1.59740 + .00040	.050	8
h h h h h	7444762	7444765	1.598	MASTER	1.59800 + .00004	.050	2
	7444764		1.598	.001	1.59800 + .00008	.050	4
	7444766		1.598	.002	1.59808 + .00012	.050	4
	7444768		1.598	.004	1.59820 + .00016	.050	8
	7444772		1.598	.008 AND UP	1.59840 + .00040	.050	8
h h h h h	7444776	7444779	1.599	MASTER	1.59900 + .00004	.050	2
	7444778		1.599	.001	1.59900 + .00008	.050	4
	7444780		1.599	.002	1.59908 + .00012	.050	4
	7444782		1.599	.004	1.59920 + .00016	.050	8
	7444786		1.599	.008 AND UP	1.59940 + .00040	.050	8
h h h h h	7444790	7444793	1.600	MASTER	1.60000 + .00004	.050	2
	7444792		1.600	.001	1.60000 + .00008	.050	4
	7444794		1.600	.002	1.60008 + .00012	.050	4
	7444796		1.600	.004	1.60020 + .00016	.050	8
	7444800		1.600	.008 AND UP	1.60040 + .00040	.050	8
h h h h h	7444804	7444807	1.601	MASTER	1.60100 + .00004	.050	2
	7444806		1.601	.001	1.60100 + .00008	.050	4
	7444808		1.601	.002	1.60108 + .00012	.050	4
	7444810		1.601	.004	1.60120 + .00016	.050	8
	7444814		1.601	.008 AND UP	1.60140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444818	7444821	1.602	MASTER	1.60200 + .00004	.050	2
h	7444820		1.602	.001	1.60200 + .00008	.050	4
h	7444822		1.602	.002	1.60208 + .00012	.050	4
h	7444824		1.602	.004	1.60220 + .00016	.050	8
h	7444828		1.602	.008 AND UP	1.60240 + .00040	.050	8
h	7444832	7444835	1.603	MASTER	1.60300 + .00004	.050	2
h	7444834		1.603	.001	1.60300 + .00008	.050	4
h	7444836		1.603	.002	1.60308 + .00012	.050	4
h	7444838		1.603	.004	1.60320 + .00016	.050	8
h	7444842		1.603	.008 AND UP	1.60340 + .00040	.050	8
h	7444846	7444849	1.604	MASTER	1.60400 + .00004	.050	2
h	7444848		1.604	.001	1.60400 + .00008	.050	4
h	7444850		1.604	.002	1.60408 + .00012	.050	4
h	7444852		1.604	.004	1.60420 + .00016	.050	8
h	7444856		1.604	.008 AND UP	1.60440 + .00040	.050	8
h	7444860	7444863	1.605	MASTER	1.60500 + .00004	.050	2
h	7444862		1.605	.001	1.60500 + .00008	.050	4
h	7444864		1.605	.002	1.60508 + .00012	.050	4
h	7444866		1.605	.004	1.60520 + .00016	.050	8
h	7444870		1.605	.008 AND UP	1.60540 + .00040	.050	8
h	7444874	7444877	1.606	MASTER	1.60600 + .00004	.050	2
h	7444876		1.606	.001	1.60600 + .00008	.050	4
h	7444878		1.606	.002	1.60608 + .00012	.050	4
h	7444880		1.606	.004	1.60620 + .00016	.050	8
h	7444884		1.606	.008 AND UP	1.60640 + .00040	.050	8
h	7444888	7444891	1.607	MASTER	1.60700 + .00004	.050	2
h	7444890		1.607	.001	1.60700 + .00008	.050	4
h	7444892		1.607	.002	1.60708 + .00012	.050	4
h	7444894		1.607	.004	1.60720 + .00016	.050	8
h	7444898		1.607	.008 AND UP	1.60740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444902	7444905	1.608	MASTER	1.60800 + .00004	.050	2
h	7444904		1.608	.001	1.60800 + .00008	.050	4
h	7444906		1.608	.002	1.60808 + .00012	.050	4
h	7444908		1.608	.004	1.60820 + .00016	.050	8
h	7444912		1.608	.008 AND UP	1.60840 + .00040	.050	8
h	7444916	7444919	1.609	MASTER	1.60900 + .00004	.050	2
h	7444918		1.609	.001	1.60900 + .00008	.050	4
h	7444920		1.609	.002	1.60908 + .00012	.050	4
h	7444922		1.609	.004	1.60920 + .00016	.050	8
h	7444926		1.609	.008 AND UP	1.60940 + .00040	.050	8
h	7444930	7444933	1.610	MASTER	1.61000 + .00004	.050	2
h	7444932		1.610	.001	1.61000 + .00008	.050	4
h	7444934		1.610	.002	1.61008 + .00012	.050	4
h	7444936		1.610	.004	1.61020 + .00016	.050	8
h	7444940		1.610	.008 AND UP	1.61040 + .00040	.050	8
h	7444944	7444947	1.611	MASTER	1.61100 + .00004	.050	2
h	7444946		1.611	.001	1.61100 + .00008	.050	4
h	7444948		1.611	.002	1.61108 + .00012	.050	4
h	7444950		1.611	.004	1.61120 + .00016	.050	8
h	7444954		1.611	.008 AND UP	1.61140 + .00040	.050	8
h	7444958	7444961	1.612	MASTER	1.61200 + .00004	.050	2
h	7444960		1.612	.001	1.61200 + .00008	.050	4
h	7444962		1.612	.002	1.61208 + .00012	.050	4
h	7444964		1.612	.004	1.61220 + .00016	.050	8
h	7444968		1.612	.008 AND UP	1.61240 + .00040	.050	8
h	7444972	7444975	1.613	MASTER	1.61300 + .00004	.050	2
h	7444974		1.613	.001	1.61300 + .00008	.050	4
h	7444976		1.613	.002	1.61308 + .00012	.050	4
h	7444978		1.613	.004	1.61320 + .00016	.050	8
h	7444982		1.613	.008 AND UP	1.61340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

Table 1. Tabulation of Design Data							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7444986	7444989	1.614	MASTER	1.61400 + .00004	.050	2
h	7444988		1.614	.001	1.61400 + .00008	.050	4
h	7444990		1.614	.002	1.61408 + .00012	.050	4
h	7444992		1.614	.004	1.61420 + .00016	.050	8
h	7444996		1.614	.008 AND UP	1.61440 + .00040	.050	8
h	7445000	7445003	1.615	MASTER	1.61500 + .00004	.050	2
h	7445002		1.615	.001	1.61500 + .00008	.050	4
h	7445004		1.615	.002	1.61508 + .00012	.050	4
h	7445006		1.615	.004	1.61520 + .00016	.050	8
h	7445010		1.615	.008 AND UP	1.61540 + .00040	.050	8
h	7445014	7445017	1.616	MASTER	1.61600 + .00004	.050	2
h	7445016		1.616	.001	1.61600 + .00008	.050	4
h	7445018		1.616	.002	1.61608 + .00012	.050	4
h	7445020		1.616	.004	1.61620 + .00016	.050	8
h	7445024		1.616	.008 AND UP	1.61640 + .00040	.050	8
h	7445028	7445031	1.617	MASTER	1.61700 + .00004	.050	2
h	7445030		1.617	.001	1.61700 + .00008	.050	4
h	7445032		1.617	.002	1.61708 + .00012	.050	4
h	7445034		1.617	.004	1.61720 + .00016	.050	8
h	7445038		1.617	.008 AND UP	1.61740 + .00040	.050	8
h	7445042	7445045	1.618	MASTER	1.61800 + .00004	.050	2
h	7445044		1.618	.001	1.61800 + .00008	.050	4
h	7445046		1.618	.002	1.61808 + .00012	.050	4
h	7445048		1.618	.004	1.61820 + .00016	.050	8
h	7445052		1.618	.008 AND UP	1.61840 + .00040	.050	8
h	7445056	7445059	1.619	MASTER	1.61900 + .00004	.050	2
h	7445058		1.619	.001	1.61900 + .00008	.050	4
h	7445060		1.619	.002	1.61908 + .00012	.050	4
h	7445062		1.619	.004	1.61920 + .00016	.050	8
h	7445066		1.619	.008 AND UP	1.61940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7445070	7445073	1.620	MASTER	1.62000 + .00004	.050	2
h	7445072		1.620	.001	1.62000 + .00008	.050	4
h	7445074		1.620	.002	1.62008 + .00012	.050	4
h	7445076		1.620	.004	1.62020 + .00016	.050	8
h	7445080		1.620	.008 AND UP	1.62040 + .00040	.050	8
h	7445084	7445087	1.621	MASTER	1.62100 + .00004	.050	2
h	7445086		1.621	.001	1.62100 + .00008	.050	4
h	7445088		1.621	.002	1.62108 + .00012	.050	4
h	7445090		1.621	.004	1.62120 + .00016	.050	8
h	7445094		1.621	.008 AND UP	1.62140 + .00040	.050	8
h	7445098	7445101	1.622	MASTER	1.62200 + .00004	.050	2
h	7445100		1.622	.001	1.62200 + .00008	.050	4
h	7445102		1.622	.002	1.62208 + .00012	.050	4
h	7445104		1.622	.004	1.62220 + .00016	.050	8
h	7445108		1.622	.008 AND UP	1.62240 + .00040	.050	8
h	7445112	7445115	1.623	MASTER	1.62300 + .00004	.050	2
h	7445114		1.623	.001	1.62300 + .00008	.050	4
h	7445116		1.623	.002	1.62308 + .00012	.050	4
h	7445118		1.623	.004	1.62320 + .00016	.050	8
h	7445122		1.623	.008 AND UP	1.62340 + .00040	.050	8
h	7445126	7445129	1.624	MASTER	1.62400 + .00004	.050	2
h	7445128		1.624	.001	1.62400 + .00008	.050	4
h	7445130		1.624	.002	1.62408 + .00012	.050	4
h	7445132		1.624	.004	1.62420 + .00016	.050	8
h	7445136		1.624	.008 AND UP	1.62440 + .00040	.050	8
h	7445140	7445143	1.625	MASTER	1.62500 + .00004	.050	2
h	7445142		1.625	.001	1.62500 + .00008	.050	4
h	7445144		1.625	.002	1.62508 + .00012	.050	4
h	7445146		1.625	.004	1.62520 + .00016	.050	8
h	7445150		1.625	.008 AND UP	1.62540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7445154	7445157	1.626	MASTER	1.62600 + .00004	.050	2
h	7445156		1.626	.001	1.62600 + .00008	.050	4
h	7445158		1.626	.002	1.62608 + .00012	.050	4
h	7445160		1.626	.004	1.62620 + .00016	.050	8
h	7445164		1.626	.008 AND UP	1.62640 + .00040	.050	8
h	7445168	7445171	1.627	MASTER	1.62700 + .00004	.050	2
h	7445170		1.627	.001	1.62700 + .00008	.050	4
h	7445172		1.627	.002	1.62708 + .00012	.050	4
h	7445174		1.627	.004	1.62720 + .00016	.050	8
h	7445178		1.627	.008 AND UP	1.62740 + .00040	.050	8
h	7445182	7445185	1.628	MASTER	1.62800 + .00004	.050	2
h	7445184		1.628	.001	1.62800 + .00008	.050	4
h	7445186		1.628	.002	1.62808 + .00012	.050	4
h	7445188		1.628	.004	1.62820 + .00016	.050	8
h	7445192		1.628	.008 AND UP	1.62840 + .00040	.050	8
h	7445196	7445199	1.629	MASTER	1.62900 + .00004	.050	2
h	7445198		1.629	.001	1.62900 + .00008	.050	4
h	7445200		1.629	.002	1.62908 + .00012	.050	4
h	7445202		1.629	.004	1.62920 + .00016	.050	8
h	7445206		1.629	.008 AND UP	1.62940 + .00040	.050	8
h	7445210	7445213	1.630	MASTER	1.63000 + .00004	.050	2
h	7445212		1.630	.001	1.63000 + .00008	.050	4
h	7445214		1.630	.002	1.63008 + .00012	.050	4
h	7445216		1.630	.004	1.63020 + .00016	.050	8
h	7445220		1.630	.008 AND UP	1.63040 + .00040	.050	8
h	7445224	7445227	1.631	MASTER	1.63100 + .00004	.050	2
h	7445226		1.631	.001	1.63100 + .00008	.050	4
h	7445228		1.631	.002	1.63108 + .00012	.050	4
h	7445230		1.631	.004	1.63120 + .00016	.050	8
h	7445234		1.631	.008 AND UP	1.63140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445238	7445241	1.632	MASTER	1.63200 + .00004	.050	2
4	7445240		1.632	.001	1.63200 + .00008	.050	4
4	7445242		1.632	.002	1.63208 + .00012	.050	4
4	7445244		1.632	.004	1.63220 + .00016	.050	8
4	7445248		1.632	.008 AND UP	1.63240 + .00040	.050	8
4	7445252	7445255	1.633	MASTER	1.63300 + .00004	.050	2
4	7445254		1.633	.001	1.63300 + .00008	.050	4
4	7445256		1.633	.002	1.63308 + .00012	.050	4
4	7445258		1.633	.004	1.63320 + .00016	.050	8
4	7445262		1.633	.008 AND UP	1.63340 + .00040	.050	8
4	7445266	7445269	1.634	MASTER	1.63400 + .00004	.050	2
4	7445268		1.634	.001	1.63400 + .00008	.050	4
4	7445270		1.634	.002	1.63408 + .00012	.050	4
4	7445272		1.634	.004	1.63420 + .00016	.050	8
4	7445276		1.634	.008 AND UP	1.63440 + .00040	.050	8
4	7445280	7445283	1.635	MASTER	1.63500 + .00004	.050	2
4	7445282		1.635	.001	1.63500 + .00008	.050	4
4	7445284		1.635	.002	1.63508 + .00012	.050	4
4	7445286		1.635	.004	1.63520 + .00016	.050	8
4	7445290		1.635	.008 AND UP	1.63540 + .00040	.050	8
4	7445294	7445297	1.636	MASTER	1.63600 + .00004	.050	2
4	7445296		1.636	.001	1.63600 + .00008	.050	4
4	7445298		1.636	.002	1.63608 + .00012	.050	4
4	7445300		1.636	.004	1.63620 + .00016	.050	8
4	7445304		1.636	.008 AND UP	1.63640 + .00040	.050	8
4	7445308	7445311	1.637	MASTER	1.63700 + .00004	.050	2
4	7445310		1.637	.001	1.63700 + .00008	.050	4
4	7445312		1.637	.002	1.63708 + .00012	.050	4
4	7445314		1.637	.004	1.63720 + .00016	.050	8
4	7445318		1.637	.008 AND UP	1.63740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7445322	7445325	1.638	MASTER	1.63800 + .00004	.050	2	
h	7445324		1.638	.001	1.63800 + .00008	.050	4	
h	7445326		1.638	.002	1.63808 + .00012	.050	4	
h	7445328		1.638	.004	1.63820 + .00016	.050	8	
h	7445332		1.638	.008 AND UP	1.63840 + .00040	.050	8	
h	7445336	7445339	1.639	MASTER	1.63900 + .00004	.050	2	
h	7445338		1.639	.001	1.63900 + .00008	.050	4	
h	7445340		1.639	.002	1.63908 + .00012	.050	4	
h	7445342		1.639	.004	1.63920 + .00016	.050	8	
h	7445346		1.639	.008 AND UP	1.63940 + .00040	.050	8	
h	7445350	7445353	1.640	MASTER	1.64000 + .00004	.050	2	
h	7445352		1.640	.001	1.64000 + .00008	.050	4	
h	7445354		1.640	.002	1.64008 + .00012	.050	4	
h	7445356		1.640	.004	1.64020 + .00016	.050	8	
h	7445360		1.640	.008 AND UP	1.64040 + .00040	.050	8	
h	7445364	7445367	1.641	MASTER	1.64100 + .00004	.050	2	
h	7445366		1.641	.001	1.64100 + .00008	.050	4	
h	7445368		1.641	.002	1.64108 + .00012	.050	4	
h	7445370		1.641	.004	1.64120 + .00016	.050	8	
h	7445374		1.641	.008 AND UP	1.64140 + .00040	.050	8	
h	7445378	7445381	1.642	MASTER	1.64200 + .00004	.050	2	
h	7445380		1.642	.001	1.64200 + .00008	.050	4	
h	7445382		1.642	.002	1.64208 + .00012	.050	4	
h	7445384		1.642	.004	1.64220 + .00016	.050	8	
h	7445388		1.642	.008 AND UP	1.64240 + .00040	.050	8	
h	7445392	7445395	1.643	MASTER	1.64300 + .00004	.050	2	
h	7445394		1.643	.001	1.64300 + .00008	.050	4	
h	7445396		1.643	.002	1.64308 + .00012	.050	4	
h	7445398		1.643	.004	1.64320 + .00016	.050	8	
h	7445402		1.643	.008 AND UP	1.64340 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4 4 4 4 4	7445406 7445408 7445410 7445412 7445416	7445409	1.644 1.644 1.644 1.644 1.644	MASTER .001 .002 .004 .008 AND UP	1.64400 + .00004 1.64400 + .00008 1.64408 + .00012 1.64420 + .00016 1.64440 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4 4	7445420 7445422 7445424 7445426 7445430	7445423	1.645 1.645 1.645 1.645 1.645	MASTER .001 .002 .004 .008 AND UP	1.64500 + .00004 1.64500 + .00008 1.64508 + .00012 1.64520 + .00016 1.64540 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4 4	7445434 7445436 7445438 7445440 7445444	7445437	1.646 1.646 1.646 1.646 1.646	MASTER .001 .002 .004 .008 AND UP	1.64600 + .00004 1.64600 + .00008 1.64608 + .00012 1.64620 + .00016 1.64640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4 4	7445448 7445450 7445452 7445454 7445458	7445451	1.647 1.647 1.647 1.647 1.647	MASTER .001 .002 .004 .008 AND UP	1.64700 + .00004 1.64700 + .00008 1.64708 + .00012 1.64720 + .00016 1.64740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4 4	7445462 7445464 7445466 7445468 7445472	7445465	1.648 1.648 1.648 1.648 1.648	MASTER .001 .002 .004 .008 AND UP	1.64800 + .00004 1.64800 + .00008 1.64808 + .00012 1.64820 + .00016 1.64840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4 4	7445476 7445478 7445480 7445482 7445486	7445479	1.649 1.649 1.649 1.649 1.649	MASTER .001 .002 .004 .008 AND UP	1.64900 + .00004 1.64900 + .00008 1.64908 + .00012 1.64920 + .00016 1.64940 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7445490	7445493	1.650	MASTER	1.65000 + .00004	.050	2
4	7445492		1.650	.001	1.65000 + .00008	.050	4
4	7445494		1.650	.002	1.65008 + .00012	.050	4
4	7445496		1.650	.004	1.65020 + .00016	.050	8
4	7445500		1.650	.008 AND UP	1.65040 + .00040	.050	8
4	7445504	7445507	1.651	MASTER	1.65100 + .00004	.050	2
4	7445506		1.651	.001	1.65100 + .00008	.050	4
4	7445508		1.651	.002	1.65108 + .00012	.050	4
4	7445510		1.651	.004	1.65120 + .00016	.050	8
4	7445514		1.651	.008 AND UP	1.65140 + .00040	.050	8
4	7445518	7445521	1.652	MASTER	1.65200 + .00004	.050	2
4	7445520		1.652	.001	1.65200 + .00008	.050	4
4	7445522		1.652	.002	1.65208 + .00012	.050	4
4	7445524		1.652	.004	1.65220 + .00016	.050	8
4	7445528		1.652	.008 AND UP	1.65240 + .00040	.050	8
4	7445532	7445535	1.653	MASTER	1.65300 + .00004	.050	2
4	7445534		1.653	.001	1.65300 + .00008	.050	4
4	7445536		1.653	.002	1.65308 + .00012	.050	4
4	7445538		1.653	.004	1.65320 + .00016	.050	8
4	7445542		1.653	.008 AND UP	1.65340 + .00040	.050	8
4	7445546	7445549	1.654	MASTER	1.65400 + .00004	.050	2
4	7445548		1.654	.001	1.65400 + .00008	.050	4
4	7445550		1.654	.002	1.65408 + .00012	.050	4
4	7445552		1.654	.004	1.65420 + .00016	.050	8
4	7445556		1.654	.008 AND UP	1.65440 + .00040	.050	8
4	7445560	7445563	1.655	MASTER	1.65500 + .00004	.050	2
4	7445562		1.655	.001	1.65500 + .00008	.050	4
4	7445564		1.655	.002	1.65508 + .00012	.050	4
4	7445566		1.655	.004	1.65520 + .00016	.050	8
4	7445570		1.655	.008 AND UP	1.65540 + .00040	.050	8

MIL-STD-130A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		MINIMUM COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
h h h h h	7445574 7445576 7445578 7445580 7445584	7445577	1.656 1.656 1.656 1.656 1.656	MASTER .001 .002 .004 .008 AND UP	1.65600 + .00004 1.65600 + .00008 1.65608 + .00012 1.65620 + .00016 1.65640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
h h h h h	7445588 7497728 7497730 7497732 7497736		7497729	1.65625 1.65625 1.65625 1.65625 1.65625	MASTER .001 .002 .004 .008 AND UP	1.65625 + .00004 1.65625 + .00008 1.65633 + .00012 1.65645 + .00016 1.65665 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
h h h h h	7445590 7445592 7445594 7445596 7445600			7445593	1.657 1.657 1.657 1.657 1.657	MASTER .001 .002 .004 .008 AND UP	1.65700 + .00004 1.65700 + .00008 1.65708 + .00012 1.65720 + .00016 1.65740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
h h h h h	7445604 7445606 7445608 7445610 7445614				7445607	1.658 1.658 1.658 1.658 1.658	MASTER .001 .002 .004 .008 AND UP	1.65800 + .00004 1.65800 + .00008 1.65808 + .00012 1.65820 + .00016 1.65840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7445618 7445620 7445622 7445624 7445628					7445621	1.659 1.659 1.659 1.659 1.659	MASTER .001 .002 .004 .008 AND UP	1.65900 + .00004 1.65900 + .00008 1.65908 + .00012 1.65920 + .00016 1.65940 + .00040	.050 .050 .050 .050 .050
h h h h h	7445632 7445634 7445636 7445638 7445642	7445635					1.660 1.660 1.660 1.660 1.660	MASTER .001 .002 .004 .008 AND UP	1.66000 + .00004 1.66000 + .00008 1.66008 + .00012 1.66020 + .00016 1.66040 + .00040	.050 .050 .050 .050 .050

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
h h h h h	7445646 7445648 7445650 7445652 7445656	7445649	1.661 1.661 1.661 1.661 1.661	MASTER .001 .002 .004 .008 AND UP	1.66100 + .00004 1.66100 + .00008 1.66108 + .00012 1.66120 + .00016 1.66140 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
h h h h h	7445660 7445662 7445664 7445666 7445670		7445663	1.662 1.662 1.662 1.662 1.662	MASTER .001 .002 .004 .008 AND UP	1.66200 + .00004 1.66200 + .00008 1.66208 + .00012 1.66220 + .00016 1.66240 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
h h h h h	7445674 7445676 7445678 7445680 7445684			7445677	1.663 1.663 1.663 1.663 1.663	MASTER .001 .002 .004 .008 AND UP	1.66300 + .00004 1.66300 + .00008 1.66308 + .00012 1.66320 + .00016 1.66340 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
h h h h h	7445688 7445690 7445692 7445694 7445698				7445691	1.664 1.664 1.664 1.664 1.664	MASTER .001 .002 .004 .008 AND UP	1.66400 + .00004 1.66400 + .00008 1.66408 + .00012 1.66420 + .00016 1.66440 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7445702 7445704 7445706 7445708 7445712					7445705	1.665 1.665 1.665 1.665 1.665	MASTER .001 .002 .004 .008 AND UP	1.66500 + .00004 1.66500 + .00008 1.66508 + .00012 1.66520 + .00016 1.66540 + .00040	.050 .050 .050 .050 .050
h h h h h	7445716 7445718 7445720 7445722 7445726	7445719					1.666 1.666 1.666 1.666 1.666	MASTER .001 .002 .004 .008 AND UP	1.66600 + .00004 1.66600 + .00008 1.66608 + .00012 1.66620 + .00016 1.66640 + .00040	.050 .050 .050 .050 .050

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7445730	7445733	1.667	MASTER	1.66700 + .00004	.050	2
11	7445732		1.667	.001	1.66700 + .00008	.050	4
11	7445734		1.667	.002	1.66708 + .00012	.050	4
11	7445736		1.667	.004	1.66720 + .00016	.050	8
11	7445740		1.667	.008 AND UP	1.66740 + .00040	.050	8
11	7445744	7445747	1.668	MASTER	1.66800 + .00004	.050	2
11	7445746		1.668	.001	1.66800 + .00008	.050	4
11	7445748		1.668	.002	1.66808 + .00012	.050	4
11	7445750		1.668	.004	1.66820 + .00016	.050	8
11	7445754		1.668	.008 AND UP	1.66840 + .00040	.050	8
11	7445758	7445761	1.669	MASTER	1.66900 + .00004	.050	2
11	7445760		1.669	.001	1.66900 + .00008	.050	4
11	7445762		1.669	.002	1.66908 + .00012	.050	4
11	7445764		1.669	.004	1.66920 + .00016	.050	8
11	7445768		1.669	.008 AND UP	1.66940 + .00040	.050	8
11	7445772	7445775	1.670	MASTER	1.67000 + .00004	.050	2
11	7445774		1.670	.001	1.67000 + .00008	.050	4
11	7445776		1.670	.002	1.67008 + .00012	.050	4
11	7445778		1.670	.004	1.67020 + .00016	.050	8
11	7445782		1.670	.008 AND UP	1.67040 + .00040	.050	8
11	7445786	7445789	1.671	MASTER	1.67100 + .00004	.050	2
11	7445788		1.671	.001	1.67100 + .00008	.050	4
11	7445790		1.671	.002	1.67108 + .00012	.050	4
11	7445792		1.671	.004	1.67120 + .00016	.050	8
11	7445796		1.671	.008 AND UP	1.67140 + .00040	.050	8
11	7445800	7445803	1.672	MASTER	1.67200 + .00004	.050	2
11	7445802		1.672	.001	1.67200 + .00008	.050	4
11	7445804		1.672	.002	1.67208 + .00012	.050	4
11	7445806		1.672	.004	1.67220 + .00016	.050	8
11	7445810		1.672	.008 AND UP	1.67240 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7445814	7445817	1.673	MASTER	1.67300 + .00004	.050	2	
h	7445816		1.673	.001	1.67300 + .00008	.050	4	
h	7445818		1.673	.002	1.67308 + .00012	.050	4	
h	7445820		1.673	.004	1.67320 + .00016	.050	8	
h	7445824		1.673	.008 AND UP	1.67340 + .00040	.050	8	
h	7445828	7445831	1.674	MASTER	1.67400 + .00004	.050	2	
h	7445830		1.674	.001	1.67400 + .00008	.050	4	
h	7445832		1.674	.002	1.67408 + .00012	.050	4	
h	7445834		1.674	.004	1.67420 + .00016	.050	8	
h	7445838		1.674	.008 AND UP	1.67440 + .00040	.050	8	
h	7445842	7445845	1.675	MASTER	1.67500 + .00004	.050	2	
h	7445844		1.675	.001	1.67500 + .00008	.050	4	
h	7445846		1.675	.002	1.67508 + .00012	.050	4	
h	7445848		1.675	.004	1.67520 + .00016	.050	8	
h	7445852		1.675	.008 AND UP	1.67540 + .00040	.050	8	
h	7445856	7445859	1.676	MASTER	1.67600 + .00004	.050	2	
h	7445858		1.676	.001	1.67600 + .00008	.050	4	
h	7445860		1.676	.002	1.67608 + .00012	.050	4	
h	7445862		1.676	.004	1.67620 + .00016	.050	8	
h	7445866		1.676	.008 AND UP	1.67640 + .00040	.050	8	
h	7445870	7445873	1.677	MASTER	1.67700 + .00004	.050	2	
h	7445872		1.677	.001	1.67700 + .00008	.050	4	
h	7445874		1.677	.002	1.67708 + .00012	.050	4	
h	7445876		1.677	.004	1.67720 + .00016	.050	8	
h	7445880		1.677	.008 AND UP	1.67740 + .00040	.050	8	
h	7445884	7445887	1.678	MASTER	1.67800 + .00004	.050	2	
h	7445886		1.678	.001	1.67800 + .00008	.050	4	
h	7445888		1.678	.002	1.67808 + .00012	.050	4	
h	7445890		1.678	.004	1.67820 + .00016	.050	8	
h	7445894		1.678	.008 AND UP	1.67840 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
4 4 4 4 4	7445898 7445900 7445902 7445904 7445908	7445901	1.679 1.679 1.679 1.679 1.679	MASTER .001 .002 .004 .008 AND UP	1.67900 + .00004 1.67900 + .00008 1.67908 + .00012 1.67920 + .00016 1.67940 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
4 4 4 4 4	7445912 7445914 7445916 7445918 7445922		7445915	1.680 1.680 1.680 1.680 1.680	MASTER .001 .002 .004 .008 AND UP	1.68000 + .00004 1.68000 + .00008 1.68008 + .00012 1.68020 + .00016 1.68040 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
4 4 4 4 4	7445926 7445928 7445930 7445932 7445936			7445929	1.681 1.681 1.681 1.681 1.681	MASTER .001 .002 .004 .008 AND UP	1.68100 + .00004 1.68100 + .00008 1.68108 + .00012 1.68120 + .00016 1.68140 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7445940 7445942 7445944 7445946 7445950				7445943	1.682 1.682 1.682 1.682 1.682	MASTER .001 .002 .004 .008 AND UP	1.68200 + .00004 1.68200 + .00008 1.68208 + .00012 1.68220 + .00016 1.68240 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7445954 7445956 7445958 7445960 7445964					7445957	1.683 1.683 1.683 1.683 1.683	MASTER .001 .002 .004 .008 AND UP	1.68300 + .00004 1.68300 + .00008 1.68308 + .00012 1.68320 + .00016 1.68340 + .00040	.050 .050 .050 .050 .050
4 4 4 4 4	7445968 7445970 7445972 7445974 7445978	7445971					1.684 1.684 1.684 1.684 1.684	MASTER .001 .002 .004 .008 AND UP	1.68400 + .00004 1.68400 + .00008 1.68408 + .00012 1.68420 + .00016 1.68440 + .00040	.050 .050 .050 .050 .050

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7445982	7445985	1.685	MASTER	1.68500 + .00004	.050	2
h	7445984		1.685	.001	1.68500 + .00008	.050	4
h	7445986		1.685	.002	1.68508 + .00012	.050	4
h	7445988		1.685	.004	1.68520 + .00016	.050	8
h	7445992		1.685	.008 AND UP	1.68540 + .00040	.050	8
h	7445996	7445999	1.686	MASTER	1.68600 + .00004	.050	2
h	7445998		1.686	.001	1.68600 + .00008	.050	4
h	7446000		1.686	.002	1.68608 + .00012	.050	4
h	7446002		1.686	.004	1.68620 + .00016	.050	8
h	7446006		1.686	.008 AND UP	1.68640 + .00040	.050	8
h	7446010	7446013	1.687	MASTER	1.68700 + .00004	.050	2
h	7446012		1.687	.001	1.68700 + .00008	.050	4
h	7446014		1.687	.002	1.68708 + .00012	.050	4
h	7446016		1.687	.004	1.68720 + .00016	.050	8
h	7446020		1.687	.008 AND UP	1.68740 + .00040	.050	8
h	7446024	7497741	1.6875	MASTER	1.68750 + .00004	.050	2
h	7497740		1.6875	.001	1.68750 + .00008	.050	4
h	7497742		1.6875	.002	1.68758 + .00012	.050	4
h	7497744		1.6875	.004	1.68770 + .00016	.050	8
h	7497748		1.6875	.008 AND UP	1.68790 + .00040	.050	8
h	7446026	7446029	1.688	MASTER	1.68800 + .00004	.050	2
h	7446028		1.688	.001	1.68800 + .00008	.050	4
h	7446030		1.688	.002	1.68808 + .00012	.050	4
h	7446032		1.688	.004	1.68820 + .00016	.050	8
h	7446036		1.688	.008 AND UP	1.68840 + .00040	.050	8
h	7446040	7446043	1.689	MASTER	1.68900 + .00004	.050	2
h	7446042		1.689	.001	1.68900 + .00008	.050	4
h	7446044		1.689	.002	1.68908 + .00012	.050	4
h	7446046		1.689	.004	1.68920 + .00016	.050	8
h	7446050		1.689	.008 AND UP	1.68940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7446054	7446057	1.690	MASTER	1.69000 + .00004	.050	2
11	7446056		1.690	.001	1.69000 + .00008	.050	4
11	7446058		1.690	.002	1.69008 + .00012	.050	4
11	7446060		1.690	.004	1.69020 + .00016	.050	8
11	7446064		1.690	.008 AND UP	1.69040 + .00040	.050	8
11	7446068	7446071	1.691	MASTER	1.69100 + .00004	.050	2
11	7446070		1.691	.001	1.69100 + .00008	.050	4
11	7446072		1.691	.002	1.69108 + .00012	.050	4
11	7446074		1.691	.004	1.69120 + .00016	.050	8
11	7446078		1.691	.008 AND UP	1.69140 + .00040	.050	8
11	7446082	7446085	1.692	MASTER	1.69200 + .00004	.050	2
11	7446084		1.692	.001	1.69200 + .00008	.050	4
11	7446086		1.692	.002	1.69208 + .00012	.050	4
11	7446088		1.692	.004	1.69220 + .00016	.050	8
11	7446092		1.692	.008 AND UP	1.69240 + .00040	.050	8
11	7446096	7446099	1.693	MASTER	1.69300 + .00004	.050	2
11	7446098		1.693	.001	1.69300 + .00008	.050	4
11	7446100		1.693	.002	1.69308 + .00012	.050	4
11	7446102		1.693	.004	1.69320 + .00016	.050	8
11	7446106		1.693	.008 AND UP	1.69340 + .00040	.050	8
11	7446110	7446113	1.694	MASTER	1.69400 + .00004	.050	2
11	7446112		1.694	.001	1.69400 + .00008	.050	4
11	7446114		1.694	.002	1.69408 + .00012	.050	4
11	7446116		1.694	.004	1.69420 + .00016	.050	8
11	7446120		1.694	.008 AND UP	1.69440 + .00040	.050	8
11	7446124	7446127	1.695	MASTER	1.69500 + .00004	.050	2
11	7446126		1.695	.001	1.69500 + .00008	.050	4
11	7446128		1.695	.002	1.69508 + .00012	.050	4
11	7446130		1.695	.004	1.69520 + .00016	.050	8
11	7446134		1.695	.008 AND UP	1.69540 + .00040	.050	8

 8 December 1955
 MIL-STD-110A

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446138	7446141	1.696	MASTER	1.69600 + .00004	.050	2
4	7446140		1.696	.001	1.69600 + .00008	.050	4
4	7446142		1.696	.002	1.69608 + .00012	.050	4
4	7446144		1.696	.004	1.69620 + .00016	.050	8
4	7446148		1.696	.008 AND UP	1.69640 + .00040	.050	8
4	7446152	7446155	1.697	MASTER	1.69700 + .00004	.050	2
4	7446154		1.697	.001	1.69700 + .00008	.050	4
4	7446156		1.697	.002	1.69708 + .00012	.050	4
4	7446158		1.697	.004	1.69720 + .00016	.050	8
4	7446162		1.697	.008 AND UP	1.69740 + .00040	.050	8
4	7446166	7446169	1.698	MASTER	1.69800 + .00004	.050	2
4	7446168		1.698	.001	1.69800 + .00008	.050	4
4	7446170		1.698	.002	1.69808 + .00012	.050	4
4	7446172		1.698	.004	1.69820 + .00016	.050	8
4	7446176		1.698	.008 AND UP	1.69840 + .00040	.050	8
4	7446180	7446183	1.699	MASTER	1.69900 + .00004	.050	2
4	7446182		1.699	.001	1.69900 + .00008	.050	4
4	7446184		1.699	.002	1.69908 + .00012	.050	4
4	7446186		1.699	.004	1.69920 + .00016	.050	8
4	7446190		1.699	.008 AND UP	1.69940 + .00040	.050	8
4	7446194	7446197	1.700	MASTER	1.70000 + .00004	.050	2
4	7446196		1.700	.001	1.70000 + .00008	.050	4
4	7446198		1.700	.002	1.70008 + .00012	.050	4
4	7446200		1.700	.004	1.70020 + .00016	.050	8
4	7446204		1.700	.008 AND UP	1.70040 + .00040	.050	8
4	7446208	7446211	1.701	MASTER	1.70100 + .00004	.050	2
4	7446210		1.701	.001	1.70100 + .00008	.050	4
4	7446212		1.701	.002	1.70108 + .00012	.050	4
4	7446214		1.701	.004	1.70120 + .00016	.050	8
4	7446218		1.701	.008 AND UP	1.70140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7446222	7446225	1.702	MASTER	1.70200 + .00004	.050	2
h	7446224		1.702	.001	1.70200 + .00008	.050	4
h	7446226		1.702	.002	1.70208 + .00012	.050	4
h	7446228		1.702	.004	1.70220 + .00016	.050	8
h	7446232		1.702	.008 AND UP	1.70240 + .00040	.050	8
h	7446236	7446239	1.703	MASTER	1.70300 + .00004	.050	2
h	7446238		1.703	.001	1.70300 + .00008	.050	4
h	7446240		1.703	.002	1.70308 + .00012	.050	4
h	7446242		1.703	.004	1.70320 + .00016	.050	8
h	7446246		1.703	.008 AND UP	1.70340 + .00040	.050	8
h	7446250	7446253	1.704	MASTER	1.70400 + .00004	.050	2
h	7446252		1.704	.001	1.70400 + .00008	.050	4
h	7446254		1.704	.002	1.70408 + .00012	.050	4
h	7446256		1.704	.004	1.70420 + .00016	.050	8
h	7446260		1.704	.008 AND UP	1.70440 + .00040	.050	8
h	7446264	7446267	1.705	MASTER	1.70500 + .00004	.050	2
h	7446266		1.705	.001	1.70500 + .00008	.050	4
h	7446268		1.705	.002	1.70508 + .00012	.050	4
h	7446270		1.705	.004	1.70520 + .00016	.050	8
h	7446274		1.705	.008 AND UP	1.70540 + .00040	.050	8
h	7446278	7446281	1.706	MASTER	1.70600 + .00004	.050	2
h	7446280		1.706	.001	1.70600 + .00008	.050	4
h	7446282		1.706	.002	1.70608 + .00012	.050	4
h	7446284		1.706	.004	1.70620 + .00016	.050	8
h	7446288		1.706	.008 AND UP	1.70640 + .00040	.050	8
h	7446292	7446295	1.707	MASTER	1.70700 + .00004	.050	2
h	7446294		1.707	.001	1.70700 + .00008	.050	4
h	7446296		1.707	.002	1.70708 + .00012	.050	4
h	7446298		1.707	.004	1.70720 + .00016	.050	8
h	7446302		1.707	.008 AND UP	1.70740 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION					
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER		
A	B	C	D	E	F	G	H	
h	7446306	7446309	1.708	MASTER	1.70800	.00004	.050	2
h	7446308		1.708	.001	1.70800	.00008	.050	4
h	7446310		1.708	.002	1.70808 +	.00012	.050	4
h	7446312		1.708	.004	1.70820 +	.00016	.050	8
h	7446316		1.708	.008 AND UP	1.70840 +	.00040	.050	8
h	7446320	7446323	1.709	MASTER	1.70900 +	.00004	.050	2
h	7446322		1.709	.001	1.70900 +	.00008	.050	4
h	7446324		1.709	.002	1.70908 +	.00012	.050	4
h	7446326		1.709	.004	1.70920 +	.00016	.050	8
h	7446330		1.709	.008 AND UP	1.70940 +	.00040	.050	8
h	7446334	7446337	1.710	MASTER	1.71000 +	.00004	.050	2
h	7446336		1.710	.001	1.71000 +	.00008	.050	4
h	7446338		1.710	.002	1.71008 +	.00012	.050	4
h	7446340		1.710	.004	1.71020 +	.00016	.050	8
h	7446344		1.710	.008 AND UP	1.71040 +	.00040	.050	8
h	7446348	7446351	1.711	MASTER	1.71100 +	.00004	.050	2
h	7446350		1.711	.001	1.71100 +	.00008	.050	4
h	7446352		1.711	.002	1.71108 +	.00012	.050	4
h	7446354		1.711	.004	1.71120 +	.00016	.050	8
h	7446358		1.711	.008 AND UP	1.71140 +	.00040	.050	8
h	7446362	7446365	1.712	MASTER	1.71200 +	.00004	.050	2
h	7446364		1.712	.001	1.71200 +	.00008	.050	4
h	7446366		1.712	.002	1.71208 +	.00012	.050	4
h	7446368		1.712	.004	1.71220 +	.00016	.050	8
h	7446372		1.712	.008 AND UP	1.71240 +	.00040	.050	8
h	7446376	7446379	1.713	MASTER	1.71300 +	.00004	.050	2
h	7446378		1.713	.001	1.71300 +	.00008	.050	4
h	7446380		1.713	.002	1.71308 +	.00012	.050	4
h	7446382		1.713	.004	1.71320 +	.00016	.050	8
h	7446386		1.713	.008 AND UP	1.71340 +	.00040	.050	8

 MIL-STD-110A
 6 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7446390	7446393	1.714	MASTER	1.71400 + .00004	.050	2
h	7446392		1.714	.001	1.71400 + .00008	.050	4
h	7446394		1.714	.002	1.71408 + .00012	.050	4
h	7446396		1.714	.004	1.71420 + .00016	.050	8
h	7446400		1.714	.008 AND UP	1.71440 + .00040	.050	8
h	7446404	7446407	1.715	MASTER	1.71500 + .00004	.050	2
h	7446406		1.715	.001	1.71500 + .00008	.050	4
h	7446408		1.715	.002	1.71508 + .00012	.050	4
h	7446410		1.715	.004	1.71520 + .00016	.050	8
h	7446414		1.715	.008 AND UP	1.71540 + .00040	.050	8
h	7446418	7446421	1.716	MASTER	1.71600 + .00004	.050	2
h	7446420		1.716	.001	1.71600 + .00008	.050	4
h	7446422		1.716	.002	1.71608 + .00012	.050	4
h	7446424		1.716	.004	1.71620 + .00016	.050	8
h	7446428		1.716	.008 AND UP	1.71640 + .00040	.050	8
h	7446432	7446435	1.717	MASTER	1.71700 + .00004	.050	2
h	7446434		1.717	.001	1.71700 + .00008	.050	4
h	7446436		1.717	.002	1.71708 + .00012	.050	4
h	7446438		1.717	.004	1.71720 + .00016	.050	8
h	7446442		1.717	.008 AND UP	1.71740 + .00040	.050	8
h	7446446	7446449	1.718	MASTER	1.71800 + .00004	.050	2
h	7446448		1.718	.001	1.71800 + .00008	.050	4
h	7446450		1.718	.002	1.71808 + .00012	.050	4
h	7446452		1.718	.004	1.71820 + .00016	.050	8
h	7446456		1.718	.008 AND UP	1.71840 + .00040	.050	8
h	7446460	7497753	1.71875	MASTER	1.71875 + .00004	.050	2
h	7497752		1.71875	.001	1.71875 + .00008	.050	4
h	7497754		1.71875	.002	1.71883 + .00012	.050	4
h	7497756		1.71875	.004	1.71895 + .00016	.050	8
h	7497760		1.71875	.008 AND UP	1.71915 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINI--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7446462	7446465	1.719	MASTER	1.71900 + .00004	.050	2
h	7446464		1.719	.001	1.71900 + .00008	.050	4
h	7446466		1.719	.002	1.71908 + .00012	.050	4
h	7446468		1.719	.004	1.71920 + .00016	.050	8
h	7446472		1.719	.008 AND UP	1.71940 + .00040	.050	8
h	7446476	7446479	1.720	MASTER	1.72000 + .00004	.050	2
h	7446478		1.720	.001	1.72000 + .00008	.050	4
h	7446480		1.720	.002	1.72008 + .00012	.050	4
h	7446482		1.720	.004	1.72020 + .00016	.050	8
h	7446486		1.720	.008 AND UP	1.72040 + .00040	.050	8
h	7446490	7446493	1.721	MASTER	1.72100 + .00004	.050	2
h	7446492		1.721	.001	1.72100 + .00008	.050	4
h	7446494		1.721	.002	1.72108 + .00012	.050	4
h	7446496		1.721	.004	1.72120 + .00016	.050	8
h	7446500		1.721	.008 AND UP	1.72140 + .00040	.050	8
h	7446504	7446507	1.722	MASTER	1.72200 + .00004	.050	2
h	7446506		1.722	.001	1.72200 + .00008	.050	4
h	7446508		1.722	.002	1.72208 + .00012	.050	4
h	7446510		1.722	.004	1.72220 + .00016	.050	8
h	7446512		1.722	.008 AND UP	1.72240 + .00040	.050	8
h	7446518	7446521	1.723	MASTER	1.72300 + .00004	.050	2
h	7446520		1.723	.001	1.72300 + .00008	.050	4
h	7446522		1.723	.002	1.72308 + .00012	.050	4
h	7446524		1.723	.004	1.72320 + .00016	.050	8
h	7446528		1.723	.008 AND UP	1.72340 + .00040	.050	8
h	7446532	7446535	1.724	MASTER	1.72400 + .00004	.050	2
h	7446534		1.724	.001	1.72400 + .00008	.050	4
h	7446536		1.724	.002	1.72408 + .00012	.050	4
h	7446538		1.724	.004	1.72420 + .00016	.050	8
h	7446542		1.724	.008 AND UP	1.72440 + .00040	.050	8

MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
"	7446546	7446549	1.725	MASTER	1.72500 + .00004	.050	2
"	7446548		1.725	.001	1.72500 + .00008	.050	4
"	7446550		1.725	.002	1.72508 + .00012	.050	4
"	7446552		1.725	.004	1.72520 + .00016	.050	8
"	7446556		1.725	.008 AND UP	1.72540 + .00040	.050	8
"	7446560	7446563	1.726	MASTER	1.72600 + .00004	.050	2
"	7446562		1.726	.001	1.72600 + .00008	.050	4
"	7446564		1.726	.002	1.72608 + .00012	.050	4
"	7446566		1.726	.004	1.72620 + .00016	.050	8
"	7446570		1.726	.008 AND UP	1.72640 + .00040	.050	8
"	7446574	7446577	1.727	MASTER	1.72700 + .00004	.050	2
"	7446576		1.727	.001	1.72700 + .00008	.050	4
"	7446578		1.727	.002	1.72708 + .00012	.050	4
"	7446580		1.727	.004	1.72720 + .00016	.050	8
"	7446584		1.727	.008 AND UP	1.72740 + .00040	.050	8
"	7446588	7446591	1.728	MASTER	1.72800 + .00004	.050	2
"	7446590		1.728	.001	1.72800 + .00008	.050	4
"	7446592		1.728	.002	1.72808 + .00012	.050	4
"	7446594		1.728	.004	1.72820 + .00016	.050	8
"	7446598		1.728	.008 AND UP	1.72840 + .00040	.050	8
"	7446602	7446605	1.729	MASTER	1.72900 + .00004	.050	2
"	7446604		1.729	.001	1.72900 + .00008	.050	4
"	7446606		1.729	.002	1.72908 + .00012	.050	4
"	7446608		1.729	.004	1.72920 + .00016	.050	8
"	7446612		1.729	.008 AND UP	1.72940 + .00040	.050	8
"	7446616	7446619	1.730	MASTER	1.73000 + .00004	.050	2
"	7446618		1.730	.001	1.73000 + .00008	.050	4
"	7446620		1.730	.002	1.73008 + .00012	.050	4
"	7446622		1.730	.004	1.73020 + .00016	.050	8
"	7446626		1.730	.008 AND UP	1.73040 + .00040	.050	8

8 D666666-1194

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
"	7446630	7446633	1.731	MASTER	1.73100 + .00004	.050	2
"	7446632		1.731	.001	1.73100 + .00008	.050	4
"	7446634		1.731	.002	1.73108 + .00012	.050	4
"	7446636		1.731	.004	1.73120 + .00016	.050	8
"	7446640		1.731	.008 AND UP	1.73140 + .00040	.050	8
"	7446644	7446647	1.732	MASTER	1.73200 + .00004	.050	2
"	7446646		1.732	.001	1.73200 + .00008	.050	4
"	7446648		1.732	.002	1.73208 + .00012	.050	4
"	7446650		1.732	.004	1.73220 + .00016	.050	8
"	7446654		1.732	.008 AND UP	1.73240 + .00040	.050	8
"	7446658	7446661	1.733	MASTER	1.73300 + .00004	.050	2
"	7446660		1.733	.001	1.73300 + .00008	.050	4
"	7446662		1.733	.002	1.73308 + .00012	.050	4
"	7446664		1.733	.004	1.73320 + .00016	.050	6
"	7446668		1.733	.008 AND UP	1.73340 + .00040	.050	8
"	7446672	7446675	1.734	MASTER	1.73400 + .00004	.050	2
"	7446674		1.734	.001	1.73400 + .00008	.050	4
"	7446676		1.734	.002	1.73408 + .00012	.050	4
"	7446678		1.734	.004	1.73420 + .00016	.050	8
"	7446682		1.734	.008 AND UP	1.73440 + .00040	.050	8
"	7446686	7446689	1.735	MASTER	1.73500 + .00004	.050	2
"	7446688		1.735	.001	1.73500 + .00008	.050	4
"	7446690		1.735	.002	1.73508 + .00012	.050	4
"	7446692		1.735	.004	1.73520 + .00016	.050	8
"	7446696		1.735	.008 AND UP	1.73540 + .00040	.050	8
"	7446700	7446703	1.736	MASTER	1.73600 + .00004	.050	2
"	7446702		1.736	.001	1.73600 + .00008	.050	4
"	7446704		1.736	.002	1.73608 + .00012	.050	4
"	7446706		1.736	.004	1.73620 + .00016	.050	8
"	7446710		1.736	.008 AND UP	1.73640 + .00040	.050	8

REL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7446714	7446717	1.737	MASTER	1.73700 + .00004	.050	2
4	7446716		1.737	.001	1.73700 + .00008	.050	4
4	7446718		1.737	.002	1.73708 + .00012	.050	4
4	7446720		1.737	.004	1.73720 + .00016	.050	8
4	7446724		1.737	.008 AND UP	1.73740 + .00040	.050	8
4	7446728	7446731	1.738	MASTER	1.73800 + .00004	.050	2
4	7446730		1.738	.001	1.73800 + .00008	.050	4
4	7446732		1.738	.002	1.73808 + .00012	.050	4
4	7446734		1.738	.004	1.73820 + .00016	.050	8
4	7446738		1.738	.008 AND UP	1.73840 + .00040	.050	8
4	7446742	7446745	1.739	MASTER	1.73900 + .00004	.050	2
4	7446744		1.739	.001	1.73900 + .00008	.050	4
4	7446746		1.739	.002	1.73908 + .00012	.050	4
4	7446748		1.739	.004	1.73920 + .00016	.050	8
4	7446752		1.739	.008 AND UP	1.73940 + .00040	.050	8
4	7446756	7446759	1.740	MASTER	1.74000 + .00004	.050	2
4	7446758		1.740	.001	1.74000 + .00008	.050	4
4	7446760		1.740	.002	1.74008 + .00012	.050	4
4	7446762		1.740	.004	1.74020 + .00016	.050	8
4	7446766		1.740	.008 AND UP	1.74040 + .00040	.050	8
4	7446770	7446773	1.741	MASTER	1.74100 + .00004	.050	2
4	7446772		1.741	.001	1.74100 + .00008	.050	4
4	7446774		1.741	.002	1.74108 + .00012	.050	4
4	7446776		1.741	.004	1.74120 + .00016	.050	8
4	7446780		1.741	.008 AND UP	1.74140 + .00040	.050	8
4	7446784	7446787	1.742	MASTER	1.74200 + .00004	.050	2
4	7446786		1.742	.001	1.74200 + .00008	.050	4
4	7446788		1.742	.002	1.74208 + .00012	.050	4
4	7446790		1.742	.004	1.74220 + .00016	.050	8
4	7446794		1.742	.008 AND UP	1.74240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7446798	7446801	1.743	MASTER	1.74300 + .00004	.050	2
11	7446800		1.743	.001	1.74300 + .00008	.050	4
11	7446802		1.743	.002	1.74308 + .00012	.050	4
11	7446804		1.743	.004	1.74320 + .00016	.050	8
11	7446808		1.743	.008 AND UP	1.74340 + .00040	.050	8
11	7446812	7446815	1.744	MASTER	1.74400 + .00004	.050	2
11	7446814		1.744	.001	1.74400 + .00008	.050	4
11	7446816		1.744	.002	1.74408 + .00012	.050	4
11	7446818		1.744	.004	1.74420 + .00016	.050	8
11	7446822		1.744	.008 AND UP	1.74440 + .00040	.050	8
11	7446826	7446829	1.745	MASTER	1.74500 + .00004	.050	2
11	7446828		1.745	.001	1.74500 + .00008	.050	4
11	7446830		1.745	.002	1.74508 + .00012	.050	4
11	7446832		1.745	.004	1.74520 + .00016	.050	8
11	7446836		1.745	.008 AND UP	1.74540 + .00040	.050	8
11	7446840	7446843	1.746	MASTER	1.74600 + .00004	.050	2
11	7446842		1.746	.001	1.74600 + .00008	.050	4
11	7446844		1.746	.002	1.74608 + .00012	.050	4
11	7446846		1.746	.004	1.74620 + .00016	.050	8
11	7446850		1.746	.008 AND UP	1.74640 + .00040	.050	8
11	7446854	7446857	1.747	MASTER	1.74700 + .00004	.050	2
11	7446856		1.747	.001	1.74700 + .00008	.050	4
11	7446858		1.747	.002	1.74708 + .00012	.050	4
11	7446860		1.747	.004	1.74720 + .00016	.050	8
11	7446864		1.747	.008 AND UP	1.74740 + .00040	.050	8
11	7446868	7446871	1.748	MASTER	1.74800 + .00004	.050	2
11	7446870		1.748	.001	1.74800 + .00008	.050	4
11	7446872		1.748	.002	1.74808 + .00012	.050	4
11	7446874		1.748	.004	1.74820 + .00016	.050	8
11	7446878		1.748	.008 AND UP	1.74840 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.			MINIMUM COMPONENT DIMENSION	DIAMETER		CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7446882	7446885	1.749	MASTER	1.74900 + .00004	.050	2
h	7446884		1.749	.001	1.74900 + .00008	.050	4
h	7446886		1.749	.002	1.74908 + .00012	.050	4
h	7446888		1.749	.004	1.74920 + .00016	.050	8
h	7446892		1.749	.008 AND UP	1.74940 + .00040	.050	8
h	7446896	7446899	1.750	MASTER	1.75000 + .00004	.050	2
h	7446898		1.750	.001	1.75000 + .00008	.050	4
h	7446900		1.750	.002	1.75008 + .00012	.050	4
h	7446902		1.750	.004	1.75020 + .00016	.050	8
h	7446906		1.750	.008 AND UP	1.75040 + .00040	.050	8
h	7446910	7446913	1.751	MASTER	1.75100 + .00004	.050	2
h	7446912		1.751	.001	1.75100 + .00008	.050	4
h	7446914		1.751	.002	1.75108 + .00012	.050	4
h	7446916		1.751	.004	1.75120 + .00016	.050	8
h	7446920		1.751	.008 AND UP	1.75140 + .00040	.050	8
h	7446924	7446927	1.752	MASTER	1.75200 + .00004	.050	2
h	7446926		1.752	.001	1.75200 + .00008	.050	4
h	7446928		1.752	.002	1.75208 + .00012	.050	4
h	7446930		1.752	.004	1.75220 + .00016	.050	8
h	7446934		1.752	.008 AND UP	1.75240 + .00040	.050	8
h	7446938	7446941	1.753	MASTER	1.75300 + .00004	.050	2
h	7446940		1.753	.001	1.75300 + .00008	.050	4
h	7446942		1.753	.002	1.75308 + .00012	.050	4
h	7446944		1.753	.004	1.75320 + .00016	.050	8
h	7446948		1.753	.008 AND UP	1.75340 + .00040	.050	8
h	7446952	7446955	1.754	MASTER	1.75400 + .00004	.050	2
h	7446954		1.754	.001	1.75400 + .00008	.050	4
h	7446956		1.754	.002	1.75408 + .00012	.050	4
h	7446958		1.754	.004	1.75420 + .00016	.050	8
h	7446962		1.754	.008 AND UP	1.75440 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS			FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
11	7446966	7446969	1.755	MASTER	1.75500 + .00004	.050	2	
11	7446968		1.755	.001	1.75500 + .00008	.050	4	
11	7446970		1.755	.002	1.75508 + .00012	.050	4	
11	7446972		1.755	.004	1.75520 + .00016	.050	8	
11	7446976		1.755	.008 AND UP	1.75540 + .00040	.050	8	
11	7446980	7446983	1.756	MASTER	1.75600 + .00004	.050	2	
11	7446982		1.756	.001	1.75600 + .00008	.050	4	
11	7446984		1.756	.002	1.75608 + .00012	.050	4	
11	7446986		1.756	.004	1.75620 + .00016	.050	8	
11	7446990		1.756	.008 AND UP	1.75640 + .00040	.050	8	
11	7446994	7446997	1.757	MASTER	1.75700 + .00004	.050	2	
11	7446996		1.757	.001	1.75700 + .00008	.050	4	
11	7446998		1.757	.002	1.75708 + .00012	.050	4	
11	7447000		1.757	.004	1.75720 + .00016	.050	8	
11	7447004		1.757	.008 AND UP	1.75740 + .00040	.050	8	
11	7447008	7447011	1.758	MASTER	1.75800 + .00004	.050	2	
11	7447010		1.758	.001	1.75800 + .00008	.050	4	
11	7447012		1.758	.002	1.75808 + .00012	.050	4	
11	7447014		1.758	.004	1.75820 + .00016	.050	8	
11	7447018		1.758	.008 AND UP	1.75840 + .00040	.050	8	
11	7447022	7447025	1.759	MASTER	1.75900 + .00004	.050	2	
11	7447024		1.759	.001	1.75900 + .00008	.050	4	
11	7447026		1.759	.002	1.75908 + .00012	.050	4	
11	7447028		1.759	.004	1.75920 + .00016	.050	8	
11	7447032		1.759	.008 AND UP	1.75940 + .00040	.050	8	
11	7447036	7447039	1.760	MASTER	1.76000 + .00004	.050	2	
11	7447038		1.760	.001	1.76000 + .00008	.050	4	
11	7447040		1.760	.002	1.76008 + .00012	.050	4	
11	7447042		1.760	.004	1.76020 + .00016	.050	8	
11	7447046		1.760	.008 AND UP	1.76040 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447050	7447053	1.761	MASTER	1.76100 + .00004	.050	2
h	7447052		1.761	.001	1.76100 + .00008	.050	4
h	7447054		1.761	.002	1.76108 + .00012	.050	4
h	7447056		1.761	.004	1.76120 + .00016	.050	8
h	7447060		1.761	.008 AND UP	1.76140 + .00040	.050	8
h	7447064	7447067	1.762	MASTER	1.76200 + .00004	.050	2
h	7447066		1.762	.001	1.76200 + .00008	.050	4
h	7447068		1.762	.002	1.76208 + .00012	.050	4
h	7447070		1.762	.004	1.76220 + .00016	.050	8
h	7447074		1.762	.008 AND UP	1.76240 + .00040	.050	8
h	7447078	7447081	1.763	MASTER	1.76300 + .00004	.050	2
h	7447080		1.763	.001	1.76300 + .00008	.050	4
h	7447082		1.763	.002	1.76308 + .00012	.050	4
h	7447084		1.763	.004	1.76320 + .00016	.050	8
h	7447088		1.763	.008 AND UP	1.76340 + .00040	.050	8
h	7447092	7447095	1.764	MASTER	1.76400 + .00004	.050	2
h	7447094		1.764	.001	1.76400 + .00008	.050	4
h	7447096		1.764	.002	1.76408 + .00012	.050	4
h	7447098		1.764	.004	1.76420 + .00016	.050	8
h	7447102		1.764	.008 AND UP	1.76440 + .00040	.050	8
h	7447106	7447109	1.765	MASTER	1.76500 + .00004	.050	2
h	7447108		1.765	.001	1.76500 + .00008	.050	4
h	7447110		1.765	.002	1.76508 + .00012	.050	4
h	7447112		1.765	.004	1.76520 + .00016	.050	8
h	7447116		1.765	.008 AND UP	1.76540 + .00040	.050	8
h	7447120	7447123	1.766	MASTER	1.76600 + .00004	.050	2
h	7447122		1.766	.001	1.76600 + .00008	.050	4
h	7447124		1.766	.002	1.76608 + .00012	.050	4
h	7447126		1.766	.004	1.76620 + .00016	.050	8
h	7447130		1.766	.008 AND UP	1.76640 + .00040	.050	8

 MIL-STD-1204
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIM-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447134	7447137	1.767	MASTER	1.76700 + .00004	.050	2
h	7447136		1.767	.001	1.76700 + .00008	.050	4
h	7447138		1.767	.002	1.76708 + .00012	.050	4
h	7447140		1.767	.004	1.76720 + .00016	.050	8
h	7447144		1.767	.008 AND UP	1.76740 + .00040	.050	8
h	7447148	7447151	1.768	MASTER	1.76800 + .00004	.050	2
h	7447150		1.768	.001	1.76800 + .00008	.050	4
h	7447152		1.768	.002	1.76808 + .00012	.050	4
h	7447154		1.768	.004	1.76820 + .00016	.050	8
h	7447158		1.768	.008 AND UP	1.76840 + .00040	.050	8
h	7447162	7447165	1.769	MASTER	1.76900 + .00004	.050	2
h	7447164		1.769	.001	1.76900 + .00008	.050	4
h	7447166		1.769	.002	1.76908 + .00012	.050	4
h	7447168		1.769	.004	1.76920 + .00016	.050	8
h	7447172		1.769	.008 AND UP	1.76940 + .00040	.050	8
h	7447176	7447179	1.770	MASTER	1.77000 + .00004	.050	2
h	7447178		1.770	.001	1.77000 + .00008	.050	4
h	7447180		1.770	.002	1.77008 + .00012	.050	4
h	7447182		1.770	.004	1.77020 + .00016	.050	8
h	7447186		1.770	.008 AND UP	1.77040 + .00040	.050	8
h	7447190	7447193	1.771	MASTER	1.77100 + .00004	.050	2
h	7447192		1.771	.001	1.77100 + .00008	.050	4
h	7447194		1.771	.002	1.77108 + .00012	.050	4
h	7447196		1.771	.004	1.77120 + .00016	.050	8
h	7447200		1.771	.008 AND UP	1.77140 + .00040	.050	8
h	7447204	7447207	1.772	MASTER	1.77200 + .00004	.050	2
h	7447206		1.772	.001	1.77200 + .00008	.050	4
h	7447208		1.772	.002	1.77208 + .00012	.050	4
h	7447210		1.772	.004	1.77220 + .00016	.050	8
h	7447214		1.772	.008 AND UP	1.77240 + .00040	.050	8

 MIL-STD-110A
 8 December 1965

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIM - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447218	7447221	1.773	MASTER	1.77300 + .00004	.050	2
h	7447220		1.773	.001	1.77300 + .00008	.050	4
h	7447222		1.773	.002	1.77308 + .00012	.050	4
h	7447224		1.773	.004	1.77320 + .00016	.050	8
h	7447228		1.773	.008 AND UP	1.77340 + .00040	.050	8
h	7447232	7447235	1.774	MASTER	1.77400 + .00004	.050	2
h	7447234		1.774	.001	1.77400 + .00008	.050	4
h	7447236		1.774	.002	1.77408 + .00012	.050	4
h	7447238		1.774	.004	1.77420 + .00016	.050	8
h	7447242		1.774	.008 AND UP	1.77440 + .00040	.050	8
h	7447246	7447249	1.775	MASTER	1.77500 + .00004	.050	2
h	7447248		1.775	.001	1.77500 + .00008	.050	4
h	7447250		1.775	.002	1.77508 + .00012	.050	4
h	7447252		1.775	.004	1.77520 + .00016	.050	8
h	7447256		1.775	.008 AND UP	1.77540 + .00040	.050	8
h	7447260	7447263	1.776	MASTER	1.77600 + .00004	.050	2
h	7447262		1.776	.001	1.77600 + .00008	.050	4
h	7447264		1.776	.002	1.77608 + .00012	.050	4
h	7447266		1.776	.004	1.77620 + .00016	.050	8
h	7447270		1.776	.008 AND UP	1.77640 + .00040	.050	8
h	7447274	7447277	1.777	MASTER	1.77700 + .00004	.050	2
h	7447276		1.777	.001	1.77700 + .00008	.050	4
h	7447278		1.777	.002	1.77708 + .00012	.050	4
h	7447280		1.777	.004	1.77720 + .00016	.050	8
h	7447284		1.777	.008 AND UP	1.77740 + .00040	.050	8
h	7447288	7447291	1.778	MASTER	1.77800 + .00004	.050	2
h	7447290		1.778	.001	1.77800 + .00008	.050	4
h	7447292		1.778	.002	1.77808 + .00012	.050	4
h	7447294		1.778	.004	1.77820 + .00016	.050	8
h	7447298		1.778	.008 AND UP	1.77840 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447302	7447305	1.779	MASTER	1.77900 + .00004	.050	2
h	7447304		1.779	.001	1.77900 + .00008	.050	4
h	7447306		1.779	.002	1.77908 + .00012	.050	4
h	7447308		1.779	.004	1.77920 + .00016	.050	8
h	7447312		1.779	.008 AND UP	1.77940 + .00040	.050	8
h	7447316	7447319	1.780	MASTER	1.78000 + .00004	.050	2
h	7447318		1.780	.001	1.78000 + .00008	.050	4
h	7447320		1.780	.002	1.78008 + .00012	.050	4
h	7447322		1.780	.004	1.78020 + .00016	.050	8
h	7447326		1.780	.008 AND UP	1.78040 + .00040	.050	8
h	7447330	7447333	1.781	MASTER	1.78100 + .00004	.050	2
h	7447332		1.781	.001	1.78100 + .00008	.050	4
h	7447334		1.781	.002	1.78108 + .00012	.050	4
h	7447336		1.781	.004	1.78120 + .00016	.050	8
h	7447340		1.781	.008 AND UP	1.78140 + .00040	.050	8
h	7447344	7497765	1.78125	MASTER	1.78125 + .00004	.050	2
h	7497764		1.78125	.001	1.78125 + .00008	.050	4
h	7497766		1.78125	.002	1.78133 + .00012	.050	4
h	7497768		1.78125	.004	1.78145 + .00016	.050	8
h	7497772		1.78125	.008 AND UP	1.78165 + .00040	.050	8
h	7447346	7447349	1.782	MASTER	1.78200 + .00004	.050	2
h	7447348		1.782	.001	1.78200 + .00008	.050	4
h	7447350		1.782	.002	1.78208 + .00012	.050	4
h	7447352		1.782	.004	1.78220 + .00016	.050	8
h	7447356		1.782	.008 AND UP	1.78240 + .00040	.050	8
h	7447360	7447363	1.783	MASTER	1.78300 + .00004	.050	2
h	7447362		1.783	.001	1.78300 + .00008	.050	4
h	7447364		1.783	.002	1.78308 + .00012	.050	4
h	7447366		1.783	.004	1.78320 + .00016	.050	8
h	7447370		1.783	.008 AND UP	1.78340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE		TOTAL COMPONENT DIMENSION	TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.				DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7447374	7447377	1.784	MASTER	1.78400 + .00004	.050	2
11	7447376		1.784	.001	1.78400 + .00008	.050	4
11	7447378		1.784	.002	1.78408 + .00012	.050	4
11	7447380		1.784	.004	1.78420 + .00016	.050	8
11	7447384		1.784	.008 AND UP	1.78440 + .00040	.050	8
11	7447388	7447391	1.785	MASTER	1.78500 + .00004	.050	2
11	7447390		1.785	.001	1.78500 + .00008	.050	4
11	7447392		1.785	.002	1.78508 + .00012	.050	4
11	7447394		1.785	.004	1.78520 + .00016	.050	8
11	7447398		1.785	.008 AND UP	1.78540 + .00040	.050	8
11	7447402	7447405	1.786	MASTER	1.78600 + .00004	.050	2
11	7447404		1.786	.001	1.78600 + .00008	.050	4
11	7447406		1.786	.002	1.78608 + .00012	.050	4
11	7447408		1.786	.004	1.78620 + .00016	.050	8
11	7447412		1.786	.008 AND UP	1.78640 + .00040	.050	8
11	7447416	7447419	1.787	MASTER	1.78700 + .00004	.050	2
11	7447418		1.787	.001	1.78700 + .00008	.050	4
11	7447420		1.787	.002	1.78708 + .00012	.050	4
11	7447422		1.787	.004	1.78720 + .00016	.050	8
11	7447426		1.787	.008 AND UP	1.78740 + .00040	.050	8
11	7447430	7447433	1.788	MASTER	1.78800 + .00004	.050	2
11	7447432		1.788	.001	1.78800 + .00008	.050	4
11	7447434		1.788	.002	1.78808 + .00012	.050	4
11	7447436		1.788	.004	1.78820 + .00016	.050	8
11	7447440		1.788	.008 AND UP	1.78840 + .00040	.050	8
11	7447444	7447447	1.789	MASTER	1.78900 + .00004	.050	2
11	7447446		1.789	.001	1.78900 + .00008	.050	4
11	7447448		1.789	.002	1.78908 + .00012	.050	4
11	7447450		1.789	.004	1.78920 + .00016	.050	8
11	7447454		1.789	.008 AND UP	1.78940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7447458	7447461	1.790	MASTER	1.79000 + .00004	.050	2
11	7447460		1.790	.001	1.79000 + .00008	.050	4
11	7447462		1.790	.002	1.79008 + .00012	.050	4
11	7447464		1.790	.004	1.79020 + .00016	.050	8
11	7447468		1.790	.008 AND UP	1.79040 + .00040	.050	8
11	7447472	7447475	1.791	MASTER	1.79100 + .00004	.050	2
11	7447474		1.791	.001	1.79100 + .00008	.050	4
11	7447476		1.791	.002	1.79108 + .00012	.050	4
11	7447478		1.791	.004	1.79120 + .00016	.050	8
11	7447482		1.791	.008 AND UP	1.79140 + .00040	.050	8
11	7447486	7447489	1.792	MASTER	1.79200 + .00004	.050	2
11	7447488		1.792	.001	1.79200 + .00008	.050	4
11	7447490		1.792	.002	1.79208 + .00012	.050	4
11	7447492		1.792	.004	1.79220 + .00016	.050	8
11	7447496		1.792	.008 AND UP	1.79240 + .00040	.050	8
11	7447500	7447503	1.793	MASTER	1.79300 + .00004	.050	2
11	7447502		1.793	.001	1.79300 + .00008	.050	4
11	7447504		1.793	.002	1.79308 + .00012	.050	4
11	7447506		1.793	.004	1.79320 + .00016	.050	8
11	7447510		1.793	.008 AND UP	1.79340 + .00040	.050	8
11	7447514	7447517	1.794	MASTER	1.79400 + .00004	.050	2
11	7447516		1.794	.001	1.79400 + .00008	.050	4
11	7447518		1.794	.002	1.79408 + .00012	.050	4
11	7447520		1.794	.004	1.79420 + .00016	.050	8
11	7447524		1.794	.008 AND UP	1.79440 + .00040	.050	8
11	7447528	7447531	1.795	MASTER	1.79500 + .00004	.050	2
11	7447530		1.795	.001	1.79500 + .00008	.050	4
11	7447532		1.795	.002	1.79508 + .00012	.050	4
11	7447534		1.795	.004	1.79520 + .00016	.050	8
11	7447538		1.795	.008 AND UP	1.79540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447542	7447545	1.796	MASTER	1.79600 + .00004	.050	2
h	7447544		1.796	.001	1.79600 + .00008	.050	4
h	7447546		1.796	.002	1.79608 + .00012	.050	4
h	7447548		1.796	.004	1.79620 + .00016	.050	8
h	7447552		1.796	.008 AND UP	1.79640 + .00040	.050	8
h	7447556	7447559	1.797	MASTER	1.79700 + .00004	.050	2
h	7447558		1.797	.001	1.79700 + .00008	.050	4
h	7447560		1.797	.002	1.79708 + .00012	.050	4
h	7447562		1.797	.004	1.79720 + .00016	.050	8
h	7447566		1.797	.008 AND UP	1.79740 + .00040	.050	8
h	7447570	7447573	1.798	MASTER	1.79800 + .00004	.050	2
h	7447572		1.798	.001	1.79800 + .00008	.050	4
h	7447574		1.798	.002	1.79808 + .00012	.050	4
h	7447576		1.798	.004	1.79820 + .00016	.050	8
h	7447580		1.798	.008 AND UP	1.79840 + .00040	.050	8
h	7447584	7447587	1.799	MASTER	1.79900 + .00004	.050	2
h	7447586		1.799	.001	1.79900 + .00008	.050	4
h	7447588		1.799	.002	1.79908 + .00012	.050	4
h	7447590		1.799	.004	1.79920 + .00016	.050	8
h	7447594		1.799	.008 AND UP	1.79940 + .00040	.050	8
h	7447598	7447601	1.800	MASTER	1.80000 + .00004	.050	2
h	7447600		1.800	.001	1.80000 + .00008	.050	4
h	7447602		1.800	.002	1.80008 + .00012	.050	4
h	7447604		1.800	.004	1.80020 + .00016	.050	8
h	7447608		1.800	.008 AND UP	1.80040 + .00040	.050	8
h	7447612	7447615	1.801	MASTER	1.80100 + .00004	.050	2
h	7447614		1.801	.001	1.80100 + .00008	.050	4
h	7447616		1.801	.002	1.80108 + .00012	.050	4
h	7447618		1.801	.004	1.80120 + .00016	.050	8
h	7447622		1.801	.008 AND UP	1.80140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIM-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447626	7447629	1.802	MASTER	1.80200 + .00004	.050	2
4	7447628		1.802	.001	1.80200 + .00008	.050	4
4	7447630		1.802	.002	1.80208 + .00012	.050	4
4	7447632		1.802	.004	1.80220 + .00016	.050	8
4	7447636		1.802	.008 AND UP	1.80240 + .00040	.050	8
4	7447640	7447643	1.803	MASTER	1.80300 + .00004	.050	2
4	7447642		1.803	.001	1.80300 + .00008	.050	4
4	7447644		1.803	.002	1.80308 + .00012	.050	4
4	7447646		1.803	.004	1.80320 + .00016	.050	8
4	7447650		1.803	.008 AND UP	1.80340 + .00040	.050	8
4	7447654	7447657	1.804	MASTER	1.80400 + .00004	.050	2
4	7447656		1.804	.001	1.80400 + .00008	.050	4
4	7447658		1.804	.002	1.80408 + .00012	.050	4
4	7447660		1.804	.004	1.80420 + .00016	.050	8
4	7447664		1.804	.008 AND UP	1.80440 + .00040	.050	8
4	7447668	7447671	1.805	MASTER	1.80500 + .00004	.050	2
4	7447670		1.805	.001	1.80500 + .00008	.050	4
4	7447672		1.805	.002	1.80508 + .00012	.050	4
4	7447674		1.805	.004	1.80520 + .00016	.050	8
4	7447678		1.805	.008 AND UP	1.80540 + .00040	.050	8
4	7447682	7447685	1.806	MASTER	1.80600 + .00004	.050	2
4	7447684		1.806	.001	1.80600 + .00008	.050	4
4	7447686		1.806	.002	1.80608 + .00012	.050	4
4	7447688		1.806	.004	1.80620 + .00016	.050	8
4	7447692		1.806	.008 AND UP	1.80640 + .00040	.050	8
4	7447696	7447699	1.807	MASTER	1.80700 + .00004	.050	2
4	7447698		1.807	.001	1.80700 + .00008	.050	4
4	7447700		1.807	.002	1.80708 + .00012	.050	4
4	7447702		1.807	.004	1.80720 + .00016	.050	8
4	7447706		1.807	.008 AND UP	1.80740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7447710	7447713	1.808	MASTER	1.80800 + .00004	.050	2	
h	7447712		1.808	.001	1.80800 + .00008	.050	4	
h	7447714		1.808	.002	1.80808 + .00012	.050	4	
h	7447716		1.808	.004	1.80820 + .00016	.050	8	
h	7447720		1.808	.008 AND UP	1.80840 + .00040	.050	8	
h	7447724	7447727	1.809	MASTER	1.80900 + .00004	.050	2	
h	7447726		1.809	.001	1.80900 + .00008	.050	4	
h	7447728		1.809	.002	1.80908 + .00012	.050	4	
h	7447730		1.809	.004	1.80920 + .00016	.050	8	
h	7447734		1.809	.008 AND UP	1.80940 + .00040	.050	8	
h	7447738	7447741	1.810	MASTER	1.81000 + .00004	.050	2	
h	7447740		1.810	.001	1.81000 + .00008	.050	4	
h	7447742		1.810	.002	1.81008 + .00012	.050	4	
h	7447744		1.810	.004	1.81020 + .00016	.050	8	
h	7447748		1.810	.008 AND UP	1.81040 + .00040	.050	8	
h	7447752	7447755	1.811	MASTER	1.81100 + .00004	.050	2	
h	7447754		1.811	.001	1.81100 + .00008	.050	4	
h	7447756		1.811	.002	1.81108 + .00012	.050	4	
h	7447758		1.811	.004	1.81120 + .00016	.050	8	
h	7447762		1.811	.008 AND UP	1.81140 + .00040	.050	8	
h	7447766	7447769	1.812	MASTER	1.81200 + .00004	.050	2	
h	7447768		1.812	.001	1.81200 + .00008	.050	4	
h	7447770		1.812	.002	1.81208 + .00012	.050	4	
h	7447772		1.812	.004	1.81220 + .00016	.050	8	
h	7447776		1.812	.008 AND UP	1.81240 + .00040	.050	8	
h	7447780	7497777	1.8125	MASTER	1.81250 + .00004	.050	2	
h	7497776		1.8125	.001	1.81250 + .00008	.050	4	
h	7497778		1.8125	.002	1.81258 + .00012	.050	4	
h	7497780		1.8125	.004	1.81270 + .00016	.050	8	
h	7497784		1.8125	.008 AND UP	1.81290 + .00040	.050	8	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447782	7447785	1.813	MASTER	1.81300 + .00004	.050	2
h	7447784		1.813	.001	1.81300 + .00008	.050	4
h	7447786		1.813	.002	1.8130° + .00012	.050	4
h	7447788		1.813	.004	1.81320 + .00016	.050	8
h	7447792		1.813	.008 AND UP	1.81340 + .00040	.050	8
h	7447796	7447799	1.814	MASTER	1.81400 + .00004	.050	2
h	7447798		1.814	.001	1.81400 + .00008	.050	4
h	7447800		1.814	.002	1.81408 + .00012	.050	4
h	7447802		1.814	.004	1.81420 + .00016	.050	8
h	7447806		1.814	.008 AND UP	1.81440 + .00040	.050	8
h	7447810	7447813	1.815	MASTER	1.81500 + .00004	.050	2
h	7447812		1.815	.001	1.81500 + .00008	.050	4
h	7447814		1.815	.002	1.81508 + .00012	.050	4
h	7447816		1.815	.004	1.81520 + .00016	.050	8
h	7447820		1.815	.008 AND UP	1.81540 + .00040	.050	8
h	7447824	7447827	1.816	MASTER	1.81600 + .00004	.050	2
h	7447826		1.816	.001	1.81600 + .00008	.050	4
h	7447828		1.816	.002	1.81608 + .00012	.050	4
h	7447830		1.816	.004	1.81620 + .00016	.050	8
h	7447834		1.816	.008 AND UP	1.81640 + .00040	.050	8
h	7447838	7447841	1.817	MASTER	1.81700 + .00004	.050	2
h	7447840		1.817	.001	1.81700 + .00008	.050	4
h	7447842		1.817	.002	1.81708 + .00012	.050	4
h	7447844		1.817	.004	1.81720 + .00016	.050	8
h	7447848		1.817	.008 AND UP	1.81740 + .00040	.050	8
h	7447852	7447855	1.818	MASTER	1.81800 + .00004	.050	2
h	7447854		1.818	.001	1.81800 + .00008	.050	4
h	7447856		1.818	.002	1.81808 + .00012	.050	4
h	7447858		1.818	.004	1.81820 + .00016	.050	8
h	7447862		1.818	.008 AND UP	1.81840 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7447866	7447869	1.819	MASTER	1.81900 + .00004	.050	2
4	7447868		1.819	.001	1.81900 + .00008	.050	4
4	7447870		1.819	.002	1.81908 + .00012	.050	4
4	7447872		1.819	.004	1.81920 + .00016	.050	8
4	7447876		1.819	.008 AND UP	1.81940 + .00040	.050	8
4	7447880	7447883	1.820	MASTER	1.82000 + .00004	.050	2
4	7447882		1.820	.001	1.82000 + .00008	.050	4
4	7447884		1.820	.002	1.82008 + .00012	.050	4
4	7447886		1.820	.004	1.82020 + .00016	.050	8
4	7447890		1.820	.008 AND UP	1.82040 + .00040	.050	8
4	7447894	7447897	1.821	MASTER	1.82100 + .00004	.050	2
4	7447896		1.821	.001	1.82100 + .00008	.050	4
4	7447898		1.821	.002	1.82108 + .00012	.050	4
4	7447900		1.821	.004	1.82120 + .00016	.050	8
4	7447904		1.821	.008 AND UP	1.82140 + .00040	.050	8
4	7447908	7447911	1.822	MASTER	1.82200 + .00004	.050	2
4	7447910		1.822	.001	1.82200 + .00008	.050	4
4	7447912		1.822	.002	1.82208 + .00012	.050	4
4	7447914		1.822	.004	1.82220 + .00016	.050	8
4	7447918		1.822	.008 AND UP	1.82240 + .00040	.050	8
4	7447922	7447925	1.823	MASTER	1.82300 + .00004	.050	2
4	7447924		1.823	.001	1.82300 + .00008	.050	4
4	7447926		1.823	.002	1.82308 + .00012	.050	4
4	7447928		1.823	.004	1.82320 + .00016	.050	8
4	7447932		1.823	.008 AND UP	1.82340 + .00040	.050	8
4	7447936	7447939	1.824	MASTER	1.82400 + .00004	.050	2
4	7447938		1.824	.001	1.82400 + .00008	.050	4
4	7447940		1.824	.002	1.82408 + .00012	.050	4
4	7447942		1.824	.004	1.82420 + .00016	.050	8
4	7447946		1.824	.008 AND UP	1.82440 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7447950	7447953	1.825	MASTER	1.82500 + .00004	.050	2
h	7447952		1.825	.001	1.82500 + .00008	.050	4
h	7447954		1.825	.002	1.82508 + .00012	.050	4
h	7447956		1.825	.004	1.82520 + .00016	.050	8
h	7447960		1.825	.008 AND UP	1.82540 + .00040	.050	8
h	7447964	7447967	1.826	MASTER	1.82600 + .00004	.050	2
h	7447966		1.826	.001	1.82600 + .00008	.050	4
h	7447968		1.826	.002	1.82608 + .00012	.050	4
h	7447970		1.826	.004	1.82620 + .00016	.050	8
h	7447974		1.826	.008 AND UP	1.82640 + .00040	.050	8
h	7447978	7447981	1.827	MASTER	1.82700 + .00004	.050	2
h	7447980		1.827	.001	1.82700 + .00008	.050	4
h	7447982		1.827	.002	1.82708 + .00012	.050	4
h	7447984		1.827	.004	1.82720 + .00016	.050	8
h	7447988		1.827	.008 AND UP	1.82740 + .00040	.050	8
h	7447992	7447995	1.828	MASTER	1.82800 + .00004	.050	2
h	7447994		1.828	.001	1.82800 + .00008	.050	4
h	7447996		1.828	.002	1.82808 + .00012	.050	4
h	7447998		1.828	.004	1.82820 + .00016	.050	8
h	7448002		1.828	.008 AND UP	1.82840 + .00040	.050	8
h	7448006	7448009	1.829	MASTER	1.82900 + .00004	.050	2
h	7448008		1.829	.001	1.82900 + .00008	.050	4
h	7448010		1.829	.002	1.82908 + .00012	.050	4
h	7448012		1.829	.004	1.82920 + .00016	.050	8
h	7448016		1.829	.008 AND UP	1.82940 + .00040	.050	8
h	7448020	7448023	1.830	MASTER	1.83000 + .00004	.050	2
h	7448022		1.830	.001	1.83000 + .00008	.050	4
h	7448024		1.830	.002	1.83008 + .00012	.050	4
h	7448026		1.830	.004	1.83020 + .00016	.050	8
h	7448030		1.830	.008 AND UP	1.83040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11 4 4 4 4 4	7448034 7448036 7448038 7448040 7448044	7448037	1.831 1.831 1.831 1.831 1.831	MASTER .001 .002 .004 .008 AND UP	1.83100 + .00004 1.83100 + .00008 1.83108 + .00012 1.83120 + .00016 1.83140 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7448048 7448050 7448052 7448054 7448058	7448051	1.832 1.832 1.832 1.832 1.832	MASTER .001 .002 .004 .008 AND UP	1.83200 + .00004 1.83200 + .00008 1.83208 + .00012 1.83220 + .00016 1.83240 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7448062 7448064 7448066 7448068 7448072	7448065	1.833 1.833 1.833 1.833 1.833	MASTER .001 .002 .004 .008 AND UP	1.83300 + .00004 1.83300 + .00008 1.83308 + .00012 1.83320 + .00016 1.83340 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7448076 7448078 7448080 7448082 7448086	7448079	1.834 1.834 1.834 1.834 1.834	MASTER .001 .002 .004 .008 AND UP	1.83400 + .00004 1.83400 + .00008 1.83408 + .00012 1.83420 + .00016 1.83440 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7448090 7448092 7448094 7448096 7448100	7448093	1.835 1.835 1.835 1.835 1.835	MASTER .001 .002 .004 .008 AND UP	1.83500 + .00004 1.83500 + .00008 1.83508 + .00012 1.83520 + .00016 1.83540 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7448104 7448106 7448108 7448110 7448114	7448107	1.836 1.836 1.836 1.836 1.836	MASTER .001 .002 .004 .008 AND UP	1.83600 + .00004 1.83600 + .00008 1.83608 + .00012 1.83620 + .00016 1.83640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7448118	7448121	1.837	MASTER	1.83700 + .00004	.050	2	
4	7448120		1.837	.001	1.83700 + .00008	.050	4	
4	7448122		1.837	.002	1.83708 + .00012	.050	4	
4	7448124		1.837	.004	1.83720 + .00016	.050	8	
4	7448128		1.837	.008 AND UP	1.83740 + .00040	.050	8	
4	7448132	7448135	1.838	MASTER	1.83800 + .00004	.050	2	
4	7448134		1.838	.001	1.83800 + .00008	.050	4	
4	7448136		1.838	.002	1.83808 + .00012	.050	4	
4	7448138		1.838	.004	1.83820 + .00016	.050	8	
4	7448142		1.838	.008 AND UP	1.83840 + .00040	.050	8	
4	7448146	7448149	1.839	MASTER	1.83900 + .00004	.050	2	
4	7448148		1.839	.001	1.83900 + .00008	.050	4	
4	7448150		1.839	.002	1.83908 + .00012	.050	4	
4	7448152		1.839	.004	1.83920 + .00016	.050	8	
4	7448156		1.839	.008 AND UP	1.83940 + .00040	.050	8	
4	7448160	7448163	1.840	MASTER	1.84000 + .00004	.050	2	
4	7448162		1.840	.001	1.84000 + .00008	.050	4	
4	7448164		1.840	.002	1.84008 + .00012	.050	4	
4	7448166		1.840	.004	1.84020 + .00016	.050	8	
4	7448170		1.840	.008 AND UP	1.84040 + .00040	.050	8	
4	7448174	7448177	1.841	MASTER	1.84100 + .00004	.050	2	
4	7448176		1.841	.001	1.84100 + .00008	.050	4	
4	7448178		1.841	.002	1.84108 + .00012	.050	4	
4	7448180		1.841	.004	1.84120 + .00016	.050	8	
4	7448184		1.841	.008 AND UP	1.84140 + .00040	.050	8	
4	7448188	7448191	1.842	MASTER	1.84200 + .00004	.050	2	
4	7448190		1.842	.001	1.84200 + .00008	.050	4	
4	7448192		1.842	.002	1.84208 + .00012	.050	4	
4	7448194		1.842	.004	1.84220 + .00016	.050	8	
4	7448198		1.842	.008 AND UP	1.84240 + .00040	.050	8	

 MIL-STD-110A
 8 December 1965

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7448202	7448205	1.843	MASTER	1.84300 + .00004	.050	2
h	7448204		1.843	.001	1.84300 + .00008	.050	4
h	7448206		1.843	.002	1.84308 + .00012	.050	4
h	7448208		1.843	.004	1.84320 + .00016	.050	8
h	7448212		1.843	.008 AND UP	1.84340 + .00040	.050	8
h	7448216	7497789	1.84375	MASTER	1.84375 + .00004	.050	2
h	7497788		1.84375	.001	1.84375 + .00008	.050	4
h	7497790		1.84375	.002	1.84383 + .00012	.050	4
h	7497792		1.84375	.004	1.84395 + .00016	.050	8
h	7497796		1.84375	.008 AND UP	1.84415 + .00040	.050	8
h	7448218	7448221	1.844	MASTER	1.84400 + .00004	.050	2
h	7448220		1.844	.001	1.84400 + .00008	.050	4
h	7448222		1.844	.002	1.84408 + .00012	.050	4
h	7448224		1.844	.004	1.84420 + .00016	.050	8
h	7448228		1.844	.008 AND UP	1.84440 + .00040	.050	8
h	7448232	7448235	1.845	MASTER	1.84500 + .00004	.050	2
h	7448234		1.845	.001	1.84500 + .00008	.050	4
h	7448236		1.845	.002	1.84508 + .00012	.050	4
h	7448238		1.845	.004	1.84520 + .00016	.050	8
h	7448242		1.845	.008 AND UP	1.84540 + .00040	.050	8
h	7448246	7448249	1.846	MASTER	1.84600 + .00004	.050	2
h	7448248		1.846	.001	1.84600 + .00008	.050	4
h	7448250		1.846	.002	1.84608 + .00012	.050	4
h	7448252		1.846	.004	1.84620 + .00016	.050	8
h	7448256		1.846	.008 AND UP	1.84640 + .00040	.050	8
h	7448260	7448263	1.847	MASTER	1.84700 + .00004	.050	2
h	7448262		1.847	.001	1.84700 + .00008	.050	4
h	7448264		1.847	.002	1.84708 + .00012	.050	4
h	7448266		1.847	.004	1.84720 + .00016	.050	8
h	7448270		1.847	.008 AND UP	1.84740 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7448274	7448277	1.848	MASTER	1.84800 + .00004	.050	2
11	7448276		1.848	.001	1.84800 + .00008	.050	4
11	7448278		1.848	.002	1.84808 + .00012	.050	4
11	7448280		1.848	.004	1.84820 + .00016	.050	8
11	7448284		1.848	.008 AND UP	1.84840 + .00040	.050	8
11	7448288	7448291	1.849	MASTER	1.84900 + .00004	.050	2
11	7448290		1.849	.001	1.84900 + .00008	.050	4
11	7448292		1.849	.002	1.84908 + .00012	.050	4
11	7448294		1.849	.004	1.84920 + .00016	.050	8
11	7448298		1.849	.008 AND UP	1.84940 + .00040	.050	8
11	7448302	7448305	1.850	MASTER	1.85000 + .00004	.050	2
11	7448304		1.850	.001	1.85000 + .00008	.050	4
11	7448306		1.850	.002	1.85008 + .00012	.050	4
11	7448308		1.850	.004	1.85020 + .00016	.050	8
11	7448312		1.850	.008 AND UP	1.85040 + .00040	.050	8
11	7448316	7448319	1.851	MASTER	1.85100 + .00004	.050	2
11	7448318		1.851	.001	1.85100 + .00008	.050	4
11	7448320		1.851	.002	1.85108 + .00012	.050	4
11	7448322		1.851	.004	1.85120 + .00016	.050	8
11	7448326		1.851	.008 AND UP	1.85140 + .00040	.050	8
11	7448330	7448333	1.852	MASTER	1.85200 + .00004	.050	2
11	7448332		1.852	.001	1.85200 + .00008	.050	4
11	7448334		1.852	.002	1.85208 + .00012	.050	4
11	7448336		1.852	.004	1.85220 + .00016	.050	8
11	7448340		1.852	.008 AND UP	1.85240 + .00040	.050	8
11	7448344	7448347	1.853	MASTER	1.85300 + .00004	.050	2
11	7448346		1.853	.001	1.85300 + .00008	.050	4
11	7448348		1.853	.002	1.85308 + .00012	.050	4
11	7448350		1.853	.004	1.85320 + .00016	.050	8
11	7448354		1.853	.008 AND UP	1.85340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7448358	7448361	1.854	MASTER	1.85400 + .00004	.050	2
4	7448360		1.854	.001	1.85400 + .00008	.050	4
4	7448362		1.854	.002	1.85408 + .00012	.050	4
4	7448364		1.854	.004	1.85420 + .00016	.050	8
4	7448368		1.854	.008 AND UP	1.85440 + .00040	.050	8
4	7448372	7448375	1.855	MASTER	1.85500 + .00004	.050	2
4	7448374		1.855	.001	1.85500 + .00008	.050	4
4	7448376		1.855	.002	1.85508 + .00012	.050	4
4	7448378		1.855	.004	1.85520 + .00016	.050	8
4	7448382		1.855	.008 AND UP	1.85540 + .00040	.050	8
4	7448386	7448389	1.856	MASTER	1.85600 + .00004	.050	2
4	7448388		1.856	.001	1.85600 + .00008	.050	4
4	7448390		1.856	.002	1.85608 + .00012	.050	4
4	7448392		1.856	.004	1.85620 + .00016	.050	8
4	7448396		1.856	.008 AND UP	1.85640 + .00040	.050	8
4	7448400	7448403	1.857	MASTER	1.85700 + .00004	.050	2
4	7448402		1.857	.001	1.85700 + .00008	.050	4
4	7448404		1.857	.002	1.85708 + .00012	.050	4
4	7448406		1.857	.004	1.85720 + .00016	.050	8
4	7448410		1.857	.008 AND UP	1.85740 + .00040	.050	8
4	7448414	7448417	1.858	MASTER	1.85800 + .00004	.050	2
4	7448416		1.858	.001	1.85800 + .00008	.050	4
4	7448418		1.858	.002	1.85808 + .00012	.050	4
4	7448420		1.858	.004	1.85820 + .00016	.050	8
4	7448424		1.858	.008 AND UP	1.85840 + .00040	.050	8
4	7448428	7448431	1.859	MASTER	1.85900 + .00004	.050	2
4	7448430		1.859	.001	1.85900 + .00008	.050	4
4	7448432		1.859	.002	1.85908 + .00012	.050	4
4	7448434		1.859	.004	1.85920 + .00016	.050	8
4	7448438		1.859	.008 AND UP	1.85940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS			FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F		G	H
h	7448442	7448445	1.860	MASTER	1.86000	.00004	.050	2
h	7448444		1.860	.001	1.86000	.00008	.050	4
h	7448446		1.860	.002	1.86008 +	.00012	.050	4
h	7448448		1.860	.004	1.86020 +	.00016	.050	8
h	7448452		1.860	.008 AND UP	1.86040 +	.00040	.050	8
h	7448456	7448459	1.861	MASTER	1.86100 +	.00004	.050	2
h	7448458		1.861	.001	1.86100 +	.00008	.050	4
h	7448460		1.861	.002	1.86108 +	.00012	.050	4
h	7448462		1.861	.004	1.86120 +	.00016	.050	8
h	7448466		1.861	.008 AND UP	1.86140 +	.00040	.050	8
h	7448470	7448473	1.862	MASTER	1.86200 +	.00004	.050	2
h	7448472		1.862	.001	1.86200 +	.00008	.050	4
h	7448474		1.862	.002	1.86208 +	.00012	.050	4
h	7448476		1.862	.004	1.86220 +	.00016	.050	8
h	7448480		1.862	.008 AND UP	1.86240 +	.00040	.050	8
h	7448484	7448487	1.863	MASTER	1.86300 +	.00004	.050	2
h	7448486		1.863	.001	1.86300 +	.00008	.050	4
h	7448488		1.863	.002	1.86308 +	.00012	.050	4
h	7448490		1.863	.004	1.86320 +	.00016	.050	8
h	7448494		1.863	.008 AND UP	1.86340 +	.00040	.050	8
h	7448498	7448501	1.864	MASTER	1.86400 +	.00004	.050	2
h	7448500		1.864	.001	1.86400 +	.00008	.050	4
h	7448502		1.864	.002	1.86408 +	.00012	.050	4
h	7448504		1.864	.004	1.86420 +	.00016	.050	8
h	7448508		1.864	.008 AND UP	1.86440 +	.00040	.050	8
h	7448512	7448515	1.865	MASTER	1.86500 +	.00004	.050	2
h	7448514		1.865	.001	1.86500 +	.00008	.050	4
h	7448516		1.865	.002	1.86508 +	.00012	.050	4
h	7448518		1.865	.004	1.86520 +	.00016	.050	8
h	7448522		1.865	.008 AND UP	1.86540 +	.00040	.050	8

MIL-STD-110A
8 December 1965

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7448526	7448529	1.866	MASTER	1.86600 + .00004	.050	2
h	7448528		1.866	.001	1.86600 + .00008	.050	4
h	7448530		1.866	.002	1.86608 + .00012	.050	4
h	7448532		1.866	.004	1.86620 + .00016	.050	8
h	7448536		1.866	.008 AND UP	1.86640 + .00040	.050	8
h	7448540	7448543	1.867	MASTER	1.86700 + .00004	.050	2
h	7448542		1.867	.001	1.86700 + .00008	.050	4
h	7448544		1.867	.002	1.86708 + .00012	.050	4
h	7448546		1.867	.004	1.86720 + .00016	.050	8
h	7448550		1.867	.008 AND UP	1.86740 + .00040	.050	8
h	7448554	7448557	1.868	MASTER	1.86800 + .00004	.050	2
h	7448556		1.868	.001	1.86800 + .00008	.050	4
h	7448558		1.868	.002	1.86808 + .00012	.050	4
h	7448560		1.868	.004	1.86820 + .00016	.050	8
h	7448564		1.868	.008 AND UP	1.86840 + .00040	.050	8
h	7448568	7448571	1.869	MASTER	1.86900 + .00004	.050	2
h	7448570		1.869	.001	1.86900 + .00008	.050	4
h	7448572		1.869	.002	1.86908 + .00012	.050	4
h	7448574		1.869	.004	1.86920 + .00016	.050	8
h	7448578		1.869	.008 AND UP	1.86940 + .00040	.050	8
h	7448582	7448585	1.870	MASTER	1.87000 + .00004	.050	2
h	7448584		1.870	.001	1.87000 + .00008	.050	4
h	7448586		1.870	.002	1.87008 + .00012	.050	4
h	7448588		1.870	.004	1.87020 + .00016	.050	8
h	7448592		1.870	.008 AND UP	1.87040 + .00040	.050	8
h	7448596	7448599	1.871	MASTER	1.87100 + .00004	.050	2
h	7448598		1.871	.001	1.87100 + .00008	.050	4
h	7448600		1.871	.002	1.87108 + .00012	.050	4
h	7448602		1.871	.004	1.87120 + .00016	.050	8
h	7448606		1.871	.008 AND UP	1.87140 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7448610	7448613	1.872	MASTER	1.87200 + .00004	.050	2
h	7448612		1.872	.001	1.87200 + .00008	.050	4
h	7448614		1.872	.002	1.87208 + .00012	.050	4
h	7448616		1.872	.004	1.87220 + .00016	.050	8
h	7448620		1.872	.008 AND UP	1.87240 + .00040	.050	8
h	7448624	7448627	1.873	MASTER	1.87300 + .00004	.050	2
h	7448626		1.873	.001	1.87300 + .00008	.050	4
h	7448628		1.873	.002	1.87308 + .00012	.050	4
h	7448630		1.873	.004	1.87320 + .00016	.050	8
h	7448634		1.873	.008 AND UP	1.87340 + .00040	.050	8
h	7448638	7448641	1.874	MASTER	1.87400 + .00004	.050	2
h	7448640		1.874	.001	1.87400 + .00008	.050	4
h	7448642		1.874	.002	1.87408 + .00012	.050	4
h	7448644		1.874	.004	1.87420 + .00016	.050	8
h	7448648		1.874	.008 AND UP	1.87440 + .00040	.050	8
h	7448652	7448655	1.875	MASTER	1.87500 + .00004	.050	2
h	7448654		1.875	.001	1.87500 + .00008	.050	4
h	7448656		1.875	.002	1.87508 + .00012	.050	4
h	7448658		1.875	.004	1.87520 + .00016	.050	8
h	7448660		1.875	.008 AND UP	1.87540 + .00040	.050	8
h	7448666	7448669	1.876	MASTER	1.87600 + .00004	.050	2
h	7448668		1.876	.001	1.87600 + .00008	.050	4
h	7448670		1.876	.002	1.87608 + .00012	.050	4
h	7448672		1.876	.004	1.87620 + .00016	.050	8
h	7448676		1.876	.008 AND UP	1.87640 + .00040	.050	8
h	7448680	7448682	1.877	MASTER	1.87700 + .00004	.050	2
h	7448682		1.877	.001	1.87700 + .00008	.050	4
h	7448684		1.877	.002	1.87708 + .00012	.050	4
h	7448686		1.877	.004	1.87720 + .00016	.050	8
h	7448690		1.877	.008 AND UP	1.87740 + .00040	.050	8

ML-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7448694	7448697	1.878	MASTER	1.87800 + .00004	.050	2
11	7448696		1.878	.001	1.87800 + .00008	.050	4
11	7448698		1.878	.002	1.87808 + .00012	.050	4
11	7448700		1.878	.004	1.87820 + .00016	.050	8
11	7448704		1.878	.008 AND UP	1.87840 + .00040	.050	8
11	7448708	7448711	1.879	MASTER	1.87900 + .00004	.050	2
11	7448710		1.879	.001	1.87900 + .00008	.050	4
11	7448712		1.879	.002	1.87908 + .00012	.050	4
11	7448714		1.879	.004	1.87920 + .00016	.050	8
11	7448718		1.879	.008 AND UP	1.87940 + .00040	.050	8
11	7448722	7448725	1.880	MASTER	1.88000 + .00004	.050	2
11	7448724		1.880	.001	1.88000 + .00008	.050	4
11	7448726		1.880	.002	1.88008 + .00012	.050	4
11	7448728		1.880	.004	1.88020 + .00016	.050	8
11	7448732		1.880	.008 AND UP	1.88040 + .00040	.050	8
11	7448736	7448739	1.881	MASTER	1.88100 + .00004	.050	2
11	7448738		1.881	.001	1.88100 + .00008	.050	4
11	7448740		1.881	.002	1.88108 + .00012	.050	4
11	7448742		1.881	.004	1.88120 + .00016	.050	8
11	7448746		1.881	.008 AND UP	1.88140 + .00040	.050	8
11	7448750	7448753	1.882	MASTER	1.88200 + .00004	.050	2
11	7448752		1.882	.001	1.88200 + .00008	.050	4
11	7448754		1.882	.002	1.88208 + .00012	.050	4
11	7448756		1.882	.004	1.88220 + .00016	.050	8
11	7448760		1.882	.008 AND UP	1.88240 + .00040	.050	8
11	7448764	7448767	1.883	MASTER	1.88300 + .00004	.050	2
11	7448766		1.883	.001	1.88300 + .00008	.050	4
11	7448768		1.883	.002	1.88308 + .00012	.050	4
11	7448770		1.883	.004	1.88320 + .00016	.050	8
11	7448774		1.883	.008 AND UP	1.88340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h h h h h	7448778 7448780 7448782 7448784 7448788	7448781	1.884 1.884 1.884 1.884 1.884	MASTER .001 .002 .004 .008 AND UP	1.88400 + .00004 1.88400 + .00008 1.88408 + .00012 1.88412 + .00016 1.88414 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7448792 7448794 7448796 7448798 7448802	7448795	1.885 1.885 1.885 1.885 1.885	MASTER .001 .002 .004 .008 AND UP	1.88500 + .00004 1.88500 + .00008 1.88508 + .00012 1.88520 + .00016 1.88540 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7448806 7448808 7448810 7448812 7448816	7448809	1.886 1.886 1.886 1.886 1.886	MASTER .001 .002 .004 .008 AND UP	1.88600 + .00004 1.88600 + .00008 1.88608 + .00012 1.88620 + .00016 1.88640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7448820 7448822 7448824 7448826 7448830	7448823	1.887 1.887 1.887 1.887 1.887	MASTER .001 .002 .004 .008 AND UP	1.88700 + .00004 1.88700 + .00008 1.88708 + .00012 1.88720 + .00016 1.88740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7448834 7448836 7448838 7448840 7448844	7448837	1.888 1.888 1.888 1.888 1.888	MASTER .001 .002 .004 .008 AND UP	1.88800 + .00004 1.88800 + .00008 1.88808 + .00012 1.88820 + .00016 1.88840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7448848 7448850 7448852 7448854 7448858	7448851	1.889 1.889 1.889 1.889 1.889	MASTER .001 .002 .004 .008 AND UP	1.88900 + .00004 1.88900 + .00008 1.88908 + .00012 1.88920 + .00016 1.88940 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8

MIL-STD-110A
December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7448862	7448865	1.890	MASTER	1.89000 + .00004	.050	2
11	7448864		1.890	.001	1.89000 + .00008	.050	4
11	7448866		1.890	.002	1.89008 + .00012	.050	4
11	7448868		1.890	.004	1.89020 + .00016	.050	8
11	7448872		1.890	.008 AND UP	1.89040 + .00040	.050	8
11	7448876	7448879	1.891	MASTER	1.89100 + .00004	.050	2
11	7448878		1.891	.001	1.89100 + .00008	.050	4
11	7448880		1.891	.002	1.89108 + .00012	.050	4
11	7448882		1.891	.004	1.89120 + .00016	.050	8
11	7448886		1.891	.008 AND UP	1.89140 + .00040	.050	8
11	7448890	7448893	1.892	MASTER	1.89200 + .00004	.050	2
11	7448892		1.892	.001	1.89200 + .00008	.050	4
11	7448894		1.892	.002	1.89208 + .00012	.050	4
11	7448896		1.892	.004	1.89220 + .00016	.050	8
11	7448900		1.892	.008 AND UP	1.89240 + .00040	.050	8
11	7448904	7448907	1.893	MASTER	1.89300 + .00004	.050	2
11	7448906		1.893	.001	1.89300 + .00008	.050	4
11	7448908		1.893	.002	1.89308 + .00012	.050	4
11	7448910		1.893	.004	1.89320 + .00016	.050	8
11	7448914		1.893	.008 AND UP	1.89340 + .00040	.050	8
11	7448918	7448921	1.894	MASTER	1.89400 + .00004	.050	2
11	7448920		1.894	.001	1.89400 + .00008	.050	4
11	7448922		1.894	.002	1.89408 + .00012	.050	4
11	7448924		1.894	.004	1.89420 + .00016	.050	8
11	7448928		1.894	.008 AND UP	1.89440 + .00040	.050	8
11	7448932	7448935	1.895	MASTER	1.89500 + .00004	.050	2
11	7448934		1.895	.001	1.89500 + .00008	.050	4
11	7448936		1.895	.002	1.89508 + .00012	.050	4
11	7448938		1.895	.004	1.89520 + .00016	.050	8
11	7448942		1.895	.008 AND UP	1.89540 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7448946	7448949	1.896	MASTER	1.89600 + .00004	.050	2
h	7448948		1.896	.001	1.89600 + .00008	.050	4
h	7448950		1.896	.002	1.89608 + .00012	.050	4
h	7448952		1.896	.004	1.89620 + .00016	.050	8
h	7448956		1.896	.008 AND UP	1.89640 + .00040	.050	8
h	7448960	7448963	1.897	MASTER	1.89700 + .00004	.050	2
h	7448962		1.897	.001	1.89700 + .00008	.050	4
h	7448964		1.897	.002	1.89708 + .00012	.050	4
h	7448966		1.897	.004	1.89720 + .00016	.050	8
h	7448970		1.897	.008 AND UP	1.89740 + .00040	.050	8
h	7448974	7448977	1.898	MASTER	1.89800 + .00004	.050	2
h	7448976		1.898	.001	1.89800 + .00008	.050	4
h	7448978		1.898	.002	1.89808 + .00012	.050	4
h	7448980		1.898	.004	1.89820 + .00016	.050	8
h	7448984		1.898	.008 AND UP	1.89840 + .00040	.050	8
h	7448988	7448991	1.899	MASTER	1.89900 + .00004	.050	2
h	7448990		1.899	.001	1.89900 + .00008	.050	4
h	7448992		1.899	.002	1.89908 + .00012	.050	4
h	7448994		1.899	.004	1.89920 + .00016	.050	8
h	7448996		1.899	.008 AND UP	1.89940 + .00040	.050	8
h	7449002	7449005	1.900	MASTER	1.90000 + .00004	.050	2
h	7449004		1.900	.001	1.90000 + .00008	.050	4
h	7449006		1.900	.002	1.90008 + .00012	.050	4
h	7449008		1.900	.004	1.90020 + .00016	.050	8
h	7449012		1.900	.008 AND UP	1.90040 + .00040	.050	8
h	7449016	7449019	1.901	MASTER	1.90100 + .00004	.050	2
h	7449018		1.901	.001	1.90100 + .00008	.050	4
h	7449020		1.901	.002	1.90108 + .00012	.050	4
h	7449022		1.901	.004	1.90120 + .00016	.050	8
h	7449026		1.901	.008 AND UP	1.90140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449030	7449033	1.902	MASTER	1.90200 + .00004	.050	2
4	7449032		1.902	.001	1.90200 + .00008	.050	4
4	7449034		1.902	.002	1.90208 + .00012	.050	4
4	7449036		1.902	.004	1.90220 + .00016	.050	8
4	7449040		1.902	.008 AND UP	1.90240 + .00040	.050	8
4	7449044	7449047	1.903	MASTER	1.90300 + .00004	.050	2
4	7449046		1.903	.001	1.90300 + .00008	.050	4
4	7449048		1.903	.002	1.90308 + .00012	.050	4
4	7449050		1.903	.004	1.90320 + .00016	.050	8
4	7449054		1.903	.008 AND UP	1.90340 + .00040	.050	8
4	7449058	7449061	1.904	MASTER	1.90400 + .00004	.050	2
4	7449060		1.904	.001	1.90400 + .00008	.050	4
4	7449062		1.904	.002	1.90408 + .00012	.050	4
4	7449064		1.904	.004	1.90420 + .00016	.050	8
4	7449068		1.904	.008 AND UP	1.90440 + .00040	.050	8
4	7449072	7449075	1.905	MASTER	1.90500 + .00004	.050	2
4	7449074		1.905	.001	1.90500 + .00008	.050	4
4	7449076		1.905	.002	1.90508 + .00012	.050	4
4	7449078		1.905	.004	1.90520 + .00016	.050	8
4	7449082		1.905	.008 AND UP	1.90540 + .00040	.050	8
4	7449086	7449089	1.906	MASTER	1.90600 + .00004	.050	2
4	7449088		1.906	.001	1.90600 + .00008	.050	4
4	7449090		1.906	.002	1.90608 + .00012	.050	4
4	7449092		1.906	.004	1.90620 + .00016	.050	8
4	7449096		1.906	.008 AND UP	1.90640 + .00040	.050	8
4	7449100	7497801	1.90625	MASTER	1.90625 + .00004	.050	2
4	7497800		1.90625	.001	1.90625 + .00008	.050	4
4	7497802		1.90625	.002	1.90633 + .00012	.050	4
4	7497804		1.90625	.004	1.90645 + .00016	.050	8
4	7497808		1.90625	.008 AND UP	1.90665 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7449102	7449105	1.907	MASTER	1.90700 + .00004	.050	2	
4	7449104		1.907	.001	1.90700 + .00008	.050	4	
4	7449106		1.907	.002	1.90708 + .00012	.050	4	
4	7449108		1.907	.004	1.90720 + .00016	.050	8	
4	7449112		1.907	.008 AND UP	1.90740 + .00040	.050	8	
4	7449116	7449119	1.908	MASTER	1.90800 + .00004	.050	2	
4	7449118		1.908	.001	1.90800 + .00008	.050	4	
4	7449120		1.908	.002	1.90808 + .00012	.050	4	
4	7449122		1.908	.004	1.90820 + .00016	.050	8	
4	7449126		1.908	.008 AND UP	1.90840 + .00040	.050	8	
4	7449130	7449133	1.909	MASTER	1.90900 + .00004	.050	2	
4	7449132		1.909	.001	1.90900 + .00008	.050	4	
4	7449134		1.909	.002	1.90908 + .00012	.050	4	
4	7449136		1.909	.004	1.90920 + .00016	.050	8	
4	7449140		1.909	.008 AND UP	1.90940 + .00040	.050	8	
4	7449144	7449147	1.910	MASTER	1.91000 + .00004	.050	2	
4	7449146		1.910	.001	1.91000 + .00008	.050	4	
4	7449148		1.910	.002	1.91008 + .00012	.050	4	
4	7449150		1.910	.004	1.91020 + .00016	.050	8	
4	7449154		1.910	.008 AND UP	1.91040 + .00040	.050	8	
4	7449158	7449161	1.911	MASTER	1.91100 + .00004	.050	2	
4	7449160		1.911	.001	1.91100 + .00008	.050	4	
4	7449162		1.911	.002	1.91108 + .00012	.050	4	
4	7449164		1.911	.004	1.91120 + .00016	.050	8	
4	7449168		1.911	.008 AND UP	1.91140 + .00040	.050	8	
4	7449172	7449175	1.912	MASTER	1.91200 + .00004	.050	2	
4	7449174		1.912	.001	1.91200 + .00008	.050	4	
4	7449176		1.912	.002	1.91208 + .00012	.050	4	
4	7449178		1.912	.004	1.91220 + .00016	.050	8	
4	7449182		1.912	.008 AND UP	1.91240 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7449186	7449189	1.913	MASTER	1.91300 + .00004	.050	2	
h	7449188		1.913	.001	1.91300 + .00008	.050	4	
h	7449190		1.913	.002	1.91308 + .00012	.050	4	
h	7449192		1.913	.004	1.91320 + .00016	.050	8	
h	7449196		1.913	.008 AND UP	1.91340 + .00040	.050	8	
h	7449200	7449203	1.914	MASTER	1.91400 + .00004	.050	2	
h	7449202		1.914	.001	1.91400 + .00008	.050	4	
h	7449204		1.914	.002	1.91408 + .00012	.050	4	
h	7449206		1.914	.004	1.91420 + .00016	.050	8	
h	7449210		1.914	.008 AND UP	1.91440 + .00040	.050	8	
h	7449214	7449217	1.915	MASTER	1.91500 + .00004	.050	2	
h	7449216		1.915	.001	1.91500 + .00008	.050	4	
h	7449218		1.915	.002	1.91508 + .00012	.050	4	
h	7449220		1.915	.004	1.91520 + .00016	.050	8	
h	7449224		1.915	.008 AND UP	1.91540 + .00040	.050	8	
h	7449228	7449231	1.916	MASTER	1.91600 + .00004	.050	2	
h	7449230		1.916	.001	1.91600 + .00008	.050	4	
h	7449232		1.916	.002	1.91608 + .00012	.050	4	
h	7449234		1.916	.004	1.91620 + .00016	.050	8	
h	7449238		1.916	.008 AND UP	1.91640 + .00040	.050	8	
h	7449242	7449245	1.917	MASTER	1.91700 + .00004	.050	2	
h	7449244		1.917	.001	1.91700 + .00008	.050	4	
h	7449246		1.917	.002	1.91708 + .00012	.050	4	
h	7449248		1.917	.004	1.91720 + .00016	.050	8	
h	7449252		1.917	.008 AND UP	1.91740 + .00040	.050	8	
h	7449256	7449259	1.918	MASTER	1.91800 + .00004	.050	2	
h	7449258		1.918	.001	1.91800 + .00008	.050	4	
h	7449260		1.918	.002	1.91808 + .00012	.050	4	
h	7449262		1.918	.004	1.91820 + .00016	.050	8	
h	7449266		1.918	.008 AND UP	1.91840 + .00040	.050	8	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7449270	7449273	1.919	MASTER	1.91900 + .00004	.050	2
4	7449272		1.919	.001	1.91900 + .00008	.050	4
4	7449274		1.919	.002	1.91908 + .00012	.050	4
4	7449276		1.919	.004	1.91920 + .00016	.050	8
4	7449280		1.919	.008 AND UP	1.91940 + .00040	.050	8
4	7449284	7449287	1.920	MASTER	1.92000 + .00004	.050	2
4	7449286		1.920	.001	1.92000 + .00008	.050	4
4	7449288		1.920	.002	1.92008 + .00012	.050	4
4	7449290		1.920	.004	1.92020 + .00016	.050	8
4	7449294		1.920	.008 AND UP	1.92040 + .00040	.050	8
4	7449298	7449301	1.921	MASTER	1.92100 + .00004	.050	2
4	7449300		1.921	.001	1.92100 + .00008	.050	4
4	7449302		1.921	.002	1.92108 + .00012	.050	4
4	7449304		1.921	.004	1.92120 + .00016	.050	8
4	7449308		1.921	.008 AND UP	1.92140 + .00040	.050	8
4	7449312	7449315	1.922	MASTER	1.92200 + .00004	.050	2
4	7449314		1.922	.001	1.92200 + .00008	.050	4
4	7449316		1.922	.002	1.92208 + .00012	.050	4
4	7449318		1.922	.004	1.92220 + .00016	.050	8
4	7449322		1.922	.008 AND UP	1.92240 + .00040	.050	8
4	7449326	7449329	1.923	MASTER	1.92300 + .00004	.050	2
4	7449328		1.923	.001	1.92300 + .00008	.050	4
4	7449330		1.923	.002	1.92308 + .00012	.050	4
4	7449332		1.923	.004	1.92320 + .00016	.050	8
4	7449336		1.923	.008 AND UP	1.92340 + .00040	.050	8
4	7449340	7449343	1.924	MASTER	1.92400 + .00004	.050	2
4	7449342		1.924	.001	1.92400 + .00008	.050	4
4	7449344		1.924	.002	1.92408 + .00012	.050	4
4	7449346		1.924	.004	1.92420 + .00016	.050	8
4	7449350		1.924	.008 AND UP	1.92440 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7449354	7449357	1.925	MASTER	1.92500 + .00004	.050	2
h	7449356		1.925	.001	1.92500 + .00008	.050	4
h	7449358		1.925	.002	1.92508 + .00012	.050	4
h	7449360		1.925	.004	1.92520 + .00016	.050	8
h	7449364		1.925	.008 AND UP	1.92540 + .00040	.050	8
h	7449368	7449371	1.926	MASTER	1.92600 + .00004	.050	2
h	7449370		1.926	.001	1.92600 + .00008	.050	4
h	7449372		1.926	.002	1.92608 + .00012	.050	4
h	7449374		1.926	.004	1.92620 + .00016	.050	8
h	7449378		1.926	.008 AND UP	1.92640 + .00040	.050	8
h	7449382	7449385	1.927	MASTER	1.92700 + .00004	.050	2
h	7449384		1.927	.001	1.92700 + .00008	.050	4
h	7449386		1.927	.002	1.92708 + .00012	.050	4
h	7449388		1.927	.004	1.92720 + .00016	.050	8
h	7449392		1.927	.008 AND UP	1.92740 + .00040	.050	8
h	7449396	7449399	1.928	MASTER	1.92800 + .00004	.050	2
h	7449398		1.928	.001	1.92800 + .00008	.050	4
h	7449400		1.928	.002	1.92808 + .00012	.050	4
h	7449402		1.928	.004	1.92820 + .00016	.050	8
h	7449406		1.928	.008 AND UP	1.92840 + .00040	.050	8
h	7449410	7449413	1.929	MASTER	1.92900 + .00004	.050	2
h	7449412		1.929	.001	1.92900 + .00008	.050	4
h	7449414		1.929	.002	1.92908 + .00012	.050	4
h	7449416		1.929	.004	1.92920 + .00016	.050	8
h	7449420		1.929	.008 AND UP	1.92940 + .00040	.050	8
h	7449424	7449427	1.930	MASTER	1.93000 + .00004	.050	2
h	7449426		1.930	.001	1.93000 + .00008	.050	4
h	7449428		1.930	.002	1.93008 + .00012	.050	4
h	7449430		1.930	.004	1.93020 + .00016	.050	8
h	7449434		1.930	.008 AND UP	1.93040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DI. METER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7449438	7449441	1.931	MASTER	1.93100 + .00004	.050	2
h	7449440		1.931	.001	1.93100 + .00008	.050	4
h	7449442		1.931	.002	1.93108 + .00012	.050	4
h	7449444		1.931	.004	1.93120 + .00016	.050	8
h	7449448		1.931	.008 AND UP	1.93140 + .00040	.050	8
h	7449452	7449455	1.932	MASTER	1.93200 + .00004	.050	2
h	7449454		1.932	.001	1.93200 + .00008	.050	4
h	7449456		1.932	.002	1.93208 + .00012	.050	4
h	7449458		1.932	.004	1.93220 + .00016	.050	8
h	7449462		1.932	.008 AND UP	1.93240 + .00040	.050	8
h	7449466	7449469	1.933	MASTER	1.93300 + .00004	.050	2
h	7449468		1.933	.001	1.93300 + .00008	.050	4
h	7449470		1.933	.002	1.93308 + .00012	.050	4
h	7449472		1.933	.004	1.93320 + .00016	.050	8
h	7449476		1.933	.008 AND UP	1.93340 + .00040	.050	8
h	7449480	7449483	1.934	MASTER	1.93400 + .00004	.050	2
h	7449482		1.934	.001	1.93400 + .00008	.050	4
h	7449484		1.934	.002	1.93408 + .00012	.050	4
h	7449486		1.934	.004	1.93420 + .00016	.050	8
h	7449490		1.934	.008 AND UP	1.93440 + .00040	.050	8
h	7449494	7449497	1.935	MASTER	1.93500 + .00004	.050	2
h	7449496		1.935	.001	1.93500 + .00008	.050	4
h	7449498		1.935	.002	1.93508 + .00012	.050	4
h	7449500		1.935	.004	1.93520 + .00016	.050	8
h	7449504		1.935	.008 AND UP	1.93540 + .00040	.050	8
h	7449508	7449511	1.936	MASTER	1.93600 + .00004	.050	2
h	7449510		1.936	.001	1.93600 + .00008	.050	4
h	7449512		1.936	.002	1.93608 + .00012	.050	4
h	7449514		1.936	.004	1.93620 + .00016	.050	8
h	7449518		1.936	.008 AND UP	1.93640 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7449522	7449525	1.937	MASTER	1.93700 + .00004	.050	2
h	7449524		1.937	.001	1.93700 + .00008	.050	4
h	7449526		1.937	.002	1.93708 + .00012	.050	4
h	7449528		1.937	.004	1.93720 + .00016	.050	8
h	7449532		1.937	.008 AND UP	1.93740 + .00040	.050	8
h	7449536	7497813	1.9375	MASTER	1.93750 + .00004	.050	2
h	7497812		1.9375	.001	1.93750 + .00008	.050	4
h	7497814		1.9375	.002	1.93758 + .00012	.050	4
h	7497816		1.9375	.004	1.93770 + .00016	.050	8
h	7497820		1.9375	.008 AND UP	1.93790 + .00040	.050	8
h	7449538	7449541	1.938	MASTER	1.93800 + .00004	.050	2
h	7449540		1.938	.001	1.93800 + .00008	.050	4
h	7449542		1.938	.002	1.93808 + .00012	.050	4
h	7449544		1.938	.004	1.93820 + .00016	.050	8
h	7449548		1.938	.008 AND UP	1.93840 + .00040	.050	8
h	7449552	7449555	1.939	MASTER	1.93900 + .00004	.050	2
h	7449554		1.939	.001	1.93900 + .00008	.050	4
h	7449556		1.939	.002	1.93908 + .00012	.050	4
h	7449558		1.939	.004	1.93920 + .00016	.050	8
h	7449562		1.939	.008 AND UP	1.93940 + .00040	.050	8
h	7449566	7449569	1.940	MASTER	1.94000 + .00004	.050	2
h	7449568		1.940	.001	1.94000 + .00008	.050	4
h	7449570		1.940	.002	1.94008 + .00012	.050	4
h	7449572		1.940	.004	1.94020 + .00016	.050	8
h	7449576		1.940	.008 AND UP	1.94040 + .00040	.050	8
h	7449580	7449583	1.941	MASTER	1.94100 + .00004	.050	2
h	7449582		1.941	.001	1.94100 + .00008	.050	4
h	7449584		1.941	.002	1.94108 + .00012	.050	4
h	7449586		1.941	.004	1.94120 + .00016	.050	8
h	7449590		1.941	.008 AND UP	1.94140 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7449594	7449597	1.942	MASTER	1.94200 + .00004	.050	2
h	7449596		1.942	.001	1.94200 + .00008	.050	4
h	7449598		1.942	.002	1.94208 + .00012	.050	4
h	7449600		1.942	.004	1.94220 + .00016	.050	8
h	7449604		1.942	.008 AND UP	1.94240 + .00040	.050	8
h	7449608	7449611	1.943	MASTER	1.94300 + .00004	.050	2
h	7449610		1.943	.001	1.94300 + .00008	.050	4
h	7449612		1.943	.002	1.94308 + .00012	.050	4
h	7449614		1.943	.004	1.94320 + .00016	.050	8
L	7449618		1.943	.008 AND UP	1.94340 + .00040	.050	8
h	7449622	7449625	1.944	MASTER	1.94400 + .00004	.050	2
h	7449624		1.944	.001	1.94400 + .00008	.050	4
h	7449626		1.944	.002	1.94408 + .00012	.050	4
h	7449628		1.944	.004	1.94420 + .00016	.050	8
h	7449632		1.944	.008 AND UP	1.94440 + .00040	.050	8
h	7449636	7449639	1.945	MASTER	1.94500 + .00004	.050	2
h	7449638		1.945	.001	1.94500 + .00008	.050	4
h	7449640		1.945	.002	1.94508 + .00012	.050	4
h	7449642		1.945	.004	1.94520 + .00016	.050	8
h	7449646		1.945	.008 AND UP	1.94540 + .00040	.050	8
h	7449650	7449653	1.946	MASTER	1.94600 + .00004	.050	2
h	7449652		1.946	.001	1.94600 + .00008	.050	4
h	7449654		1.946	.002	1.94608 + .00012	.050	4
h	7449656		1.946	.004	1.94620 + .00016	.050	8
h	7449660		1.946	.008 AND UP	1.94640 + .00040	.050	8
h	7449664	7449667	1.947	MASTER	1.94700 + .00004	.050	2
h	7449666		1.947	.001	1.94700 + .00008	.050	4
h	7449668		1.947	.002	1.94708 + .00012	.050	4
h	7449670		1.947	.004	1.94720 + .00016	.050	8
h	7449674		1.947	.008 AND UP	1.94740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7449678	7449681	1.948	MASTER	1.94800 + .00004	.050	2
11	7449680		1.948	.001	1.94800 + .00008	.050	4
11	7449682		1.948	.002	1.94808 + .00012	.050	4
11	7449684		1.948	.004	1.94820 + .00016	.050	8
11	7449688		1.948	.008 AND UP	1.94840 + .00040	.050	8
11	7449692	7449695	1.949	MASTER	1.94900 + .00004	.050	2
11	7449694		1.949	.001	1.94900 + .00008	.050	4
11	7449696		1.949	.002	1.94908 + .00012	.050	4
11	7449698		1.949	.004	1.94920 + .00016	.050	8
11	7449702		1.949	.008 AND UP	1.94940 + .00040	.050	8
11	7449706	7449709	1.950	MASTER	1.95000 + .00004	.050	2
11	7449708		1.950	.001	1.95000 + .00008	.050	4
11	7449710		1.950	.002	1.95008 + .00012	.050	4
11	7449712		1.950	.004	1.95020 + .00016	.050	8
11	7449716		1.950	.008 AND UP	1.95040 + .00040	.050	8
11	7449720	7449723	1.951	MASTER	1.95100 + .00004	.050	2
11	7449722		1.951	.001	1.95100 + .00008	.050	4
11	7449724		1.951	.002	1.95108 + .00012	.050	4
11	7449726		1.951	.004	1.95120 + .00016	.050	8
11	7449730		1.951	.008 AND UP	1.95140 + .00040	.050	8
11	7449734	7449737	1.952	MASTER	1.95200 + .00004	.050	2
11	7449736		1.952	.001	1.95200 + .00008	.050	4
11	7449738		1.952	.002	1.95208 + .00012	.050	4
11	7449740		1.952	.004	1.95220 + .00016	.050	8
11	7449744		1.952	.008 AND UP	1.95240 + .00040	.050	8
11	7449748	7449751	1.953	MASTER	1.95300 + .00004	.050	2
11	7449750		1.953	.001	1.95300 + .00008	.050	4
11	7449752		1.953	.002	1.95308 + .00012	.050	4
11	7449754		1.953	.004	1.95320 + .00016	.050	8
11	7449758		1.953	.008 AND UP	1.95340 + .00040	.050	8

 8 December 1955
 MI-57B-1104

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7449762	7449765	1.954	MASTER	1.95400 + .00004	.050	2	
h	7449764		1.954	.001	1.95400 + .00008	.050	4	
h	7449766		1.954	.002	1.95408 + .00012	.050	4	
h	7449768		1.954	.004	1.95420 + .00016	.050	8	
h	7449772		1.954	.008 AND UP	1.95440 + .00040	.050	8	
h	7449776	7449779	1.955	MASTER	1.95500 + .00004	.050	2	
h	7449778		1.955	.001	1.95500 + .00008	.050	4	
h	7449780		1.955	.002	1.95508 + .00012	.050	4	
h	7449782		1.955	.004	1.95520 + .00016	.050	8	
h	7449786		1.955	.008 AND UP	1.95540 + .00040	.050	8	
h	7449790	7449793	1.956	MASTER	1.95600 + .00004	.050	2	
h	7449792		1.956	.001	1.95600 + .00008	.050	4	
h	7449794		1.956	.002	1.95608 + .00012	.050	4	
h	7449796		1.956	.004	1.95620 + .00016	.050	8	
h	7449800		1.956	.008 AND UP	1.95640 + .00040	.050	8	
h	7449804	7449807	1.957	MASTER	1.95700 + .00004	.050	2	
h	7449806		1.957	.001	1.95700 + .00008	.050	4	
h	7449808		1.957	.002	1.95708 + .00012	.050	4	
h	7449810		1.957	.004	1.95720 + .00016	.050	8	
h	7449814		1.957	.008 AND UP	1.95740 + .00040	.050	8	
h	7449818	7449821	1.958	MASTER	1.95800 + .00004	.050	2	
h	7449820		1.958	.001	1.95800 + .00008	.050	4	
h	7449822		1.958	.002	1.95808 + .00012	.050	4	
h	7449824		1.958	.004	1.95820 + .00016	.050	8	
h	7449828		1.958	.008 AND UP	1.95840 + .00040	.050	8	
h	7449832	7449835	1.959	MASTER	1.95900 + .00004	.050	2	
h	7449834		1.959	.001	1.95900 + .00008	.050	4	
h	7449836		1.959	.002	1.95908 + .00012	.050	4	
h	7449838		1.959	.004	1.95920 + .00016	.050	8	
h	7449842		1.959	.008 AND UP	1.95940 + .00040	.050	8	

 11-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7449846	7449849	1.960	MASTER	1.96000 + .00004	.050	2
h	7449848		1.960	.001	1.96000 + .00008	.050	4
h	7449850		1.960	.002	1.96008 + .00012	.050	4
h	7449852		1.960	.004	1.96020 + .00016	.050	8
h	7449856		1.960	.008 AND UP	1.96040 + .00040	.050	8
h	7449860	7449863	1.961	MASTER	1.96100 + .00004	.050	2
h	7449862		1.961	.001	1.96100 + .00008	.050	4
h	7449864		1.961	.002	1.96108 + .00012	.050	4
h	7449866		1.961	.004	1.96120 + .00016	.050	8
h	7449870		1.961	.008 AND UP	1.96140 + .00040	.050	8
h	7449874	7449877	1.962	MASTER	1.96200 + .00004	.050	2
h	7449876		1.962	.001	1.96200 + .00008	.050	4
h	7449878		1.962	.002	1.96208 + .00012	.050	4
h	7449880		1.962	.004	1.96220 + .00016	.050	8
h	7449884		1.962	.008 AND UP	1.96240 + .00040	.050	8
h	7449888	7449891	1.963	MASTER	1.96300 + .00004	.050	2
h	7449890		1.963	.001	1.96300 + .00008	.050	4
h	7449892		1.963	.002	1.96308 + .00012	.050	4
h	7449894		1.963	.004	1.96320 + .00016	.050	8
h	7449898		1.963	.008 AND UP	1.96340 + .00040	.050	8
h	7449902	7449905	1.964	MASTER	1.96400 + .00004	.050	2
h	7449904		1.964	.001	1.96400 + .00008	.050	4
h	7449906		1.964	.002	1.96408 + .00012	.050	4
h	7449908		1.964	.004	1.96420 + .00016	.050	8
h	7449912		1.964	.008 AND UP	1.96440 + .00040	.050	8
h	7449916	7449919	1.965	MASTER	1.96500 + .00004	.050	2
h	7449918		1.965	.001	1.96500 + .00008	.050	4
h	7449920		1.965	.002	1.96508 + .00012	.050	4
h	7449922		1.965	.004	1.96520 + .00016	.050	8
h	7449926		1.965	.008 AND UP	1.96540 + .00040	.050	8

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
4 4 4 4 4	7449930 7449932 7449934 7449936 7449940	7449933	1.966 1.966 1.966 1.966 1.966	MASTER .001 .002 .004 .008 AND UP	1.96600 + .00004 1.96600 + .00008 1.96608 + .00012 1.96620 + .00016 1.96640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
4 4 4 4 4	7449944 7449946 7449948 7449950 7449954		7449947	1.967 1.967 1.967 1.967 1.967	MASTER .001 .002 .004 .008 AND UP	1.96700 + .00004 1.96700 + .00008 1.96708 + .00012 1.96720 + .00016 1.96740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
4 4 4 4 4	7449958 7449960 7449962 7449964 7449968			7449961	1.968 1.968 1.968 1.968 1.968	MASTER .001 .002 .004 .008 AND UP	1.96800 + .00004 1.96800 + .00008 1.96808 + .00012 1.96820 + .00016 1.96840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7449972 74497824 74497826 74497828 74497832				74497825	1.96875 1.96875 1.96875 1.96875 1.96875	MASTER .001 .002 .004 .008 AND UP	1.96875 + .00004 1.96875 + .00008 1.96883 + .00012 1.96895 + .00016 1.96915 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
4 4 4 4 4	7449974 7449976 7449978 7449980 7449984					7449977	1.969 1.969 1.969 1.969 1.969	MASTER .001 .002 .004 .008 AND UP	1.96900 + .00004 1.96900 + .00008 1.96908 + .00012 1.96920 + .00016 1.96940 + .00040	.050 .050 .050 .050 .050
4 4 4 4 4	7449988 7449990 7449992 7449994 7449998	7449991					1.970 1.970 1.970 1.970 1.970	MASTER .001 .002 .004 .008 AND UP	1.97000 + .00004 1.97000 + .00008 1.97008 + .00012 1.97020 + .00016 1.97040 + .00040	.050 .050 .050 .050 .050

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7450002	7450005	1.971	MASTER	1.97100 + .00004	.050	2
h	7450004		1.971	.001	1.97100 + .00008	.050	4
h	7450006		1.971	.002	1.97108 + .00012	.050	4
h	7450008		1.971	.004	1.97120 + .00016	.050	8
h	7450012		1.971	.008 AND UP	1.97140 + .00040	.050	8
h	7450016	7450019	1.972	MASTER	1.97200 + .00004	.050	2
h	7450018		1.972	.001	1.97200 + .00008	.050	4
h	7450020		1.972	.002	1.97208 + .00012	.050	4
h	7450022		1.972	.004	1.97220 + .00016	.050	8
h	7450026		1.972	.008 AND UP	1.97240 + .00040	.050	8
h	7450030	7450033	1.973	MASTER	1.97300 + .00004	.050	2
h	7450032		1.973	.001	1.97300 + .00008	.050	4
h	7450034		1.973	.002	1.97308 + .00012	.050	4
h	7450036		1.973	.004	1.97320 + .00016	.050	8
h	7450040		1.973	.008 AND UP	1.97340 + .00040	.050	8
h	7450044	7450047	1.974	MASTER	1.97400 + .00004	.050	2
h	7450046		1.974	.001	1.97400 + .00008	.050	4
h	7450048		1.974	.002	1.97408 + .00012	.050	4
h	7450050		1.974	.004	1.97420 + .00016	.050	8
h	7450054		1.974	.008 AND UP	1.97440 + .00040	.050	8
h	7450058	7450061	1.975	MASTER	1.97500 + .00004	.050	2
h	7450060		1.975	.001	1.97500 + .00008	.050	4
h	7450062		1.975	.002	1.97508 + .00012	.050	4
h	7450064		1.975	.004	1.97520 + .00016	.050	8
h	7450068		1.975	.008 AND UP	1.97540 + .00040	.050	8
h	7450072	7450075	1.976	MASTER	1.97600 + .00004	.050	2
h	7450074		1.976	.001	1.97600 + .00008	.050	4
h	7450076		1.976	.002	1.97608 + .00012	.050	4
h	7450078		1.976	.004	1.97620 + .00016	.050	8
h	7450082		1.976	.008 AND UP	1.97640 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PI JG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450086	7450089	1.977	MASTER	1.97700 + .00004	.050	2
4	7450088		1.977	.001	1.97700 + .00008	.050	4
4	7450090		1.977	.002	1.97708 + .00012	.050	4
4	7450092		1.977	.004	1.97720 + .00016	.050	8
4	7450096		1.977	.008 AND UP	1.97740 + .00040	.050	8
4	7450100	7450103	1.978	MASTER	1.97800 + .00004	.050	2
4	7450102		1.978	.001	1.97800 + .00008	.050	4
4	7450104		1.978	.002	1.97808 + .00012	.050	4
4	7450106		1.978	.004	1.97820 + .00016	.050	8
4	7450110		1.978	.008 AND UP	1.97840 + .00040	.050	8
4	7450114	7450117	1.979	MASTER	1.97900 + .00004	.050	2
4	7450116		1.979	.001	1.97900 + .00008	.050	4
4	7450118		1.979	.002	1.97908 + .00012	.050	4
4	7450120		1.979	.004	1.97920 + .00016	.050	8
4	7450124		1.979	.008 AND UP	1.97940 + .00040	.050	8
4	7450128	7450131	1.980	MASTER	1.98000 + .00004	.050	2
4	7450130		1.980	.001	1.98000 + .00008	.050	4
4	7450132		1.980	.002	1.98008 + .00012	.050	4
4	7450134		1.980	.004	1.98020 + .00016	.050	8
4	7450138		1.980	.008 AND UP	1.98040 + .00040	.050	8
4	7450142	7450145	1.981	MASTER	1.98100 + .00004	.050	2
4	7450144		1.981	.001	1.98100 + .00008	.050	4
4	7450146		1.981	.002	1.98108 + .00012	.050	4
4	7450148		1.981	.004	1.98120 + .00016	.050	8
4	7450152		1.981	.008 AND UP	1.98140 + .00040	.050	8
4	7450156	7450159	1.982	MASTER	1.98200 + .00004	.050	2
4	7450158		1.982	.001	1.98200 + .00008	.050	4
4	7450160		1.982	.002	1.98208 + .00012	.050	4
4	7450162		1.982	.004	1.98220 + .00016	.050	8
4	7450166		1.982	.008 AND UP	1.98240 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450170	7450173	1.983	MASTER	1.98300 + .00004	.050	2
4	7450172		1.983	.001	1.98300 + .00008	.050	4
4	7450174		1.983	.002	1.98308 + .00012	.050	4
4	7450176		1.983	.004	1.98320 + .00016	.050	8
4	7450180		1.983	.008 AND UP	1.98340 + .00040	.050	8
4	7450184	7450187	1.984	MASTER	1.98400 + .00004	.050	2
4	7450186		1.984	.001	1.98400 + .00008	.050	4
4	7450188		1.984	.002	1.98408 + .00012	.050	4
4	7450190		1.984	.004	1.98420 + .00016	.050	8
4	7450194		1.984	.008 AND UP	1.98440 + .00040	.050	8
4	7450198	7450201	1.985	MASTER	1.98500 + .00004	.050	2
4	7450200		1.985	.001	1.98500 + .00008	.050	4
4	7450202		1.985	.002	1.98508 + .00012	.050	4
4	7450204		1.985	.004	1.98520 + .00016	.050	8
4	7450208		1.985	.008 AND UP	1.98540 + .00040	.050	8
4	7450212	7450215	1.986	MASTER	1.98600 + .00004	.050	2
4	7450214		1.986	.001	1.98600 + .00008	.050	4
4	7450216		1.986	.002	1.98608 + .00012	.050	4
4	7450218		1.986	.004	1.98620 + .00016	.050	8
4	7450222		1.986	.008 AND UP	1.98640 + .00040	.050	8
4	7450226	7450229	1.987	MASTER	1.98700 + .00004	.050	2
4	7450228		1.987	.001	1.98700 + .00008	.050	4
4	7450230		1.987	.002	1.98708 + .00012	.050	4
4	7450232		1.987	.004	1.98720 + .00016	.050	8
4	7450236		1.987	.008 AND UP	1.98740 + .00040	.050	8
4	7457572	7457575	1.988	MASTER	1.98800 + .00004	.050	2
4	7457574		1.988	.001	1.98800 + .00008	.050	4
4	7457576		1.988	.002	1.98808 + .00012	.050	4
4	7457578		1.988	.004	1.98820 + .00016	.050	8
4	7457582		1.988	.008 AND UP	1.98840 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7450240	7450243	1.989	MASTER	1.98900 + .00004	.050	2
h	7450242		1.989	.001	1.98900 + .00008	.050	4
h	7450244		1.989	.002	1.98908 + .00012	.050	4
h	7450246		1.989	.004	1.98920 + .00016	.050	8
h	7450250		1.989	.008 AND UP	1.98940 + .00040	.050	8
h	7450254	7450257	1.990	MASTER	1.99000 + .00004	.050	2
h	7450256		1.990	.001	1.99000 + .00008	.050	4
h	7450258		1.990	.002	1.99008 + .00012	.050	4
h	7450260		1.990	.004	1.99020 + .00016	.050	8
h	7450264		1.990	.008 AND UP	1.99040 + .00040	.050	8
h	7450268	7450271	1.991	MASTER	1.99100 + .00004	.050	2
h	7450270		1.991	.001	1.99100 + .00008	.050	4
h	7450272		1.991	.002	1.99108 + .00012	.050	4
h	7450274		1.991	.004	1.99120 + .00016	.050	8
h	7450278		1.991	.008 AND UP	1.99140 + .00040	.050	8
h	7450282	7450285	1.992	MASTER	1.99200 + .00004	.050	2
h	7450284		1.992	.001	1.99200 + .00008	.050	4
h	7450286		1.992	.002	1.99208 + .00012	.050	4
h	7450288		1.992	.004	1.99220 + .00016	.050	8
h	7450292		1.992	.008 AND UP	1.99240 + .00040	.050	8
h	7450296	7450299	1.993	MASTER	1.99300 + .00004	.050	2
h	7450298		1.993	.001	1.99300 + .00008	.050	4
h	7450300		1.993	.002	1.99308 + .00012	.050	4
h	7450302		1.993	.004	1.99320 + .00016	.050	8
h	7450306		1.993	.008 AND UP	1.99340 + .00040	.050	8
h	7450310	7450313	1.994	MASTER	1.99400 + .00004	.050	2
h	7450312		1.994	.001	1.99400 + .00008	.050	4
h	7450314		1.994	.002	1.99408 + .00012	.050	4
h	7450316		1.994	.004	1.99420 + .00016	.050	8
h	7450320		1.994	.008 AND UP	1.99440 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7450324	7450327	1.995	MASTER	1.99500 + .00004	.050	2
h	7450326		1.995	.001	1.99500 + .00008	.050	4
h	7450328		1.995	.002	1.99508 + .00012	.050	4
h	7450330		1.995	.004	1.99520 + .00016	.050	8
h	7450334		1.995	.008 AND UP	1.99540 + .00040	.050	8
h	7450338	7450341	1.996	MASTER	1.99600 + .00004	.050	2
h	7450340		1.996	.001	1.99600 + .00008	.050	4
h	7450342		1.996	.002	1.99608 + .00012	.050	4
h	7450344		1.996	.004	1.99620 + .00016	.050	8
h	7450348		1.996	.008 AND UP	1.99640 + .00040	.050	8
h	7450352	7450355	1.997	MASTER	1.99700 + .00004	.050	2
h	7450354		1.997	.001	1.99700 + .00008	.050	4
h	7450356		1.997	.002	1.99708 + .00012	.050	4
h	7450358		1.997	.004	1.99720 + .00016	.050	8
h	7450362		1.997	.008 AND UP	1.99740 + .00040	.050	8
h	7450366	7450369	1.998	MASTER	1.99800 + .00004	.050	2
h	7450368		1.998	.001	1.99800 + .00008	.050	4
h	7450370		1.998	.002	1.99808 + .00012	.050	4
h	7450372		1.998	.004	1.99820 + .00016	.050	8
h	7450376		1.998	.008 AND UP	1.99840 + .00040	.050	8
h	7450380	7450383	1.999	MASTER	1.99900 + .00004	.050	2
h	7450382		1.999	.001	1.99900 + .00008	.050	4
h	7450384		1.999	.002	1.99908 + .00012	.050	4
h	7450386		1.999	.004	1.99920 + .00016	.050	8
h	7450390		1.999	.008 AND UP	1.99940 + .00040	.050	8
h	7450394	7450397	2.000	MASTER	2.00000 + .00004	.050	2
h	7450396		2.000	.001	2.00000 + .00008	.050	4
h	7450398		2.000	.002	2.00008 + .00012	.050	4
h	7450400		2.000	.004	2.00020 + .00016	.050	8
h	7450404		2.000	.008 AND UP	2.00040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE			CHAMFER		
A	B	C	D	E	F	G	H
4	7450408	7450411	2.001	MASTER	2.00100 + .00004	.050	2
4	7450410		2.001	.001	2.00100 + .00008	.050	4
4	7450412		2.001	.002	2.00108 + .00012	.050	4
4	7450414		2.001	.004	2.00120 + .00016	.050	8
4	7450418		2.001	.008 AND UP	2.00140 + .00040	.050	8
4	7450422	7450425	2.002	MASTER	2.00200 + .00004	.050	2
4	7450424		2.002	.001	2.00200 + .00008	.050	4
4	7450426		2.002	.002	2.00208 + .00012	.050	4
4	7450428		2.002	.004	2.00220 + .00016	.050	8
4	7450432		2.002	.008 AND UP	2.00240 + .00040	.050	8
4	7450436	7450439	2.003	MASTER	2.00300 + .00004	.050	2
4	7450438		2.003	.001	2.00300 + .00008	.050	4
4	7450440		2.003	.002	2.00308 + .00012	.050	4
4	7450442		2.003	.004	2.00320 + .00016	.050	8
4	7450446		2.003	.008 AND UP	2.00340 + .00040	.050	8
4	7450450	7450453	2.004	MASTER	2.00400 + .00004	.050	2
4	7450452		2.004	.001	2.00400 + .00008	.050	4
4	7450454		2.004	.002	2.00408 + .00012	.050	4
4	7450456		2.004	.004	2.00420 + .00016	.050	8
4	7450460		2.004	.008 AND UP	2.00440 + .00040	.050	8
4	7450464	7450467	2.005	MASTER	2.00500 + .00004	.050	2
4	7450466		2.005	.001	2.00500 + .00008	.050	4
4	7450468		2.005	.002	2.00508 + .00012	.050	4
4	7450470		2.005	.004	2.00520 + .00016	.050	8
4	7450474		2.005	.008 AND UP	2.00540 + .00040	.050	8
4	7450478	7450481	2.006	MASTER	2.00600 + .00004	.050	2
4	7450480		2.006	.001	2.00600 + .00008	.050	4
4	7450482		2.006	.002	2.00608 + .00012	.050	4
4	7450484		2.006	.004	2.00620 + .00016	.050	8
4	7450488		2.006	.008 AND UP	2.00640 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLU GAGE DIMENSIONS		FINISH			
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
h h h h h	7450492 7450494 7450496 7450498 7450502	7450495	2.007 2.007 2.007 2.007 2.007	MASTER .001 .002 .004 .008 AND UP	2.00700 + .00004 2.00700 + .00008 2.00708 + .00012 2.00720 + .00016 2.00740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
h h h h h	7450506 7450508 7450510 7450512 7450516		7450509	2.008 2.008 2.008 2.008 2.008	MASTER .001 .002 .004 .008 AND UP	2.00800 + .00004 2.00800 + .00008 2.00808 + .00012 2.00820 + .00016 2.00840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
h h h h h	7450520 7450522 7450524 7450526 7450530			7450523	2.009 2.009 2.009 2.009 2.009	MASTER .001 .002 .004 .008 AND UP	2.00900 + .00004 2.00900 + .00008 2.00908 + .00012 2.00920 + .00016 2.00940 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
h h h h h	7450534 7450536 7450538 7450540 7450544				7450537	2.010 2.010 2.010 2.010 2.010	MASTER .001 .002 .004 .008 AND UP	2.01000 + .00004 2.01000 + .00008 2.01008 + .00012 2.01020 + .00016 2.01040 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
h h h h h	7450548 7450550 7450552 7450554 7450558					7450551	2.011 2.011 2.011 2.011 2.011	MASTER .001 .002 .004 .008 AND UP	2.01100 + .00004 2.01100 + .00008 2.01108 + .00012 2.01120 + .00016 2.01140 + .00040	.050 .050 .050 .050 .050
h h h h h	7450562 7450564 7450566 7450568 7450572	7450565					2.012 2.012 2.012 2.012 2.012	MASTER .001 .002 .004 .008 AND UP	2.01200 + .00004 2.01200 + .00008 2.01208 + .00012 2.01220 + .00016 2.01240 + .00040	.050 .050 .050 .050 .050

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7450576	7450579	2.013	MASTER	2.01300 + .00004	.050	2
h	7450578		2.013	.001	2.01300 + .00008	.050	4
h	7450580		2.013	.002	2.01308 + .00012	.050	4
h	7450582		2.013	.004	2.01320 + .00016	.050	8
h	7450586		2.013	.008 AND UP	2.01340 + .00040	.050	8
h	7450590	7450593	2.014	MASTER	2.01400 + .00004	.050	2
h	7450592		2.014	.001	2.01400 + .00008	.050	4
h	7450594		2.014	.002	2.01408 + .00012	.050	4
h	7450596		2.014	.004	2.01420 + .00016	.050	8
h	7450600		2.014	.008 AND UP	2.01440 + .00040	.050	8
h	7450604	7450607	2.015	MASTER	2.01500 + .00004	.050	2
h	7450606		2.015	.001	2.01500 + .00008	.050	4
h	7450608		2.015	.002	2.01508 + .00012	.050	4
h	7450610		2.015	.004	2.01520 + .00016	.050	8
h	7450614		2.015	.008 AND UP	2.01540 + .00040	.050	8
h	7450618	7450621	2.016	MASTER	2.01600 + .00004	.050	2
h	7450620		2.016	.001	2.01600 + .00008	.050	4
h	7450622		2.016	.002	2.01608 + .00012	.050	4
h	7450624		2.016	.004	2.01620 + .00016	.050	8
h	7450628		2.016	.008 AND UP	2.01640 + .00040	.050	8
h	7450632	7450635	2.017	MASTER	2.01700 + .00004	.050	2
h	7450634		2.017	.001	2.01700 + .00008	.050	4
h	7450636		2.017	.002	2.01708 + .00012	.050	4
h	7450638		2.017	.004	2.01720 + .00016	.050	8
h	7450642		2.017	.008 AND UP	2.01740 + .00040	.050	8
h	7450646	7450649	2.018	MASTER	2.01800 + .00004	.050	2
h	7450648		2.018	.001	2.01800 + .00008	.050	4
h	7450650		2.018	.002	2.01808 + .00012	.050	4
h	7450652		2.018	.004	2.01820 + .00016	.050	8
h	7450656		2.018	.008 AND UP	2.01840 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450660	7450663	2.019	MASTER	2.01900 + .00004	.050	2
4	7450662		2.019	.001	2.01900 + .00008	.050	4
4	7450664		2.019	.002	2.01908 + .00012	.050	4
4	7450666		2.019	.004	2.01920 + .00016	.050	8
4	7450670		2.019	.008 AND UP	2.01940 + .00040	.050	8
4	7450674	7450677	2.020	MASTER	2.02000 + .00004	.050	2
4	7450676		2.020	.001	2.02000 + .00008	.050	4
4	7450678		2.020	.002	2.02008 + .00012	.050	4
4	7450680		2.020	.004	2.02020 + .00016	.050	8
4	7450684		2.020	.008 AND UP	2.02040 + .00040	.050	8
4	7450688	7450691	2.021	MASTER	2.02100 + .00004	.050	2
4	7450690		2.021	.001	2.02100 + .00008	.050	4
4	7450692		2.021	.002	2.02108 + .00012	.050	4
4	7450694		2.021	.004	2.02120 + .00016	.050	8
4	7450698		2.021	.008 AND UP	2.02140 + .00040	.050	8
4	7450702	7450705	2.022	MASTER	2.02200 + .00004	.050	2
4	7450704		2.022	.001	2.02200 + .00008	.050	4
4	7450706		2.022	.002	2.02208 + .00012	.050	4
4	7450708		2.022	.004	2.02220 + .00016	.050	8
4	7450712		2.022	.008 AND UP	2.02240 + .00040	.050	8
4	7450716	7450719	2.023	MASTER	2.02300 + .00004	.050	2
4	7450718		2.023	.001	2.02300 + .00008	.050	4
4	7450720		2.023	.002	2.02308 + .00012	.050	4
4	7450722		2.023	.004	2.02320 + .00016	.050	8
4	7450726		2.023	.008 AND UP	2.02340 + .00040	.050	8
4	7450730	7450733	2.024	MASTER	2.02400 + .00004	.050	2
4	7450732		2.024	.001	2.02400 + .00008	.050	4
4	7450734		2.024	.002	2.02408 + .00012	.050	4
4	7450736		2.024	.004	2.02420 + .00016	.050	8
4	7450740		2.024	.008 AND UP	2.02440 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7450744	7450747	2.025	MASTER	2.02500 + .00004	.050	2
11	7450746		2.025	.001	2.02500 + .00008	.050	4
11	7450748		2.025	.002	2.02508 + .00012	.050	4
11	7450750		2.025	.004	2.02520 + .00016	.050	8
11	7450754		2.025	.008 AND UP	2.02540 + .00040	.050	8
11	7450758	7450761	2.026	MASTER	2.02600 + .00004	.050	2
11	7450760		2.026	.001	2.02600 + .00008	.050	4
11	7450762		2.026	.002	2.02608 + .00012	.050	4
11	7450764		2.026	.004	2.02620 + .00016	.050	8
11	7450768		2.026	.008 AND UP	2.02640 + .00040	.050	8
11	7450772	7450775	2.027	MASTER	2.02700 + .00004	.050	2
11	7450774		2.027	.001	2.02700 + .00008	.050	4
11	7450776		2.027	.002	2.02708 + .00012	.050	4
11	7450778		2.027	.004	2.02720 + .00016	.050	8
11	7450782		2.027	.008 AND UP	2.02740 + .00040	.050	8
11	7450786	7450789	2.028	MASTER	2.02800 + .00004	.050	2
11	7450788		2.028	.001	2.02800 + .00008	.050	4
11	7450790		2.028	.002	2.02808 + .00012	.050	4
11	7450792		2.028	.004	2.02820 + .00016	.050	8
11	7450796		2.028	.008 AND UP	2.02840 + .00040	.050	8
11	7450800	7450803	2.029	MASTER	2.02900 + .00004	.050	2
11	7450802		2.029	.001	2.02900 + .00008	.050	4
11	7450804		2.029	.002	2.02908 + .00012	.050	4
11	7450806		2.029	.004	2.02920 + .00016	.050	8
11	7450810		2.029	.008 AND UP	2.02940 + .00040	.050	8
11	7450814	7450817	2.030	MASTER	2.03000 + .00004	.050	2
11	7450816		2.030	.001	2.03000 + .00008	.050	4
11	7450818		2.030	.002	2.03008 + .00012	.050	4
11	7450820		2.030	.004	2.03020 + .00016	.050	8
11	7450824		2.030	.008 AND UP	2.03040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

Table 1. Illustration of Gage							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7450828	7450831	2.031	MASTER	2.03100 + .00004	.050	2
h	7450830		2.031	.001	2.03100 + .00008	.050	4
h	7450832		2.031	.002	2.03108 + .00012	.050	4
h	7450834		2.031	.004	2.03120 + .00016	.050	8
h	7450838		2.031	.008 AND UP	2.03140 + .00040	.050	8
h	7450842	7497837	2.03125	MASTER	2.03125 + .00004	.050	2
h	7497836		2.03125	.001	2.03125 + .00008	.050	4
h	7497838		2.03125	.002	2.03133 + .00012	.050	4
h	7497840		2.03125	.004	2.03145 + .00016	.050	8
h	7497844		2.03125	.008 AND UP	2.03165 + .00040	.050	8
h	7450844	7450847	2.032	MASTER	2.03200 + .00004	.050	2
h	7450846		2.032	.001	2.03200 + .00008	.050	4
h	7450848		2.032	.002	2.03208 + .00012	.050	4
h	7450850		2.032	.004	2.03220 + .00016	.050	8
h	7450854		2.032	.008 AND UP	2.03240 + .00040	.050	8
h	7450858	7450861	2.033	MASTER	2.03300 + .00004	.050	2
h	7450860		2.033	.001	2.03300 + .00008	.050	4
h	7450862		2.033	.002	2.03308 + .00012	.050	4
h	7450864		2.033	.004	2.03320 + .00016	.050	8
h	7450868		2.033	.008 AND UP	2.03340 + .00040	.050	8
h	7450872	7450875	2.034	MASTER	2.03400 + .00004	.050	2
h	7450874		2.034	.001	2.03400 + .00008	.050	4
h	7450876		2.034	.002	2.03408 + .00012	.050	4
h	7450878		2.034	.004	2.03420 + .00016	.050	8
h	7450882		2.034	.008 AND UP	2.03440 + .00040	.050	8
h	7450886	7450889	2.035	MASTER	2.03500 + .00004	.050	2
h	7450888		2.035	.001	2.03500 + .00008	.050	4
h	7450890		2.035	.002	2.03508 + .00012	.050	4
h	7450892		2.035	.004	2.03520 + .00016	.050	8
h	7450896		2.035	.008 AND UP	2.03540 + .00040	.050	8

 8 December 1955
 MIL-STD-110A

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450900	7450903	2.036	MASTER	2.03600 + .00004	.050	2
4	7450902		2.036	.001	2.03600 + .00008	.050	4
4	7450904		2.036	.002	2.03608 + .00012	.050	4
4	7450906		2.036	.004	2.03620 + .00016	.050	8
4	7450910		2.036	.008 AND UP	2.0364 + .00040	.050	8
4	7450914	7450917	2.037	MASTER	2.03700 + .00004	.050	2
4	7450916		2.037	.001	2.03700 + .00008	.050	4
4	7450918		2.037	.002	2.03708 + .00012	.050	4
4	7450920		2.037	.004	2.03720 + .00016	.050	8
4	7450924		2.037	.008 AND UP	2.03740 + .00040	.050	8
4	7450928	7450931	2.038	MASTER	2.03800 + .00004	.050	2
4	7450930		2.038	.001	2.03800 + .00008	.050	4
4	7450932		2.038	.002	2.03808 + .00012	.050	4
4	7450934		2.038	.004	2.03820 + .00016	.050	8
4	7450938		2.038	.008 AND UP	2.03840 + .00040	.050	8
4	7450942	7450945	2.039	MASTER	2.03900 + .00004	.050	2
4	7450944		2.039	.001	2.03900 + .00008	.050	4
4	7450946		2.039	.002	2.03908 + .00012	.050	4
4	7450948		2.039	.004	2.03920 + .00016	.050	8
4	7450952		2.039	.008 AND UP	2.03940 + .00040	.050	8
4	7450956	7450959	2.040	MASTER	2.04000 + .00004	.050	2
4	7450958		2.040	.001	2.04000 + .00008	.050	4
4	7450960		2.040	.002	2.04008 + .00012	.050	4
4	7450962		2.040	.004	2.04020 + .00016	.050	8
4	7450966		2.040	.008 AND UP	2.04040 + .00040	.050	8
4	7450970	7450973	2.041	MASTER	2.04100 + .00004	.050	2
4	7450972		2.041	.001	2.04100 + .00008	.050	4
4	7450974		2.041	.002	2.04108 + .00012	.050	4
4	7450976		2.041	.004	2.04120 + .00016	.050	8
4	7450980		2.041	.008 AND UP	2.04140 + .00040	.050	8

 MS-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7450984	7450987	2.042	MASTER	2.04200 + .00004	.050	2
4	7450986		2.042	.001	2.04200 + .00008	.050	4
4	7450988		2.042	.002	2.04208 + .00012	.050	4
4	7450990		2.042	.004	2.04220 + .00016	.050	8
4	7450994		2.042	.008 AND UP	2.04240 + .00040	.050	8
4	7450998	7451001	2.043	MASTER	2.04300 + .00004	.050	2
4	7451000		2.043	.001	2.04300 + .00008	.050	4
4	7451002		2.043	.002	2.04308 + .00012	.050	4
4	7451004		2.043	.004	2.04320 + .00016	.050	8
4	7451008		2.043	.008 AND UP	2.04340 + .00040	.050	8
4	7451012	7451015	2.044	MASTER	2.04400 + .00004	.050	2
4	7451014		2.044	.001	2.04400 + .00008	.050	4
4	7451016		2.044	.002	2.04408 + .00012	.050	4
4	7451018		2.044	.004	2.04420 + .00016	.050	8
4	7451022		2.044	.008 AND UP	2.04440 + .00040	.050	8
4	7451026	7451029	2.045	MASTER	2.04500 + .00004	.050	2
4	7451028		2.045	.001	2.04500 + .00008	.050	4
4	7451030		2.045	.002	2.04508 + .00012	.050	4
4	7451032		2.045	.004	2.04520 + .00016	.050	8
4	7451036		2.045	.008 AND UP	2.04540 + .00040	.050	8
4	7451040	7451043	2.046	MASTER	2.04600 + .00004	.050	2
4	7451042		2.046	.001	2.04600 + .00008	.050	4
4	7451044		2.046	.002	2.04608 + .00012	.050	4
4	7451046		2.046	.004	2.04620 + .00016	.050	8
4	7451050		2.046	.008 AND UP	2.04640 + .00040	.050	8
4	7451054	7451057	2.047	MASTER	2.04700 + .00004	.050	2
4	7451056		2.047	.001	2.04700 + .00008	.050	4
4	7451058		2.047	.002	2.04708 + .00012	.050	4
4	7451060		2.047	.004	2.04720 + .00016	.050	8
4	7451064		2.047	.008 AND UP	2.04740 + .00040	.050	8

Table I. Tribulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN- GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451068	7451071	2.048	MASTER	2.04800 + .00004	.050	2
4	7451070		2.048	.001	2.04800 + .00008	.050	4
4	7451072		2.048	.002	2.04808 + .00012	.050	4
4	7451074		2.048	.004	2.04820 + .00016	.050	8
4	7451078		2.048	.008 AND UP	2.04840 + .00040	.050	8
4	7451082	7451085	2.049	MASTER	2.04900 + .00004	.050	2
4	7451084		2.049	.001	2.04900 + .00008	.050	4
4	7451086		2.049	.002	2.04908 + .00012	.050	4
4	7451088		2.049	.004	2.04920 + .00016	.050	8
4	7451092		2.049	.008 AND UP	2.04940 + .00040	.050	8
4	7451096	7451099	2.050	MASTER	2.05000 + .00004	.050	2
4	7451098		2.050	.001	2.05000 + .00008	.050	4
4	7451100		2.050	.002	2.05008 + .00012	.050	4
4	7451102		2.050	.004	2.05020 + .00016	.050	8
4	7451106		2.050	.008 AND UP	2.05040 + .00040	.050	8
4	7451110	7451113	2.051	MASTER	2.05100 + .00004	.050	2
4	7451112		2.051	.001	2.05100 + .00008	.050	4
4	7451114		2.051	.002	2.05101 + .00012	.050	4
4	7451116		2.051	.004	2.05120 + .00016	.050	8
4	7451120		2.051	.008 AND UP	2.05140 + .00040	.050	8
4	7451124	7451127	2.052	MASTER	2.05200 + .00004	.050	2
4	7451126		2.052	.001	2.05200 + .00008	.050	4
4	7451128		2.052	.002	2.05208 + .00012	.050	4
4	7451130		2.052	.004	2.05220 + .00016	.050	8
4	7451134		2.052	.008 AND UP	2.05240 + .00040	.050	8
4	7451138	7451141	2.053	MASTER	2.05300 + .00004	.050	2
4	7451140		2.053	.001	2.05300 + .00008	.050	4
4	7451142		2.053	.002	2.05308 + .00012	.050	4
4	7451144		2.053	.004	2.05320 + .00016	.050	8
4	7451148		2.053	.008 AND UP	2.05340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451152	7451155	2.054	MASTER	2.05400 + .00004	.050	2
4	7451154		2.054	.001	2.05400 + .00008	.050	4
4	7451156		2.054	.002	2.05408 + .00012	.050	4
4	7451158		2.054	.004	2.05420 + .00016	.050	8
4	7451162		2.054	.008 AND UP	2.05440 + .00040	.050	8
4	7451166	7451169	2.055	MASTER	2.05500 + .00004	.050	2
4	7451168		2.055	.001	2.05500 + .00008	.050	4
4	7451170		2.055	.002	2.05508 + .00012	.050	4
4	7451172		2.055	.004	2.05520 + .00016	.050	8
4	7451176		2.055	.008 AND UP	2.05540 + .00040	.050	8
4	7451180	7451183	2.056	MASTER	2.05600 + .00004	.050	2
4	7451182		2.056	.001	2.05600 + .00008	.050	4
4	7451184		2.056	.002	2.05608 + .00012	.050	4
4	7451186		2.056	.004	2.05620 + .00016	.050	8
4	7451190		2.056	.008 AND UP	2.05640 + .00040	.050	8
4	7451194	7451197	2.057	MASTER	2.05700 + .00004	.050	2
4	7451196		2.057	.001	2.05700 + .00008	.050	4
4	7451198		2.057	.002	2.05708 + .00012	.050	4
4	7451200		2.057	.004	2.05720 + .00016	.050	8
4	7451204		2.057	.008 AND UP	2.05740 + .00040	.050	8
4	7451208	7451211	2.058	MASTER	2.05800 + .00004	.050	2
4	7451210		2.058	.001	2.05800 + .00008	.050	4
4	7451212		2.058	.002	2.05808 + .00012	.050	4
4	7451214		2.058	.004	2.05820 + .00016	.050	8
4	7451218		2.058	.008 AND UP	2.05840 + .00040	.050	8
4	7451222	7451225	2.059	MASTER	2.05900 + .00004	.050	2
4	7451224		2.059	.001	2.05900 + .00008	.050	4
4	7451226		2.059	.002	2.05908 + .00012	.050	4
4	7451228		2.059	.004	2.05920 + .00016	.050	8
4	7451232		2.059	.008 AND UP	2.05940 + .00040	.050	8

156

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE			CHAMFER		
A	B	C	D	E	F	G	H
4	7451236	7451239	2.060	MASTER	2.06000 + .00004	.050	2
4	7451238		2.060	.001	2.06000 + .00008	.050	4
4	7451240		2.060	.002	2.06008 + .00012	.050	4
4	7451242		2.060	.004	2.06020 + .00016	.050	8
4	7451246		2.060	.008 AND UP	2.06040 + .00040	.050	8
4	7451250	7451253	2.061	MASTER	2.06100 + .00004	.050	2
4	7451252		2.061	.001	2.06100 + .00008	.050	4
4	7451254		2.061	.002	2.06108 + .00012	.050	4
4	7451256		2.061	.004	2.06120 + .00016	.050	8
4	7451260		2.061	.008 AND UP	2.06140 + .00040	.050	8
4	7451264	7451267	2.062	MASTER	2.06200 + .00004	.050	2
4	7451266		2.062	.001	2.06200 + .00008	.050	4
4	7451268		2.062	.002	2.06208 + .00012	.050	4
4	7451270		2.062	.004	2.06220 + .00016	.050	8
4	7451274		2.062	.008 AND UP	2.06240 + .00040	.050	8
4	7451278	7497849	2.0625	MASTER	2.06250 + .00004	.050	2
4	7497848		2.0625	.001	2.06250 + .00008	.050	4
4	7497850		2.0625	.002	2.06258 + .00012	.050	4
4	7497852		2.0625	.004	2.06270 + .00016	.050	8
4	7497856		2.0625	.008 AND UP	2.06290 + .00040	.050	8
4	7451280	7451283	2.063	MASTER	2.06300 + .00004	.050	2
4	7451282		2.063	.001	2.06300 + .00008	.050	4
4	7451284		2.063	.002	2.06308 + .00012	.050	4
4	7451286		2.063	.004	2.06320 + .00016	.050	8
4	7451290		2.063	.008 AND UP	2.06340 + .00040	.050	8
4	7451294	7451297	2.064	MASTER	2.06400 + .00004	.050	2
4	7451296		2.064	.001	2.06400 + .00008	.050	4
4	7451298		2.064	.002	2.06408 + .00012	.050	4
4	7451300		2.064	.004	2.06420 + .00016	.050	8
4	7451304		2.064	.008 AND UP	2.06440 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7451308	7451311	2.065	MASTER	2.06500 + .00004	.050	2	
4	7451310		2.065	.001	2.06500 + .00008	.050	4	
4	7451312		2.065	.002	2.06508 + .00012	.050	4	
4	7451314		2.065	.004	2.06520 + .00016	.050	8	
4	7451318		2.065	.008 AND UP	2.06540 + .00040	.050	8	
4	7451322	7451325	2.066	MASTER	2.06600 + .00004	.050	2	
4	7451324		2.066	.001	2.06600 + .00008	.050	4	
4	7451326		2.066	.002	2.06608 + .00012	.050	4	
4	7451328		2.066	.004	2.06620 + .00016	.050	8	
4	7451332		2.066	.008 AND UP	2.06640 + .00040	.050	8	
4	7451336	7451339	2.067	MASTER	2.06700 + .00004	.050	2	
4	7451338		2.067	.001	2.06700 + .00008	.050	4	
4	7451340		2.067	.002	2.06708 + .00012	.050	4	
4	7451342		2.067	.004	2.06720 + .00016	.050	8	
4	7451346		2.067	.008 AND UP	2.06740 + .00040	.050	8	
4	7451350	7451353	2.068	MASTER	2.06800 + .00004	.050	2	
4	7451352		2.068	.001	2.06800 + .00008	.050	4	
4	7451354		2.068	.002	2.06808 + .00012	.050	4	
4	7451356		2.068	.004	2.06820 + .00016	.050	8	
4	7451360		2.068	.008 AND UP	2.06840 + .00040	.050	8	
4	7451364	7451367	2.069	MASTER	2.06900 + .00004	.050	2	
4	7451366		2.069	.001	2.06900 + .00008	.050	4	
4	7451368		2.069	.002	2.06908 + .00012	.050	4	
4	7451370		2.069	.004	2.06920 + .00016	.050	8	
4	7451374		2.069	.008 AND UP	2.06940 + .00040	.050	8	
4	7451378	7451381	2.070	MASTER	2.07000 + .00004	.050	2	
4	7451380		2.070	.001	2.07000 + .00008	.050	4	
4	7451382		2.070	.002	2.07008 + .00012	.050	4	
4	7451384		2.070	.004	2.07020 + .00016	.050	8	
4	7451388		2.070	.008 AND UP	2.07040 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7451392	7451395	2.071	MASTER	2.07100 + .00004	.050	2	
4	7451394		2.071	.001	2.07100 + .00008	.050	4	
4	7451396		2.071	.002	2.07108 + .00012	.050	4	
4	7451398		2.071	.004	2.07120 + .00016	.050	8	
4	7451402		2.071	.008 AND UP	2.07140 + .00040	.050	8	
4	7451406	7451409	2.072	MASTER	2.07200 + .00004	.050	2	
4	7451408		2.072	.001	2.07200 + .00008	.050	4	
4	7451410		2.072	.002	2.07208 + .00012	.050	4	
4	7451412		2.072	.004	2.07220 + .00016	.050	8	
4	7451416		2.072	.008 AND UP	2.07240 + .00040	.050	8	
4	7451420	7451423	2.073	MASTER	2.07300 + .00004	.050	2	
4	7451422		2.073	.001	2.07300 + .00008	.050	4	
4	7451424		2.073	.002	2.07308 + .00012	.050	4	
4	7451426		2.073	.004	2.07320 + .00016	.050	8	
4	7451430		2.073	.008 AND UP	2.07340 + .00040	.050	8	
4	7451434	7451437	2.074	MASTER	2.07400 + .00004	.050	2	
4	7451436		2.074	.001	2.07400 + .00008	.050	4	
4	7451438		2.074	.002	2.07408 + .00012	.050	4	
4	7451440		2.074	.004	2.07420 + .00016	.050	8	
4	7451442		2.074	.008 AND UP	2.07440 + .00040	.050	8	
4	7451448	7451451	2.075	MASTER	2.07500 + .00004	.050	2	
4	7451450		2.075	.001	2.07500 + .00008	.050	4	
4	7451452		2.075	.002	2.07508 + .00012	.050	4	
4	7451454		2.075	.004	2.07520 + .00016	.050	8	
4	7451458		2.075	.008 AND UP	2.07540 + .00040	.050	8	
4	7451462	7451465	2.076	MASTER	2.07600 + .00004	.050	2	
4	7451464		2.076	.001	2.07600 + .00008	.050	4	
4	7451466		2.076	.002	2.07608 + .00012	.050	4	
4	7451468		2.076	.004	2.07620 + .00016	.050	8	
4	7451472		2.076	.008 AND UP	2.07640 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451476	7451479	2.077	MASTER	2.07700 + .00004	.050	2
4	7451478		2.077	.001	2.07700 + .00008	.050	4
4	7451480		2.077	.002	2.07708 + .00012	.050	4
4	7451482		2.077	.004	2.07720 + .00016	.050	8
4	7451486		2.077	.008 AND UP	2.07740 + .00040	.050	8
4	7451490	7451493	2.078	MASTER	2.07800 + .00004	.050	2
4	7451492		2.078	.001	2.07800 + .00008	.050	4
4	7451494		2.078	.002	2.07808 + .00012	.050	4
4	7451496		2.078	.004	2.07820 + .00016	.050	8
4	7451500		2.078	.008 AND UP	2.07840 + .00040	.050	8
4	7451504	7451507	2.079	MASTER	2.07900 + .00004	.050	2
4	7451506		2.079	.001	2.07900 + .00008	.050	4
4	7451508		2.079	.002	2.07908 + .00012	.050	4
4	7451510		2.079	.004	2.07920 + .00016	.050	8
4	7451514		2.079	.008 AND UP	2.07940 + .00040	.050	8
4	7451518	7451521	2.080	MASTER	2.08000 + .00004	.050	2
4	7451520		2.080	.001	2.08000 + .00008	.050	4
4	7451522		2.080	.002	2.08008 + .00012	.050	4
4	7451524		2.080	.004	2.08020 + .00016	.050	8
4	7451528		2.080	.008 AND UP	2.08040 + .00040	.050	8
4	7451532	7451535	2.081	MASTER	2.08100 + .00004	.050	2
4	7451534		2.081	.001	2.08100 + .00008	.050	4
4	7451536		2.081	.002	2.08108 + .00012	.050	4
4	7451538		2.081	.004	2.08120 + .00016	.050	8
4	7451542		2.081	.008 AND UP	2.08140 + .00040	.050	8
4	7451546	7451549	2.082	MASTER	2.08200 + .00004	.050	2
4	7451548		2.082	.001	2.08200 + .00008	.050	4
4	7451550		2.082	.002	2.08208 + .00012	.050	4
4	7451552		2.082	.004	2.08220 + .00016	.050	8
4	7451556		2.082	.008 AND UP	2.08240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		D I A M E T E R			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
11	7451560	7451563	2.083	MASTER	2.08300 + .00004	.050	2	
11	7451562		2.083	.001	2.08300 + .00008	.050	4	
11	7451564		2.083	.002	2.08308 + .00012	.050	4	
11	7451566		2.083	.004	2.08320 + .00016	.050	8	
11	7451570		2.083	.008 AND UP	2.08340 + .00040	.050	8	
11	7451574	7451577	2.084	MASTER	2.08400 + .00004	.050	2	
11	7451576		2.084	.001	2.08400 + .00008	.050	4	
11	7451578		2.084	.002	2.08408 + .00012	.050	4	
11	7451580		2.084	.004	2.08420 + .00016	.050	8	
11	7451584		2.084	.008 AND UP	2.08440 + .00040	.050	8	
11	7451588	7451591	2.085	MASTER	2.08500 + .00004	.050	2	
11	7451590		2.085	.001	2.08500 + .00008	.050	4	
11	7451592		2.085	.002	2.08508 + .00012	.050	4	
11	7451594		2.085	.004	2.08520 + .00016	.050	8	
11	7451598		2.085	.008 AND UP	2.08540 + .00040	.050	8	
11	7451602	7451605	2.086	MASTER	2.08600 + .00004	.050	2	
11	7451604		2.086	.001	2.08600 + .00008	.050	4	
11	7451606		2.086	.002	2.08608 + .00012	.050	4	
11	7451608		2.086	.004	2.08620 + .00016	.050	8	
11	7451612		2.086	.008 AND UP	2.08640 + .00040	.050	8	
11	7451616	7451619	2.087	MASTER	2.08700 + .00004	.050	2	
11	7451618		2.087	.001	2.08700 + .00008	.050	4	
11	7451620		2.087	.002	2.08708 + .00012	.050	4	
11	7451622		2.087	.004	2.08720 + .00016	.050	8	
11	7451626		2.087	.008 AND UP	2.08740 + .00040	.050	8	
11	7451630	7451633	2.088	MASTER	2.08800 + .00004	.050	2	
11	7451632		2.088	.001	2.08800 + .00008	.050	4	
11	7451634		2.088	.002	2.08808 + .00012	.050	4	
11	7451636		2.088	.004	2.08820 + .00016	.050	8	
11	7451640		2.088	.008 AND UP	2.08840 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7451644	7451647	2.089	MASTER	2.08900 + .00004	.050	2	
4	7451646		2.089	.001	2.08900 + .00008	.050	4	
4	7451648		2.089	.002	2.08908 + .00012	.050	4	
4	7451650		2.089	.004	2.08920 + .00016	.050	8	
4	7451654		2.089	.008 AND UP	2.08940 + .00040	.050	8	
4	7451658	7451661	2.090	MASTER	2.09000 + .00004	.050	2	
4	7451660		2.090	.001	2.09000 + .00008	.050	4	
4	7451662		2.090	.002	2.09008 + .00012	.050	4	
4	7451664		2.090	.004	2.09020 + .00016	.050	8	
4	7451668		2.090	.008 AND UP	2.09040 + .00040	.050	8	
4	7451672	7451675	2.091	MASTER	2.09100 + .00004	.050	2	
4	7451674		2.091	.001	2.09100 + .00008	.050	4	
4	7451676		2.091	.002	2.09108 + .00012	.050	4	
4	7451678		2.091	.004	2.09120 + .00016	.050	8	
4	7451682		2.091	.008 AND UP	2.09140 + .00040	.050	8	
4	7451686	7451689	2.092	MASTER	2.09200 + .00004	.050	2	
4	7451688		2.092	.001	2.09200 + .00008	.050	4	
4	7451690		2.092	.002	2.09208 + .00012	.050	4	
4	7451692		2.092	.004	2.09220 + .00016	.050	8	
4	7451696		2.092	.008 AND UP	2.09240 + .00040	.050	8	
4	7451700	7451703	2.093	MASTER	2.09300 + .00004	.050	2	
4	7451702		2.093	.001	2.09300 + .00008	.050	4	
4	7451704		2.093	.002	2.09308 + .00012	.050	4	
4	7451706		2.093	.004	2.09320 + .00016	.050	8	
4	7451710		2.093	.008 AND UP	2.09340 + .00040	.050	8	
4	7451714	7497861	2.09375	MASTER	2.09375 + .00004	.050	2	
4	7497860		2.09375	.001	2.09375 + .00008	.050	4	
4	7497862		2.09375	.002	2.09383 + .00012	.050	4	
4	7497864		2.09375	.004	2.09395 + .00016	.050	8	
4	7497868		2.09375	.008 AND UP	2.09415 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7451716	7451719	2.094	MASTER	2.09400 + .00004	.050	2	
4	7451718		2.094	.001	2.09400 + .00008	.050	4	
4	7451720		2.094	.002	2.09408 + .00012	.050	4	
4	7451722		2.094	.004	2.09420 + .00016	.050	8	
4	7451726		2.094	.008 AND UP	2.09440 + .00040	.050	8	
4	7451730	7451733	2.095	MASTER	2.09500 + .00004	.050	2	
4	7451732		2.095	.001	2.09500 + .00008	.050	4	
4	7451734		2.095	.002	2.09508 + .00012	.050	4	
4	7451736		2.095	.004	2.09520 + .00016	.050	8	
4	7451740		2.095	.008 AND UP	2.09540 + .00040	.050	8	
4	7451744	7451747	2.096	MASTER	2.09600 + .00004	.050	2	
4	7451746		2.096	.001	2.09600 + .00008	.050	4	
4	7451748		2.096	.002	2.09608 + .00012	.050	4	
4	7451750		2.096	.004	2.09620 + .00016	.050	8	
4	7451754		2.096	.008 AND UP	2.09640 + .00040	.050	8	
4	7451758	7451761	2.097	MASTER	2.09700 + .00004	.050	2	
4	7451760		2.097	.001	2.09700 + .00008	.050	4	
4	7451762		2.097	.002	2.09708 + .00012	.050	4	
4	7451764		2.097	.004	2.09720 + .00016	.050	8	
4	7451768		2.097	.008 AND UP	2.09740 + .00040	.050	8	
4	7451772	7451775	2.098	MASTER	2.09800 + .00004	.050	2	
4	7451774		2.098	.001	2.09800 + .00008	.050	4	
4	7451776		2.098	.002	2.09808 + .00012	.050	4	
4	7451778		2.098	.004	2.09820 + .00016	.050	8	
4	7451782		2.098	.008 AND UP	2.09840 + .00040	.050	8	
4	7451786	7451789	2.099	MASTER	2.09900 + .00004	.050	2	
4	7451788		2.099	.001	2.09900 + .00008	.050	4	
4	7451790		2.099	.002	2.09908 + .00012	.050	4	
4	7451792		2.099	.004	2.09920 + .00016	.050	8	
4	7451796		2.099	.008 AND UP	2.09940 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7451800	7451803	2.100	MASTER	2.10000 + .00004	.050	2
4	7451802		2.100	.001	2.10000 + .00008	.050	4
4	7451804		2.100	.002	2.10008 + .00012	.050	4
4	7451806		2.100	.004	2.10020 + .00016	.050	8
4	7451810		2.100	.008 AND UP	2.10040 + .00040	.050	8
4	7451814	7451817	2.101	MASTER	2.10100 + .00004	.050	2
4	7451816		2.101	.001	2.10100 + .00008	.050	4
4	7451818		2.101	.002	2.10108 + .00012	.050	4
4	7451820		2.101	.004	2.10120 + .00016	.050	8
4	7451824		2.101	.008 AND UP	2.10140 + .00040	.050	8
4	7451828	7451831	2.102	MASTER	2.10200 + .00004	.050	2
4	7451830		2.102	.001	2.10200 + .00008	.050	4
4	7451832		2.102	.002	2.10208 + .00012	.050	4
4	7451834		2.102	.004	2.10220 + .00016	.050	8
4	7451838		2.102	.008 AND UP	2.10240 + .00040	.050	8
4	7451842	7451845	2.103	MASTER	2.10300 + .00004	.050	2
4	7451844		2.103	.001	2.10300 + .00008	.050	4
4	7451846		2.103	.002	2.10308 + .00012	.050	4
4	7451848		2.103	.004	2.10320 + .00016	.050	8
4	7451852		2.103	.008 AND UP	2.10340 + .00040	.050	8
4	7451856	7451859	2.104	MASTER	2.10400 + .00004	.050	2
4	7451858		2.104	.001	2.10400 + .00008	.050	4
4	7451860		2.104	.002	2.10408 + .00012	.050	4
4	7451862		2.104	.004	2.10420 + .00016	.050	8
4	7451866		2.104	.008 AND UP	2.10440 + .00040	.050	8
4	7451870	7451873	2.105	MASTER	2.10500 + .00004	.050	2
4	7451872		2.105	.001	2.10500 + .00008	.050	4
4	7451874		2.105	.002	2.10508 + .00012	.050	4
4	7451876		2.105	.004	2.10520 + .00016	.050	8
4	7451880		2.105	.008 AND UP	2.10540 + .00040	.050	8

MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
4	7451884	7451887	2.106	MASTER	2.10600 + .00004	.050	2
4	7451886		2.106	.001	2.10600 + .00008	.050	4
4	7451888		2.106	.002	2.10608 + .00012	.050	4
4	7451890		2.106	.004	2.10620 + .00016	.050	8
4	7451894		2.106	.008 AND UP	2.10640 + .00040	.050	8
4	7451898	7451901	2.107	MASTER	2.10700 + .00004	.050	2
4	7451900		2.107	.001	2.10700 + .00008	.050	4
4	7451902		2.107	.002	2.10708 + .00012	.050	4
4	7451904		2.107	.004	2.10720 + .00016	.050	8
4	7451908		2.107	.008 AND UP	2.10740 + .00040	.050	8
4	7451912	7451915	2.108	MASTER	2.10800 + .00004	.050	2
4	7451914		2.108	.001	2.10800 + .00008	.050	4
4	7451916		2.108	.002	2.10808 + .00012	.050	4
4	7451918		2.108	.004	2.10820 + .00016	.050	8
4	7451922		2.108	.008 AND UP	2.10840 + .00040	.050	8
4	7451926	7451929	2.109	MASTER	2.10900 + .00004	.050	2
4	7451928		2.109	.001	2.10900 + .00008	.050	4
4	7451930		2.109	.002	2.10908 + .00012	.050	4
4	7451932		2.109	.004	2.10920 + .00016	.050	8
4	7451936		2.109	.008 AND UP	2.10940 + .00040	.050	8
4	7451940	7451943	2.110	MASTER	2.11000 + .00004	.050	2
4	7451942		2.110	.001	2.11000 + .00008	.050	4
4	7451944		2.110	.002	2.11008 + .00012	.050	4
4	7451946		2.110	.004	2.11020 + .00016	.050	8
4	7451950		2.110	.008 AND UP	2.11040 + .00040	.050	8
4	7451954	7451957	2.111	MASTER	2.11100 + .00004	.050	2
4	7451956		2.111	.001	2.11100 + .00008	.050	4
4	7451958		2.111	.002	2.11108 + .00012	.050	4
4	7451960		2.111	.004	2.11120 + .00016	.050	8
4	7451964		2.111	.008 AND UP	2.11140 + .00040	.050	8

 ALL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7451968	7451971	2.112	MASTER	2.11200 + .00004	.050	2	
4	7451970		2.112	.001	2.11200 + .00008	.050	4	
4	7451972		2.112	.002	2.11208 + .00012	.050	4	
4	7451974		2.112	.004	2.11220 + .00016	.050	8	
4	7451978		2.112	.008 AND UP	2.11240 + .00040	.050	8	
4	7451982	7451985	2.113	MASTER	2.11300 + .00004	.050	2	
4	7451984		2.113	.001	2.11300 + .00008	.050	4	
4	7451986		2.113	.002	2.11308 + .00012	.050	4	
4	7451988		2.113	.004	2.11320 + .00016	.050	8	
4	7451992		2.113	.008 AND UP	2.11340 + .00040	.050	8	
4	7451996	7451999	2.114	MASTER	2.11400 + .00004	.050	2	
4	7451998		2.114	.001	2.11400 + .00008	.050	4	
4	7452000		2.114	.002	2.11408 + .00012	.050	4	
4	7452002		2.114	.004	2.11420 + .00016	.050	8	
4	7452006		2.114	.008 AND UP	2.11440 + .00040	.050	8	
4	7452010	7452013	2.115	MASTER	2.11500 + .00004	.050	2	
4	7452012		2.115	.001	2.11500 + .00008	.050	4	
4	7452014		2.115	.002	2.11508 + .00012	.050	4	
4	7452016		2.115	.004	2.11520 + .00016	.050	8	
4	7452020		2.115	.008 AND UP	2.11540 + .00040	.050	8	
4	7452024	7452027	2.116	MASTER	2.11600 + .00004	.050	2	
4	7452026		2.116	.001	2.11600 + .00008	.050	4	
4	7452028		2.116	.002	2.11608 + .00012	.050	4	
4	7452030		2.116	.004	2.11620 + .00016	.050	8	
4	7452034		2.116	.008 AND UP	2.11640 + .00040	.050	8	
4	7452038	7452041	2.117	MASTER	2.11700 + .00004	.050	2	
4	7452040		2.117	.001	2.11700 + .00008	.050	4	
4	7452042		2.117	.002	2.11708 + .00012	.050	4	
4	7452044		2.117	.004	2.11720 + .00016	.050	8	
4	7452048		2.117	.008 AND UP	2.11740 + .00040	.050	8	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452052	7452055	2.118	MASTER	2.11800 + .00004	.050	2
4	7452054		2.118	.001	2.11800 + .00008	.050	4
4	7452056		2.118	.002	2.11808 + .00012	.050	4
4	7452058		2.118	.004	2.11820 + .00016	.050	8
4	7452062		2.118	.008 AND UP	2.11840 + .00040	.050	8
4	7452066	7452069	2.119	MASTER	2.11900 + .00004	.050	2
4	7452068		2.119	.001	2.11900 + .00008	.050	4
4	7452070		2.119	.002	2.11908 + .00012	.050	4
4	7452072		2.119	.004	2.11920 + .00016	.050	8
4	7452076		2.119	.008 AND UP	2.11940 + .00040	.050	8
4	7452080	7452083	2.120	MASTER	2.12000 + .00004	.050	2
4	7452082		2.120	.001	2.12000 + .00008	.050	4
4	7452084		2.120	.002	2.12008 + .00012	.050	4
4	7452086		2.120	.004	2.12020 + .00016	.050	8
4	7452090		2.120	.008 AND UP	2.12040 + .00040	.050	8
4	7452094	7452097	2.121	MASTER	2.12100 + .00004	.050	2
4	7452096		2.121	.001	2.12100 + .00008	.050	4
4	7452098		2.121	.002	2.12108 + .00012	.050	4
4	7452100		2.121	.004	2.12120 + .00016	.050	8
4	7452104		2.121	.008 AND UP	2.12140 + .00040	.050	8
4	7452108	7452111	2.122	MASTER	2.12200 + .00004	.050	2
4	7452110		2.122	.001	2.12200 + .00008	.050	4
4	7452112		2.122	.002	2.12208 + .00012	.050	4
4	7452114		2.122	.004	2.12220 + .00016	.050	8
4	7452118		2.122	.008 AND UP	2.12240 + .00040	.050	8
4	7452122	7452125	2.123	MASTER	2.12300 + .00004	.050	2
4	7452124		2.123	.001	2.12300 + .00008	.050	4
4	7452126		2.123	.002	2.12308 + .00012	.050	4
4	7452128		2.123	.004	2.12320 + .00016	.050	8
4	7452132		2.123	.008 AND UP	2.12340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452136	7452139	2.124	MASTER	2.12400 + .00004	.050	2
4	7452138		2.124	.001	2.12400 + .00008	.050	4
4	7452140		2.124	.002	2.12408 + .00012	.050	4
4	7452142		2.124	.004	2.12420 + .00016	.050	8
4	7452146		2.124	.008 AND UP	2.12440 + .00040	.050	8
4	7452150	7452153	2.125	MASTER	2.12500 + .00004	.050	2
4	7452152		2.125	.001	2.12500 + .00008	.050	4
4	7452154		2.125	.002	2.12508 + .00012	.050	4
4	7452156		2.125	.004	2.12520 + .00016	.050	8
4	7452160		2.125	.008 AND UP	2.12540 + .00040	.050	8
4	7452164	7452167	2.126	MASTER	2.12600 + .00004	.050	2
4	7452166		2.126	.001	2.12600 + .00008	.050	4
4	7452168		2.126	.002	2.12608 + .00012	.050	4
4	7452170		2.126	.004	2.12620 + .00016	.050	8
4	7452174		2.126	.008 AND UP	2.12640 + .00040	.050	8
4	7452178	7452181	2.127	MASTER	2.12700 + .00004	.050	2
4	7452180		2.127	.001	2.12700 + .00008	.050	4
4	7452182		2.127	.002	2.12708 + .00012	.050	4
4	7452184		2.127	.004	2.12720 + .00016	.050	8
4	7452188		2.127	.008 AND UP	2.12740 + .00040	.050	8
4	7452192	7452195	2.128	MASTER	2.12800 + .00004	.050	2
4	7452194		2.128	.001	2.12800 + .00008	.050	4
4	7452196		2.128	.002	2.12808 + .00012	.050	4
4	7452198		2.128	.004	2.12820 + .00016	.050	8
4	7452202		2.128	.008 AND UP	2.12840 + .00040	.050	8
4	7452206	7452209	2.129	MASTER	2.12900 + .00004	.050	2
4	7452208		2.129	.001	2.12900 + .00008	.050	4
4	7452210		2.129	.002	2.12908 + .00012	.050	4
4	7452212		2.129	.004	2.12920 + .00016	.050	8
4	7452216		2.129	.008 AND UP	2.12940 + .00040	.050	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7452220	7452223	2.130	MASTER	2.13000 + .00004	.050	2
11	7452222		2.130	.001	2.13000 + .00008	.050	4
11	7452224		2.130	.002	2.13008 + .00012	.050	4
11	7452226		2.130	.004	2.13020 + .00016	.050	8
11	7452230		2.130	.008 AND UP	2.13040 + .00040	.050	8
11	7452234	7452237	2.131	MASTER	2.13100 + .00004	.050	2
11	7452236		2.131	.001	2.13100 + .00008	.050	4
11	7452238		2.131	.002	2.13108 + .00012	.050	4
11	7452240		2.131	.004	2.13120 + .00016	.050	8
11	7452244		2.131	.008 AND UP	2.13140 + .00040	.050	8
11	7452248	7452251	2.132	MASTER	2.13200 + .00004	.050	2
11	7452250		2.132	.001	2.13200 + .00008	.050	4
11	7452252		2.132	.002	2.13208 + .00012	.050	4
11	7452254		2.132	.004	2.13220 + .00016	.050	8
11	7452258		2.132	.008 AND UP	2.13240 + .00040	.050	8
11	7452262	7452265	2.133	MASTER	2.13300 + .00004	.050	2
11	7452264		2.133	.001	2.13300 + .00008	.050	4
11	7452266		2.133	.002	2.13308 + .00012	.050	4
11	7452268		2.133	.004	2.13320 + .00016	.050	8
11	7452272		2.133	.008 AND UP	2.13340 + .00040	.050	8
11	7452276	7452279	2.134	MASTER	2.13400 + .00004	.050	2
11	7452278		2.134	.001	2.13400 + .00008	.050	4
11	7452280		2.134	.002	2.13408 + .00012	.050	4
11	7452282		2.134	.004	2.13420 + .00016	.050	8
11	7452286		2.134	.008 AND UP	2.13440 + .00040	.050	8
11	7452290	7452293	2.135	MASTER	2.13500 + .00004	.050	2
11	7452292		2.135	.001	2.13500 + .00008	.050	4
11	7452294		2.135	.002	2.13508 + .00012	.050	4
11	7452296		2.135	.004	2.13520 + .00016	.050	8
11	7452300		2.135	.008 AND UP	2.13540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7452304	7452307	2.136	MASTER	2.13600 + .00004	.050	2
h	7452306		2.136	.001	2.13600 + .00008	.050	4
h	7452308		2.136	.002	2.13608 + .00012	.050	4
h	7452310		2.136	.004	2.13620 + .00016	.050	8
h	7452314		2.136	.008 AND UP	2.13640 + .00040	.050	8
h	7452318	7452321	2.137	MASTER	2.13700 + .00004	.050	2
h	7452320		2.137	.001	2.13700 + .00008	.050	4
h	7452322		2.137	.002	2.13708 + .00012	.050	4
h	7452324		2.137	.004	2.13720 + .00016	.050	8
h	7452328		2.137	.008 AND UP	2.13740 + .00040	.050	8
h	7452332	7452335	2.138	MASTER	2.13800 + .00004	.050	2
h	7452334		2.138	.001	2.13800 + .00008	.050	4
h	7452336		2.138	.002	2.13808 + .00012	.050	4
h	7452338		2.138	.004	2.13820 + .00016	.050	8
h	7452342		2.138	.008 AND UP	2.13840 + .00040	.050	8
h	7452346	7452349	2.139	MASTER	2.13900 + .00004	.050	2
h	7452348		2.139	.001	2.13900 + .00008	.050	4
h	7452350		2.139	.002	2.13908 + .00012	.050	4
h	7452352		2.139	.004	2.13920 + .00016	.050	8
h	7452356		2.139	.008 AND UP	2.13940 + .00040	.050	8
h	7452360	7452363	2.140	MASTER	2.14000 + .00004	.050	2
h	7452362		2.140	.001	2.14000 + .00008	.050	4
h	7452364		2.140	.002	2.14008 + .00012	.050	4
h	7452366		2.140	.004	2.14020 + .00016	.050	8
h	7452370		2.140	.008 AND UP	2.14040 + .00040	.050	8
h	7452374	7452377	2.141	MASTER	2.14100 + .00004	.050	2
h	7452376		2.141	.001	2.14100 + .00008	.050	4
h	7452378		2.141	.002	2.14108 + .00012	.050	4
h	7452380		2.141	.004	2.14120 + .00016	.050	8
h	7452384		2.141	.008 AND UP	2.14140 + .00040	.050	8

 ML-SD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452388	7452391	2.142	MASTER	2.14200 + .00004	.050	2
4	7452390		2.142	.001	2.14200 + .00008	.050	4
4	7452392		2.142	.002	2.14208 + .00012	.050	4
4	7452394		2.142	.004	2.14220 + .00016	.050	8
4	7452398		2.142	.008 AND UP	2.14240 + .00040	.050	8
4	7452402	7452405	2.143	MASTER	2.14300 + .00004	.050	2
4	7452404		2.143	.001	2.14300 + .00008	.050	4
4	7452406		2.143	.002	2.14308 + .00012	.050	4
4	7452408		2.143	.004	2.14320 + .00016	.050	8
4	7452412		2.143	.008 AND UP	2.14340 + .00040	.050	8
4	7452416	7452419	2.144	MASTER	2.14400 + .00004	.050	2
4	7452418		2.144	.001	2.14400 + .00008	.050	4
4	7452420		2.144	.002	2.14408 + .00012	.050	4
4	7452422		2.144	.004	2.14420 + .00016	.050	8
4	7452426		2.144	.008 AND UP	2.14440 + .00040	.050	8
4	7452430	7452433	2.145	MASTER	2.14500 + .00004	.050	2
4	7452432		2.145	.001	2.14500 + .00008	.050	4
4	7452434		2.145	.002	2.14508 + .00012	.050	4
4	7452436		2.145	.004	2.14520 + .00016	.050	8
4	7452440		2.145	.008 AND UP	2.14540 + .00040	.050	8
4	7452444	7452447	2.146	MASTER	2.14600 + .00004	.050	2
4	7452446		2.146	.001	2.14600 + .00008	.050	4
4	7452448		2.146	.002	2.14608 + .00012	.050	4
4	7452450		2.146	.004	2.14620 + .00016	.050	8
4	7452454		2.146	.008 AND UP	2.14640 + .00040	.050	8
4	7452458	7452461	2.147	MASTER	2.14700 + .00004	.050	2
4	7452460		2.147	.001	2.14700 + .00008	.050	4
4	7452462		2.147	.002	2.14708 + .00012	.050	4
4	7452464		2.147	.004	2.14720 + .00016	.050	8
4	7452468		2.147	.008 AND UP	2.14740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Certification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7452472	7452475	2.148	MASTER	2.14800 + .00004	.050	2	
4	7452474		2.148	.001	2.14800 + .00008	.050	4	
4	7452476		2.148	.002	2.14808 + .00012	.050	4	
4	7452478		2.148	.004	2.14820 + .00016	.050	8	
4	7452482		2.148	.008 AND UP	2.14840 + .00040	.050	8	
4	7452486	7452489	2.149	MASTER	2.14900 + .00004	.050	2	
4	7452488		2.149	.001	2.14900 + .00008	.050	4	
4	7452490		2.149	.002	2.14908 + .00012	.050	4	
4	7452492		2.149	.004	2.14920 + .00016	.050	8	
4	7452496		2.149	.008 AND UP	2.14940 + .00040	.050	8	
4	7452500	7452503	2.150	MASTER	2.15000 + .00004	.050	2	
4	7452502		2.150	.001	2.15000 + .00008	.050	4	
4	7452504		2.150	.002	2.15008 + .00012	.050	4	
4	7452506		2.150	.004	2.15020 + .00016	.050	8	
4	7452510		2.150	.008 AND UP	2.15040 + .00040	.050	8	
4	7452514	7452517	2.151	MASTER	2.15100 + .00004	.050	2	
4	7452516		2.151	.001	2.15100 + .00008	.050	4	
4	7452518		2.151	.002	2.15108 + .00012	.050	4	
4	7452520		2.151	.004	2.15120 + .00016	.050	8	
4	7452524		2.151	.008 AND UP	2.15140 + .00040	.050	8	
4	7452528	7452531	2.152	MASTER	2.15200 + .00004	.050	2	
4	7452530		2.152	.001	2.15200 + .00008	.050	4	
4	7452532		2.152	.002	2.15208 + .00012	.050	4	
4	7452534		2.152	.004	2.15220 + .00016	.050	8	
4	7452538		2.152	.008 AND UP	2.15240 + .00040	.050	8	
4	7452542	7452545	2.153	MASTER	2.15300 + .00004	.050	2	
4	7452544		2.153	.001	2.15300 + .00008	.050	4	
4	7452546		2.153	.002	2.15308 + .00012	.050	4	
4	7452548		2.153	.004	2.15320 + .00016	.050	8	
4	7452552		2.153	.008 AND UP	2.15340 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
1	7452556	7452559	2.154	MASTER	2.15400 + .00004	.050	2
4	7452558		2.154	.001	2.15400 + .00008	.050	4
4	7452560		2.154	.002	2.15408 + .00012	.050	4
4	7452562		2.154	.004	2.15420 + .00016	.050	8
4	7452566		2.154	.005 AND UP	2.15440 + .00040	.050	8
1	7452570	7452573	2.155	MASTER	2.15500 + .00004	.050	2
4	7452572		2.155	.001	2.15500 + .00008	.050	4
4	7452574		2.155	.002	2.15508 + .00012	.050	4
4	7452576		2.155	.004	2.15520 + .00016	.050	8
4	7452580		2.155	.008 AND UP	2.15540 + .00040	.050	8
4	7452584	7452587	2.156	MASTER	2.15600 + .00004	.050	2
4	7452586		2.156	.001	2.15600 + .00008	.050	4
4	7452588		2.156	.002	2.15608 + .00012	.050	4
4	7452590		2.156	.004	2.15620 + .00016	.050	8
4	7452594		2.156	.008 AND UP	2.15640 + .00040	.050	8
1	7452598	7497873	2.15625	MASTER	2.15625 + .00004	.050	2
4	7497872		2.15625	.001	2.15625 + .00008	.050	4
4	7497874		2.15625	.002	2.15633 + .00012	.050	4
4	7497876		2.15625	.004	2.15645 + .00016	.050	8
4	7497880		2.15625	.008 AND UP	2.15665 + .00040	.050	8
1	7452600	7452603	2.157	MASTER	2.15700 + .00004	.050	2
4	7452602		2.157	.001	2.15700 + .00008	.050	4
4	7452604		2.157	.002	2.15708 + .00012	.050	4
4	7452606		2.157	.004	2.15720 + .00016	.050	8
4	7452610		2.157	.008 AND UP	2.15740 + .00040	.050	8
1	7452614	7452617	2.158	MASTER	2.15800 + .00004	.050	2
4	7452616		2.158	.001	2.15800 + .00008	.050	4
4	7452618		2.158	.002	2.15808 + .00012	.050	4
4	7452620		2.158	.004	2.15820 + .00016	.050	8
4	7452624		2.158	.008 AND UP	2.15840 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7452628	7452631	2.159	MASTER	2.15900 + .00004	.050	2
11	7452630		2.159	.001	2.15900 + .00008	.050	4
11	7452632		2.159	.002	2.15908 + .00012	.050	4
11	7452634		2.159	.004	2.15920 + .00016	.050	8
11	7452638		2.159	.008 AND UP	2.15940 + .00040	.050	8
11	7452642	7452645	2.160	MASTER	2.16000 + .00004	.050	2
11	7452644		2.160	.001	2.16000 + .00008	.050	4
11	7452646		2.160	.002	2.16008 + .00012	.050	4
11	7452648		2.160	.004	2.16020 + .00016	.050	8
11	7452652		2.160	.008 AND UP	2.16040 + .00040	.050	8
11	7452656	7452659	2.161	MASTER	2.16100 + .00004	.050	2
11	7452658		2.161	.001	2.16100 + .00008	.050	4
11	7452660		2.161	.002	2.16108 + .00012	.050	4
11	7452662		2.161	.004	2.16120 + .00016	.050	8
11	7452666		2.161	.008 AND UP	2.16140 + .00040	.050	8
11	7452670	7452673	2.162	MASTER	2.16200 + .00004	.050	2
11	7452672		2.162	.001	2.16200 + .00008	.050	4
11	7452674		2.162	.002	2.16208 + .00012	.050	4
11	7452676		2.162	.004	2.16220 + .00016	.050	8
11	7452680		2.162	.008 AND UP	2.16240 + .00040	.050	8
11	7452684	7452687	2.163	MASTER	2.16300 + .00004	.050	2
11	7452686		2.163	.001	2.16300 + .00008	.050	4
11	7452688		2.163	.002	2.16308 + .00012	.050	4
11	7452690		2.163	.004	2.16320 + .00016	.050	8
11	7452694		2.163	.008 AND UP	2.16340 + .00040	.050	8
11	7452698	7452701	2.164	MASTER	2.16400 + .00004	.050	2
11	7452700		2.164	.001	2.16400 + .00008	.050	4
11	7452702		2.164	.002	2.16408 + .00012	.050	4
11	7452704		2.164	.004	2.16420 + .00016	.050	8
11	7452708		2.164	.008 AND UP	2.16440 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452712	7452715	2.165	MASTER	2.16500 + .00004	.050	2
4	7452714		2.165	.001	2.16500 + .00008	.050	4
4	7452716		2.165	.002	2.16508 + .00012	.050	4
4	7452718		2.165	.004	2.16520 + .00016	.050	8
4	7452722		2.165	.008 AND UP	2.16540 + .00040	.050	8
4	7452726	7452729	2.166	MASTER	2.16600 + .00004	.050	2
4	7452728		2.166	.001	2.16600 + .00008	.050	4
4	7452730		2.166	.002	2.16608 + .00012	.050	4
4	7452732		2.166	.004	2.16620 + .00016	.050	8
4	7452736		2.166	.008 AND UP	2.16640 + .00040	.050	8
4	7452740	7452743	2.167	MASTER	2.16700 + .00004	.050	2
4	7452742		2.167	.001	2.16700 + .00008	.050	4
4	7452744		2.167	.002	2.16708 + .00012	.050	4
4	7452746		2.167	.004	2.16720 + .00016	.050	8
4	7452750		2.167	.008 AND UP	2.16740 + .00040	.050	8
4	7452754	7452757	2.168	MASTER	2.16800 + .00004	.050	2
4	7452756		2.168	.001	2.16800 + .00008	.050	4
4	7452758		2.168	.002	2.16808 + .00012	.050	4
4	7452760		2.168	.004	2.16820 + .00016	.050	8
4	7452764		2.168	.008 AND UP	2.16840 + .00040	.050	8
4	7452768	7452771	2.169	MASTER	2.16900 + .00004	.050	2
4	7452770		2.169	.001	2.16900 + .00008	.050	4
4	7452772		2.169	.002	2.16908 + .00012	.050	4
4	7452774		2.169	.004	2.16920 + .00016	.050	8
4	7452778		2.169	.008 AND UP	2.16940 + .00040	.050	8
4	7452782	7452785	2.170	MASTER	2.17000 + .00004	.050	2
4	7452784		2.170	.001	2.17000 + .00008	.050	4
4	7452786		2.170	.002	2.17008 + .00012	.050	4
4	7452788		2.170	.004	2.17020 + .00016	.050	8
4	7452792		2.170	.008 AND UP	2.17040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7452796	7452799	2.171	MASTER	2.17100 + .00004	.050	2
4	7452798		2.171	.001	2.17100 + .00008	.050	4
4	7452800		2.171	.002	2.17108 + .00012	.050	4
4	7452802		2.171	.004	2.17120 + .00016	.050	8
4	7452806		2.171	.008 AND UP	2.17140 + .00040	.050	8
4	7452810	7452813	2.172	MASTER	2.17200 + .00004	.050	2
4	7452812		2.172	.001	2.17200 + .00008	.050	4
4	7452814		2.172	.002	2.17208 + .00012	.050	4
4	7452816		2.172	.004	2.17220 + .00016	.050	8
4	7452820		2.172	.008 AND UP	2.17240 + .00040	.050	8
4	7452824	7452827	2.173	MASTER	2.17300 + .00004	.050	2
4	7452826		2.173	.001	2.17300 + .00008	.050	4
4	7452828		2.173	.002	2.17308 + .00012	.050	4
4	7452830		2.173	.004	2.17320 + .00016	.050	8
4	7452834		2.173	.008 AND UP	2.17340 + .00040	.050	8
4	7452838	7452841	2.174	MASTER	2.17400 + .00004	.050	2
4	7452840		2.174	.001	2.17400 + .00008	.050	4
4	7452842		2.174	.002	2.17408 + .00012	.050	4
4	7452844		2.174	.004	2.17420 + .00016	.050	8
4	7452848		2.174	.008 AND UP	2.17440 + .00040	.050	8
4	7452852	7452855	2.175	MASTER	2.17500 + .00004	.050	2
4	7452854		2.175	.001	2.17500 + .00008	.050	4
4	7452856		2.175	.002	2.17508 + .00012	.050	4
4	7452858		2.175	.004	2.17520 + .00016	.050	8
4	7452862		2.175	.008 AND UP	2.17540 + .00040	.050	8
4	7452866	7452869	2.176	MASTER	2.17600 + .00004	.050	2
4	7452868		2.176	.001	2.17600 + .00008	.050	4
4	7452870		2.176	.002	2.17608 + .00012	.050	4
4	7452872		2.176	.004	2.17620 + .00016	.050	8
4	7452876		2.176	.008 AND UP	2.17640 + .00040	.050	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7452880	7452883	2.177	MASTER	2.17700 + .00004	.050	2
4	7452882		2.177	.001	2.17700 + .00008	.050	4
4	7452884		2.177	.002	2.17708 + .00012	.050	4
4	7452886		2.177	.004	2.17720 + .00016	.050	8
4	7452890		2.177	.008 AND UP	2.17740 + .00040	.050	8
4	7452894	7452897	2.178	MASTER	2.17800 + .00004	.050	2
4	7452896		2.178	.001	2.17800 + .00008	.050	4
4	7452898		2.178	.002	2.17808 + .00012	.050	4
4	7452900		2.178	.004	2.17820 + .00016	.050	8
4	7452904		2.178	.008 AND UP	2.17840 + .00040	.050	8
4	7452908	7452911	2.179	MASTER	2.17900 + .00004	.050	2
4	7452910		2.179	.001	2.17900 + .00008	.050	4
4	7452912		2.179	.002	2.17908 + .00012	.050	4
4	7452914		2.179	.004	2.17920 + .00016	.050	8
4	7452918		2.179	.008 AND UP	2.17940 + .00040	.050	8
4	7452922	7452925	2.180	MASTER	2.18000 + .00004	.050	2
4	7452924		2.180	.001	2.18000 + .00008	.050	4
4	7452926		2.180	.002	2.18008 + .00012	.050	4
4	7452928		2.180	.004	2.18020 + .00016	.050	8
4	7452932		2.180	.008 AND UP	2.18040 + .00040	.050	8
4	7452936	7452939	2.181	MASTER	2.18100 + .00004	.050	2
4	7452938		2.181	.001	2.18100 + .00008	.050	4
4	7452940		2.181	.002	2.18108 + .00012	.050	4
4	7452942		2.181	.004	2.18120 + .00016	.050	8
4	7452946		2.181	.008 AND UP	2.18140 + .00040	.050	8
4	7452950	7452953	2.182	MASTER	2.18200 + .00004	.050	2
4	7452952		2.182	.001	2.18200 + .00008	.050	4
4	7452954		2.182	.002	2.18208 + .00012	.050	4
4	7452956		2.182	.004	2.18220 + .00016	.050	8
4	7452960		2.182	.008 AND UP	2.18240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

ML-57D-110A
8 December 1955

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
1144444	7452964	7452967	2.183	MASTER	2.18300 + .00004	.050	24488
	7452966		2.183	.001	2.18300 + .00008	.050	
	7452968		2.183	.002	2.18308 + .00012	.050	
	7452970		2.183	.004	2.18320 + .00016	.050	
	7452974		2.183	.008 AND UP	2.18340 + .00040	.050	
1144444	7452978	7452981	2.184	MASTER	2.18400 + .00004	.050	24488
	7452980		2.184	.001	2.18400 + .00008	.050	
	7452982		2.184	.002	2.18408 + .00012	.050	
	7452984		2.184	.004	2.18420 + .00016	.050	
	7452988		2.184	.008 AND UP	2.18440 + .00040	.050	
1144444	7452992	7452995	2.185	MASTER	2.18500 + .00004	.050	24488
	7452994		2.185	.001	2.18500 + .00008	.050	
	7452996		2.185	.002	2.18508 + .00012	.050	
	7452998		2.185	.004	2.18520 + .00016	.050	
	7453002		2.185	.008 AND UP	2.18540 + .00040	.050	
1144444	7453006	7453009	2.186	MASTER	2.18600 + .00004	.050	24488
	7453008		2.186	.001	2.18600 + .00008	.050	
	7453010		2.186	.002	2.18608 + .00012	.050	
	7453012		2.186	.004	2.18620 + .00016	.050	
	7453016		2.186	.008 AND UP	2.18640 + .00040	.050	
1144444	7453020	7453023	2.187	MASTER	2.18700 + .00004	.050	24488
	7453022		2.187	.001	2.18700 + .00008	.050	
	7453024		2.187	.002	2.18708 + .00012	.050	
	7453026		2.187	.004	2.18720 + .00016	.050	
	7453030		2.187	.008 AND UP	2.18740 + .00040	.050	
1144444	7453034	7497885	2.1875	MASTER	2.18750 + .00004	.050	24488
	7497884		2.1875	.001	2.18750 + .00008	.050	
	7497886		2.1875	.002	2.18758 + .00012	.050	
	7497888		2.1875	.004	2.18770 + .00016	.050	
	7497892		2.1875	.008 AND UP	2.18790 + .00040	.050	

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453036	7453039	2.188	MASTER	2.18800 + .00004	.050	2
4	7453038		2.188	.001	2.18800 + .00008	.050	4
4	7453040		2.188	.002	2.18808 + .00012	.050	4
4	7453042		2.188	.004	2.18820 + .00016	.050	8
4	7453046		2.188	.008 AND UP	2.18840 + .00040	.050	8
4	7453050	7453053	2.189	MASTER	2.18900 + .00004	.050	2
4	7453052		2.189	.001	2.18900 + .00008	.050	4
4	7453054		2.189	.002	2.18908 + .00012	.050	4
4	7453056		2.189	.004	2.18920 + .00016	.050	8
4	7453060		2.189	.008 AND UP	2.18940 + .00040	.050	8
4	7453064	7453067	2.190	MASTER	2.19000 + .00004	.050	2
4	7453066		2.190	.001	2.19000 + .00008	.050	4
4	7453068		2.190	.002	2.19008 + .00012	.050	4
4	7453070		2.190	.004	2.19020 + .00016	.050	8
4	7453074		2.190	.008 AND UP	2.19040 + .00040	.050	8
4	7453078	7453081	2.191	MASTER	2.19100 + .00004	.050	2
4	7453080		2.191	.001	2.19100 + .00008	.050	4
4	7453082		2.191	.002	2.19108 + .00012	.050	4
4	7453084		2.191	.004	2.19120 + .00016	.050	8
4	7453086		2.191	.008 AND UP	2.19140 + .00040	.050	8
4	7453092	7453095	2.192	MASTER	2.19200 + .00004	.050	2
4	7453094		2.192	.001	2.19200 + .00008	.050	4
4	7453096		2.192	.002	2.19208 + .00012	.050	4
4	7453098		2.192	.004	2.19220 + .00016	.050	8
4	7453102		2.192	.008 AND UP	2.19240 + .00040	.050	8
4	7453106	7453109	2.193	MASTER	2.19300 + .00004	.050	2
4	7453108		2.193	.001	2.19300 + .00008	.050	4
4	7453110		2.193	.002	2.19308 + .00012	.050	4
4	7453112		2.193	.004	2.19320 + .00016	.050	8
4	7453116		2.193	.008 AND UP	2.19340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7453120	7453123	2.194	MASTER	2.19400 + .00004	.050	2
h	7453122		2.194	.001	2.19400 + .00008	.050	4
h	7453124		2.194	.002	2.19408 + .00012	.050	4
h	7453126		2.194	.004	2.19420 + .00016	.050	8
h	7453130		2.194	.008 AND UP	2.19440 + .00040	.050	8
h	7453134	7453137	2.195	MASTER	2.19500 + .00004	.050	2
h	7453136		2.195	.001	2.19500 + .00008	.050	4
h	7453138		2.195	.002	2.19508 + .00012	.050	4
h	7453140		2.195	.004	2.19520 + .00016	.050	8
h	7453144		2.195	.008 AND UP	2.19540 + .00040	.050	8
h	7453148	7453151	2.196	MASTER	2.19600 + .00004	.050	2
h	7453150		2.196	.001	2.19600 + .00008	.050	4
h	7453152		2.196	.002	2.19608 + .00012	.050	4
h	7453154		2.196	.004	2.19620 + .00016	.050	8
h	7453158		2.196	.008 AND UP	2.19640 + .00040	.050	8
h	7453162	7453165	2.197	MASTER	2.19700 + .00004	.050	2
h	7453164		2.197	.001	2.19700 + .00008	.050	4
h	7453166		2.197	.002	2.19708 + .00012	.050	4
h	7453168		2.197	.004	2.19720 + .00016	.050	8
h	7453172		2.197	.008 AND UP	2.19740 + .00040	.050	8
h	7453176	7453179	2.198	MASTER	2.19800 + .00004	.050	2
h	7453178		2.198	.001	2.19800 + .00008	.050	4
h	7453180		2.198	.002	2.19808 + .00012	.050	4
h	7453182		2.198	.004	2.19820 + .00016	.050	8
h	7453186		2.198	.008 AND UP	2.19840 + .00040	.050	8
h	7453190	7453193	2.199	MASTER	2.19900 + .00004	.050	2
h	7453192		2.199	.001	2.19900 + .00008	.050	4
h	7453194		2.199	.002	2.19908 + .00012	.050	4
h	7453196		2.199	.004	2.19920 + .00016	.050	8
h	7453200		2.199	.008 AND UP	2.19940 + .00040	.050	8

375

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7453204	7453207	2.200	MASTER	2.20000 + .00004	.050	2
h	7453206		2.200	.001	2.20000 + .00008	.050	4
h	7453208		2.200	.002	2.20008 + .00012	.050	4
h	7453210		2.200	.004	2.20020 + .00016	.050	8
h	7453214		2.200	.008 AND UP	2.20040 + .00040	.050	8
h	7453218	7453221	2.201	MASTER	2.20100 + .00004	.050	2
h	7453220		2.201	.001	2.20100 + .00008	.050	4
h	7453222		2.201	.002	2.20108 + .00012	.050	4
h	7453224		2.201	.004	2.20120 + .00016	.050	8
h	7453228		2.201	.008 AND UP	2.20140 + .00040	.050	8
h	7453232	7453235	2.202	MASTER	2.20200 + .00004	.050	2
h	7453234		2.202	.001	2.20200 + .00008	.050	4
h	7453236		2.202	.002	2.20208 + .00012	.050	4
h	7453238		2.202	.004	2.20220 + .00016	.050	8
h	7453242		2.202	.008 AND UP	2.20240 + .00040	.050	8
h	7453246	7453249	2.203	MASTER	2.20300 + .00004	.050	2
h	7453248		2.203	.001	2.20300 + .00008	.050	4
h	7453250		2.203	.002	2.20308 + .00012	.050	4
h	7453254		2.203	.004	2.20320 + .00016	.050	8
h	7453256		2.203	.008 AND UP	2.20340 + .00040	.050	8
h	7453260	7453263	2.204	MASTER	2.20400 + .00004	.050	2
h	7453262		2.204	.001	2.20400 + .00008	.050	4
h	7453264		2.204	.002	2.20408 + .00012	.050	4
h	7453266		2.204	.004	2.20420 + .00016	.050	8
h	7453270		2.204	.008 AND UP	2.20440 + .00040	.050	8
h	7453274	7453277	2.205	MASTER	2.20500 + .00004	.050	2
h	7453276		2.205	.001	2.20500 + .00008	.050	4
h	7453278		2.205	.002	2.20508 + .00012	.050	4
h	7453280		2.205	.004	2.20520 + .00016	.050	8
h	7453284		2.205	.008 AND UP	2.20540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN--GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7453288	7453291	2.206	MASTER	2.20600 + .00004	.050	2
4	7453290		2.206	.001	2.20600 + .00008	.050	4
4	7453292		2.206	.002	2.20608 + .00012	.050	4
4	7453294		2.206	.004	2.20620 + .00016	.050	8
4	7453298		2.206	.008 AND UP	2.20640 + .00040	.050	8
4	7453302	7453305	2.207	MASTER	2.20700 + .00004	.050	2
4	7453304		2.207	.001	2.20700 + .00008	.050	4
4	7453306		2.207	.002	2.20708 + .00012	.050	4
4	7453308		2.207	.004	2.20720 + .00016	.050	8
4	7453312		2.207	.008 AND UP	2.20740 + .00040	.050	8
4	7453316	7453319	2.208	MASTER	2.20800 + .00004	.050	2
4	7453318		2.208	.001	2.20800 + .00008	.050	4
4	7453320		2.208	.002	2.20808 + .00012	.050	4
4	7453322		2.208	.004	2.20820 + .00016	.050	8
4	7453326		2.208	.008 AND UP	2.20840 + .00040	.050	8
4	7453330	7453333	2.209	MASTER	2.20900 + .00004	.050	2
4	7453332		2.209	.001	2.20900 + .00008	.050	4
4	7453334		2.209	.002	2.20908 + .00012	.050	4
4	7453336		2.209	.004	2.20920 + .00016	.050	8
4	7453340		2.209	.008 AND UP	2.20940 + .00040	.050	8
4	7453344	7453347	2.210	MASTER	2.21000 + .00004	.050	2
4	7453346		2.210	.001	2.21000 + .00008	.050	4
4	7453348		2.210	.002	2.21008 + .00012	.050	4
4	7453350		2.210	.004	2.21020 + .00016	.050	8
4	7453354		2.210	.008 AND UP	2.21040 + .00040	.050	8
4	7453358	7453361	2.211	MASTER	2.21100 + .00004	.050	2
4	7453360		2.211	.001	2.21100 + .00008	.050	4
4	7453362		2.211	.002	2.21108 + .00012	.050	4
4	7453364		2.211	.004	2.21120 + .00016	.050	8
4	7453368		2.211	.008 AND UP	2.21140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7453372	7453375	2.212	MASTER	2.21200 + .00004	.050	2
11	7453374		2.212	.001	2.21200 + .00008	.050	4
11	7453376		2.212	.002	2.21208 + .00012	.050	4
11	7453378		2.212	.004	2.21220 + .00016	.050	8
11	7453382		2.212	.008 AND UP	2.21240 + .00040	.050	8
11	7453386	7453389	2.213	MASTER	2.21300 + .00004	.050	2
11	7453388		2.213	.001	2.21300 + .00008	.050	4
11	7453390		2.213	.002	2.21308 + .00012	.050	4
11	7453392		2.213	.004	2.21320 + .00016	.050	8
11	7453396		2.213	.008 AND UP	2.21340 + .00040	.050	8
11	7453400	7453403	2.214	MASTER	2.21400 + .00004	.050	2
11	7453402		2.214	.001	2.21400 + .00008	.050	4
11	7453404		2.214	.002	2.21408 + .00012	.050	4
11	7453406		2.214	.004	2.21420 + .00016	.050	8
11	7453410		2.214	.008 AND UP	2.21440 + .00040	.050	8
11	7453414	7453417	2.215	MASTER	2.21500 + .00004	.050	2
11	7453416		2.215	.001	2.21500 + .00008	.050	4
11	7453418		2.215	.002	2.21508 + .00012	.050	4
11	7453420		2.215	.004	2.21520 + .00016	.050	8
11	7453424		2.215	.008 AND UP	2.21540 + .00040	.050	8
11	7453428	7453431	2.216	MASTER	2.21600 + .00004	.050	2
11	7453430		2.216	.001	2.21600 + .00008	.050	4
11	7453432		2.216	.002	2.21608 + .00012	.050	4
11	7453434		2.216	.004	2.21620 + .00016	.050	8
11	7453438		2.216	.008 AND UP	2.21640 + .00040	.050	8
11	7453442	7453445	2.217	MASTER	2.21700 + .00004	.050	2
11	7453444		2.217	.001	2.21700 + .00008	.050	4
11	7453446		2.217	.002	2.21708 + .00012	.050	4
11	7453448		2.217	.004	2.21720 + .00016	.050	8
11	7453452		2.217	.008 AND UP	2.21740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7453456	7453459	2.218	MASTER	2.21800 + .00004	.050	2
11	7453458		2.218	.001	2.21800 + .00008	.050	4
11	7453460		2.218	.002	2.21808 + .00012	.050	4
11	7453462		2.218	.004	2.21820 + .00016	.050	8
11	7453466		2.218	.008 AND UP	2.21840 + .00040	.050	8
11	7453470	7457897	2.21875	MASTER	2.21875 + .00004	.050	2
11	7497896		2.21875	.001	2.21875 + .00008	.050	4
11	7497898		2.21875	.002	2.21883 + .00012	.050	4
11	7497900		2.21875	.004	2.21895 + .00016	.050	8
11	7497904		2.21875	.008 AND UP	2.21915 + .00040	.050	8
11	7453472	7453475	2.219	MASTER	2.21900 + .00004	.050	2
11	7453474		2.219	.001	2.21900 + .00008	.050	4
11	7453476		2.219	.002	2.21908 + .00012	.050	4
11	7453478		2.219	.004	2.21920 + .00016	.050	8
11	7453482		2.219	.008 AND UP	2.21940 + .00040	.050	8
11	7453486	7453489	2.220	MASTER	2.22000 + .00004	.050	2
11	7453488		2.220	.001	2.22000 + .00008	.050	4
11	7453490		2.220	.002	2.22008 + .00012	.050	4
11	7453492		2.220	.004	2.22020 + .00016	.050	8
11	7453496		2.220	.008 AND UP	2.22040 + .00040	.050	8
11	7453500	7453503	2.221	MASTER	2.22100 + .00004	.050	2
11	7453502		2.221	.001	2.22100 + .00008	.050	4
11	7453504		2.221	.002	2.22108 + .00012	.050	4
11	7453506		2.221	.004	2.22120 + .00016	.050	8
11	7453510		2.221	.008 AND UP	2.22140 + .00040	.050	8
11	7453514	7453517	2.222	MASTER	2.22200 + .00004	.050	2
11	7453516		2.222	.001	2.22200 + .00008	.050	4
11	7453518		2.222	.002	2.22208 + .00012	.050	4
11	7453520		2.222	.004	2.22220 + .00016	.050	8
11	7453524		2.222	.008 AND UP	2.22240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINI—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7453528	7453531	2.223	MASTER	2.22300 + .00004	.050	2
11	7453530		2.223	.001	2.22300 + .00008	.050	4
11	7453532		2.223	.002	2.22308 + .00012	.050	4
11	7453534		2.223	.004	2.22320 + .00016	.050	8
11	7453538		2.223	.008 AND UP	2.22340 + .00040	.050	8
11	7453542	7453545	2.224	MASTER	2.22400 + .00004	.050	2
11	7453544		2.224	.001	2.22400 + .00008	.050	4
11	7453546		2.224	.002	2.22408 + .00012	.050	4
11	7453548		2.224	.004	2.22420 + .00016	.050	8
11	7453552		2.224	.008 AND UP	2.22440 + .00040	.050	8
11	7453556	7453559	2.225	MASTER	2.22500 + .00004	.050	2
11	7453558		2.225	.001	2.22500 + .00008	.050	4
11	7453560		2.225	.002	2.22500 + .00012	.050	4
11	7453562		2.225	.004	2.22520 + .00016	.050	8
11	7453566		2.225	.008 AND UP	2.22540 + .00040	.050	8
11	7453570	7453573	2.226	MASTER	2.22600 + .00004	.050	2
11	7453572		2.226	.001	2.22600 + .00008	.050	4
11	7453574		2.226	.002	2.22608 + .00012	.050	4
11	7453576		2.226	.004	2.22620 + .00016	.050	8
11	7453580		2.226	.008 AND UP	2.22640 + .00040	.050	8
11	7453584	7453587	2.227	MASTER	2.22700 + .00004	.050	2
11	7453586		2.227	.001	2.22700 + .00008	.050	4
11	7453588		2.227	.002	2.22708 + .00012	.050	4
11	7453590		2.227	.004	2.22720 + .00016	.050	8
11	7453594		2.227	.008 AND UP	2.22740 + .00040	.050	8
11	7453598	7453601	2.228	MASTER	2.22800 + .00004	.050	2
11	7453600		2.228	.001	2.22800 + .00008	.050	4
11	7453602		2.228	.002	2.22808 + .00012	.050	4
11	7453604		2.228	.004	2.22820 + .00016	.050	8
11	7453608		2.228	.008 AND UP	2.22840 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7453612	7453615	2.229	MASTER	2.22900 + .00004	.050	2
h	7453614		2.229	.001	2.22900 + .00008	.050	4
h	7453616		2.229	.002	2.22908 + .00012	.050	4
h	7453618		2.229	.004	2.22920 + .00016	.050	8
h	7453622		2.229	.008 AND UP	2.22940 + .00040	.050	8
h	7453626	7453629	2.230	MASTER	2.23000 + .00004	.050	2
h	7453628		2.230	.001	2.23000 + .00008	.050	4
h	7453630		2.230	.002	2.23008 + .00012	.050	4
h	7453632		2.230	.004	2.23020 + .00016	.050	8
h	7453636		2.230	.008 AND UP	2.23040 + .00040	.050	8
h	7453640	7453643	2.231	MASTER	2.23100 + .00004	.050	2
h	7453642		2.231	.001	2.23100 + .00008	.050	4
h	7453644		2.231	.002	2.23108 + .00012	.050	4
h	7453646		2.231	.004	2.23120 + .00016	.050	8
h	7453650		2.231	.008 AND UP	2.23140 + .00040	.050	8
h	7453654	7453657	2.232	MASTER	2.23200 + .00004	.050	2
h	7453656		2.232	.001	2.23200 + .00008	.050	4
h	7453658		2.232	.002	2.23208 + .00012	.050	4
h	7453660		2.232	.004	2.23220 + .00016	.050	8
h	7453664		2.232	.008 AND UP	2.23240 + .00040	.050	8
h	7453668	7453671	2.233	MASTER	2.23300 + .00004	.050	2
h	7453670		2.233	.001	2.23300 + .00008	.050	4
h	7453672		2.233	.002	2.23308 + .00012	.050	4
h	7453674		2.233	.004	2.23320 + .00016	.050	8
h	7453678		2.233	.008 AND UP	2.23340 + .00040	.050	8
h	7453682	7453685	2.234	MASTER	2.23400 + .00004	.050	2
h	7453684		2.234	.001	2.23400 + .00008	.050	4
h	7453686		2.234	.002	2.23408 + .00012	.050	4
h	7453688		2.234	.004	2.23420 + .00016	.050	8
h	7453692		2.234	.008 AND UP	2.23440 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7453696	7453699	2.235	MASTER	2.23500 + .00004	.050	2
11	7453698		2.235	.001	2.23500 + .00008	.050	4
11	7453700		2.235	.002	2.23508 + .00012	.050	4
11	7453702		2.235	.004	2.23520 + .00016	.050	8
11	7453706		2.235	.008 AND UP	2.23540 + .00040	.050	8
11	7453710	7453713	2.236	MASTER	2.23600 + .00004	.050	2
11	7453712		2.236	.001	2.23600 + .00008	.050	4
11	7453714		2.236	.002	2.23608 + .00012	.050	4
11	7453716		2.236	.004	2.23620 + .00016	.050	8
11	7453720		2.236	.008 AND UP	2.23640 + .00040	.050	8
11	7453724	7453727	2.237	MASTER	2.23700 + .00004	.050	2
11	7453726		2.237	.001	2.23700 + .00008	.050	4
11	7453728		2.237	.002	2.23708 + .00012	.050	4
11	7453730		2.237	.004	2.23720 + .00016	.050	8
11	7453734		2.237	.008 AND UP	2.23740 + .00040	.050	8
11	7453738	7453741	2.238	MASTER	2.23800 + .00004	.050	2
11	7453740		2.238	.001	2.23800 + .00008	.050	4
11	7453742		2.238	.002	2.23808 + .00012	.050	4
11	7453744		2.238	.004	2.23820 + .00016	.050	8
11	7453746		2.238	.008 AND UP	2.23840 + .00040	.050	8
11	7453752	7453755	2.239	MASTER	2.23900 + .00004	.050	2
11	7453754		2.239	.001	2.23900 + .00008	.050	4
11	7453756		2.239	.002	2.23908 + .00012	.050	4
11	7453758		2.239	.004	2.23920 + .00016	.050	8
11	7453762		2.239	.008 AND UP	2.23940 + .00040	.050	8
11	7453766	7453769	2.240	MASTER	2.24000 + .00004	.050	2
11	7453768		2.240	.001	2.24000 + .00008	.050	4
11	7453770		2.240	.002	2.24008 + .00012	.050	4
11	7453772		2.240	.004	2.24020 + .00016	.050	8
11	7453776		2.240	.008 AND UP	2.24040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7153780	7153783	2.241	MASTER	2.24100 + .00004	.050	2
11	7153782		2.241	.001	2.24100 + .00008	.050	4
11	7153784		2.241	.002	2.24108 + .00012	.050	4
11	7153786		2.241	.004	2.24120 + .00016	.050	8
11	7153790		2.241	.008 AND UP	2.24140 + .00040	.050	8
11	7153794	7153797	2.242	MASTER	2.24200 + .00004	.050	2
11	7153796		2.242	.001	2.24200 + .00008	.050	4
11	7153798		2.242	.002	2.24208 + .00012	.050	4
11	7153800		2.242	.004	2.24220 + .00016	.050	8
11	7153804		2.242	.008 AND UP	2.24240 + .00040	.050	8
11	7153808	7153811	2.243	MASTER	2.24300 + .00004	.050	2
11	7153810		2.243	.001	2.24300 + .00008	.050	4
11	7153812		2.243	.002	2.24308 + .00012	.050	4
11	7153814		2.243	.004	2.24320 + .00016	.050	8
11	7153818		2.243	.008 AND UP	2.24340 + .00040	.050	8
11	7153822	7153825	2.244	MASTER	2.24400 + .00004	.050	2
11	7153824		2.244	.001	2.24400 + .00008	.050	4
11	7153826		2.244	.002	2.24408 + .00012	.050	4
11	7153828		2.244	.004	2.24420 + .00016	.050	8
11	7153832		2.244	.008 AND UP	2.24440 + .00040	.050	8
11	7153836	7153839	2.245	MASTER	2.24500 + .00004	.050	2
11	7153838		2.245	.001	2.24500 + .00008	.050	4
11	7153840		2.245	.002	2.24508 + .00012	.050	4
11	7153842		2.245	.004	2.24520 + .00016	.050	8
11	7153846		2.245	.008 AND UP	2.24540 + .00040	.050	8
11	7153850	7153853	2.246	MASTER	2.24600 + .00004	.050	2
11	7153852		2.246	.001	2.24600 + .00008	.050	4
11	7153854		2.246	.002	2.24608 + .00012	.050	4
11	7153856		2.246	.004	2.24620 + .00016	.050	8
11	7153860		2.246	.008 AND UP	2.24640 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7453864	7453867	2.247	MASTER	2.24700 + .00004	.050	2
h	7453866		2.247	.001	2.24700 + .00008	.050	4
h	7453868		2.247	.002	2.24708 + .00012	.050	4
h	7453870		2.247	.004	2.24720 + .00016	.050	8
h	7453874		2.247	.008 AND UP	2.24740 + .00040	.050	8
h	7453878	7453881	2.248	MASTER	2.24800 + .00004	.050	2
h	7453880		2.248	.001	2.24800 + .00008	.050	4
h	7453882		2.248	.002	2.24808 + .00012	.050	4
h	7453884		2.248	.004	2.24820 + .00016	.050	8
h	7453888		2.248	.008 AND UP	2.24840 + .00040	.050	8
h	7453892	7453895	2.249	MASTER	2.24900 + .00004	.050	2
h	7453894		2.249	.001	2.24900 + .00008	.050	4
h	7453896		2.249	.002	2.24908 + .00012	.050	4
h	7453898		2.249	.004	2.24920 + .00016	.050	8
h	7453902		2.249	.008 AND UP	2.24940 + .00040	.050	8
h	7453906	7453909	2.250	MASTER	2.25000 + .00004	.050	2
h	7453908		2.250	.001	2.25000 + .00008	.050	4
h	7453910		2.250	.002	2.25008 + .00012	.050	4
h	7453912		2.250	.004	2.25020 + .00016	.050	8
h	7453916		2.250	.008 AND UP	2.25040 + .00040	.050	8
h	7453920	7453923	2.251	MASTER	2.25100 + .00004	.050	2
h	7453922		2.251	.001	2.25100 + .00008	.050	4
h	7453924		2.251	.002	2.25108 + .00012	.050	4
h	7453926		2.251	.004	2.25120 + .00016	.050	8
h	7453930		2.251	.008 AND UP	2.25140 + .00040	.050	8
h	7453934	7453937	2.252	MASTER	2.25200 + .00004	.050	2
h	7453936		2.252	.001	2.25200 + .00008	.050	4
h	7453938		2.252	.002	2.25208 + .00012	.050	4
h	7453940		2.252	.004	2.25220 + .00016	.050	8
h	7453944		2.252	.008 AND UP	2.25240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

TABLE 1. REGULATION OF GAGES							
FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
44444	7453948	7453951	2.253	MASTER	2.25300 + .00004	.050	2
	7453950		2.253	.001	2.25300 + .00008	.050	4
	7453952		2.253	.002	2.25308 + .00012	.050	4
	7453954		2.253	.004	2.25320 + .00016	.050	8
	7453958		2.253	.008 AND UP	2.25340 + .00040	.050	8
44444	7453962	7453965	2.254	MASTER	2.25400 + .00004	.050	2
	7453964		2.254	.001	2.25400 + .00008	.050	4
	7453966		2.254	.002	2.25408 + .00012	.050	4
	7453968		2.254	.004	2.25420 + .00016	.050	8
	7453972		2.254	.008 AND UP	2.25440 + .00040	.050	8
44444	7453976	7453979	2.255	MASTER	2.25500 + .00004	.050	2
	7453978		2.255	.001	2.25500 + .00008	.050	4
	7453980		2.255	.002	2.25508 + .00012	.050	4
	7453982		2.255	.004	2.25520 + .00016	.050	8
	7453986		2.255	.008 AND UP	2.25540 + .00040	.050	8
44444	7453990	7453993	2.256	MASTER	2.25600 + .00004	.050	2
	7453992		2.256	.001	2.25600 + .00008	.050	4
	7453994		2.256	.002	2.25608 + .00012	.050	4
	7453996		2.256	.004	2.25620 + .00016	.050	8
	7454000		2.256	.008 AND UP	2.25640 + .00040	.050	8
44444	7454004	7454007	2.257	MASTER	2.25700 + .00004	.050	2
	7454006		2.257	.001	2.25700 + .00008	.050	4
	7454008		2.257	.002	2.25708 + .00012	.050	4
	7454010		2.257	.004	2.25720 + .00016	.050	8
	7454014		2.257	.008 AND UP	2.25740 + .00040	.050	8
44444	7454018	7454021	2.258	MASTER	2.25800 + .00004	.050	2
	7454020		2.258	.001	2.25800 + .00008	.050	4
	7454022		2.258	.002	2.25808 + .00012	.050	4
	7454024		2.258	.004	2.25820 + .00016	.050	8
	7454028		2.258	.008 AND UP	2.25840 + .00040	.050	8

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DI. METER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7454032	7454035	2.259	MASTER	2.25900 + .00004	.050	2
11	7454034		2.259	.001	2.25900 + .00008	.050	4
11	7454036		2.259	.002	2.25908 + .00012	.050	4
11	7454038		2.259	.004	2.25920 + .00016	.050	8
11	7454042		2.259	.008 AND UP	2.25940 + .00040	.050	8
11	7454046	7454049	2.260	MASTER	2.26000 + .00004	.050	2
11	7454048		2.260	.001	2.26000 + .00008	.050	4
11	7454050		2.260	.002	2.26008 + .00012	.050	4
11	7454052		2.260	.004	2.26020 + .00016	.050	8
11	7454056		2.260	.008 AND UP	2.26040 + .00040	.050	8
11	7454060	7454063	2.261	MASTER	2.26100 + .00004	.050	2
11	7454062		2.261	.001	2.26100 + .00008	.050	4
11	7454064		2.261	.002	2.26108 + .00012	.050	4
11	7454066		2.261	.004	2.26120 + .00016	.050	8
11	7454070		2.261	.008 AND UP	2.26140 + .00040	.050	8
11	7454074	7454077	2.262	MASTER	2.26200 + .00004	.050	2
11	7454076		2.262	.001	2.26200 + .00008	.050	4
11	7454078		2.262	.002	2.26208 + .00012	.050	4
11	7454080		2.262	.004	2.26220 + .00016	.050	8
11	7454084		2.262	.008 AND UP	2.26240 + .00040	.050	8
11	7454088	7454091	2.263	MASTER	2.26300 + .00004	.050	2
11	7454090		2.263	.001	2.26300 + .00008	.050	4
11	7454092		2.263	.002	2.26308 + .00012	.050	4
11	7454094		2.263	.004	2.26320 + .00016	.050	8
11	7454098		2.263	.008 AND UP	2.26340 + .00040	.050	8
11	7454102	7454105	2.264	MASTER	2.26400 + .00004	.050	2
11	7454104		2.264	.001	2.26400 + .00008	.050	4
11	7454106		2.264	.002	2.26408 + .00012	.050	4
11	7454108		2.264	.004	2.26420 + .00016	.050	8
11	7454112		2.264	.008 AND UP	2.26440 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7454116	7454119	2.265	MASTER	2.26500 + .00004	.050	2
11	7454118		2.265	.001	2.26500 + .00008	.050	4
11	7454120		2.265	.002	2.26508 + .00012	.050	4
11	7454122		2.265	.004	2.26520 + .00016	.050	8
11	7454126		2.265	.008 AND UP	2.26540 + .00040	.050	8
11	7454130	7454133	2.266	MASTER	2.26600 + .00004	.050	2
11	7454132		2.266	.001	2.26600 + .00008	.050	4
11	7454134		2.266	.002	2.26608 + .00012	.050	4
11	7454136		2.266	.004	2.26620 + .00016	.050	8
11	7454140		2.266	.008 AND UP	2.26640 + .00040	.050	8
11	7454144	7454147	2.267	MASTER	2.26700 + .00004	.050	2
11	7454146		2.267	.001	2.26700 + .00008	.050	4
11	7454148		2.267	.002	2.26708 + .00012	.050	4
11	7454150		2.267	.004	2.26720 + .00016	.050	8
11	7454154		2.267	.008 AND UP	2.26740 + .00040	.050	8
11	7454158	7454161	2.268	MASTER	2.26800 + .00004	.050	2
11	7454160		2.268	.001	2.26800 + .00008	.050	4
11	7454162		2.268	.002	2.26808 + .00012	.050	4
11	7454164		2.268	.004	2.26820 + .00016	.050	8
11	7454168		2.268	.008 AND UP	2.26840 + .00040	.050	8
11	7454172	7454175	2.269	MASTER	2.26900 + .00004	.050	2
11	7454174		2.269	.001	2.26900 + .00008	.050	4
11	7454176		2.269	.002	2.26908 + .00012	.050	4
11	7454178		2.269	.004	2.26920 + .00016	.050	8
11	7454182		2.269	.008 AND UP	2.26940 + .00040	.050	8
11	7454186	7454189	2.270	MASTER	2.27000 + .00004	.050	2
11	7454188		2.270	.001	2.27000 + .00008	.050	4
11	7454190		2.270	.002	2.27008 + .00012	.050	4
11	7454192		2.270	.004	2.27020 + .00016	.050	8
11	7454196		2.270	.008 AND UP	2.27040 + .00040	.050	8

MIL-STD-1904
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7454200	7454203	2.271	MASTER	2.27100 + .00004	.050	2	
h	7454202		2.271	.001	2.27100 + .00008	.050	4	
h	7454204		2.271	.002	2.27108 + .00012	.050	4	
h	7454206		2.271	.004	2.27120 + .00016	.050	8	
h	7454210		2.271	.008 AND UP	2.27140 + .00040	.050	8	
h	7454214	7454217	2.272	MASTER	2.27200 + .00004	.050	2	
h	7454216		2.272	.001	2.27200 + .00008	.050	4	
h	7454218		2.272	.002	2.27208 + .00012	.050	4	
h	7454220		2.272	.004	2.27220 + .00016	.050	8	
h	7454224		2.272	.008 AND UP	2.27240 + .00040	.050	8	
h	7454228	7454231	2.273	MASTER	2.27300 + .00004	.050	2	
h	7454230		2.273	.001	2.27300 + .00008	.050	4	
h	7454232		2.273	.002	2.27308 + .00012	.050	4	
h	7454234		2.273	.004	2.27320 + .00016	.050	8	
h	7454238		2.273	.008 AND UP	2.27340 + .00040	.050	8	
h	7454242	7454245	2.274	MASTER	2.27400 + .00004	.050	2	
h	7454244		2.274	.001	2.27400 + .00008	.050	4	
h	7454246		2.274	.002	2.27408 + .00012	.050	4	
h	7454248		2.274	.004	2.27420 + .00016	.050	8	
h	7454250		2.274	.008 AND UP	2.27440 + .00040	.050	8	
h	7454256	7454259	2.275	MASTER	2.27500 + .00004	.050	2	
h	7454258		2.275	.001	2.27500 + .00008	.050	4	
h	7454260		2.275	.002	2.27508 + .00012	.050	4	
h	7454262		2.275	.004	2.27520 + .00016	.050	8	
h	7454266		2.275	.008 AND UP	2.27540 + .00040	.050	8	
h	7454270	7454273	2.276	MASTER	2.27600 + .00004	.050	2	
h	7454272		2.276	.001	2.27600 + .00008	.050	4	
h	7454274		2.276	.002	2.27608 + .00012	.050	4	
h	7454276		2.276	.004	2.27620 + .00016	.050	8	
h	7454280		2.276	.008 AND UP	2.27640 + .00040	.050	8	

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7454284	7454287	2.277	MASTER	2.27700 + .00004	.050	2
11	7454286		2.277	.001	2.27700 + .00008	.050	4
11	7454288		2.277	.002	2.27708 + .00012	.050	4
11	7454290		2.277	.004	2.27720 + .00016	.050	8
11	7454294		2.277	.008 AND UP	2.27740 + .00040	.050	8
11	7454298	7454301	2.278	MASTER	2.27800 + .00004	.050	2
11	7454300		2.278	.001	2.27800 + .00008	.050	4
11	7454302		2.278	.002	2.27808 + .00012	.050	4
11	7454304		2.278	.004	2.27820 + .00016	.050	8
11	7454308		2.278	.008 AND UP	2.27840 + .00040	.050	8
11	7454312	7454315	2.279	MASTER	2.27900 + .00004	.050	2
11	7454314		2.279	.001	2.27900 + .00008	.050	4
11	7454316		2.279	.002	2.27908 + .00012	.050	4
11	7454318		2.279	.004	2.27920 + .00016	.050	8
11	7454322		2.279	.008 AND UP	2.27940 + .00040	.050	8
11	7454326	7454329	2.280	MASTER	2.28000 + .00004	.050	2
11	7454328		2.280	.001	2.28000 + .00008	.050	4
11	7454330		2.280	.002	2.28008 + .00012	.050	4
11	7454332		2.280	.004	2.28020 + .00016	.050	8
11	7454336		2.280	.008 AND UP	2.28040 + .00040	.050	8
11	7454340	7454343	2.281	MASTER	2.28100 + .00004	.050	2
11	7454342		2.281	.001	2.28100 + .00008	.050	4
11	7454344		2.281	.002	2.28108 + .00012	.050	4
11	7454346		2.281	.004	2.28120 + .00016	.050	8
11	7454350		2.281	.008 AND UP	2.28140 + .00040	.050	8
11	7454354	7497909	2.28125	MASTER	2.28125 + .00004	.050	2
11	7497908		2.28125	.001	2.28125 + .00008	.050	4
11	7497910		2.28125	.002	2.28133 + .00012	.050	4
11	7497912		2.28125	.004	2.28145 + .00016	.050	8
11	7497916		2.28125	.008 AND UP	2.28165 + .00040	.050	8

ML-STD-1104
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7454356	7454359	2.282	MASTER	2.28200 + .00004	.050	2	
4	7454358		2.282	.001	2.28200 + .00008	.050	4	
4	7454360		2.282	.002	2.28208 + .00012	.050	4	
4	7454362		2.282	.004	2.28220 + .00016	.050	8	
4	7454366		2.282	.008 AND UP	2.28240 + .00040	.050	8	
4	7454370	7454373	2.283	MASTER	2.28300 + .00004	.050	2	
4	7454372		2.283	.001	2.28300 + .00008	.050	4	
4	7454374		2.283	.002	2.28308 + .00012	.050	4	
4	7454376		2.283	.004	2.28320 + .00016	.050	8	
4	7454380		2.283	.008 AND UP	2.28340 + .00040	.050	8	
4	7454384	7454387	2.284	MASTER	2.28400 + .00004	.050	2	
4	7454386		2.284	.001	2.28400 + .00008	.050	4	
4	7454388		2.284	.002	2.28408 + .00012	.050	4	
4	7454390		2.284	.004	2.28420 + .00016	.050	8	
4	7454394		2.284	.008 AND UP	2.28440 + .00040	.050	8	
4	7454398	7454401	2.285	MASTER	2.28500 + .00004	.050	2	
4	7454400		2.285	.001	2.28500 + .00008	.050	4	
4	7454402		2.285	.002	2.28508 + .00012	.050	4	
4	7454404		2.285	.004	2.28520 + .00016	.050	8	
4	7454406		2.285	.008 AND UP	2.28540 + .00040	.050	8	
4	7454412	7454415	2.286	MASTER	2.28600 + .00004	.050	2	
4	7454414		2.286	.001	2.28600 + .00008	.050	4	
4	7454416		2.286	.002	2.28608 + .00012	.050	4	
4	7454418		2.286	.004	2.28620 + .00016	.050	8	
4	7454422		2.286	.008 AND UP	2.28640 + .00040	.050	8	
4	7454426	7454429	2.287	MASTER	2.28700 + .00004	.050	2	
4	7454428		2.287	.001	2.28700 + .00008	.050	4	
4	7454430		2.287	.002	2.28708 + .00012	.050	4	
4	7454432		2.287	.004	2.28720 + .00016	.050	8	
4	7454436		2.287	.008 AND UP	2.28740 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
44	7454440	7454443	2.288	MASTER	2.28800 + .00004	.050	2
44	7454442		2.288	.001	2.28800 + .00008	.050	4
44	7454444		2.288	.002	2.28808 + .00012	.050	4
44	7454446		2.288	.004	2.28820 + .00016	.050	8
44	7454450		2.288	.008 AND UP	2.28840 + .00040	.050	8
44	7454454	7454457	2.289	MASTER	2.28900 + .00004	.050	2
44	7454456		2.289	.001	2.28900 + .00008	.050	4
44	7454458		2.289	.002	2.28908 + .00012	.050	4
44	7454460		2.289	.004	2.28920 + .00016	.050	8
44	7454464		2.289	.008 AND UP	2.28940 + .00040	.050	8
44	7454468	7454471	2.290	MASTER	2.29000 + .00004	.050	2
44	7454470		2.290	.001	2.29000 + .00008	.050	4
44	7454472		2.290	.002	2.29008 + .00012	.050	4
44	7454474		2.290	.004	2.29020 + .00016	.050	8
44	7454478		2.290	.008 AND UP	2.29040 + .00040	.050	8
44	7454482	7454485	2.291	MASTER	2.29100 + .00004	.050	2
44	7454484		2.291	.001	2.29100 + .00008	.050	4
44	7454486		2.291	.002	2.29108 + .00012	.050	4
44	7454488		2.291	.004	2.29120 + .00016	.050	8
44	7454492		2.291	.008 AND UP	2.29140 + .00040	.050	8
44	7454496	7454499	2.292	MASTER	2.29200 + .00004	.050	2
44	7454498		2.292	.001	2.29200 + .00008	.050	4
44	7454500		2.292	.002	2.29208 + .00012	.050	4
44	7454502		2.292	.004	2.29220 + .00016	.050	8
44	7454506		2.292	.008 AND UP	2.29240 + .00040	.050	8
44	7454510	7454513	2.293	MASTER	2.29300 + .00004	.050	2
44	7454512		2.293	.001	2.29300 + .00008	.050	4
44	7454514		2.293	.002	2.29308 + .00012	.050	4
44	7454516		2.293	.004	2.29320 + .00016	.050	8
44	7454520		2.293	.008 AND UP	2.29340 + .00040	.050	8

 MI-STD-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION				
	WITHOUT AIR GROOVE	WITH AIR GROOVE			DIAMETER	CHAMFER	
A	B	C	D	E	F	G	H
11	7454524	7454527	2.294	MASTER	2.29400 + .00004	.050	2
11	7454526		2.294	.001	2.29400 + .00008	.050	4
11	7454528		2.294	.002	2.29408 + .00012	.050	4
11	7454530		2.294	.004	2.29420 + .00016	.050	8
11	7454534		2.294	.008 AND UP	2.29440 + .00040	.050	8
11	7454538	7454541	2.295	MASTER	2.29500 + .00004	.050	2
11	7454540		2.295	.001	2.29500 + .00008	.050	4
11	7454542		2.295	.002	2.29508 + .00012	.050	4
11	7454544		2.295	.004	2.29520 + .00016	.050	8
11	7454548		2.295	.008 AND UP	2.29540 + .00040	.050	8
11	7454552	7454555	2.296	MASTER	2.29600 + .00004	.050	2
11	7454554		2.296	.001	2.29600 + .00008	.050	4
11	7454556		2.296	.002	2.29608 + .00012	.050	4
11	7454558		2.296	.004	2.29620 + .00016	.050	8
11	7454562		2.296	.008 AND UP	2.29640 + .00040	.050	8
11	7454566	7454569	2.297	MASTER	2.29700 + .00004	.050	2
11	7454568		2.297	.001	2.29700 + .00008	.050	4
11	7454570		2.297	.002	2.29708 + .00012	.050	4
11	7454572		2.297	.004	2.29720 + .00016	.050	8
11	7454576		2.297	.008 AND UP	2.29740 + .00040	.050	8
11	7454580	7454583	2.298	MASTER	2.29800 + .00004	.050	2
11	7454582		2.298	.001	2.29800 + .00008	.050	4
11	7454584		2.298	.002	2.29808 + .00012	.050	4
11	7454586		2.298	.004	2.29820 + .00016	.050	8
11	7454590		2.298	.008 AND UP	2.29840 + .00040	.050	8
11	7454594	7454597	2.299	MASTER	2.29900 + .00004	.050	2
11	7454596		2.299	.001	2.29900 + .00008	.050	4
11	7454598		2.299	.002	2.29908 + .00012	.050	4
11	7454600		2.299	.004	2.29920 + .00016	.050	8
11	7454604		2.299	.008 AND UP	2.29940 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
"	7454608	7454611	2.300	MASTER	2.30000 + .00004	.050	2
"	7454610		2.300	.001	2.30000 + .00008	.050	4
"	7454612		2.300	.002	2.30008 + .00012	.050	4
"	7454614		2.300	.004	2.30020 + .00016	.050	8
"	7454618		2.300	.008 AND UP	2.30040 + .00040	.050	8
"	7454622	7454625	2.301	MASTER	2.30100 + .00004	.050	2
"	7454624		2.301	.001	2.30100 + .00008	.050	4
"	7454626		2.301	.002	2.30108 + .00012	.050	4
"	7454628		2.301	.004	2.30120 + .00016	.050	8
"	7454632		2.301	.008 AND UP	2.30140 + .00040	.050	8
"	7454636	7454639	2.302	MASTER	2.30200 + .00004	.050	2
"	7454638		2.302	.001	2.30200 + .00008	.050	4
"	7454640		2.302	.002	2.30208 + .00012	.050	4
"	7454642		2.302	.004	2.30220 + .00016	.050	8
"	7454646		2.302	.008 AND UP	2.30240 + .00040	.050	8
"	7454650	7454653	2.303	MASTER	2.30300 + .00004	.050	2
"	7454652		2.303	.001	2.30300 + .00008	.050	4
"	7454654		2.303	.002	2.30308 + .00012	.050	4
"	7454656		2.303	.004	2.30320 + .00016	.050	8
"	7454660		2.303	.008 AND UP	2.30340 + .00040	.050	8
"	7454664	7454667	2.304	MASTER	2.30400 + .00004	.050	2
"	7454666		2.304	.001	2.30400 + .00008	.050	4
"	7454668		2.304	.002	2.30408 + .00012	.050	4
"	7454670		2.304	.004	2.30420 + .00016	.050	8
"	7454674		2.304	.008 AND UP	2.30440 + .00040	.050	8
"	7454678	7454681	2.305	MASTER	2.30500 + .00004	.050	2
"	7454680		2.305	.001	2.30500 + .00008	.050	4
"	7454682		2.305	.002	2.30508 + .00012	.050	4
"	7454684		2.305	.004	2.30520 + .00016	.050	8
"	7454688		2.305	.008 AND UP	2.30540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7454692	7454695	2.306	MASTER	2.30600 + .00004	.050	2
11	7454694		2.306	.001	2.30600 + .00008	.050	4
11	7454696		2.306	.002	2.30608 + .00012	.050	4
11	7454698		2.306	.004	2.30620 + .00016	.050	8
11	7454702		2.306	.008 AND UP	2.30640 + .00040	.050	8
11	7454706	7454709	2.307	MASTER	2.30700 + .00004	.050	2
11	7454708		2.307	.001	2.30700 + .00008	.050	4
11	7454710		2.307	.002	2.30708 + .00012	.050	4
11	7454712		2.307	.004	2.30720 + .00016	.050	8
11	7454716		2.307	.008 AND UP	2.30740 + .00040	.050	8
11	7454720	7454723	2.308	MASTER	2.30800 + .00004	.050	2
11	7454722		2.308	.001	2.30800 + .00008	.050	4
11	7454724		2.308	.002	2.30808 + .00012	.050	4
11	7454726		2.308	.004	2.30820 + .00016	.050	8
11	7454730		2.308	.008 AND UP	2.30840 + .00040	.050	8
11	7454734	7454737	2.309	MASTER	2.30900 + .00004	.050	2
11	7454736		2.309	.001	2.30900 + .00008	.050	4
11	7454738		2.309	.002	2.30908 + .00012	.050	4
11	7454740		2.309	.004	2.30920 + .00016	.050	8
11	7454744		2.309	.008 AND UP	2.30940 + .00040	.050	8
11	7454748	7454751	2.310	MASTER	2.31000 + .00004	.050	2
11	7454750		2.310	.001	2.31000 + .00008	.050	4
11	7454752		2.310	.002	2.31008 + .00012	.050	4
11	7454754		2.310	.004	2.31020 + .00016	.050	8
11	7454758		2.310	.008 AND UP	2.31040 + .00040	.050	8
11	7454762	7454765	2.311	MASTER	2.31100 + .00004	.050	2
11	7454764		2.311	.001	2.31100 + .00008	.050	4
11	7454766		2.311	.002	2.31108 + .00012	.050	4
11	7454768		2.311	.004	2.31120 + .00016	.050	8
11	7454772		2.311	.008 AND UP	2.31140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUS GAGE DIMENSIONS		FINISH	
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMET. R			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7454776	7454779	2.312	MASTER	2.31200 + .00004	.050	2	
h	7454778		2.312	.001	2.31200 + .00008	.050	4	
h	7454780		2.312	.002	2.31208 + .00012	.050	4	
h	7454782		2.312	.004	2.31220 + .00016	.050	8	
h	7454786		2.312	.008 AND UP	2.31240 + .00040	.050	8	
h	7454790	7497921	2.3125	MASTER	2.31250 + .00004	.050	2	
h	7497920		2.3125	.001	2.31250 + .00008	.050	4	
h	7497922		2.3125	.002	2.31258 + .00012	.050	4	
h	7497924		2.3125	.004	2.31270 + .00016	.050	8	
h	7497928		2.3125	.008 AND UP	2.31290 + .00040	.050	8	
h	7454792	7454795	2.313	MASTER	2.31300 + .00004	.050	2	
h	7454794		2.313	.001	2.31300 + .00008	.050	4	
h	7454796		2.313	.002	2.31308 + .00012	.050	4	
h	7454798		2.313	.004	2.31320 + .00016	.050	8	
h	7454802		2.313	.008 AND UP	2.31340 + .00040	.050	8	
h	7454806	7454809	2.314	MASTER	2.31400 + .00004	.050	2	
h	7454808		2.314	.001	2.31400 + .00008	.050	4	
h	7454810		2.314	.002	2.31408 + .00012	.050	4	
h	7454812		2.314	.004	2.31420 + .00016	.050	8	
h	7454816		2.314	.008 AND UP	2.31440 + .00040	.050	8	
h	7454820	7454823	2.315	MASTER	2.31500 + .00004	.050	2	
h	7454822		2.315	.001	2.31500 + .00008	.050	4	
h	7454824		2.315	.002	2.31508 + .00012	.050	4	
h	7454826		2.315	.004	2.31520 + .00016	.050	8	
h	7454830		2.315	.008 AND UP	2.31540 + .00040	.050	8	
h	7454834	7454837	2.316	MASTER	2.31600 + .00004	.050	2	
h	7454836		2.316	.001	2.31600 + .00008	.050	4	
h	7454838		2.316	.002	2.31608 + .00012	.050	4	
h	7454840		2.316	.004	2.31620 + .00016	.050	8	
h	7454844		2.316	.008 AND UP	2.31640 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7454848	7454851	2.317	MASTER	2.31700 + .00004	.050	2
h	7454850		2.317	.001	2.31700 + .00008	.050	4
h	7454852		2.317	.002	2.31708 + .00012	.050	4
h	7454854		2.317	.004	2.31720 + .00016	.050	8
h	7454858		2.317	.008 AND UP	2.31740 + .00040	.050	8
h	7454862	7454865	2.318	MASTER	2.31800 + .00004	.050	2
h	7454864		2.318	.001	2.31800 + .00008	.050	4
h	7454866		2.318	.002	2.31808 + .00012	.050	4
h	7454868		2.318	.004	2.31820 + .00016	.050	8
h	7454872		2.318	.008 AND UP	2.31840 + .00040	.050	8
h	7454876	7454879	2.319	MASTER	2.31900 + .00004	.050	2
h	7454878		2.319	.001	2.31900 + .00008	.050	4
h	7454880		2.319	.002	2.31908 + .00012	.050	4
h	7454882		2.319	.004	2.31920 + .00016	.050	8
h	7454886		2.319	.008 AND UP	2.31940 + .00040	.050	8
h	7454890	7454893	2.320	MASTER	2.32000 + .00004	.050	2
h	7454892		2.320	.001	2.32000 + .00008	.050	4
h	7454894		2.320	.002	2.32008 + .00012	.050	4
h	7454896		2.320	.004	2.32020 + .00016	.050	8
h	7454900		2.320	.008 AND UP	2.32040 + .00040	.050	8
h	7454904	7454907	2.321	MASTER	2.32100 + .00004	.050	2
h	7454906		2.321	.001	2.32100 + .00008	.050	4
h	7454908		2.321	.002	2.32108 + .00012	.050	4
h	7454910		2.321	.004	2.32120 + .00016	.050	8
h	7454914		2.321	.008 AND UP	2.32140 + .00040	.050	8
h	7454918	7454921	2.322	MASTER	2.32200 + .00004	.050	2
h	7454920		2.322	.001	2.32200 + .00008	.050	4
h	7454922		2.322	.002	2.32208 + .00012	.050	4
h	7454924		2.322	.004	2.32220 + .00016	.050	8
h	7454928		2.322	.008 AND UP	2.32240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7454932	7454935	2.323	MASTER	2.32300 + .00004	.050	2
11	7454934		2.323	.001	2.32300 + .00008	.050	4
11	7454936		2.323	.002	2.32308 + .00012	.050	4
11	7454938		2.323	.004	2.32320 + .00016	.050	8
11	7454942		2.323	.008 AND UP	2.32340 + .00040	.050	8
11	7454946	7454949	2.324	MASTER	2.32400 + .00004	.050	2
11	7454948		2.324	.001	2.32400 + .00008	.050	4
11	7454950		2.324	.002	2.32408 + .00012	.050	4
11	7454952		2.324	.004	2.32420 + .00016	.050	8
11	7454956		2.324	.008 AND UP	2.32440 + .00040	.050	8
11	7454960	7454963	2.325	MASTER	2.32500 + .00004	.050	2
11	7454962		2.325	.001	2.32500 + .00008	.050	4
11	7454964		2.325	.002	2.32508 + .00012	.050	4
11	7454966		2.325	.004	2.32520 + .00016	.050	8
11	7454970		2.325	.008 AND UP	2.32540 + .00040	.050	8
11	7454974	7454977	2.326	MASTER	2.32600 + .00004	.050	2
11	7454976		2.326	.001	2.32600 + .00008	.050	4
11	7454978		2.326	.002	2.32608 + .00012	.050	4
11	7454980		2.326	.004	2.32620 + .00016	.050	8
11	7454984		2.326	.008 AND UP	2.32640 + .00040	.050	8
11	7454988	7454991	2.327	MASTER	2.32700 + .00004	.050	2
11	7454990		2.327	.001	2.32700 + .00008	.050	4
11	7454992		2.327	.002	2.32708 + .00012	.050	4
11	7454994		2.327	.004	2.32720 + .00016	.050	8
11	7454998		2.327	.008 AND UP	2.32740 + .00040	.050	8
11	7455002	7455005	2.328	MASTER	2.32800 + .00004	.050	2
11	7455004		2.328	.001	2.32800 + .00008	.050	4
11	7455006		2.328	.002	2.32808 + .00012	.050	4
11	7455008		2.328	.004	2.32820 + .00016	.050	8
11	7455012		2.328	.008 AND UP	2.32840 + .00040	.050	8

 MIL-STD-191A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOL E R A N C E	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7455016	7455019	2.329	MASTER	2.32900 + .00004	.050	2
h	7455018		2.329	.001	2.32900 + .00008	.050	4
h	7455020		2.329	.002	2.32908 + .00012	.050	4
h	7455022		2.329	.004	2.32920 + .00016	.050	8
h	7455026		2.329	.008 AND UP	2.32940 + .00040	.050	8
h	7455030	7455033	2.330	MASTER	2.33000 + .00004	.050	2
h	7455032		2.330	.001	2.33000 + .00008	.050	4
h	7455034		2.330	.002	2.33008 + .00012	.050	4
h	7455036		2.330	.004	2.33020 + .00016	.050	8
h	7455040		2.330	.008 AND UP	2.33040 + .00040	.050	8
h	7455044	7455047	2.331	MASTER	2.33100 + .00004	.050	2
h	7455046		2.331	.001	2.33100 + .00008	.050	4
h	7455048		2.331	.002	2.33108 + .00012	.050	4
h	7455050		2.331	.004	2.33120 + .00016	.050	8
h	7455054		2.331	.008 AND UP	2.33140 + .00040	.050	8
h	7455056	7455061	2.332	MASTER	2.33200 + .00004	.050	2
h	7455060		2.332	.001	2.33200 + .00008	.050	4
h	7455062		2.332	.002	2.33208 + .00012	.050	4
h	7455064		2.332	.004	2.33220 + .00016	.050	8
h	7455068		2.332	.008 AND UP	2.33240 + .00040	.050	8
h	7455072	7455075	2.333	MASTER	2.33300 + .00004	.050	2
h	7455074		2.333	.001	2.33300 + .00008	.050	4
h	7455076		2.333	.002	2.33308 + .00012	.050	4
h	7455078		2.333	.004	2.33320 + .00016	.050	8
h	7455082		2.333	.008 AND UP	2.33340 + .00040	.050	8
h	7455086	7455089	2.334	MASTER	2.33400 + .00004	.050	2
h	7455088		2.334	.001	2.33400 + .00008	.050	4
h	7455090		2.334	.002	2.33408 + .00012	.050	4
h	7455092		2.334	.004	2.33420 + .00016	.050	8
h	7455096		2.334	.008 AND UP	2.33440 + .00040	.050	8

 MIL-STD-110A
 8 December 1966

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7455100	7455103	2.335	MASTER	2.33500 + .00004	.050	2
h	7455102		2.335	.001	2.33500 + .00008	.050	4
h	7455104		2.335	.002	2.33508 + .00012	.050	4
h	7455106		2.335	.004	2.33520 + .00016	.050	8
h	7455110		2.335	.008 AND UP	2.33540 + .00040	.050	8
h	7455114	7455117	2.336	MASTER	2.33600 + .00004	.050	2
h	7455116		2.336	.001	2.33600 + .00008	.050	4
h	7455118		2.336	.002	2.33608 + .00012	.050	4
h	7455120		2.336	.004	2.33620 + .00016	.050	8
h	7455124		2.336	.008 AND UP	2.33640 + .00040	.050	8
h	7455128	7455131	2.337	MASTER	2.33700 + .00004	.050	2
h	7455130		2.337	.001	2.33700 + .00008	.050	4
h	7455132		2.337	.002	2.33708 + .00012	.050	4
h	7455134		2.337	.004	2.33720 + .00016	.050	8
h	7455138		2.337	.008 AND UP	2.33740 + .00040	.050	8
h	7455142	7455145	2.338	MASTER	2.33800 + .00004	.050	2
h	7455144		2.338	.001	2.33800 + .00008	.050	4
h	7455146		2.338	.002	2.33808 + .00012	.050	4
h	7455148		2.338	.004	2.33820 + .00016	.050	8
h	7455152		2.338	.008 AND UP	2.33840 + .00040	.050	8
h	7455156	7455159	2.339	MASTER	2.33900 + .00004	.050	2
h	7455158		2.339	.001	2.33900 + .00008	.050	4
h	7455160		2.339	.002	2.33908 + .00012	.050	4
h	7455162		2.339	.004	2.33920 + .00016	.050	8
h	7455166		2.339	.008 AND UP	2.33940 + .00040	.050	8
h	7455170	7455173	2.340	MASTER	2.34000 + .00004	.050	2
h	7455172		2.340	.001	2.34000 + .00008	.050	4
h	7455174		2.340	.002	2.34008 + .00012	.050	4
h	7455176		2.340	.004	2.34020 + .00016	.050	8
h	7455180		2.340	.008 AND UP	2.34040 + .00040	.050	8

 ML-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
	B	C	D	E	F	G	H
"	7455184	7455187	2.341	MASTER	2.34100 + .00004	.050	2
"	7455186		2.341	.001	2.34100 + .00008	.050	4
"	7455188		2.341	.002	2.34108 + .00012	.050	4
"	7455190		2.341	.004	2.34120 + .00016	.050	8
"	7455194		2.341	.008 AND UP	2.34140 + .00040	.050	8
"	7455198	7455201	2.342	MASTER	2.34200 + .00004	.050	2
"	7455200		2.342	.001	2.34200 + .00008	.050	4
"	7455202		2.342	.002	2.34208 + .00012	.050	4
"	7455204		2.342	.004	2.34220 + .00016	.050	8
"	7455208		2.342	.008 AND UP	2.34240 + .00040	.050	8
"	7455212	7455215	2.343	MASTER	2.34300 + .00004	.050	2
"	7455214		2.343	.001	2.34300 + .00008	.050	4
"	7455216		2.343	.002	2.34308 + .00012	.050	4
"	7455218		2.343	.004	2.34320 + .00016	.050	8
"	7455222		2.343	.008 AND UP	2.34340 + .00040	.050	8
"	7455226	7497933	2.34375	MASTER	2.34375 + .00004	.050	2
"	7497932		2.34375	.001	2.34375 + .00008	.050	4
"	7497934		2.34375	.002	2.34383 + .00012	.050	4
"	7497936		2.34375	.004	2.34395 + .00016	.050	8
"	7497940		2.34375	.008 AND UP	2.34415 + .00040	.050	8
"	7455228	7455231	2.344	MASTER	2.34400 + .00004	.050	2
"	7455230		2.344	.001	2.34400 + .00008	.050	4
"	7455232		2.344	.002	2.34408 + .00012	.050	4
"	7455234		2.344	.004	2.34420 + .00016	.050	8
"	7455238		2.344	.008 AND UP	2.34440 + .00040	.050	8
"	7455242	7455245	2.345	MASTER	2.34500 + .00004	.050	2
"	7455244		2.345	.001	2.34500 + .00008	.050	4
"	7455246		2.345	.002	2.34508 + .00012	.050	4
"	7455248		2.345	.004	2.34520 + .00016	.050	8
"	7455252		2.345	.008 AND UP	2.34540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7455256	7455259	2.346	MASTER	2.34600 + .00004	.050	2
11	7455258		2.346	.001	2.34600 + .00008	.050	4
11	7455260		2.346	.002	2.34608 + .00012	.050	4
11	7455262		2.346	.004	2.34620 + .00016	.050	8
11	7455266		2.346	.008 AND UP	2.34640 + .00040	.050	8
11	7455270	7455273	2.347	MASTER	2.34700 + .00004	.050	2
11	7455272		2.347	.001	2.34700 + .00008	.050	4
11	7455274		2.347	.002	2.34708 + .00012	.050	4
11	7455276		2.347	.004	2.34720 + .00016	.050	8
11	7455280		2.347	.008 AND UP	2.34740 + .00040	.050	8
11	7455284	7455287	2.348	MASTER	2.34800 + .00004	.050	2
11	7455286		2.348	.001	2.34800 + .00008	.050	4
11	7455288		2.348	.002	2.34808 + .00012	.050	4
11	7455290		2.348	.004	2.34820 + .00016	.050	8
11	7455294		2.348	.008 AND UP	2.34840 + .00040	.050	8
11	7455298	7455301	2.349	MASTER	2.34900 + .00004	.050	2
11	7455300		2.349	.001	2.34900 + .00008	.050	4
11	7455302		2.349	.002	2.34908 + .00012	.050	4
11	7455304		2.349	.004	2.34920 + .00016	.050	8
11	7455308		2.349	.008 AND UP	2.34940 + .00040	.050	8
11	7455312	7455315	2.350	MASTER	2.35000 + .00004	.050	2
11	7455314		2.350	.001	2.35000 + .00008	.050	4
11	7455316		2.350	.002	2.35008 + .00012	.050	4
11	7455318		2.350	.004	2.35020 + .00016	.050	8
11	7455322		2.350	.008 AND UP	2.35040 + .00040	.050	8
11	7455326	7455329	2.351	MASTER	2.35100 + .00004	.050	2
11	7455328		2.351	.001	2.35100 + .00008	.050	4
11	7455330		2.351	.002	2.35108 + .00012	.050	4
11	7455332		2.351	.004	2.35120 + .00016	.050	8
11	7455336		2.351	.008 AND UP	2.35140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7455340	7455343	2.352	MASTER	2.35200 + .00004	.050	2
h	7455342		2.352	.001	2.35200 + .00008	.050	4
h	7455344		2.352	.002	2.35208 + .00012	.050	4
h	7455346		2.352	.004	2.35220 + .00016	.050	8
h	7455350		2.352	.008 AND UP	2.35240 + .00040	.050	8
h	7455354	7455357	2.353	MASTER	2.35300 + .00004	.050	2
h	7455356		2.353	.001	2.35300 + .00008	.050	4
h	7455358		2.353	.002	2.35308 + .00012	.050	4
h	7455360		2.353	.004	2.35320 + .00016	.050	8
h	7455364		2.353	.008 AND UP	2.35340 + .00040	.050	8
h	7455368	7455371	2.354	MASTER	2.35400 + .00004	.050	2
h	7455370		2.354	.001	2.35400 + .00008	.050	4
h	7455372		2.354	.002	2.35408 + .00012	.050	4
h	7455374		2.354	.004	2.35420 + .00016	.050	8
h	7455378		2.354	.008 AND UP	2.35440 + .00040	.050	8
h	7455382	7455385	2.355	MASTER	2.35500 + .00004	.050	2
h	7455384		2.355	.001	2.35500 + .00008	.050	4
h	7455386		2.355	.002	2.35508 + .00012	.050	4
h	7455388		2.355	.004	2.35520 + .00016	.050	8
h	7455392		2.355	.008 AND UP	2.35540 + .00040	.050	8
h	7455396	7455399	2.356	MASTER	2.35600 + .00004	.050	2
h	7455398		2.356	.001	2.35600 + .00008	.050	4
h	7455400		2.356	.002	2.35608 + .00012	.050	4
h	7455402		2.356	.004	2.35620 + .00016	.050	8
h	7455406		2.356	.008 AND UP	2.35640 + .00040	.050	8
h	7455410	7455413	2.357	MASTER	2.35700 + .00004	.050	2
h	7455412		2.357	.001	2.35700 + .00008	.050	4
h	7455414		2.357	.002	2.35708 + .00012	.050	4
h	7455416		2.357	.004	2.35720 + .00016	.050	8
h	7455420		2.357	.008 AND UP	2.35740 + .00040	.050	8

MIL-STD-110A
8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7455424	7455427	2.358	MASTER	2.35800 + .00004	.050	2
h	7455426		2.358	.001	2.35800 + .00008	.050	4
h	7455428		2.358	.002	2.35808 + .00012	.050	4
h	7455430		2.358	.004	2.35820 + .00016	.050	8
h	7455434		2.358	.008 AND UP	2.35840 + .00040	.050	8
h	7455438	7455441	2.359	MASTER	2.35900 + .00004	.050	2
h	7455440		2.359	.001	2.35900 + .00008	.050	4
h	7455442		2.359	.002	2.35908 + .00012	.050	4
h	7455444		2.359	.004	2.35920 + .00016	.050	8
h	7455448		2.359	.008 AND UP	2.35940 + .00040	.050	8
h	7455452	7455455	2.360	MASTER	2.36000 + .00004	.050	2
h	7455454		2.360	.001	2.36000 + .00008	.050	4
h	7455456		2.360	.002	2.36008 + .00012	.050	4
h	7455458		2.360	.004	2.36020 + .00016	.050	8
h	7455462		2.360	.008 AND UP	2.36040 + .00040	.050	8
h	7455466	7455469	2.361	MASTER	2.36100 + .00004	.050	2
h	7455468		2.361	.001	2.36100 + .00008	.050	4
h	7455470		2.361	.002	2.36108 + .00012	.050	4
h	7455472		2.361	.004	2.36120 + .00016	.050	8
h	7455476		2.361	.008 AND UP	2.36140 + .00040	.050	8
h	7455480	7455483	2.362	MASTER	2.36200 + .00004	.050	2
h	7455482		2.362	.001	2.36200 + .00008	.050	4
h	7455484		2.362	.002	2.36208 + .00012	.050	4
h	7455486		2.362	.004	2.36220 + .00016	.050	8
h	7455490		2.362	.008 AND UP	2.36240 + .00040	.050	8
h	7455494	7455497	2.363	MASTER	2.36300 + .00004	.050	2
h	7455496		2.363	.001	2.36300 + .00008	.050	4
h	7455498		2.363	.002	2.36308 + .00012	.050	4
h	7455500		2.363	.004	2.36320 + .00016	.050	8
h	7455504		2.363	.008 AND UP	2.36340 + .00040	.050	8

8 MIL-STD-199A
8 December 1995

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7455508	7455511	2.364	MASTER	2.36400 + .00004	.050	2
4	7455510		2.364	.001	2.36400 + .00008	.050	4
4	7455512		2.364	.002	2.36408 + .00012	.050	4
4	7455514		2.364	.004	2.36420 + .00016	.050	8
4	7455518		2.364	.008 AND UP	2.36440 + .00040	.050	8
4	7455522	7455525	2.365	MASTER	2.36500 + .00004	.050	2
4	7455524		2.365	.001	2.36500 + .00008	.050	4
4	7455526		2.365	.002	2.36508 + .00012	.050	4
4	7455528		2.365	.004	2.36520 + .00016	.050	8
4	7455532		2.365	.008 AND UP	2.36540 + .00040	.050	8
4	7455536	7455539	2.366	MASTER	2.36600 + .00004	.050	2
4	7455538		2.366	.001	2.36600 + .00008	.050	4
4	7455540		2.366	.002	2.36608 + .00012	.050	4
4	7455542		2.366	.004	2.36620 + .00016	.050	8
4	7455546		2.366	.008 AND UP	2.36640 + .00040	.050	8
4	7455550	7455553	2.367	MASTER	2.36700 + .00004	.050	2
4	7455552		2.367	.001	2.36700 + .00008	.050	4
4	7455554		2.367	.002	2.36708 + .00012	.050	4
4	7455556		2.367	.004	2.36720 + .00016	.050	8
4	7455560		2.367	.008 AND UP	2.36740 + .00040	.050	8
4	7455564	7455567	2.368	MASTER	2.36800 + .00004	.050	2
4	7455566		2.368	.001	2.36800 + .00008	.050	4
4	7455568		2.368	.002	2.36808 + .00012	.050	4
4	7455570		2.368	.004	2.36820 + .00016	.050	8
4	7455574		2.368	.008 AND UP	2.36840 + .00040	.050	8
4	7455578	7455581	2.369	MASTER	2.36900 + .00004	.050	2
4	7455580		2.369	.001	2.36900 + .00008	.050	4
4	7455582		2.369	.002	2.36908 + .00012	.050	4
4	7455584		2.369	.004	2.36920 + .00016	.050	8
4	7455588		2.369	.008 AND UP	2.36940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7455592	7455595	2.370	MASTER	2.37000 + .00004	.050	2
11	7455594		2.370	.001	2.37000 + .00008	.050	4
11	7455596		2.370	.002	2.37008 + .00012	.050	4
11	7455598		2.370	.004	2.37020 + .00016	.050	8
11	7455602		2.370	.008 AND UP	2.37040 + .00040	.050	8
11	7455606	7455609	2.371	MASTER	2.37100 + .00004	.050	2
11	7455608		2.371	.001	2.37100 + .00008	.050	4
11	7455610		2.371	.002	2.37108 + .00012	.050	4
11	7455612		2.371	.004	2.37120 + .00016	.050	8
11	7455616		2.371	.008 AND UP	2.37140 + .00040	.050	8
11	7455620	7455623	2.372	MASTER	2.37200 + .00004	.050	2
11	7455622		2.372	.001	2.37200 + .00008	.050	4
11	7455624		2.372	.002	2.37208 + .00012	.050	4
11	7455626		2.372	.004	2.37220 + .00016	.050	8
11	7455630		2.372	.008 AND UP	2.37240 + .00040	.050	8
11	7455634	7455637	2.373	MASTER	2.37300 + .00004	.050	2
11	7455636		2.373	.001	2.37300 + .00008	.050	4
11	7455638		2.373	.002	2.37308 + .00012	.050	4
11	7455640		2.373	.004	2.37320 + .00016	.050	8
11	7455644		2.373	.008 AND UP	2.37340 + .00040	.050	8
11	7455648	7455651	2.374	MASTER	2.37400 + .00004	.050	2
11	7455650		2.374	.001	2.37400 + .00008	.050	4
11	7455652		2.374	.002	2.37408 + .00012	.050	4
11	7455654		2.374	.004	2.37420 + .00016	.050	8
11	7455658		2.374	.008 AND UP	2.37440 + .00040	.050	8
11	7455662	7455665	2.375	MASTER	2.37500 + .00004	.050	2
11	7455664		2.375	.001	2.37500 + .00008	.050	4
11	7455666		2.375	.002	2.37508 + .00012	.050	4
11	7455668		2.375	.004	2.37520 + .00016	.050	8
11	7455672		2.375	.008 AND UP	2.37540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4 4 4 4 4	7455676 7455678 7455680 7455682 7455686	7455679	2.376 2.376 2.376 2.376 2.376	MASTER .001 .002 .004 .008 AND UP	2.37600 + .00004 2.37600 + .00008 2.37608 + .00012 2.37620 + .00016 2.37640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7455690 7455692 7455694 7455696 7455700	7455693	2.377 2.377 2.377 2.377 2.377	MASTER .001 .002 .004 .008 AND UP	2.37700 + .00004 2.37700 + .00008 2.37708 + .00012 2.37720 + .00016 2.37740 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7455704 7455706 7455708 7455710 7455714	7455707	2.378 2.378 2.378 2.378 2.378	MASTER .001 .002 .004 .008 AND UP	2.37800 + .00004 2.37800 + .00008 2.37808 + .00012 2.37820 + .00016 2.37840 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7455718 7455720 7455722 7455724 7455728	7455721	2.379 2.379 2.379 2.379 2.379	MASTER .001 .002 .004 .008 AND UP	2.37900 + .00004 2.37900 + .00008 2.37908 + .00012 2.37920 + .00016 2.37940 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7455732 7455734 7455736 7455738 7455742	7455735	2.380 2.380 2.380 2.380 2.380	MASTER .001 .002 .004 .008 AND UP	2.38000 + .00004 2.38000 + .00008 2.38008 + .00012 2.38020 + .00016 2.38040 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
4 4 4 4 4	7455746 7455748 7455750 7455752 7455756	7455749	2.381 2.381 2.381 2.381 2.381	MASTER .001 .002 .004 .008 AND UP	2.38100 + .00004 2.38100 + .00008 2.38108 + .00012 2.38120 + .00016 2.38140 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
u	7455760	7455763	2.382	MASTER	2.38200 + .00004	.050	2
u	7455762		2.382	.001	2.38200 + .00008	.050	4
u	7455764		2.382	.002	2.38208 + .00012	.050	4
u	7455766		2.382	.004	2.38220 + .00016	.050	8
u	7455770		2.382	.008 AND UP	2.38240 + .00040	.050	8
u	7455774	7455777	2.383	MASTER	2.38300 + .00004	.050	2
u	7455776		2.383	.001	2.38300 + .00008	.050	4
u	7455778		2.383	.002	2.38308 + .00012	.050	4
u	7455780		2.383	.004	2.38320 + .00016	.050	8
u	7455784		2.383	.008 AND UP	2.38340 + .00040	.050	8
u	7455788	7455791	2.384	MASTER	2.38400 + .00004	.050	2
u	7455790		2.384	.001	2.38400 + .00008	.050	4
u	7455792		2.384	.002	2.38408 + .00012	.050	4
u	7455794		2.384	.004	2.38420 + .00016	.050	8
u	7455798		2.384	.008 AND UP	2.38440 + .00040	.050	8
u	7455802	7455805	2.385	MASTER	2.38500 + .00004	.050	2
u	7455804		2.385	.001	2.38500 + .00008	.050	4
u	7455806		2.385	.002	2.38508 + .00012	.050	4
u	7455808		2.385	.004	2.38520 + .00016	.050	8
u	7455812		2.385	.008 AND UP	2.38540 + .00040	.050	8
u	7455816	7455819	2.386	MASTER	2.38600 + .00004	.050	2
u	7455818		2.386	.001	2.38600 + .00008	.050	4
u	7455820		2.386	.002	2.38608 + .00012	.050	4
u	7455822		2.386	.004	2.38620 + .00016	.050	8
u	7455826		2.386	.008 AND UP	2.38640 + .00040	.050	8
u	7455830	7455833	2.387	MASTER	2.38700 + .00004	.050	2
u	7455832		2.387	.001	2.38700 + .00008	.050	4
u	7455834		2.387	.002	2.38708 + .00012	.050	4
u	7455836		2.387	.004	2.38720 + .00016	.050	8
u	7455840		2.387	.008 AND UP	2.38740 + .00040	.050	8

 ML-SD-1104
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7455844	7455847	2.388	MASTER	2.38800 + .00004	.050	2	
4	7455846		2.388	.001	2.38800 + .00008	.050	4	
4	7455848		2.388	.002	2.38808 + .00012	.050	4	
4	7455850		2.388	.004	2.38820 + .00016	.050	8	
4	7455854		2.388	.008 AND UP	2.38840 + .00040	.050	8	
4	7455858	7455861	2.389	MASTER	2.38900 + .00004	.050	2	
4	7455860		2.389	.001	2.38900 + .00008	.050	4	
4	7455862		2.389	.002	2.38908 + .00012	.050	4	
4	7455864		2.389	.004	2.38920 + .00016	.050	8	
4	7455868		2.389	.008 AND UP	2.38940 + .00040	.050	8	
4	7455872	7455875	2.390	MASTER	2.39000 + .00004	.050	2	
4	7455874		2.390	.001	2.39000 + .00008	.050	4	
4	7455876		2.390	.002	2.39008 + .00012	.050	4	
4	7455878		2.390	.004	2.39020 + .00016	.050	8	
4	7455882		2.390	.008 AND UP	2.39040 + .00040	.050	8	
4	7455886	7455889	2.391	MASTER	2.39100 + .00004	.050	2	
4	7455888		2.391	.001	2.39100 + .00008	.050	4	
4	7455890		2.391	.002	2.39108 + .00012	.050	4	
4	7455892		2.391	.004	2.39120 + .00016	.050	8	
4	7455896		2.391	.008 AND UP	2.39140 + .00040	.050	8	
4	7455900	7455903	2.392	MASTER	2.39200 + .00004	.050	2	
4	7455902		2.392	.001	2.39200 + .00008	.050	4	
4	7455904		2.392	.002	2.39208 + .00012	.050	4	
4	7455906		2.392	.004	2.39220 + .00016	.050	8	
4	7455910		2.392	.008 AND UP	2.39240 + .00040	.050	8	
4	7455914	7455917	2.393	MASTER	2.39300 + .00004	.050	2	
4	7455916		2.393	.001	2.39300 + .00008	.050	4	
4	7455918		2.393	.002	2.39308 + .00012	.050	4	
4	7455920		2.393	.004	2.39320 + .00016	.050	8	
4	7455924		2.393	.008 AND UP	2.39340 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
44444	7455928 7455930 7455932 7455934 7455938	7455931	2.394 2.394 2.394 2.394 2.394	MASTER .001 .002 .004 .008 AND UP	2.39400 + .00004 2.39400 + .00008 2.39408 + .00012 2.39420 + .00016 2.39440 + .00040	.050 .050 .050 .050 .050	24488
44444	7455942 7455944 7455946 7455948 7455952	7455945	2.395 2.395 2.395 2.395 2.395	MASTER .001 .002 .004 .008 AND UP	2.39500 + .00004 2.39500 + .00008 2.39508 + .00012 2.39520 + .00016 2.39540 + .00040	.050 .050 .050 .050 .050	24488
44444	7455956 7455958 7455960 7455962 7455966	7455959	2.396 2.396 2.396 2.396 2.396	MASTER .001 .002 .004 .008 AND UP	2.39600 + .00004 2.39600 + .00008 2.39608 + .00012 2.39620 + .00016 2.39640 + .00040	.050 .050 .050 .050 .050	24488
44444	7455970 7455972 7455974 7455976 7455980	7455973	2.397 2.397 2.397 2.397 2.397	MASTER .001 .002 .004 .008 AND UP	2.39700 + .00004 2.39700 + .00008 2.39708 + .00012 2.39720 + .00016 2.39740 + .00040	.050 .050 .050 .050 .050	24488
44444	7455984 7455986 7455988 7455990 7455994	7455987	2.398 2.398 2.398 2.398 2.398	MASTER .001 .002 .004 .008 AND UP	2.39800 + .00004 2.39800 + .00008 2.39808 + .00012 2.39820 + .00016 2.39840 + .00040	.050 .050 .050 .050 .050	24488
44444	7455998 7456000 7456002 7456004 7456008	7456001	2.399 2.399 2.399 2.399 2.399	MASTER .001 .002 .004 .008 AND UP	2.39900 + .00004 2.39900 + .00008 2.39908 + .00012 2.39920 + .00016 2.39940 + .00040	.050 .050 .050 .050 .050	24488

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7456012	7456015	2.400	MASTER	2.40000 + .00004	.050	2
11	7456014		2.400	.001	2.40000 + .00008	.050	4
11	7456016		2.400	.002	2.40008 + .00012	.050	4
11	7456018		2.400	.004	2.40020 + .00016	.050	8
11	7456022		2.400	.008 AND UP	2.40040 + .00040	.050	8
11	7456026	7456029	2.401	MASTER	2.40100 + .00004	.050	2
11	7456028		2.401	.001	2.40100 + .00008	.050	4
11	7456030		2.401	.002	2.40108 + .00012	.050	4
11	7456032		2.401	.004	2.40120 + .00016	.050	8
11	7456036		2.401	.008 AND UP	2.40140 + .00040	.050	8
11	7456040	7456043	2.402	MASTER	2.40200 + .00004	.050	2
11	7456042		2.402	.001	2.40200 + .00008	.050	4
11	7456044		2.402	.002	2.40208 + .00012	.050	4
11	7456046		2.402	.004	2.40220 + .00016	.050	8
11	7456050		2.402	.008 AND UP	2.40240 + .00040	.050	8
11	7456054	7456057	2.403	MASTER	2.40300 + .00004	.050	2
11	7456056		2.403	.001	2.40300 + .00008	.050	4
11	7456058		2.403	.002	2.40308 + .00012	.050	4
11	7456060		2.403	.004	2.40320 + .00016	.050	8
11	7456064		2.403	.008 AND UP	2.40340 + .00040	.050	8
11	7456068	7456071	2.404	MASTER	2.40400 + .00004	.050	2
11	7456070		2.404	.001	2.40400 + .00008	.050	4
11	7456072		2.404	.002	2.40408 + .00012	.050	4
11	7456074		2.404	.004	2.40420 + .00016	.050	8
11	7456078		2.404	.008 AND UP	2.40440 + .00040	.050	8
11	7456082	7456085	2.405	MASTER	2.40500 + .00004	.050	2
11	7456084		2.405	.001	2.40500 + .00008	.050	4
11	7456086		2.405	.002	2.40508 + .00012	.050	4
11	7456088		2.405	.004	2.40520 + .00016	.050	8
11	7456092		2.405	.008 AND UP	2.40540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
u	7456096	7456099	2.406	MASTER	2.40600 + .00004	.050	2	
u	7456098		2.406	.001	2.40600 + .00008	.050	4	
u	7456100		2.406	.002	2.40608 + .00012	.050	4	
u	7456102		2.406	.004	2.40620 + .00016	.050	8	
u	7456106		2.406	.008 AND UP	2.40640 + .00040	.050	8	
u	7456110	7497945	2.40625	MASTER	2.40625 + .00004	.050	2	
u	7497944		2.40625	.001	2.40625 + .00008	.050	4	
u	7497946		2.40625	.002	2.40633 + .00012	.050	4	
u	7497948		2.40625	.004	2.40645 + .00016	.050	8	
u	7497952		2.40625	.008 AND UP	2.40665 + .00040	.050	8	
u	7456112	7456115	2.407	MASTER	2.40700 + .00004	.050	2	
u	7456114		2.407	.001	2.40700 + .00008	.050	4	
u	7456116		2.407	.002	2.40708 + .00012	.050	4	
u	7456118		2.407	.004	2.40720 + .00016	.050	8	
u	7456122		2.407	.008 AND UP	2.40740 + .00040	.050	8	
u	7456126	7456129	2.408	MASTER	2.40800 + .00004	.050	2	
u	7456128		2.408	.001	2.40800 + .00008	.050	4	
u	7456130		2.408	.002	2.40808 + .00012	.050	4	
u	7456132		2.408	.004	2.40820 + .00016	.050	8	
u	7456136		2.408	.008 AND UP	2.40840 + .00040	.050	8	
u	7456140	7456143	2.409	MASTER	2.40900 + .00004	.050	2	
u	7456142		2.409	.001	2.40900 + .00008	.050	4	
u	7456144		2.409	.002	2.40908 + .00012	.050	4	
u	7456146		2.409	.004	2.40920 + .00016	.050	8	
u	7456150		2.409	.008 AND UP	2.40940 + .00040	.050	8	
u	7456154	7456157	2.410	MASTER	2.41000 + .00004	.050	2	
u	7456156		2.410	.001	2.41000 + .00008	.050	4	
u	7456158		2.410	.002	2.41008 + .00012	.050	4	
u	7456160		2.410	.004	2.41020 + .00016	.050	8	
u	7456164		2.410	.008 AND UP	2.41040 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456168	7456171	2.411	MASTER	2.41100 + .00004	.050	2
4	7456170		2.411	.001	2.41100 + .00008	.050	4
4	7456172		2.411	.002	2.41108 + .00012	.050	4
4	7456174		2.411	.004	2.41120 + .00016	.050	8
4	7456178		2.411	.008 AND UP	2.41140 + .00040	.050	8
4	7456182	7456185	2.412	MASTER	2.41200 + .00004	.050	2
4	7456184		2.412	.001	2.41200 + .00008	.050	4
4	7456186		2.412	.002	2.41208 + .00012	.050	4
4	7456188		2.412	.004	2.41220 + .00016	.050	8
4	7456192		2.412	.008 AND UP	2.41240 + .00040	.050	8
4	7456196	7456199	2.413	MASTER	2.41300 + .00004	.050	2
4	7456198		2.413	.001	2.41300 + .00008	.050	4
4	7456200		2.413	.002	2.41308 + .00012	.050	4
4	7456202		2.413	.004	2.41320 + .00016	.050	8
4	7456206		2.413	.008 AND UP	2.41340 + .00040	.050	8
4	7456210	7456213	2.414	MASTER	2.41400 + .00004	.050	2
4	7456212		2.414	.001	2.41400 + .00008	.050	4
4	7456214		2.414	.002	2.41408 + .00012	.050	4
4	7456216		2.414	.004	2.41420 + .00016	.050	8
4	7456220		2.414	.008 AND UP	2.41440 + .00040	.050	8
4	7456224	7456227	2.415	MASTER	2.41500 + .00004	.050	2
4	7456226		2.415	.001	2.41500 + .00008	.050	4
4	7456228		2.415	.002	2.41508 + .00012	.050	4
4	7456230		2.415	.004	2.41520 + .00016	.050	8
4	7456234		2.415	.008 AND UP	2.41540 + .00040	.050	8
4	7456238	7456241	2.416	MASTER	2.41600 + .00004	.050	2
4	7456240		2.416	.001	2.41600 + .00008	.050	4
4	7456242		2.416	.002	2.41608 + .00012	.050	4
4	7456244		2.416	.004	2.41620 + .00016	.050	8
4	7456248		2.416	.008 AND UP	2.41640 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7456252	7456255	2.417	MASTER	2.41700 + .00004	.050	2
h	7456254		2.417	.001	2.41700 + .00008	.050	4
h	7456256		2.417	.002	2.41708 + .00012	.050	4
h	7456258		2.417	.004	2.41720 + .00016	.050	8
h	7456262		2.417	.008 AND UP	2.41740 + .00040	.050	8
h	7456266	7456269	2.418	MASTER	2.41800 + .00004	.050	2
h	7456268		2.418	.001	2.41800 + .00008	.050	4
h	7456270		2.418	.002	2.41808 + .00012	.050	4
h	7456272		2.418	.004	2.41820 + .00016	.050	8
h	7456276		2.418	.008 AND UP	2.41840 + .00040	.050	8
h	7456280	7456283	2.419	MASTER	2.41900 + .00004	.050	2
h	7456282		2.419	.001	2.41900 + .00008	.050	4
h	7456284		2.419	.002	2.41908 + .00012	.050	4
h	7456286		2.419	.004	2.41920 + .00016	.050	8
h	7456290		2.419	.008 AND UP	2.41940 + .00040	.050	8
h	7456294	7456297	2.420	MASTER	2.42000 + .00004	.050	2
h	7456296		2.420	.001	2.42000 + .00008	.050	4
h	7456298		2.420	.002	2.42008 + .00012	.050	4
h	7456300		2.420	.004	2.42020 + .00016	.050	8
h	7456304		2.420	.008 AND UP	2.42040 + .00040	.050	8
h	7456308	7456311	2.421	MASTER	2.42100 + .00004	.050	2
h	7456310		2.421	.001	2.42100 + .00008	.050	4
h	7456312		2.421	.002	2.42108 + .00012	.050	4
h	7456314		2.421	.004	2.42120 + .00016	.050	8
h	7456318		2.421	.008 AND UP	2.42140 + .00040	.050	8
h	7456322	7456325	2.422	MASTER	2.42200 + .00004	.050	2
h	7456324		2.422	.001	2.42200 + .00008	.050	4
h	7456326		2.422	.002	2.42208 + .00012	.050	4
h	7456328		2.422	.004	2.42220 + .00016	.050	8
h	7456332		2.422	.008 AND UP	2.42240 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH			
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER				
	WITHOUT AIR GROOVE	WITH AIR GROOVE								
A	B	C	D	E	F	G	H			
11 11 11 11 11	7456336 7456338 7456340 7456342 7456346	7456339	2.423 2.423 2.423 2.423 2.423	MASTER .001 .002 .004 .008 AND UP	2.42300 + .00004 2.42300 + .00008 2.42308 + .00012 2.42320 + .00016 2.42340 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8			
11 11 11 11 11	7456350 7456352 7456354 7456356 7456360		7456353	2.424 2.424 2.424 2.424 2.424	MASTER .001 .002 .004 .008 AND UP	2.42400 + .00004 2.42400 + .00008 2.42408 + .00012 2.42420 + .00016 2.42440 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8		
11 11 11 11 11	7456364 7456366 7456368 7456370 7456374			7456367	2.425 2.425 2.425 2.425 2.425	MASTER .001 .002 .004 .008 AND UP	2.42500 + .00004 2.42500 + .00008 2.42508 + .00012 2.42520 + .00016 2.42540 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8	
11 11 11 11 11	7456378 7456380 7456382 7456384 7456388				7456381	2.426 2.426 2.426 2.426 2.426	MASTER .001 .002 .004 .008 AND UP	2.42600 + .00004 2.42600 + .00008 2.42608 + .00012 2.42620 + .00016 2.42640 + .00040	.050 .050 .050 .050 .050	2 4 4 8 8
11 11 11 11 11	7456392 7456394 7456396 7456398 7456402					7456395	2.427 2.427 2.427 2.427 2.427	MASTER .001 .002 .004 .008 AND UP	2.42700 + .00004 2.42700 + .00008 2.42708 + .00012 2.42720 + .00016 2.42740 + .00040	.050 .050 .050 .050 .050
11 11 11 11 11	7456406 7456408 7456410 7456412 7456416	7456409					2.428 2.428 2.428 2.428 2.428	MASTER .001 .002 .004 .008 AND UP	2.42800 + .00004 2.42800 + .00008 2.42808 + .00012 2.42820 + .00016 2.42840 + .00040	.050 .050 .050 .050 .050

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE			CHAMFER		
A	B	C	D	E	F	G	H
4	7456420	7456423	2.429	MASTER	2.42900 + .00004	.050	2
4	7456422		2.429	.001	2.42900 + .00008	.050	4
4	7456424		2.429	.002	2.42908 + .00012	.050	4
4	7456426		2.429	.004	2.42920 + .00016	.050	8
4	7456430		2.429	.008 AND UP	2.42940 + .00040	.050	8
4	7456434	7456437	2.430	MASTER	2.43000 + .00004	.050	2
4	7456436		2.430	.001	2.43000 + .00008	.050	4
4	7456438		2.430	.002	2.43008 + .00012	.050	4
4	7456440		2.430	.004	2.43020 + .00016	.050	8
4	7456444		2.430	.008 AND UP	2.43040 + .00040	.050	8
4	7456448	7456451	2.431	MASTER	2.43100 + .00004	.050	2
4	7456450		2.431	.001	2.43100 + .00008	.050	4
4	7456452		2.431	.002	2.43108 + .00012	.050	4
4	7456454		2.431	.004	2.43120 + .00016	.050	8
4	7456458		2.431	.008 AND UP	2.43140 + .00040	.050	8
4	7456462	7456465	2.432	MASTER	2.43200 + .00004	.050	2
4	7456464		2.432	.001	2.43200 + .00008	.050	4
4	7456466		2.432	.002	2.43208 + .00012	.050	4
4	7456468		2.432	.004	2.43220 + .00016	.050	8
4	7456472		2.432	.008 AND UP	2.43240 + .00040	.050	8
4	7456476	7456479	2.433	MASTER	2.43300 + .00004	.050	2
4	7456478		2.433	.001	2.43300 + .00008	.050	4
4	7456480		2.433	.002	2.43308 + .00012	.050	4
4	7456482		2.433	.004	2.43320 + .00016	.050	8
4	7456486		2.433	.008 AND UP	2.43340 + .00040	.050	8
4	7456490	7456493	2.434	MASTER	2.43400 + .00004	.050	2
4	7456492		2.434	.001	2.43400 + .00008	.050	4
4	7456494		2.434	.002	2.43408 + .00012	.050	4
4	7456496		2.434	.004	2.43420 + .00016	.050	8
4	7456500		2.434	.008 AND UP	2.43440 + .00040	.050	8

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456504	7456507	2.435	MASTER	2.43500 + .00004	.050	2
4	7456506		2.435	.001	2.43500 + .00008	.050	4
4	7456508		2.435	.002	2.43508 + .00012	.050	4
4	7456510		2.435	.004	2.43520 + .00016	.050	8
4	7456514		2.435	.008 AND UP	2.43540 + .00040	.050	8
4	7456518	7456521	2.436	MASTER	2.43600 + .00004	.050	2
4	7456520		2.436	.001	2.43600 + .00008	.050	4
4	7456522		2.436	.002	2.43608 + .00012	.050	4
4	7456524		2.436	.004	2.43620 + .00016	.050	8
4	7456528		2.436	.008 AND UP	2.43640 + .00040	.050	8
4	7456532	7456535	2.437	MASTER	2.43700 + .00004	.050	2
4	7456534		2.437	.001	2.43700 + .00008	.050	4
4	7456536		2.437	.002	2.43708 + .00012	.050	4
4	7456538		2.437	.004	2.43720 + .00016	.050	8
4	7456542		2.437	.008 AND UP	2.43740 + .00040	.050	8
4	7456546	7497957	2.4375	MASTER	2.43750 + .00004	.050	2
4	7497956		2.4375	.001	2.43750 + .00008	.050	4
4	7497958		2.4375	.002	2.43758 + .00012	.050	4
4	7497960		2.4375	.004	2.43770 + .00016	.050	8
4	7497964		2.4375	.008 AND UP	2.43790 + .00040	.050	8
4	7456548	7456551	2.438	MASTER	2.43800 + .00004	.050	2
4	7456550		2.438	.001	2.43800 + .00008	.050	4
4	7456552		2.438	.002	2.43808 + .00012	.050	4
4	7456554		2.438	.004	2.43820 + .00016	.050	8
4	7456558		2.438	.008 AND UP	2.43840 + .00040	.050	8
4	7456562	7456565	2.439	MASTER	2.43900 + .00004	.050	2
4	7456564		2.439	.001	2.43900 + .00008	.050	4
4	7456566		2.439	.002	2.43908 + .00012	.050	4
4	7456568		2.439	.004	2.43920 + .00016	.050	8
4	7456572		2.439	.008 AND UP	2.43940 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7456576	7456579	2.440	MASTER	2.44000 + .00004	.050	2
11	7456578		2.440	.001	2.44000 + .00008	.050	4
11	7456580		2.440	.002	2.44008 + .00012	.050	4
11	7456582		2.440	.004	2.44020 + .00016	.050	8
11	7456586		2.440	.008 AND UP	2.44040 + .00040	.050	8
11	7456590	7456593	2.441	MASTER	2.44100 + .00004	.050	2
11	7456592		2.441	.001	2.44100 + .00008	.050	4
11	7456594		2.441	.002	2.44108 + .00012	.050	4
11	7456596		2.441	.004	2.44120 + .00016	.050	8
11	7456600		2.441	.008 AND UP	2.44140 + .00040	.050	8
11	7456604	7456607	2.442	MASTER	2.44200 + .00004	.050	2
11	7456606		2.442	.001	2.44200 + .00008	.050	4
11	7456608		2.442	.002	2.44208 + .00012	.050	4
11	7456610		2.442	.004	2.44220 + .00016	.050	8
11	7456614		2.442	.008 AND UP	2.44240 + .00040	.050	8
11	7456618	7456621	2.443	MASTER	2.44300 + .00004	.050	2
11	7456620		2.443	.001	2.44300 + .00008	.050	4
11	7456622		2.443	.002	2.44308 + .00012	.050	4
11	7456624		2.443	.004	2.44320 + .00016	.050	8
11	7456628		2.443	.008 AND UP	2.44340 + .00040	.050	8
11	7456632	7456635	2.444	MASTER	2.44400 + .00004	.050	2
11	7456634		2.444	.001	2.44400 + .00008	.050	4
11	7456636		2.444	.002	2.44408 + .00012	.050	4
11	7456638		2.444	.004	2.44420 + .00016	.050	8
11	7456642		2.444	.008 AND UP	2.44440 + .00040	.050	8
11	7456646	7456649	2.445	MASTER	2.44500 + .00004	.050	2
11	7456648		2.445	.001	2.44500 + .00008	.050	4
11	7456650		2.445	.002	2.44508 + .00012	.050	4
11	7456652		2.445	.004	2.44520 + .00016	.050	8
11	7456656		2.445	.008 AND UP	2.44540 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	FUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER		
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456660	7456663	2.446	MASTER	2.44600 + .00004	.050	2
4	7456662		2.446	.001	2.44600 + .00008	.050	4
4	7456664		2.446	.002	2.44608 + .00012	.050	4
4	7456666		2.446	.004	2.44620 + .00016	.050	8
4	7456670		2.446	.008 AND UP	2.44640 + .00040	.050	8
4	7456674	7456677	2.447	MASTER	2.44700 + .00004	.050	2
4	7456676		2.447	.001	2.44700 + .00008	.050	4
4	7456678		2.447	.002	2.44708 + .00012	.050	4
4	7456680		2.447	.004	2.44720 + .00016	.050	8
4	7456684		2.447	.008 AND UP	2.44740 + .00040	.050	8
4	7456688	7456691	2.448	MASTER	2.44800 + .00004	.050	2
4	7456690		2.448	.001	2.44800 + .00008	.050	4
4	7456692		2.448	.002	2.44808 + .00012	.050	4
4	7456694		2.448	.004	2.44820 + .00016	.050	8
4	7456698		2.448	.008 AND UP	2.44840 + .00040	.050	8
4	7456702	7456705	2.449	MASTER	2.44900 + .00004	.050	2
4	7456704		2.449	.001	2.44900 + .00008	.050	4
4	7456706		2.449	.002	2.44908 + .00012	.050	4
4	7456708		2.449	.004	2.44920 + .00016	.050	8
4	7456712		2.449	.008 AND UP	2.44940 + .00040	.050	8
4	7456716	7456719	2.450	MASTER	2.45000 + .00004	.050	2
4	7456718		2.450	.001	2.45000 + .00008	.050	4
4	7456720		2.450	.002	2.45008 + .00012	.050	4
4	7456722		2.450	.004	2.45020 + .00016	.050	8
4	7456726		2.450	.008 AND UP	2.45040 + .00040	.050	8
4	7456730	7456733	2.451	MASTER	2.45100 + .00004	.050	2
4	7456732		2.451	.001	2.45100 + .00008	.050	4
4	7456734		2.451	.002	2.45108 + .00012	.050	4
4	7456736		2.451	.004	2.45120 + .00016	.050	8
4	7456740		2.451	.008 AND UP	2.45140 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	MIL- STD PART NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456744	7456747	2.452	MASTER	2.45200 + .00004	.050	2
4	7456746		2.452	.001	2.45200 + .00008	.050	4
4	7456748		2.452	.002	2.45208 + .00012	.050	4
4	7456750		2.452	.004	2.45220 + .00016	.050	8
4	7456754		2.452	.008 AND UP	2.45240 + .00040	.050	8
4	7456758	7456761	2.453	MASTER	2.45300 + .00004	.050	2
4	7456760		2.453	.001	2.45300 + .00008	.050	4
4	7456762		2.453	.002	2.45308 + .00012	.050	4
4	7456764		2.453	.004	2.45320 + .00016	.050	8
4	7456768		2.453	.008 AND UP	2.45340 + .00040	.050	8
4	7456772	7456775	2.454	MASTER	2.45400 + .00004	.050	2
4	7456774		2.454	.001	2.45400 + .00008	.050	4
4	7456776		2.454	.002	2.45408 + .00012	.050	4
4	7456778		2.454	.004	2.45420 + .00016	.050	8
4	7456782		2.454	.008 AND UP	2.45440 + .00040	.050	8
4	7456786	7456789	2.455	MASTER	2.45500 + .00004	.050	2
4	7456788		2.455	.001	2.45500 + .00008	.050	4
4	7456790		2.455	.002	2.45508 + .00012	.050	4
4	7456792		2.455	.004	2.45520 + .00016	.050	8
4	7456796		2.455	.008 AND UP	2.45540 + .00040	.050	8
4	7456800	7456803	2.456	MASTER	2.45600 + .00004	.050	2
4	7456802		2.456	.001	2.45600 + .00008	.050	4
4	7456804		2.456	.002	2.45608 + .00012	.050	4
4	7456806		2.456	.004	2.45620 + .00016	.050	8
4	7456810		2.456	.008 AND UP	2.45640 + .00040	.050	8
4	7456814	7456817	2.457	MASTER	2.45700 + .00004	.050	2
4	7456816		2.457	.001	2.45700 + .00008	.050	4
4	7456818		2.457	.002	2.45708 + .00012	.050	4
4	7456820		2.457	.004	2.45720 + .00016	.050	8
4	7456824		2.457	.008 AND UP	2.45740 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tubulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7456828	7456831	2.458	MASTER	2.45800 + .00004	.050	2
h	7456830		2.458	.001	2.45800 + .00008	.050	4
h	7456832		2.458	.002	2.45808 + .00012	.050	4
h	7456834		2.458	.004	2.45820 + .00016	.050	8
h	7456838		2.458	.008 AND UP	2.45840 + .00040	.050	8
h	7456842	7456845	2.459	MASTER	2.45900 + .00004	.050	2
h	7456844		2.459	.001	2.45900 + .00008	.050	4
h	7456846		2.459	.002	2.45908 + .00012	.050	4
h	7456848		2.459	.004	2.45920 + .00016	.050	8
h	7456852		2.459	.008 AND UP	2.45940 + .00040	.050	8
h	7456856	7456859	2.460	MASTER	2.46000 + .00004	.050	2
h	7456858		2.460	.001	2.46000 + .00008	.050	4
h	7456860		2.460	.002	2.46008 + .00012	.050	4
h	7456862		2.460	.004	2.46020 + .00016	.050	8
h	7456866		2.460	.008 AND UP	2.46040 + .00040	.050	8
h	7456870	7456873	2.461	MASTER	2.46100 + .00004	.050	2
h	7456872		2.461	.001	2.46100 + .00008	.050	4
h	7456874		2.461	.002	2.46108 + .00012	.050	4
h	7456876		2.461	.004	2.46120 + .00016	.050	8
h	7456880		2.461	.008 AND UP	2.46140 + .00040	.050	8
h	7456884	7456887	2.462	MASTER	2.46200 + .00004	.050	2
h	7456886		2.462	.001	2.46200 + .00008	.050	4
h	7456888		2.462	.002	2.46208 + .00012	.050	4
h	7456890		2.462	.004	2.46220 + .00016	.050	8
h	7456894		2.462	.008 AND UP	2.46240 + .00040	.050	8
h	7456898	7456901	2.463	MASTER	2.46300 + .00004	.050	2
h	7456900		2.463	.001	2.46300 + .00008	.050	4
h	7456902		2.463	.002	2.46308 + .00012	.050	4
h	7456904		2.463	.004	2.46320 + .00016	.050	8
h	7456908		2.463	.008 AND UP	2.46340 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
11	7456912	7456915	2.464	MASTER	2.46400 + .00004	.050	2
11	7456914		2.464	.001	2.46400 + .00008	.050	4
11	7456916		2.464	.002	2.46408 + .00012	.050	4
11	7456918		2.464	.004	2.46420 + .00016	.050	8
11	7456922		2.464	.008 AND UP	2.46440 + .00040	.050	8
11	7456926	7456929	2.465	MASTER	2.46500 + .00004	.050	2
11	7456928		2.465	.001	2.46500 + .00008	.050	4
11	7456930		2.465	.002	2.46508 + .00012	.050	4
11	7456932		2.465	.004	2.46520 + .00016	.050	8
11	7456936		2.465	.008 AND UP	2.46540 + .00040	.050	8
11	7456940	7456943	2.466	MASTER	2.46600 + .00004	.050	2
11	7456942		2.466	.001	2.46600 + .00008	.050	4
11	7456944		2.466	.002	2.46608 + .00012	.050	4
11	7456946		2.466	.004	2.46620 + .00016	.050	8
11	7456950		2.466	.008 AND UP	2.46640 + .00040	.050	8
11	7456954	7456957	2.467	MASTER	2.46700 + .00004	.050	2
11	7456956		2.467	.001	2.46700 + .00008	.050	4
11	7456958		2.467	.002	2.46708 + .00012	.050	4
11	7456960		2.467	.004	2.46720 + .00016	.050	8
11	7456964		2.467	.008 AND UP	2.46740 + .00040	.050	8
11	7456968	7456971	2.468	MASTER	2.46800 + .00004	.050	2
11	7456970		2.468	.001	2.46800 + .00008	.050	4
11	7456972		2.468	.002	2.46808 + .00012	.050	4
11	7456974		2.468	.004	2.46820 + .00016	.050	8
11	7456978		2.468	.008 AND UP	2.46840 + .00040	.050	8
11	7456982	7497969	2.46875	MASTER	2.46875 + .00004	.050	2
11	7497968		2.46875	.001	2.46875 + .00008	.050	4
11	7497970		2.46875	.002	2.46883 + .00012	.050	4
11	7497972		2.46875	.004	2.46895 + .00016	.050	8
11	7497976		2.46875	.008 AND UP	2.46915 + .00040	.050	8

8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
4	7456984	7456987	2.469	MASTER	2.46900 + .00004	.050	2
4	7456986		2.469	.001	2.46900 + .00008	.050	4
4	7456988		2.469	.002	2.46908 + .00012	.050	4
4	7456990		2.469	.004	2.46920 + .00016	.050	8
4	7456994		2.469	.008 AND UP	2.46940 + .00040	.050	8
4	7456998	7457001	2.470	MASTER	2.47000 + .00004	.050	2
4	7457000		2.470	.001	2.47000 + .00008	.050	4
4	7457002		2.470	.002	2.47008 + .00012	.050	4
4	7457004		2.470	.004	2.47020 + .00016	.050	8
4	7457008		2.470	.008 AND UP	2.47040 + .00040	.050	8
4	7457012	7457015	2.471	MASTER	2.47100 + .00004	.050	2
4	7457014		2.471	.001	2.47100 + .00008	.050	4
4	7457016		2.471	.002	2.47108 + .00012	.050	4
4	7457018		2.471	.004	2.47120 + .00016	.050	8
4	7457022		2.471	.008 AND UP	2.47140 + .00040	.050	8
4	7457026	7457029	2.472	MASTER	2.47200 + .00004	.050	2
4	7457028		2.472	.001	2.47200 + .00008	.050	4
4	7457030		2.472	.002	2.47208 + .00012	.050	4
4	7457032		2.472	.004	2.47220 + .00016	.050	8
4	7457036		2.472	.008 AND UP	2.47240 + .00040	.050	8
4	7457040	7457043	2.473	MASTER	2.47300 + .00004	.050	2
4	7457042		2.473	.001	2.47300 + .00008	.050	4
4	7457044		2.473	.002	2.47308 + .00012	.050	4
4	7457046		2.473	.004	2.47320 + .00016	.050	8
4	7457050		2.473	.008 AND UP	2.47340 + .00040	.050	8
4	7457054	7457057	2.474	MASTER	2.47400 + .00004	.050	2
4	7457056		2.474	.001	2.47400 + .00008	.050	4
4	7457058		2.474	.002	2.47408 + .00012	.050	4
4	7457060		2.474	.004	2.47420 + .00016	.050	8
4	7457064		2.474	.008 AND UP	2.47440 + .00040	.050	8

 MIL-STD-1304
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE D IMENSIONS			FINISH
	FIIN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAM. TER		CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
h	7457068	7457071	2.475	MASTER	2.47500 + .00004	.050	2	
h	7457070		2.475	.001	2.47500 + .00008	.050	4	
h	7457072		2.475	.002	2.47508 + .00012	.050	4	
h	7457074		2.475	.004	2.47520 + .00016	.050	8	
h	7457078		2.475	.008 AND UP	2.47540 + .00040	.050	8	
h	7457082	7457085	2.476	MASTER	2.47600 + .00004	.050	2	
h	7457084		2.476	.001	2.47600 + .00008	.050	4	
h	7457086		2.476	.002	2.47608 + .00012	.050	4	
h	7457088		2.476	.004	2.47620 + .00016	.050	8	
h	7457092		2.476	.008 AND UP	2.47640 + .00040	.050	8	
h	7457096	7457099	2.477	MASTER	2.47700 + .00004	.050	2	
h	7457098		2.477	.001	2.47700 + .00008	.050	4	
h	7457100		2.477	.002	2.47708 + .00012	.050	4	
h	7457102		2.477	.004	2.47720 + .00016	.050	8	
h	7457106		2.477	.008 AND UP	2.47740 + .00040	.050	8	
h	7457110	7457113	2.478	MASTER	2.47800 + .00004	.050	2	
h	7457112		2.478	.001	2.47800 + .00008	.050	4	
h	7457114		2.478	.002	2.47808 + .00012	.050	4	
h	7457116		2.478	.004	2.47820 + .00016	.050	8	
h	7457120		2.478	.008 AND UP	2.47840 + .00040	.050	8	
h	7457124	7457127	2.479	MASTER	2.47900 + .00004	.050	2	
h	7457126		2.479	.001	2.47900 + .00008	.050	4	
h	7457128		2.479	.002	2.47908 + .00012	.050	4	
h	7457130		2.479	.004	2.47920 + .00016	.050	8	
h	7457134		2.479	.008 AND UP	2.47940 + .00040	.050	8	
h	7457138	7457141	2.480	MASTER	2.48000 + .00004	.050	2	
h	7457140		2.480	.001	2.48000 + .00008	.050	4	
h	7457142		2.480	.002	2.48008 + .00012	.050	4	
h	7457144		2.480	.004	2.48020 + .00016	.050	8	
h	7457148		2.480	.008 AND UP	2.48040 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FIIN—GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7457152	7457155	2.481	MASTER	2.48100 + .00004	.050	2
h	7457154		2.481	.001	2.48100 + .00008	.050	4
h	7457156		2.481	.002	2.48108 + .00012	.050	4
h	7457158		2.481	.004	2.48120 + .00016	.050	8
h	7457160		2.481	.008 AND UP	2.48140 + .00040	.050	8
h	7457166	7457169	2.482	MASTER	2.48200 + .00004	.050	2
h	7457168		2.482	.001	2.48200 + .00008	.050	4
h	7457170		2.482	.002	2.48208 + .00012	.050	4
h	7457172		2.482	.004	2.48220 + .00016	.050	8
h	7457176		2.482	.008 AND UP	2.48240 + .00040	.050	8
h	7457180	7457183	2.483	MASTER	2.48300 + .00004	.050	2
h	7457182		2.483	.001	2.48300 + .00008	.050	4
h	7457184		2.483	.002	2.48308 + .00012	.050	4
h	7457186		2.483	.004	2.48320 + .00016	.050	8
h	7457190		2.483	.008 AND UP	2.48340 + .00040	.050	8
h	7457194	7457197	2.484	MASTER	2.48400 + .00004	.050	2
h	7457196		2.484	.001	2.48400 + .00008	.050	4
h	7457198		2.484	.002	2.48408 + .00012	.050	4
h	7457200		2.484	.004	2.48420 + .00016	.050	8
h	7457204		2.484	.008 AND UP	2.48440 + .00040	.050	8
h	7457208	7457211	2.485	MASTER	2.48500 + .00004	.050	2
h	7457210		2.485	.001	2.48500 + .00008	.050	4
h	7457212		2.485	.002	2.48508 + .00012	.050	4
h	7457214		2.485	.004	2.48520 + .00016	.050	8
h	7457218		2.485	.008 AND UP	2.48540 + .00040	.050	8
h	7457222	7457225	2.486	MASTER	2.48600 + .00004	.050	2
h	7457224		2.486	.001	2.48600 + .00008	.050	4
h	7457226		2.486	.002	2.48608 + .00012	.050	4
h	7457228		2.486	.004	2.48620 + .00016	.050	8
h	7457232		2.486	.008 AND UP	2.48640 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
11	7457236	7457239	2.487	MASTER	2.48700 + .00004	.050	2	
11	7457238		2.487	.001	2.48700 + .00008	.050	4	
11	7457240		2.487	.002	2.48708 + .00012	.050	4	
11	7457242		2.487	.004	2.48720 + .00016	.050	8	
11	7457246		2.487	.008 AND UP	2.48740 + .00040	.050	8	
11	7457250	7457253	2.488	MASTER	2.48800 + .00004	.050	2	
11	7457252		2.488	.001	2.48800 + .00008	.050	4	
11	7457254		2.488	.002	2.48808 + .00012	.050	4	
11	7457256		2.488	.004	2.48820 + .00016	.050	8	
11	7457260		2.488	.008 AND UP	2.48840 + .00040	.050	8	
11	7457264	7457267	2.489	MASTER	2.48900 + .00004	.050	2	
11	7457266		2.489	.001	2.48900 + .00008	.050	4	
11	7457268		2.489	.002	2.48908 + .00012	.050	4	
11	7457270		2.489	.004	2.48920 + .00016	.050	8	
11	7457274		2.489	.008 AND UP	2.48940 + .00040	.050	8	
11	7457278	7457281	2.490	MASTER	2.49000 + .00004	.050	2	
11	7457280		2.490	.001	2.49000 + .00008	.050	4	
11	7457282		2.490	.002	2.49008 + .00012	.050	4	
11	7457284		2.490	.004	2.49020 + .00016	.050	8	
11	7457288		2.490	.008 AND UP	2.49040 + .00040	.050	8	
11	7457292	7457295	2.491	MASTER	2.49100 + .00004	.050	2	
11	7457294		2.491	.001	2.49100 + .00008	.050	4	
11	7457296		2.491	.002	2.49108 + .00012	.050	4	
11	7457298		2.491	.004	2.49120 + .00016	.050	8	
11	7457302		2.491	.008 AND UP	2.49140 + .00040	.050	8	
11	7457306	7457309	2.492	MASTER	2.49200 + .00004	.050	2	
11	7457308		2.492	.001	2.49200 + .00008	.050	4	
11	7457310		2.492	.002	2.49208 + .00012	.050	4	
11	7457312		2.492	.004	2.49220 + .00016	.050	8	
11	7457316		2.492	.008 AND UP	2.49240 + .00040	.050	8	

 MIL-STD-130A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
h	7457320	7457323	2.493	MASTER	2.49300 + .00004	.050	2
h	7457322		2.493	.001	2.49300 + .00008	.050	4
h	7457324		2.493	.002	2.49308 + .00012	.050	4
h	7457326		2.493	.004	2.49320 + .00016	.050	8
h	7457330		2.493	.008 AND UP	2.49340 + .00040	.050	8
h	7457334	7457337	2.494	MASTER	2.49400 + .00004	.050	2
h	7457336		2.494	.001	2.49400 + .00008	.050	4
h	7457338		2.494	.002	2.49408 + .00012	.050	4
h	7457340		2.494	.004	2.49420 + .00016	.050	8
h	7457344		2.494	.008 AND UP	2.49440 + .00040	.050	8
h	7457348	7457351	2.495	MASTER	2.49500 + .00004	.050	2
h	7457350		2.495	.001	2.49500 + .00008	.050	4
h	7457352		2.495	.002	2.49508 + .00012	.050	4
h	7457354		2.495	.004	2.49520 + .00016	.050	8
h	7457358		2.495	.008 AND UP	2.49540 + .00040	.050	8
h	7457362	7457365	2.496	MASTER	2.49600 + .00004	.050	2
h	7457364		2.496	.001	2.49600 + .00008	.050	4
h	7457366		2.496	.002	2.49608 + .00012	.050	4
h	7457368		2.496	.004	2.49620 + .00016	.050	8
h	7457370		2.496	.008 AND UP	2.49640 + .00040	.050	8
h	7457376	7457379	2.497	MASTER	2.49700 + .00004	.050	2
h	7457378		2.497	.001	2.49700 + .00008	.050	4
h	7457380		2.497	.002	2.49708 + .00012	.050	4
h	7457382		2.497	.004	2.49720 + .00016	.050	8
h	7457386		2.497	.008 AND UP	2.49740 + .00040	.050	8
h	7457390	7457393	2.498	MASTER	2.49800 + .00004	.050	2
h	7457392		2.498	.001	2.49800 + .00008	.050	4
h	7457394		2.498	.002	2.49808 + .00012	.050	4
h	7457396		2.498	.004	2.49820 + .00016	.050	8
h	7457400		2.498	.008 AND UP	2.49840 + .00040	.050	8

MIL-STD-110A
8 December 1959

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH	
	FIN-GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER			CHAMFER
	WITHOUT AIR GROOVE	WITH AIR GROOVE						
A	B	C	D	E	F	G	H	
4	7457404	7457407	2.499	MASTER	2.49900 + .00004	.050	2	
4	7457406		2.499	.001	2.49900 + .00008	.050	4	
4	7457408		2.499	.002	2.49908 + .00012	.050	4	
4	7457410		2.499	.004	2.49920 + .00016	.050	8	
4	7457414		2.499	.008 AND UP	2.49940 + .00040	.050	8	
4	7457418	7457421	2.500	MASTER	2.50000 + .00004	.050	2	
4	7457420		2.500	.001	2.50000 + .00008	.050	4	
4	7457422		2.500	.002	2.50008 + .00012	.050	4	
4	7457424		2.500	.004	2.50020 + .00016	.050	8	
4	7457428		2.500	.008 AND UP	2.50040 + .00040	.050	8	
4	7457432	7457435	2.501	MASTER	2.50100 + .00004	.050	2	
4	7457434		2.501	.001	2.50100 + .00008	.050	4	
4	7457436		2.501	.002	2.50108 + .00012	.050	4	
4	7457438		2.501	.004	2.50120 + .00016	.050	8	
4	7457442		2.501	.008 AND UP	2.50140 + .00040	.050	8	
4	7457446	7457449	2.502	MASTER	2.50200 + .00004	.050	2	
4	7457448		2.502	.001	2.50200 + .00008	.050	4	
4	7457450		2.502	.002	2.50208 + .00012	.050	4	
4	7457452		2.502	.004	2.50220 + .00016	.050	8	
4	7457456		2.502	.008 AND UP	2.50240 + .00040	.050	8	
4	7457460	7457463	2.503	MASTER	2.50300 + .00004	.050	2	
4	7457462		2.503	.001	2.50300 + .00008	.050	4	
4	7457464		2.503	.002	2.50308 + .00012	.050	4	
4	7457466		2.503	.004	2.50320 + .00016	.050	8	
4	7457470		2.503	.008 AND UP	2.50340 + .00040	.050	8	
4	7457474	7457477	2.504	MASTER	2.50400 + .00004	.050	2	
4	7457476		2.504	.001	2.50400 + .00008	.050	4	
4	7457478		2.504	.002	2.50408 + .00012	.050	4	
4	7457480		2.504	.004	2.50420 + .00016	.050	8	
4	7457484		2.504	.008 AND UP	2.50440 + .00040	.050	8	

 MIL-STD-110A
 8 December 1955

Table I. Tabulation of Design and Identification Data (Continued)

FIG. NO.	MARKING ON GAGE HANDLE			TOTAL COMPONENT TOLERANCE	PLUG GAGE DIMENSIONS		FINISH
	FINN - GAGE STOCK NO.		MINIMUM COMPONENT DIMENSION		DIAMETER	CHAMFER	
	WITHOUT AIR GROOVE	WITH AIR GROOVE					
A	B	C	D	E	F	G	H
44444	7457488	7457491	2.505	MASTER	2.50500 + .00004	.050	2
	7457490		2.505	.001	2.50500 + .00008	.050	4
	7457492		2.505	.002	2.50508 + .00012	.050	4
	7457494		2.505	.004	2.50520 + .00016	.050	8
	7457498		2.505	.008 AND UP	2.50540 + .00040	.050	8
44444	7457502	7457505	2.506	MASTER	2.50600 + .00004	.050	2
	7457504		2.506	.001	2.50600 + .00008	.050	4
	7457506		2.506	.002	2.50608 + .00012	.050	4
	7457508		2.506	.004	2.50620 + .00016	.050	8
	7457512		2.506	.008 AND UP	2.50640 + .00040	.050	8
44444	7457516	7457519	2.507	MASTER	2.50700 + .00004	.050	2
	7457518		2.507	.001	2.50700 + .00008	.050	4
	7457520		2.507	.002	2.50708 + .00012	.050	4
	7457522		2.507	.004	2.50720 + .00016	.050	8
	7457526		2.507	.008 AND UP	2.50740 + .00040	.050	8
44444	7457530	7457533	2.508	MASTER	2.50800 + .00004	.050	2
	7457532		2.508	.001	2.50800 + .00008	.050	4
	7457534		2.508	.002	2.50808 + .00012	.050	4
	7457536		2.508	.004	2.50820 + .00016	.050	8
	7457540		2.508	.008 AND UP	2.50840 + .00040	.050	8
44444	7457544	7457547	2.509	MASTER	2.50900 + .00004	.050	2
	7457546		2.509	.001	2.50900 + .00008	.050	4
	7457548		2.509	.002	2.50908 + .00012	.050	4
	7457550		2.509	.004	2.50920 + .00016	.050	8
	7457554		2.509	.008 AND UP	2.50940 + .00040	.050	8
44444	7457558	7457561	2.510	MASTER	2.51000 + .00004	.050	2
	7457560		2.510	.001	2.51000 + .00008	.050	4
	7457562		2.510	.002	2.51008 + .00012	.050	4
	7457564		2.510	.004	2.51020 + .00016	.050	8
	7457568		2.510	.008 AND UP	2.51040 + .00040	.050	8

 MIL-STD-110A
 8 December 1955

Table II. Listing of Gage Stock Numbers in Numerical Sequence
 Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

<u>FIIN</u> GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		<u>FIIN</u> GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		<u>FIIN</u> GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7457572	1.988	339		7497258	.21875	37		7497334	.4375	75
7457574	1.988	339		7497259	.21875	37		7497338	.4375	75
7457575	1.988	339		7497262	.21875	37		7497342	.46875	80
7457576	1.988	339		7497264	.21875	37		7497343	.46875	80
7457578	1.988	339		7497268	.21875	37		7497346	.46875	80
7457582	1.988	339		7497272	.28125	48		7497348	.46875	80
7497198	.03125	8		7497273	.28125	48		7497352	.46875	80
7497199	.03125	8		7497276	.28125	48		7497356	.53125	91
7497202	.03125	8		7497278	.28125	48		7497357	.53125	91
7497204	.03125	8		7497282	.28125	48		7497360	.53125	91
7497206	.0625	12		7497286	.3125	53		7497362	.53125	91
7497207	.0625	12		7497287	.3125	53		7497366	.53125	91
7497210	.0625	12		7497290	.3125	53		7497370	.5625	96
7497212	.0625	12		7497292	.3125	53		7497371	.5625	96
7497218	.09375	17		7497296	.3125	53		7497374	.5625	96
7497219	.09375	17		7497300	.34375	59		7497376	.5625	96
7497222	.09375	17		7497301	.34375	59		7497380	.5625	96
7497224	.09375	17		7497304	.34375	59		7497384	.59375	101
7497230	.15625	27		7497306	.34375	59		7497385	.59375	101
7497231	.15625	27		7497310	.34375	59		7497388	.59375	101
7497234	.15625	27		7497314	.40625	69		7497390	.59375	101
7497236	.15625	27		7497315	.40625	69		7497394	.59375	101
7497240	.15625	27		7497318	.40625	69		7497398	.65625	112
7497244	.187	32		7497320	.40625	69		7497399	.65625	112
7497245	.1875	32		7497324	.40625	69		7497402	.65625	112
7497248	.1875	32		7497328	.4375	75		7497404	.65625	112
7497250	.1875	32		7497329	.4375	75		7497408	.65625	112
7497254	.1875	32		7497332	.4375	75		7497412	.6875	117

* Applicable Page No. in Table I for Design and Identification Data

MIL-STD-110A
8 December 1955

Table II. Listing of Gage Stock Numbers in Numerical Sequence (Continued)

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7497413	.6875	117		7497492	.90625	155		7497570	1.15625	197
7497416	.6875	117		7497496	.9375	160		7497572	1.15625	197
7497418	.6875	117		7497497	.9375	160		7497576	1.15625	197
7497422	.6875	117		7497500	.9375	160		7497580	1.1875	203
7497426	.71875	123		7497502	.9375	160		7497581	1.1875	203
7497427	.71875	123		7497506	.9375	160		7497584	1.1875	203
7497430	.71875	123		7497510	.96875	165		7497586	1.1875	203
7497432	.71875	123		7497511	.96875	165		7497590	1.1875	203
7497436	.71875	123		7497514	.96875	165		7497594	1.21875	208
7497440	.78125	133		7497516	.96875	165		7497595	1.21875	208
7497441	.78125	133		7497520	.96875	165		7497598	1.21875	208
7497444	.78125	133		7497524	1.03125	176		7497600	1.21875	208
7497446	.78125	133		7497525	1.03125	176		7497604	1.21875	208
7497450	.78125	133		7497528	1.03125	176		7497608	1.28125	219
7497454	.8125	139		7497530	1.03125	176		7497609	1.28125	219
7497455	.8125	139		7497534	1.03125	176		7497612	1.28125	219
7497458	.8125	139		7497538	1.0625	181		7497614	1.28125	219
7497460	.8125	139		7497539	1.0625	181		7497618	1.28125	219
7497464	.8125	139		7497542	1.0625	181		7497622	1.3125	224
7497468	.84375	144		7497544	1.0625	181		7497623	1.3125	224
7497469	.84375	144		7497548	1.0625	181		7497626	1.3125	224
7497472	.84375	144		7497552	1.09375	187		7497628	1.3125	224
7497474	.84375	144		7497553	1.09375	187		7497632	1.3125	224
7497478	.84375	144		7497556	1.09375	187		7497636	1.34375	229
7497482	.90625	155		7497558	1.09375	187		7497637	1.34375	229
7497483	.90625	155		7497562	1.09375	187		7497640	1.34375	229
7497486	.90625	155		7497566	1.15625	197		7497642	1.34375	229
7497488	.90625	155		7497567	1.15625	197		7497646	1.34375	229

Applicable Page No. in Table I for Design and Identification Data

MIL-STD-110A
8 December 1953

Table II. Listing of Gage Stock Numbers in Numerical Sequence (Continued)

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7497650	1.40625	240		7497720	1.59375	272		7497789	1.84375	315
7497651	1.40625	240		7497724	1.59375	272		7497790	1.84375	315
7497654	1.40625	240		7497728	1.65625	283		7497792	1.84375	315
7497656	1.40625	240		7497729	1.65625	283		7497796	1.84375	315
7497660	1.40625	240		7497730	1.65625	283		7497800	1.90625	325
7497664	1.4375	245		7497732	1.65625	283		7497801	1.90625	325
7497665	1.4375	245		7497736	1.65625	283		7497802	1.90625	325
7497668	1.4375	245		7497740	1.6875	288		7497804	1.90625	325
7497670	1.4375	245		7497741	1.6875	288		7497808	1.90625	325
7497674	1.4375	245		7497742	1.6875	288		7497812	1.9375	331
7497678	1.46875	251		7497744	1.6875	288		7497813	1.9375	331
7497679	1.46875	251		7497748	1.6875	288		7497814	1.9375	331
7497682	1.46875	251		7497752	1.71875	293		7497816	1.9375	331
7497684	1.46875	251		7497753	1.71875	293		7497820	1.9375	331
7497688	1.46875	251		7497754	1.71875	293		7497824	1.96875	336
7497692	1.53125	261		7497756	1.71875	293		7497825	1.96875	336
7497693	1.53125	261		7497760	1.71875	293		7497826	1.96875	336
7497694	1.53125	261		7497764	1.78125	304		7497828	1.96875	336
7497696	1.53125	261		7497765	1.78125	304		7497832	1.96875	336
7497700	1.53125	261		7497766	1.78125	304		7497836	2.03125	347
7497704	1.5625	267		7497768	1.78125	304		7497837	2.03125	347
7497705	1.5625	267		7497772	1.78125	304		7497838	2.03125	347
7497706	1.5625	267		7497776	1.8125	309		7497840	2.03125	347
7497708	1.5625	267		7497777	1.8125	309		7497844	2.03125	347
7497712	1.5625	267		7497778	1.8125	309		7497848	2.0625	352
7497716	1.59375	272		7497780	1.8125	309		7497849	2.0625	352
7497717	1.59375	272		7497784	1.8125	309		7497850	2.0625	352
7497718	1.59375	272		7497788	1.84375	315		7497852	2.0625	352

* Applicable Page No. in Table I for Design and Identification Data

MIL-STD-110A
8 December 1955

Table II. Listing of Gage Stock Numbers in Numerical Sequence (Continued)

Exclusive of stock numbers 7420000 to 7457568 inclusive which are listed in table I

FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*		FIIN GAGE STOCK NO.	MINIMUM COMPONENT DIMENSION	PAGE NO.*
A	B	C		A	B	C		A	B	C
7497856	2.0625	352		7497897	2.21875	379		7497936	2.34375	400
7497860	2.09375	357		7497898	2.21875	379		7497940	2.34375	400
7497861	2.09375	357		7497900	2.21875	379		7497944	2.40625	411
7497862	2.09375	357		7497904	2.21875	379		7497945	2.40625	411
7497864	2.09375	357		7497908	2.28125	389		7497946	2.40625	411
7497868	2.09375	357		7497909	2.28125	389		7497948	2.40625	411
7497872	2.15625	368		7497910	2.28125	389		7497952	2.40625	411
7497873	2.15625	368		7497912	2.28125	389		7497956	2.4375	416
7497874	2.15625	368		7497916	2.28125	389		7497957	2.4375	416
7497876	2.15625	368		7497920	2.3125	395		7497958	2.4375	416
7497880	2.15625	368		7497921	2.3125	395		7497960	2.4375	416
7497884	2.1875	373		7497922	2.3125	395		7497964	2.4375	416
7497885	2.1875	373		7497924	2.3125	395		7497968	2.46875	421
7497886	2.1875	373		7497928	2.3125	395		7497969	2.46875	421
7497888	2.1875	373		7497932	2.34375	400		7497970	2.46875	421
7497892	2.1875	373		7497933	2.34375	400		7497972	2.46875	421
7497896	2.21875	379		7497934	2.34375	400		7497976	2.46875	421

MIL-STD-110A
6 December 1955

* Applicable Page No. in Table I for Design and Identification Data

MIL-STD-110A
3 December 1955

Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.

Copies of this standard for military use may be obtained as indicated in the foreword to the Index of Military Specifications and Standards.

Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.

Both the title and the identifying symbol number should be stipulated when requesting copies of military standards.

Custodians:

Army-Ordnance Corps
Navy-Bureau of Ordnance
Air Force

Other interests:

Army-CMEQSig
Navy-SHMASTMCACG.