

MIL-STD-726H
NOTICE 1
22 January 1986

MILITARY STANDARD
PACKAGING REQUIREMENT CODES

TO ALL HOLDERS OF MIL-STD-726H:

1. THE FOLLOWING PAGES OF MIL-STD-726H HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

New Page	Date	Superseded Page	Date
Cover	22 January 1986	Cover	Reprinted without change
ii	22 January 1986	ii	31 July 1985
11	22 January 1986	11	31 July 1985
12	22 January 1986	12	Reprinted without change
21	22 January 1986	21	Reprinted without change
22	22 January 1986	22	31 July 1985
35	22 January 1986	35	31 July 1985
Blank			
35a	22 January 1986	Added	
36	22 January 1986	36	Reprinted without change
41	22 January 1986	41	31 July 1985
42	22 January 1986	42	31 July 1985
43	22 January 1986	43	Reprinted without change
44	22 January 1986	44	31 July 1985
91	22 January 1986	91	Reprinted without change
92	22 January 1986	92	31 July 1985
93	22 January 1986	93	Reprinted without change
94	22 January 1986	94	31 July 1985
95	22 January 1986	95	Reprinted without change
96	22 January 1986	96	31 July 1985
97	22 January 1986	97	31 July 1985
98	22 January 1986	98	Reprinted without change
99	22 January 1986	99	31 July 1985
100	22 January 1986	100	31 July 1985

2. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.
3. Holders of MIL-STD-726H will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the military standard is completely revised or canceled.

AMSC N/A

AREA PACK

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

MIL-STD-726H

Custodians:

Army - AV
Navy - AS
Air Force - 43
DLA - ES

Preparing activity:

Navy - AS
(Project PACK-0810)

Review activities:

Army - AT, EL, GL, SM
Navy - EC, SA
Air Force - 99
DSA - IS

User activities:

Army - MI
Navy - YD, SH

MIL-STD-726H

31 JULY 1985

SUPERSEDING

MIL-STD-726G

21 June 1982

MILITARY STANDARD

PACKAGING REQUIREMENT CODES



AMSC N/A

AREA PACK

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

MIL-STD-726H
NOTICE 1

DEPARTMENT OF DEFENSE
WASHINGTON, DC 20402

Packaging Requirement Codes

1. This military standard is approved for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer, Naval Air Engineering Center, Systems Engineering and Standardization Department, Code 9321, Lakehurst, NJ 08733-5100 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Supersedes page ii of MIL-STD-726H

MIL-STD-726H
NOTICE 1

STANDARDS (Continued)

MILITARY (Continued)

MIL-F-87090	Foam, Combustion Retardant, For Cushioning Supply Items Aboard Navy Ships
MIL-F-83671	Foam-In-Place Packaging Materials, General Specifications for
MIL-STD-129	Marking for Shipment and Storage
MIL-STD-163	Steel Mill Products, Preparation for Shipment and Storage
MIL-STD-281	Automobiles, Trucks, Truck-tractors, Trailers and Trailer Dollies, Preservation and Packaging of
MIL-STD-649	Aluminum and Magnesium Products, Preparation for Shipment and Storage
MIL-STD-758	Packaging Procedures for Submarine Repair Parts
* MIL-STD-767	Cleaning Requirements for Special Purpose Equipment, Including Piping System
MIL-STD-794	Parts and Equipment, Procedures for Packaging of
MIL-STD-1186	Cushioning, Anchoring, Bracing, Blocking, and Waterproofing, With Appropriate Test Methods
MS 18011	Containers, Reusable, Aluminum, Hand Portable-Assembly for Shipping
MS 90363	Box, Fiberboard, With Cushioning for Special, Minimum Cube Storage and Limited Reuse Applications

FEDERAL MANUALS

M1-7 Federal Manual for Supply Cataloging, Chapter 7.

2.2 Other government publications. The following documents form a part of this standard to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

Title 49CFR Code of Federal Regulation (Hazardous Material)

(Copies of specifications, standards and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

* Changed

Supersedes page 11 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

**** 2.3 Other publications.** The following document(s) form a part of this standard to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted shall be those listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ASTM D 3951 Packaging, Commercial

(Applications for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

3. DEFINITIONS. For definitions of packaging terminology refer to Section 3 of MIL-STD-794.

4. GENERAL REQUIREMENTS

4.1 General.

4.1.1 Code system. The code system established herein is a position and sequence code. Coded data used under this system shall always appear in the sequence and in the number of positions specified herein regardless of the manner by which it is published. By means of this code lengthy identifying and descriptive data is reduced to a convenient form capable of being stored and manipulated by existing electronic data processing methods and equipment or by manual means. The digits of this code shall not be used for purposes other than those specified herein. Digit positions 1 through 17 are mandatory in acquisition documents. Digit positions 18 through 28 are optional for use. If digits 18 through 28 are not used for purposes stated herein, zeros shall be placed in these positions and not used for any other purpose.

4.2 Essential elements. For the purpose of uniformity the following are established as the minimum essential elements which will be used for acquisition purposes:

Method of Preservation
Quantity per Unit Pack
Cleaning and Drying Procedure
Preservative Material
Wraps, Cushioning and Dunnage
Unit Container
Intermediate Container Quantity
Intermediate Container
Level of Preservation

*** 4.3 Alternate elements.** In addition to the basic packaging information set forth above, codes are provided for including the following items of logistical information:

a. Allowable maximum weight and cube of the unit container or allowable maximum inside dimensions (length, width and depth) of the unit container.

*** Changed**

Supersedes page 12 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

TABLE I. Format for Standard Military Packaging Code (Mandatory)

PCAM Columns (MIL-STD-834)	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63
Digit Position	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	Method of Preservation		Quantity per unit pack	Cleaning and drying procedure	Preservative Material		Wraps		Cushioning and Dunnage		Cushioning Thickness	Unit Container		Intermediate Container Quantity	Intermediate Container		Level of Protection
	II, IIa, IIb, IIc		III	IV	V		VI		VIa		VIb	VII		VIII	VII		IX
See Table	30		1	1	06		GB		BA		B	ED		6	WE		A
EXAMPLE:	Method 1A-14		One per unit pack	Cleaning process C-1	Preservative P-6 of MIL-P-116		MIL-B-121 Greaseproof-waterproof barrier, grade A		PPP-C-843, cellulosic cushioning material		1/2-inch thick	PPP-B-636, type CF, class weather resistant, fiberboard box		6 pkgs. per intermediate cont.	Kraft paper overwrap		Level A

See paragraph 4.1 concerning mandatory and optional use of digit position.

MIL-STD-726H
NOTICE 1

TABLE 1a. Format for Standard Military Packaging Code (Optional)

PCAM Columns (MIL-STD-834)	64	65	66	67	72	73	74	74	74	74	44	45									
	68	69	70	71																	
Digit Position	18	19	20	21	22	23	24	25	26	26	27	28									
CODE FIELDS	Max. Wt. & Cube						Level A Packing	Level B Packing	Level C or Commer- cial Packing		Special Markings See 5.13										
	Wht. See Table XI and XIa BJ		Cube See Table XII and XIIa AL																		
	Maximum Dimensions																				
	Length x		Width x										Depth x								
	See Table														XIII	XIII	XIII	XIII	XIV		
	EXAMPLE		B9										AQ		AQ		Z	R	U	F	23
	1.5 lbs.																				
	10 in.																				
	.231 cu. ft.																				
	6.0 in.																				
A special packing/container requirement not defined herein, which is to be delineated by means of a separate enclosure.																					
Packing shall be accomplished in accordance with the requirements in the applicable commodity or procedural packaging/packing specifications for Level B.																					
Item or packages that require packing acceptance by the carrier.																					
Packing is not required. The container used to effect the unit package shall also serve as the shipping container.																					
Perishable biologicals, do not freeze.																					

MIL-STD-726H

NOTICE 1

TABLE IIc. Specialized Preservation Procedure Codes Digit
Positions 1 & 2) (PCAM Columns 47, 48, MIL-STD-
834) (See 5.2 and 5.2.4) (Continued)

Code	Packaging procedure
6X	Preserve by Method IA-8 as follows: Items adversely affected by electrostatic and/or both electromagnetic and electrostatic field forces shall be initially wrapped in material conforming to MIL-B-81705, type II, or cushioned in material conforming to PPP-C-1842, type III, style A or B, or PPP-C-795 class 2, or PPP-C-1752 type VII, class 4, or PPP-C-1797, type II, to prevent bag puncture, and unit packed in a heat-sealed bag conforming to MIL-B-117, type I, class F, style 1. Alternate cushioning materials are acceptable if certified as having physical properties equal to or better than similarly constructed material(s) covered by a government packaging specification and such materials satisfy the electrostatic decay rate requirement of MIL-B-81705. Noncorrosive conductive material(s) shall be applied to all exposed leads and connector pins. Lead or terminal configurations for all items shall be maintained as manufactured without causing loads of stresses capable of causing damage to the item. Materials used to maintain item position and lead or terminal configuration shall permit item removal without damage to the item. Sensitive electronic device caution labels shall be applied in accordance with MIL-STD-129.
GZ	Preserve by Method IC-1 or IA-8 modified as follows: Preserve in a transparent barrier bag conforming to type I, class C, style 2 of MIL-B-117. To prevent bag puncture, wrap or cushion with sufficient layers of MIL-B-22191 or L-P-378 barrier material, PPP-C-1842 or PPP-C-795 cushioning, or otherwise protect sharp edges and protrusions with caps, covers, plugs, or rigid plastic foam in accordance with MIL-P-26514. If a contact preservative has been applied to the item, MIL-B-22191, type II barrier material, is required as wrap or cushioning and initial wrap prior to application of cushioning. The bag closure shall be made by heat sealing.
JF	Preserve Method III - Items shall be preserved in a vacuum formed skin pack, formed from either cellulose acetate, cellulose butyrate or cellulose propionate. The material shall be 10 to 15 mils minimum thickness prior to draw and 2 to 4 mils minimum thickness after draw. PPP-F-320, class - domestic fiberboard shall be used as a stiffener.
JG	Preserve Method IA-8 using MIL-B-131, class 1 or 2 barrier material.
JH	Preserve Method IA-8 using MIL-B-22191, type I film. Sharp edges and protrusions shall be sufficiently cushioned to protect the item and barrier.
**JK	Preserve Submethod IA-8 for semiconductor devices and resistors in accordance with Level A provisions of MIL-S-19491 and MIL-R-39032, respectively, utilizing the field force protection (shielding)

**Added

Supersedes page 35 of MIL-STD-726H

MIL-STD-726H

NOTICE 1

TABLE IIc. Specialized Preservation Procedure Codes Digit
Positions 1 & 2) (PCAM Columns 47, 48, MIL-STD-
834) (See 5.2 and 5.2.4) (Continued)

Code	Packaging procedure
JL	<p>requirements as well as insuring that all other applicable requirements (including packing, marking and quality assurance) of these specifications are met. All other items shall be preserved submethod IA-8 as follows: These items shall be wrapped in material conforming to MIL-B-81705, type II, or cushioned in material conforming to PPP-C-795, class 2; PPP-C-1752, type VII, class 4; PPP-C-1797, type II; or PPP-C-1842, type III. Lead or terminal configurations for all items shall be maintained as manufactured without causing loads or stresses capable of causing item damage. Materials used to protect lead or terminal configurations shall permit item removal without damage to the item. The unit container shall consist of a heat sealed bag conforming to MIL-B-117, type I, class F, style 1. All containers used shall be marked as specified for sensitive electronic devices in MIL-STD-129.</p> <p>Preserve Method IC-3 using MIL-B-22191 type III film. Sharp edges and protrusions shall be sufficiently cushioned with transparent material to protect the item and barrier.</p>

MIL-STD-726H
NOTICE 1

TABLE IIc. Specialized Preservation Procedure Codes Digit Positions 1 & 2 (PCAM Columns 47, 48, MIL-STD-834) (See 5.2 and 5.2.4) (Continued)

Code	Packaging procedure
JM	Preserve Method III as follows: Unit container shall consist of one piece of 3/8-inch plywood and one piece of double wall fiberboard, PPP-F-320, each 4 inches longer and wider than the item dimensions. Place item on plywood, cover with fiberboard and staple fiberboard to plywood on sides and ends. For items longer than 96 inches, frame panel in accordance with PPP-B-601 (used for backing boards and similar flat items).
JN	Preserve in accordance with MIL-P-23199, Level B.
JR	Preserve Method III. Preserve technical literature Method IC-1 and place on top of contents prior to closure of unit container.
JS	Preserve Method IA-14. Preserve technical literature Method IC-1 and place on top of contents prior to closure of unit container.
JT	Preserve Method IIb. Preserve technical literature Method IC-1 and place on top of contents prior to closure of unit container.

Note 1. Preservation and packing shall be in accordance with Level A requirements of MIL-B-197. In reference to Code "FM", the method of preservation described by symbol "G" (IA-8) of MIL-B-197 shall not exceed ten pounds, and symbol "A" (IB-2) may only be used for bearings exceeding an o.d. of 4.86 inches.

TABLE III. Quantity Per Unit Pack Code (Digit Position 3) (PCAM Column 49, MIL-STD-834) (See 5.3)

Code	Quantity	Code	Quantity	Code	Quantity
1	1	E	18	U	250
2	2	F	20	V	500
3	3	G	24	W	1000
4	4	H	25	X	Bulk
5	5	J	32	Y	Packager's option so long as all other contractual requirements are met.
6	6	K	36	Z	Special requirement refer to special instruction or drawings provided.
7	7	L	48		
8	8	M	50		
9	9	N	72		
Ø	(See 5.3.1)	P	75		
A	10	Q	100		
B	12	R	120		
C	15	S	144		
D	16	T	200		

Supersedes page 36 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

TABLE VI. Wrapping Material Codes
(Digit Positions 7 & 8) (PCAM Columns 53, 54, MIL-STD-834) (See 5.6)
(Continued)

Code	Material	Weight lbs/sq. in
JB	PPP-C-795, cushioning material, flexible, cellular plastic film for packaging applications, class 1, thin, up to 1/4 inch.	0.00017
JL	MIL-B-22019, barrier materials, transparent, flexible, heat sealable, volatile corrosion inhibitor treated.	0.00010
JV	MIL-B 22191, barrier materials, transparent, flexible, heat sealable, type III.	0.00017
JW	PPP-C-795, cushioning material, flexible, cellular, plastic film for packaging applications, class 1, medium, 1/4 to 3/8 inch.	0.00023
JX	PPP-C-795, class 1, thick, greater than 3/8 inch.	0.00025
K3	MIL-B-81705, type II barrier materials, flexible electrostatic free, heat sealable.	0.00030
LA	NNN-P-40, paper, lens, type II.	0.00002
MA	PPP-P-291, paperboard, wrapping & cushioning.	0.00043
N1	PPP-C-795, cushioning material, flexible, cellular, plastic film for packaging applications, class 2, antistatic, pink tinted, thin up to 1/4 inch.	0.00017
N2	PPP-C-795, class 2, antistatic, pink tinted, medium, 1/4 inch to 3/8 inch.	0.00023
N3	PPP-C-795, thick, greater than 3/8 inch.	0.00023
N4	PPP-C-1797, cushioning material, resilient, low density, unicellular, polypropylene foam, 1/16 inch.	0.00004
N5	PPP-C-1797, 3/32 inch.	0.00004
N6	PPP-C-1797, 1/8 inch.	0.00004
N7	PPP-C-1797, 1/4 inch.	0.00004
N8	MIL-B-81705, type I barrier materials, flexible, electrostatic free, heat sealable.	0.00030
*#PA	PPP-C-795, class 3, flexible, closed cell, fire-retardant, heat sealable, noncorrosive plastic film.	
00	No requirement.	
XX	See Method of Preservation Code (1st and 2nd digits) for this requirement.	
YY	Packager's option so long as all other contractual requirements are met.	
ZZ	Special requirements - See specific instructions or drawings provided.	

* Changed

Fire Retardant

Supersedes page 41 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

TABLE VIa. Cushioning and Dunnage Materials Codes
(Digit Positions 9 & 10) (PCAM Columns 55, 56, MIL-STD-834) (See 5.6)

Code	Material	Weight lbs/sq. in
AA	Any cushioning and dunnage which will meet the general requirements of MIL-P-116.	
AB	Cushioning and dunnage used within the unit container shall be treated latex or sponge rubber, cellulosic preforms, rubberized hair, or cane fiber inserts.	
AC	Provide cushioning outside of the transparent unit pack when packing within the shipping container. Any cushioning which meets the general requirements of MIL-P-116 is acceptable.	
AD	Cushion, anchor, block or brace in accordance with MIL-STD-1186.	
AF	Cushioning conforming to the general requirements of MIL-P-116 shall be located between the barrier and outer container.	0.0020
*# AG	MIL-F-87990, class 1, combustion retardant foam for cushioning supply items aboard Navy ships (sheet stock).	
***AH	MIL-F-81334, foam, plastic, flexible, open cell, polyester type, polyurethane grades 1 and 2, sheet and strip, fire retardant.	
***AJ	MIL-F-87090, class 2, combustion retardant foam for cushioning supply items aboard Navy ships (die cuts).	
1/ BA	PPP-C-843, Cellulosic Cushioning Material.	0.0015
1/ BB	PPP-C-843, in PPP-B-566 or PPP-B-676 Box (see Note 3).	0.0026
BC	PPP-C-843 in PPP-B-636 class domestic (see Note 1).	0.0025
1/ BD	PPP-C-843, type I.	0.0004
BE	PPP-C-843, type I in PPP-B-566 or PPP-B-676 Box (see Note 1).	0.0015
BF	PPP-C-843, type I, in PPP-B-636 class domestic (see Note 1).	0.0018
1/ BG	PPP-C-843, type II.	0.0008
BH	PPP-C-843, type II, in PPP-B-566 or PPP-B-676 Box (see Note 1).	0.00195
BJ	PPP-C-843, type II, in PPP-B-636 class domestic (see Note 1).	0.0023
***BL	PPP-C-850, cushioning material, polystyrene expanded, resilient, type I (sheet form) and type 2 (roll form) grade SE flame resistant	
BN	PPP-C-850, Cushioning Material, Polystyrene, Expanded, Resilient (For Packaging Use).	0.00122
DA	PPP-P-291, Paperboard, Wrapping & Cushioning.	0.00043

1/ Not to be used for Army aircraft or Army aircraft components

* Changed

** Added

Fire retardant

Supersedes page 42 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

TABLE VIa. Cushioning and Dunnage Materials Codes
(Digit Positions 9 & 10) (PCAM Columns 55, 56, MIL-STD-834) (See 5.6)
(Continued)

Code	Material	Weight lbs/sq. in
DB	PPP-P-291, in PPP-B-566 or PPP-B-676 Box (see Note 1).	0.00043
**#DD	MIL-R-5001, rubber cellular sheet, latex foam, type I and II, grade A (flame resistant)	
**#DF	Oil and flame resistant in accordance with para. 1.2.2, MIL-R-6130, type I, grade A	
**#DG	Oil and flame resistant in accordance with para. 1.2.2, MIL-R-6130, type II, grade A	
**#DH	MIL-R-0020092, type I, class 5, fire retardant shipboard	
**#DJ	MIL-R-0020092, type II, class 5, fire retardant shipboard	
DC	PPP-P-291, in PPP-B-636, class domestic (see Note 1).	0.00043
EA	PPP-B-566 or PPP-B-676 Box (see Note 3)...	0.00043
EB	Vendor's setup or folding box (see Note 3).	0.00043
EC	PPP-B-636 class domestic (see Note 3).	0.0017
ED	Vendor's fiberboard box (see Note 3).	0.0017
EG	PPP-T-495, Mailing Tube (see Note 3).	0.0034
EM	PPP-C-1120, class B (not necessarily water resistant).	0.00064
EN	PPP-C-1120, type I (soft density), class B.	0.00064
EQ	PPP-C-1120, type I, class B, in PPP-B-636, class domestic (see Note 1).	0.00064
ER	PPP-C-1120, type II (medium soft density), class B.	0.00097
ET	PPP-C-1120, type II, class B, in PPP-B-636, class domestic (see Note 1).	0.00097
EU	PPP-C-1120, type III (medium firm density), class B.	0.00147
EW	PPP-C-1120, type III, class B, in PPP-B-636, class domestic (see Note 1).	0.0025
EX	PPP-C-1120, type IV (firm density), class B.	0.0022
EZ	PPP-C-1120, type IV, class B, in PPP-B-636, class domestic, (see Note 1).	0.0036
FA	PPP-C-1120, class A (water resistant), cushioning material, bound fiber.	0.00067
FB	PPP-C-1120, type I (soft density), class A.	0.00064
FC	PPP-C-1120, type I, class A, in PPP-B-566 or PPP-B-676 box (see Note 1).	0.0018
FD	PPP-C-1120, type I, class A, in PPP-B-636 class domestic (see Note 1).	0.00207
FE	PPP-C-1120, type II (medium soft density), class A.	0.00097
FF	PPP-C-1120, type II, class A, in PPP-B-566 or PPP-B-676 box (see Note 1).	0.00207
FG	PPP-C-1120, type II, class A, in PPP-B-636, class domestic (see Note 1).	0.00237

** Added

Fire Retardant

Supersedes page 43 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

TABLE VIa. Cushioning and Dunnage Materials Codes
(Digit Positions 9 & 10) (PCAM Columns 55, 56, MIL-STD-834) (See 5.6)
(Continued)

Code	Material	Weight lbs/sq. in
FH	PPP-C-1120, type III (medium firm density), class A.	0.00147
FJ	PPP-C-1120, type III, class A, in PPP-B-566 or PPP-B-676 box (see Note 1).	0.00257
FK	PPP-C-1120, type III, class A, in PPP-B-636, class domestic (see Note 1).	0.00287
FL	PPP-C-1120, type IV, (firm density), class A.	0.00220
FM	PPP-C-1120, type IV, class A, in PPP-B-566 or PPP-B-676 box (see Note 1).	0.0033
FN	PPP-C-1120, type IV, class A, in PPP-B-636, class domestic (see Note 1).	0.0036
*# FP	PPP-C-1120, cushioning material, uncompressed bound fiber, types I through V, class A, grade 1, fire retardant	
. GA	PPP-C-1752, cushioning material, packaging, unicellular, polyethylene foam, flexible, 2 pounds per cubic foot.	0.0010
*# GB	MIL-F-83671, class 3, semirigid, foam-in-place, fire retardant (see Note 2)	0.0002
GC	MIL-P-19644, Plastic, Molding Material.	
# GD	MIL-P-26514, type I, class 1, polyurethane, prefoamed, rigid, fire retardant.	
# GE	MIL-P-26514, type I, class 2, grade A, polyurethane, prefoamed, flexible, light load range, fire retardant.	0.0012
# GF	MIL-P-26514, type I, class 2, grade B, polyurethane, prefoamed, flexible medium load range, fire retardant.	0.0013
***GG	MIL-P-19644, plastic molding material (polystyrene foam, expanded) fire retardant	
# GH	MIL-P-26514, type I, class 2, grade C, polyurethane, prefoamed, flexible, medium load range, fire retardant.	0.00166
# GJ	MIL-P-26514, type I, class 2, grade C, polyurethane, prefoamed, flexible, heavy load range, 65 g's or less, fire retardant.	0.020
*# GK	MIL-F-83671, class 2, grade A, foam-in-place, fire retardant (see Note 2).	
*# GL	MIL-F-83671, class 2, grade B, foam-in-place, fire retardant (see Note 2).	
*# GM	MIL-F-83671, class 1, foam-in-place, fire retardant (see Note 2).	

* Changed
** Added
Fire retardant

Supersedes page 44 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

APPENDIX A
CROSS REFERENCE INDEX

10. SCOPE

10.1 This index lists the table(s) and code(s) that each document is referenced in.

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
L-P-378	IIc VI VII XIII	BG, DB, DC, DD, DG, GY, GZ JA A3, B7, BL, WQ T
O-M-232	IV	C
FF-N-105	IIb	52
NN-P-530	VIa	LP
QQ-A-1876	VI	BA
RR-C-271	IIb	D7
UU-B-23	VII	12
★ ★ UU-B-36	VII	AN
UU-C-282	VIa	HA, HB, HC, HD, HE, HF, HG, HH, HJ, HK, HL, HM
UU-P-268	VI VII	CA, CB, CC, CD, CE, CF WP
UU-P-553	VI	DA, DB, DC
VV-L-800	V	Ø9
MMM-A-260	IIc	AW
NNN-P-40	VI	LA
PPP-B-20	VII	AA
PPP-B-35	VII	AH, AJ, AK, AL
PPP-B-140	IIb	2Ø
PPP-B-566	IIc VIa	CE, DX, EA, EB BB, BE, BH, DB, FC, FF, FJ, FM, HE, HF, HG, HH, JD, JE, JF, NU, NV
PPP-B-576	VII VII XIII	CT, CU, CV, D1, D2, D3, D6, D7, DA F1, FK, FL, FM B, M
PPP-B-591	VII XIII	DU, DV, DW B, M, 5
PPP-B-601	IIc VII XIII	JM F1, F2, F3, F4, F6, F7, FD, FF, FG, FH, PK, C, N, 2, 3, 4, 5, 7
PPP-B-621	IIc VII XIII	AQ EX, EY, F2, F3, F7, F9, FA, FB, FC, PK C, N, 2, 3, 4, 5, 7

★ ★ Added
Supersedes page 91 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
PPP-B-636	IIC VIa	AL, AP, CH, CM, DR, DS, DW, EL, GV BC, BF, BJ, DC, EC, EQ, ET, EW, EZ, FD, FG, FK, FN, HJ, HK, HL, HM, JG, JH, JJ, LX, ND, NR
	VII	CV, D3, E1, E2, E3, E4, E5, E7, E8, E9, EB, EC, ED, EE, EF, EG, EN, EP, EQ, ER, ES, ET, EU, EW, KA, NO, NP, NQ, NT, NU
	XIII	A, H, L, S, T
PPP-B-640	VIa	JQ
	VII	DP, DQ, DR, PK
	XIII	A, L, T, 7
PPP-B-665	VII	CU, CV, CW, D2, D3, DJ
PPP-B-676	IIC	CE, DX, EA, EB
	VIa	BH, DB, EA, FC, FF, FJ, FM, HE, HF, HH, JD, JE, JF, NU, NV
	VII	D1, D2, D3, D6, D7, DE
PPP-B-1055	IIC	AW
	VI	HC
PPP-B-1364	VII	EV
PPP-B-1672	VII	NR, NS, NV, NW
PPP-B-1806	VII	CA
PPP-C-96	VII	HA, HB, HC, HD, HE, HF, HG, HH, HJ, HK, JH, JJ, JK, JL, JM, JN
*PPP-C-795	IIC	DB, DC, GX, GY, GZ, JK
	VI	JB, JW, JX, N1, N2, N3, PA
	VIa	LC, LD, LR, LS, LT, LU, LV, LX, NA, ND, NU
PPP-C-843	IIC	AC, AN
	VIa	BA, BB, BC, BE, BF, BH, BJ
PPP-C-850	VIa	BL, BN
	VII	PK
PPP-C-1120	VIa	EM, EN, EQ, ER, ET, EU, EW, EZ, FA, FB, FC, FD, FE, FF, FG, FH, FJ, FK, FL, FM, FN, FP
	VII	PK
*PPP-C-1752	IIC	GX, JK
	VIa	GA, GP, HN, NA, ND, NU
	VII	PK
*PPP-C-1797	IIC	GX, JK
	VI	N4, N5, N6, N7, PA
	VIa	GT, GU, GV, GW, GY, NA, ND, NU, NV, NW
*PPP-C-1842	IIC	DB, DC, GX, GY, GZ, JK
	VIa	NG, NA, ND, NB, NU, NV, NW
PPP-C-2020	IIB	23
PPP-D-705	VII	RU
PPP-D-723	VII	CF, CG, CH, CJ, CR
PPP-F-320	IIC	JF, JM
	VIa	JA, JB, JC, JD, JE, JF, JG, JH, JJ, JL, JM, JN, LG, NR, NS
	VII	WS
PPP-H-1581	IIB	42
PPP-P-40	IIB	74
PPP-P-291	VI	MA
	VIa	DA, DB, DC
	VII	WR

* Changed
Supersedes page 92 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
PPP-P704	VII	RS, RT
PPP-P-1132	IIb	B6
PPP-P-1133	IIb	B7
PPP-P-1134	IIb	B8
PPP-P-1135	IIb	B9
PPP-P-1136	IIb	C1
PPP-P-1892	IIb	54
PPP-S-30	VII	AC, AD, AE
PPP-T-45	IIc	BJ
PPP-T-60	IIc	AM, AU, AW, BA, BJ, DH, DR
	VIa	LJ
PPP-T-76	IIc	AL, AW, CH, CM, DR, GV
PPP-T-360	IIb	A2
PPP-T-495	VIa	EG
	VII	WM, W1, W2, W3
MIL-V-3	IIb	76
MIL-T-4	IIb	73
MIL-E-75	IIb	75
	IIc	FQ, FS, FT, FU, FV
MIL-C-104	VII	F7, GB, MA, MB, MC, MF, MG, MH
	XIII	C, N
MIL-P-116		
Method I	II	11
	IIa	6L, 6M
	IIc	AH, AJ, AK, AL, BC, BL, BN, DC
		DH, DK, DN
Method IA	II	3Y
	IIc	AN, BD, DQ
Submethod IA-5	II	3V
Submethod IA-6	II	3W
Submethod IA-8	II	3G
	IIc	AP, BA, BD, CG, DD, DX, GX, GY, GZ, JG,
		JH, JK
Submethod IA-13	II	3T
	IIa	6F
	IIc	AW
Submethod IA-14	II	3Q
	IIc	CH, JS
Submethod IA-15	II	3P
	IIa	6F
	IIc	AW, CJ
Submethod IA-16	II	3H
	IIc	DT, DU
Method IB	II	1Y
Submethod IB-1	II	12
Submethod IB-2	II	1B
Method IC	II	2Y
	IIc	DP, DR
Submethod IC-1	II	2E
	IIc	CE, DD, EL, GS, GZ, JR, JS, JT

MIL-STD-726H
NOTICE 1

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
Submethod IC-2	II	2M
	IIc	JP
Submethod IC-3	II	2D
	IIc	EB, JL
Submethod IC-4	II	2S
Submethod IC-7	II	2A
Submethod IC-9	II	2B
Submethod IC-10	II	2C
Method II	II	4Y
	IIc	AR
Submethod IIa	II	4H
	IIa	6P
	IIc	AQ, DV, GW
Submethod IIb	II	4Q
	IIa	6Q
	IIc	AQ, CA, CM, DW, JT
Submethod IIc	II	4G
	IIc	DG, EA, JO
Submethod IId	II	4V
	IIa	6P, 6Q, 6R
	IIc	AQ, CB
Submethod IIe	II	4P
	IIc	CP
Submethod II f	II	4T
	IIa	6R
Method III	II	1Q
	IIa	6L, 6M
	IIc	AE, AF, AG, AR, BM, CQ, DA, DB, EK, 6V, JF, JM, JR
Cleaning Procedures (C-types)	IV	1, 3, 5, 6, 7, 8, A, C, D, G, H, K, L, M, P, Q
Preservatives (P-Types)	IIb	76
	V	01, 02, 03, 06, 07, 09, 10, 11, 12, 13, 15, 17, 18, 19, 20, 21, 83, AA
General Requirements	VI	AA
*MIL-8-117	VIa	AA, AC, AF
	IIc	AW, AY, CQ, DC, DS, GS, GX, GY, GZ, JK
	VII	A1, A4, B1, B2, B3, B4, B6, B7, B8, B9, BD BQ, BR, BS, BU, BV, BW, BX
MIL-8-121	IIc	AF, AJ, AU, BG, CE, CQ, DA, DH, DR, EB, EK, EL
	VI	GA, GB, GC, GD, GE, GF, GG, GH, GK
	VIa	LG
	VII	A1, A3, BE
MIL-P-130	IIc	CQ, DA
	VI	FA, FB, FC, FD, GK
	VII	A1

* Changed
Supersedes page 94 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
MIL-B-131	IIc	AN, AP, CG, DV, DW, DX, EA, JG GM, GN, GP
	VI	
MIL-P-149	V	38
MIL-V-173	IIc	AR
MIL-R-196	IIb	34
MIL-B-197	IIb	21
	IIc	FA, FB, FC, FF, FG, FH, FJ, FK, FL, FM, FN, FP
MIL-B-208	IIb	17
MIL-H-775	IIb	47
MIL-F-2312	VIa	LB
MIL-P-2845	IIb	85
MIL-C-3131	IIb	25
MIL-L-3150	V	Ø7
MIL-B-3180	IIb	A5
MIL-P-3184	IIb	26
MIL-H-3280	IIb	45
MIL-P-3420	V	18, 71, 72, 73
MIL-C-3600	IIb	94
MIL-P-3684	IIb	3Ø
MIL-C-3774	VII	MJ
	XIII	D, P
MIL-A-3816	IIb	81
MIL-B-3865	IIb	B1
MIL-W-3903	IIb	D6
MIL-N-3944	IIb	89
	VIa	LF
MIL-C-3955	VII	JC, JD, JE, JF, JG
MIL-C-3993	IIb	28
MIL-C-4150	VII	KA, K1, WB
MIL-S-4473	IIc	FT
MIL-P-4861	IIb	53
** MIL-R-5001	VIa	DD
MIL-C-5501	IIc	DR
MIL-C-5584	VII	KP, WB
MIL-E-5607	IIb	35
MIL-P-5610	IIb	56
MIL-B-5806	VII	WU
MIL-D-6054	VII	K1, KE
MIL-D-6055	VII	K1, KF
MIL-E-6058	IIb	36
MIL-P-6063	IIb	19
MIL-P-6074	IIb	66
MIL-L-6081	V	32, 51
MIL-L-6082	V	53
MIL-H-6083	V	92
MIL-L-6085	V	17
** MIL-R-6130	VIa	DF, DG

** Added

Supersedes page 95 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
MIL-C-6529	V	31, 32
MIL-L-7808	V	33
MIL-L-7870	V	50
MIL-C-8188	V	52
MIL-L-8937	V	30
MIL-B-9361	VII	WC
MIL-C-9897	VII	M1, M2, M3, M4
	XIII	C, D, N, P
MIL-M-9950	IV	E
MIL-P-9902	VII	PK
MIL-C-9959	IIc	GW
	VII	KB
MIL-E-10062	IIb	37
MIL-W-10430	IIb	78
MIL-P-10603	IIb	67
MIL-G-10924	V	13
MIL-C-11796	V	06
MIL-C-12000	IIb	22
MIL-S-12134	IIb	97
MIL-R-12323	IIb	84
MIL-P-14232	IIb	38
	IV	8
MIL-C-16173	V	01, 02, 03, 19, 21
MIL-C-16555	V	27, 28, 29
MIL-E-16298	IIb	29
MIL-P-16789	IIb	83
MIL-O-16898	IIb	48
MIL-E-17555	IIb	33
MIL-P-17667	IIc	AF, DA, CQ
	VI	EA, EB, EC, ED
	VII	A1
MIL-M-18058	IIb	49
MIL-L-19140	VII	FH
*MIL-S-19491	IIb	96
	IIc	JK
MIL-P-19644	VIa	GC, GG, GZ, NR
MIL-R-0020092	VIa	DH, DJ
	VII	PK
MIL-L-21260	V	10, 57, 58, 59
MIL-B-22019	IIc	GS
	V	18, 78
	VI	JL
MIL-B-22020	IIc	GS
	VII	BT
MIL-F-22191	IIc	DB, DC, DD, DS, DV, GY, GZ, JH, JL,
	VI	JV
MIL-C-22235	V	95
MIL-P-23199	IIc	AT, JN
MIL-S-23665	IIb	C3
MIL-L-23699	V	56
MIL-G-23827	V	11
MIL-G-25537	V	43

* Changed
Supersedes page 96 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

<u>Document No.</u>	<u>Table</u>	<u>Code</u>
MIL-P-25621	IIb	70
MIL-C-25731	VII	MW
MIL-C-26094	VII	HU
MIL-B-26195	VII	FU, FV, FW, G8
	XIII	C, M
MIL-P-26514	IIC	DD, DG, GY, GZ
	VIa	GD, GE, GF, GH, GJ, GQ, GR, LE, NR
	VII	PK
MIL-S-28786	IIb	C8
MIL-B-38721	VII	DC
MIL-C-39028	IIb	A9
*MIL-R-39032	IIb	C2
	IIC	JK
MIL-B-43666	VII	DB
MIL-T-45542	IIb	A3
MIL-V-45554	IIb	E3
MIL-B-45997	IIb	A1
MIL-L-46002	V	20
MIL-P-46093	V	80
MIL-P-46161	VII	GC
MIL-H-46170	V	15
MIL-B-46176	V	79
MIL-C-52950	VII	MV, MX
	XIII	C, D, N, P
MIL-C-55330	IIb	C7
MIL-C-55442	IIb	27
MIL-B-55521	IIb	18
MIL-M-55565	IIb	C4
MIL-V-62038	IIb	E4
MIL-G-81322	V	12
MIL-F-81334	VIa	AH
MIL-G-81559	IIb	C6
*MIL-B-81705	IIC	GX, JK
	VI	K3, N8
MIL-B-81916	VI	AB
MIL-H-83282	V	65
MIL-F-83671	VIa	GB, GK, GL, GM
MIL-C-0083933(MR)	V	26
MIL-F-87090	VIa	A6, AJ
*MIL-STD-129	IIC	BC, GS, GX, JK
	XIV	39, 40, 99
MIL-STD-163	IIb	71
MIL-STD-281	IIb	A8
MIL-STD-649	IIb	15
MIL-STD-758	IIC	DY
MIL-STD-767	IV	N
MIL-STD-794	IIb	C9, C5
	IIC	DY
	XIII	E, H, Q, S
MIL-STD-1186	VIa	AD
	XIII	X
MS18011	VII	LQ
MS90363	IIC	FX, FY, GA, GB, GC, GP, GQ, GR

* Changed
Supersedes page 97 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

APPENDIX B

DELETED, CHANGED, AND RESTORED CODES

10. SCOPE

10.1 This appendix contains the deleted, changed, and restored codes of MIL-STD-726. The revision and/or change notice of MIL-STD-726 is specified for each affected code to facilitate the location of the issue in which the action occurred.

10.2 The reason for the affected codes may be ascertained by referring to the specified revision or change notice.

10.3 Deleted Codes

Code	Table	MIL-STD-726
3U	II	Rev. B, Change No. 1
2F, 2L, 3A	II	Rev. C, Change No. 1
66	IIa	Rev. A
6A	IIa	Rev. B, Change No. 1
3U, 3N	IIa	Rev. C, Change No. 1
6B, 6C, 6D, 6E, 6H	IIa	Rev. D
6K, 6N	IIa	Rev. D
41, 57, 78, 82	IIb	Rev. A
31	IIb	Rev. A, Change No. 3
61	IIb	Rev. B, Change No. 2
43, 44, 68, 72, 93	IIb	Rev. C
10, 11, 12	IIb	Rev. C, Change No. 2
69, 79	IIb	Rev. C, Change No. 3
85, 95	IIb	Rev. D
51	IIb	Rev. F
24, 32, 38, 40, 46,	IIb	Rev. G
50, 55, 62, 63, 64,		
65, 86, 87, 91, A4,		
B2, D1, D2, D3, D4,		
16, 39, 59, 60, 63,	IIb	Rev. H
77, 80, 83, 84, 88,		
90, 92, 98, 99, A6,		
B2, D8, D9, E1		
D5, E2 AV, AX	IIC	Rev. A
AS	IIC	Rev. A, Change No. 4
BQ, CF	IIC	Rev. B, Change No. 1
ED, EE, EF, EG, ES	IIC	Rev. C, Change No. 2
CN, DG, DJ	IIC	Rev. C, Change No. 3
CK, CL, CR	IIC	Rev. C, Change No. 5
EC, EH	IIC	Rev. D
DE, DF	IIC	Rev. F, Change No. 2

Supersedes page 98 of MIL-STD-726H

* Changed
Supersedes page 99 of MIL-STD-726H

MIL-STD-726H
NOTICE 1

Code	Table	MIL-STD-726
ME, ML, MP	VII	Rev. A, Change No. 4
BC, MM, MS	VII	Rev. B
KT	VII	Rev. B, Change No. 1
DS, DT	VII	Rev. C
BG, BJ, BM, BN, BP	VII	Rev. C, Change No. 3
D5	VII	Rev. C, Change No. 4
KL, KT, KU, N1, N2	VII	Rev. D
N3, N4, N5, N6, N7,		
N8, N9, NA, NB, NC,		
ND, NE, NF, NG, NH,		
NJ, NK, NL, NM, NN,		
WF		
BF, BH	VII	Rev. E
BS, FN	VII	Rev. F
EM, JA, NX, RA, WT	VII	Rev. G
AP, CB, CS, D8, D9,	VII	Rev. H
FE, FP, FQ, FR, FS,		
FT, FX, GA, HO, HP,		
HR, HQ, JP, KC,		
KM, KN, KO, KR, KS,		
LA, LB, LC, LD, LE,		
LF, LG, LH, LJ, LK,		
LL, LM, LN, LO, LP,		
LR, LS, LT, LU, LV,		
LW, LX, L1, L2, L3,		
L4, L5, MR, MT, PA,		
PB, PC, PD, PE, PF,		
PG, PH, PJ, P1,		
P2, P3, P4, P5, P6,		
P7, P8, P9, RD, RE,		
RF, RJ, RK, RL, RM,		
RN, RO, RI, R2, WE,		
W6		
Alpha 0	VIII	Rev. D
C	IX	Rev. F
SA	VII	Rev. F, Change No. 1
K	XIII	Rev. G
35, 38, 40	XIV	Rev. G

10.4 Restored Codes

Code	Table	MIL-STD-726
38, 63	IIb	Rev. G, Change No. 2
CE, CG, CH, CM, DB,	IIc	Rev. G, Change No. 2
FK, GV		
**JK	IIc	Rev. H, Change No. 1

** Added
Supersedes page 100 of MIL-STD-726H