

MIL-STD-965A  
NOTICE 2  
11 February 1988

MILITARY STANDARD  
PARTS CONTROL PROGRAM

TO ALL HOLDERS OF MIL-STD-965A:

1. THE FOLLOWING PAGES OF MIL-STD-965A HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
11	11 February 1988	11	10 September 1987
11a	11 February 1988	11a	10 September 1987
12	13 December 1985	12	Reprinted without change

2. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.

3. Holders of MIL-STD-965A will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the military standard is completely revised or canceled.

Custodians:

Army - MI  
Navy - AS  
Air Force - 10  
DLA - DH

Preparing activity:  
Air Force - 10

Agent:  
DLA - ES

Review activities:

Army - AL, AM, AR, AT, AV, CR, ER, ME, MR  
Navy - EC, MC, OS, SA, SH, TD  
Air Force - 11, 13, 14, 15, 17, 18, 19, 26  
DLA - CS, ES, GS, IS

(Project MISC-0096)

User activity:

Army - GL

MIL-STD-965A  
NOTICE 2

<u>FSC</u>	<u>PART CATEGORY NAME</u>	<u>RESPONSIBLE MPCAG</u>
5999	Miscellaneous electrical and electronic components: Holder, electrical card and support; mounting pad; printed circuit board; EMI gasketing material; delay lines; extractors; heat sink; retainer- ejector card; and wire mesh	DESC
6010	Fiber optic conductors	DESC
6015	Fiber optic cables	DESC
6020	Fiber optic cable assemblies and harnesses	DESC
6030	Fiber optic devices	DESC
6060	Fiber optic interconnectors	DESC
6070	Fiber optic accessories and supplies	DESC
6080	Fiber optic kits and sets	DESC
** 6135	Batteries, primary (non-rechargeable)	LABCOM
6140	Batteries, secondary (rechargeable)	DGSC
6145	Wire and cable, electrical	DESC
6150	Electrical power cords and grounding straps	DGSC
6210	Lighting devices	DGSC
6240	Electric lamps	DGSC
6350	Horns, bells, buzzers, and sirens	DGSC
6625	Meters, electrical indicating	DESC
6645	Time totalizing meters	DGSC
6680	Mechanical fluid flow and quantity measuring devices	DGSC
6685	Pressure, temperature, humidity measuring, and controlling devices	DGSC
9150	Oils and greases, cutting, lube, hydraulic including synthetics	DGSC
9320	Rubber fabricated materials	DGSC
9330	Plastic fabricated materials	DGSC

6.4.1 MPCAG contact points.6.4.1.1 Contract code assignment.

## a. Air Force and other government agencies:

Commander  
Defense Electronics Supply Center  
ATTN: DESC-EPA  
Dayton, OH 45444-5290

Telephone: (513) 296-5431  
Autovon: 986-5431

## b. Army and Navy:

Commander  
Defense Electronics Supply Center  
ATTN: DESC-EPB  
Dayton, OH 45444-5291

Telephone: (513) 296-5445  
Autovon: 986-5445

6.4.1.2 Mechanical parts.

Commander  
Defense Industrial Supply Center  
ATTN: DISC-ESM  
Philadelphia, PA 19111-5000

Telephone: (215) 697-4395/3007  
Autovon: 442-4395/3007

Commander  
Defense Construction Supply Center  
ATTN: DCSC-SS(P/C)  
Columbus, OH 43216-5000

Telephone: (614) 238-4144  
Autovon: 850-4144

\*\* Only the FSC identified with a double asterisk shall be forwarded to LABCOM (see 6.4.1.4).

Supersedes page 11 of Notice 1 of 10 September 1987

6.4.1.3 Electrical and electronic parts.

Commander  
Defense Electronics Supply Center  
ATTN: DESC-EP  
Dayton, OH 45444-5289

Telephone: (513) 296-5116  
Autovon: 986-5116

Commander  
Defense General Supply Center  
ATTN: DGSC-SEA  
Richmond, VA 23297-5000

Telephone: (804) 275-4742  
Autovon: 695-4742

6.4.1.4 Primary batteries (non-rechargeable). Parts in FSC 6135 are to be forwarded to the Army:

Commander  
US Army Laboratory Command  
Power Sources Division  
ATTN: SLCET-PB  
Ft Monmouth, NJ 07703-5000

Telephone: (201) 544-4211  
Autovon: 995-4211

6.4.1.5 Government Furnished Baseline (GFB) and military bulletin (MIL-BUL-103).

Commander  
Defense Electronics Supply Center  
ATTN: DESC-EPE  
Dayton, OH 45444-5292

Telephone: (513) 296-8047  
Autovon: 986-8047

Commander  
Defense Industrial Supply Center  
ATTN: DISC-ESM  
Philadelphia, PA 19111-5000

Telephone: (215) 697-4395/3007  
Autovon: 442-4395/3007

6.5 Other FSCs managed by the Defense Logistics Agency (DLA). For all other FSCs managed by DLA, part information may be requested from the appropriate Defense Supply Center.

6.6 General equipment specifications. Examples of general equipment specifications which directly or indirectly reference standard parts are: MIL-STD-454, MIL-STD-1515, MIL-E-4158, MIL-E-5400, MIL-E-8983, MIL-T-21200, MIL-I-983, MIL-P-11268, MIL-E-11991, MIL-E-16400, MIL-F-18870, MIL-T-28800, FAA-G-2100, etc.

MIL-STD-965A  
NOTICE 2

SECTION I - GENERAL APPLICATION PARTS SUBSECTION A - MECHANICAL							
CONTRACT NO. F12345-84-C-1234					FSC ABCD		
(Verbal description of items covered in this section)							
<u>Index no.</u>	<u>Description</u>	<u>Document no.</u>	<u>FSCM</u>	<u>Part number</u>	<u>FSCM</u>	<u>Remarks</u>	<u>Use code</u>
<u>1/</u>							
A0001B	Adptr, al al, .250 fem pipe thd to .250 male fld	2A156	99999	2A156-4-4 62742-12	99999 12346		
0002	Adptr, tube to hose, 1p nose, part of AN6270 1/2 tube size	MIL-A-38726	96906	MS27404-8D	96906	Critical part, long lead time	
SECTION I - GENERAL APPLICATION PARTS SUBSECTION B - ELECTRICAL AND ELECTRONIC							
CONTRACT NO: F12345-84-C-1234					FSC 5910		
CAPACITORS, TANTALUM							
<u>Index no.</u>	<u>Description</u>	<u>Document no.</u>	<u>FSCM</u>	<u>Part number</u>	<u>FSCM</u>	<u>Remarks</u>	<u>Use code</u>
0006	Cap, ta, sld, 22 - 330 $\mu$ F, 6-100 V dc, CSR-13	MIL-C-39003/1	81349	M39003/01-****	81349	Failure rate level S, QPL available, critical part, reverse voltage	
0007A	Cap, ta, sld 0.47 - 18 $\mu$ F 6-75 V dc, CSR-09	MIL-C-39003/2	81349	M39003/02-****	81349	Failure rate level S, QPL available	
A0010	Cap, ta, foil, 4 - 500 $\mu$ F 15 - 150 V dc	92A643	99999	92A643-1-2 130J46-3 439X-72J20	99999 12345 23456	Critical part, high cost and long lead time	

1/ Alpha prefix may be used to denote subcontractor, subsystem, board, etc. Alpha suffix should be used to denote resubmissions for reconsideration, document changes, etc.

FIGURE 1. Sample format for Program Parts Selection List (PPSL).