

MIL-STD-1372A(EC)
 NOTICE - 1
 18 January 1973

MILITARY STANDARD
 PROCESS FOR SOLDERING ACCIDENT
 DOSIMETER TO FILM BADGE HOLDER FOR
 RADIAC DETECTING ELEMENT

TO ALL HOLDERS OF MIL-STD-1372A(EC)

1. THE FOLLOWING PAGES OF MIL-STD-1372A(EC) HAVE BEEN REVISED
 AND SUPERSEDE THE PAGES LISTED:

<u>NEW PAGE</u>	<u>DATE</u>	<u>SUPERSEDED PAGE</u>	<u>DATE</u>
5	18 January 1973	5	12 October 1972
6	12 October 1972		Reprinted without change

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of MIL-STD-1372A(EC) will verify that page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.



Preparing activity:

Navy - EC

(Project THJM-N049)

FSC THJM

MIL-STD-1372A(EC)
18 January 1973



Outside diameter of the Dosimeter Tubular Housing shall be flush with the front or back or may be centered on the Film Badge Holder.

Figure 2. Positioning of outer case of film badge holder and metal tubular housing of dosimeter for soldering.

Supersedes page 5 of 12 October 1972.

MIL-STD-1372A(EC)
12 October 1972




Fig. 3

Completed assembly of Film Badge Holder with attached
Dosimeter showing orientation of plastic capsule
in housing.