

MILITARY STANDARD

MIL-STD-1323-389
(NAVY)UNIT LOAD
FOR UNDERWAY REPLENISHMENT
GUIDANCE CONTROL UNIT:
WGU-39/B, F/LASER GUIDED BOMBS
IN CONTAINER, CNU-371/E


19 MAY 1993

UNIT LOAD DATA

NUMBER OF CONTROL UNITS PER CONTAINER	1
NUMBER OF CONTAINERS PER UNIT LOAD	9
GROSS WEIGHT OF ONE CONTAINER (LBS)	143.5
GROSS WEIGHT OF STEEL PALLET (LBS)	94
WEIGHT OF WOOD BATTENS (LBS)	8
WEIGHT OF STEEL STRAPPING (LBS)	8.5
GROSS WEIGHT OF UNIT LOAD (LBS)	1400 Δ
CUBE (CU FT)	49.3

FOR HAZARD CLASSIFICATION SEE SW020-AC-SAF-010/020/030

Δ DO NOT USE FOR SHIPPING WEIGHT
DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE.

CONTAINER, CNU-371/E
DWG. 793500

TEST REPORT NUMBER 83057

AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE:
DISTRIBUTION IS UNLIMITED.

NOTE:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING,
CONTAINERLOADING AND CARLOADING MILITARY
STANDARDS, REFER TO INDEX TO STANDARDS,
MIL-HDBK-236 (NAVY).

FSC 8140

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

THIS UNIT LOAD IS AUTHORIZED
AND RELEASED FOR SHIPPING, HANDLING,
STORAGE AND TRANSFER-AT-SEA. IT MAY
ALSO BE USED FOR DOMESTIC SHIPMENT IN
COMPLIANCE WITH DOT REGULATIONS.

REQUIREMENTS FOR CONSTRUCTION OF
THIS UNIT LOAD SHALL CONSIST OF
THIS DOCUMENT AND THE LATEST ISSUE
OF MIL-STD-1323 (NAVY).

SIGNATURE: TDA, WPNSTA EARLE DATE

SIGNATURE: AIRSYSCOM BY DIRECTION DATE

ORIGINATOR

WPNSTA EARLE, NEW JERSEY

PAGE 1 OF 2

PALLETIZING PROCEDURE


- (A) THREAD LONGITUDINAL STRAPS, ITEM 2, BETWEEN 4th AND 5th DECK WIRES (2 PLACES) AND 11th AND 12th DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.
- (B) POSITION CONTAINERS ON PALLET WITH EQUAL OVERHANG ON BOTH SIDES AND BOTH ENDS. BE SURE THAT THE LATCHES OF THE CONTAINER FOR EACH ROW ARE BUTTED AGAINST EACH OTHER.
- (C) POSITION LATERAL STRAPS, ITEM 3, UNDER THE PALLET DECK, AROUND THE VERTICAL BATTENS, ITEM 5, AND OVER THE UNIT LOAD AT LOCATIONS AS SHOWN. TENSION AND DOUBLE NOTCH SEAL, ITEM 4. BE SURE TO SECURE THE TWO OUTBOARD STRAPS FIRST THEN THE CENTER STRAP.
- (D) POSITION LONGITUDINAL STRAPS, ITEM 2, OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH SEAL, ITEM 4.
- (E) SECURE STRAPS TO VERTICAL BATTENS WITH STAPLES, ITEM 6, AS SHOWN.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129 (NAVY).

DEPALLETIZING PROCEDURE

- (A) REMOVE STAPLES.
- (B) CUT AND REMOVE STRAPS AND BATTENS.
- (C) REMOVE CONTAINERS.



NOTES:

ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE GENERAL DOCUMENT, MIL-STD-1323 (NAVY).

18	6	STAPLES	STEEL	3/4
6	5	BATTEN, VERTICAL	WOOD	1 X 4 X 36 3/8
6	4	SEAL	STEEL	3/4
3	3	LATERAL STRAP	STEEL	3/4 X .035 X 14 1/2 FT
3	2	LONGITUDINAL STRAP	STEEL	3/4 X .035 X 16 FT
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4 3/4
REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS

LIST OF MATERIALS

REVIEW ACTIVITY:
NAVY-AS,

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8130-0116)