

METRIC

MIL-STD-1473B(MI)
20 December 1990
SUPERSEDING
MIL-STD-1473A(MI)
29 July 1983

MILITARY STANDARD
STANDARD GENERAL REQUIREMENTS FOR
COLOR AND MARKING OF ARMY MATERIEL



AMSC N/A

DISTRIBUTION STATEMENT A: Approved for public release;
distribution is unlimited.

AREA HFAC

MIL-STD-1473B (MI)

FOREWORD

1. This Military Standard is approved for use by the U.S. Army Missile Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, or deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

3. This standard consolidates into a single document color and marking requirements for different classes of materiel contained in numerous administrative and standardization documents. Consequently, this standard establishes general requirements and serves as a convenient index to commodity and functional requirements for color and marking of Army materiel.

MIL-STD-1473B (MI)

CONTENTS

Paragraph	1.	SCOPE-----	1
	1.1	Scope and Purpose-----	1
	1.2	Application-----	1
	2.	REFERENCED DOCUMENTS-----	2
	2.1	Government Documents-----	2
	2.1.1	Specifications, standards, and handbooks-----	2
	2.2	Non-Government and Other Publications---	5
	2.3	Order of Precedence-----	5
	3.	DEFINITIONS-----	6
	4.	GENERAL REQUIREMENTS-----	7
	4.1	Colors-----	7
	4.1.1	Numerical Designation-----	7
	4.1.2	Controls and Display-----	7
	4.1.3	Off-The-Shelf Equipment-----	7
	4.2	Marking-----	7
	4.2.1	Identification, General-----	7
	4.2.2	Shipment and Storage-----	7
	4.2.3	Controls and Displays-----	7
	4.2.4	Labeling, Lettering, and Numeral Design-	7
	4.3	Supplementary Data and Color/Marking for Specific Items-----	7
	4.4	Bar Coding-----	7
	5.	DETAIL REQUIREMENTS-----	8
	5.1	Vehicles, Construction Equipment, and Materials Handling Equipment-----	8
	5.1.1	Color-----	8
	5.1.2	Marking-----	8
	5.1.2.1	Administrative Wheeled Vehicles-----	8
	5.1.2.2	Combat and Tactical Vehicles-----	8
	5.1.2.3	Construction Equipment and Material Handling Equipment-----	12
	5.1.2.4	Other-----	12
	5.1.2.5	Pictorial Symbols-----	12
	5.2	Vessels-----	12
	5.2.1	Color-----	12
	5.2.2	Marking-----	12
	5.3	Railroad Equipment-----	12
	5.3.1	Color-----	12
	5.3.2	Marking-----	12
	5.3.2.1	Agency Identification-----	12
	5.3.2.2	Identification Numbers-----	12
	5.3.2.2.1	Location-----	12
	5.3.2.2.2	Prefix-----	12
	5.3.2.2.3	Color-----	13
Paragraph	5.3.2.3	Other Marking-----	13
	5.3.2.3.1	Capacities, Limits, Weights, Insignia,	

MIL-STD-1473B(MI)

	Classifications, Etc.-----	13
5.3.2.3.1.1	Railway Motive Power and Work Equipment-----	13
5.3.2.3.1.2	Rolling Stock-----	13
5.3.2.3.1.3	Cars for Passenger Service-----	13
5.3.2.3.2	Safety-----	13
5.3.2.4	Army Medical Department-----	13
5.3.2.4.1	Color-----	13
5.3.2.4.2	Identification-----	13
5.3.2.4.3	Red Cross Insignia-----	13
5.3.2.4.4	Insignia-----	13
5.4	Towed Artillery, Multiple Rocket Launchers, Missiles, Rockets, and Related Ground Support Equipment for Missile Systems-----	14
5.4.1	Towed Artillery and Multiple Rocket Launchers-----	14
5.4.1.1	Color-----	14
5.4.1.2	Marking-----	14
5.4.2	Guided Missiles and Rockets-----	14
5.4.2.1	Color-----	14
5.4.2.2	Marking-----	14
5.4.3	Ground Support Equipment-----	15
5.4.3.1	Color-----	15
5.4.3.1.1	Exteriors-----	15
5.4.3.1.2	Interiors-----	15
5.4.3.2	Marking-----	15
5.4.4	Other Items-----	15
5.4.4.1	Liquid Propellant Containers-----	15
5.4.4.2	Pipe, Hose, and Tube Lines-----	17
5.4.4.3	Training Aids-----	17
5.4.4.4	Other-----	17
5.4.4.5	War Reserve and Training Nuclear Weapons and Containers-----	17
5.5	Electrical and Electronic Equipment and Items-----	17
5.5.1	Communications-Electronic Shelters-----	17
5.5.1.1	Color-----	17
5.5.1.1.1	Exteriors-----	17
5.5.1.1.2	Interiors-----	17
5.5.1.2	Marking-----	17
5.5.2	Cables-----	17
5.5.2.1	Electrical Cable and Cord-----	17
5.5.2.2	Cables for Transmission of Telephone, Telegraph, and Teletype Signals-----	17
5.5.2.3	Vehicular Use-----	18
5.5.2.4	Thermocouples-----	18
5.5.3	Electronic Items-----	18
5.5.4	Electronic Parts-----	18
5.5.5	Warning Marking-----	18
5.5.5.1	Electronic Equipment-----	18
5.5.5.2	Radio Frequency Hazard-----	18
5.5.5.3	Laser Hazard-----	18
Paragraph 5.5.5.4	Safety-----	18
5.5.5.5	Tactical Lasers-----	18

MIL-STD-1473B (MI)

5.5.6	Test Equipment-----	19
5.5.6.1	Bench Use-----	19
5.5.6.2	Field Equipment-----	19
5.5.6.3	Flight Line Equipment-----	19
5.5.7	Hookup Wire-----	19
5.5.8	Connections-----	19
5.5.9	Reference Designation-----	19
5.5.10	Communication Equipment-----	19
5.6	Aircraft-----	19
5.6.1	General-----	19
5.6.2	Aircrew Station-----	19
5.6.2.1	Displays-----	19
5.6.2.2	Instrument and Range Markings-----	19
5.6.2.3	Cockpit Area Equipment-----	19
5.6.2.4	Emergency Equipment-----	19
5.6.3	Avionics Equipment-----	20
5.6.3.1	Externally Mounted Equipment-----	20
5.6.3.2	Internal Equipment-----	20
5.6.4	Hose, Pipe and Tube Lines-----	20
5.7	Ammunition, Chemical, and Radiological Items-----	20
5.7.1	Ammunition-----	20
5.7.2	Chemical Warfare Equipment-----	20
5.7.3	Contaminated Areas-----	20
5.7.4	Nuclear Reactor Systems-----	20
5.8	Other Items-----	20
5.8.1	Antenna Radomes-----	20
5.8.2	Antenna Towers-----	21
5.8.3	Armed Forces Radio and Television Network Equipment-----	21
5.8.4	Automatic Data Processing Equipment-----	21
5.8.5	Bridging Equipment-----	21
5.8.6	Fire Control Materiel-----	21
5.8.7	Ground Controlled Approach (GCA) Radar Equipment-----	21
5.8.8	Machine Tools-----	22
5.8.9	Meteorological Equipment-----	22
5.8.10	Nylon Webbing-----	22
5.8.11	Petroleum and Related Products-----	22
5.8.12	Photographic and Audio-Visual Equipment-----	22
5.8.13	Pipelines and Compressed Gas Cylinders-----	22
5.8.14	Rubber Products-----	22
5.8.15	Reusable Shipping Transporters-----	22
5.8.16	Small Arms-----	22
5.8.17	Training Devices-----	22
5.8.18	Amphibious Craft-----	22
5.9.	Safety Color and Marking Signs-----	22
5.9.1	Safety Color Markings-----	22
5.9.2	Safety Sign Color and Markings-----	22
5.9.2.1	Danger Signs-----	23
5.9.2.2	Caution Signs-----	23
5.9.2.3	Safety Instruction Signs-----	23
5.9.2.4	Directional Signs-----	23

MIL-STD-1473B (MI)

Paragraph	6.	NOTES-----	30
	6.1	Intended Use-----	30
	6.2	Issue of DODISS-----	30
	6.3	Subject term (key word) listing-----	30
	6.4	Changes from previous issue-----	30
		Index-----	34

FIGURES

Figures	1.	Danger Signs-----	26
	2.	Caution Signs-----	27
	3.	Safety Instruction Signs-----	28
	4.	Directional Signs-----	29

TABLES

Tables	I.	Exceptions to Standard Color for Applicable Exterior and Interior Surfaces of Vehicles, Construction Equipment, and Materials Handling Equipment-----	9
	II.	Surface and Marking Colors for Electronic Communication Shelters and Van Type Vehicles Occupied by Personnel During Operation, Maintenance or Control-----	16
	III.	Safety Colors-----	24

APPENDIX

	10.	SCOPE-----	32
	20.	APPLICABLE DOCUMENTS-----	32
	20.1	Government documents-----	32
	20.1.1	Specifications, standards and handbooks-----	32
	20.1.2	Other Government documents, drawings, and publications-----	32
	20.2	Non-Government publications-----	32

MIL-STD-1473B (MI)

STANDARD GENERAL REQUIREMENTS FOR
COLOR AND MARKING OF ARMY MATERIEL

1. SCOPE

1.1 Purpose - This standard prescribes general requirements for color and marking of Army materiel.

1.2 Scope - This standard prescribes only general color and marking requirements-not finishes, surface preparations, related treatments for preservation and coating, or special requirements specified by Army design activities. This standard is not intended to apply to exterior colors of Army equipment under tactical conditions in active combat theaters of operation where such equipment may be painted Lusterless White No. 37875 in snow areas, or other colors or patterns deemed necessary for camouflage or for compliance with host country requirements.

MIL-STD-1473B (MI)

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

SPECIFICATIONS

FEDERAL

FED SPEC L-S-300 Sheeting and Tape, Reflective:
Non-exposed Lens

MILITARY

MIL-C-3702	Cable, Power, Electrical, Ignition, High Tension
MIL-W-4088	Webbing, Textile, Woven Nylon
MIL-M-8555	Missile, Guided, Design and Construction, General Specification
MIL-M-11745	Marking and Labeling of US Army Marine Craft
MIL-M-13231	Marking of Electronic Items
MIL-C-13486	Cable, Special Purpose, Electrical, Low Tension, Heavy Duty Multiple Conductors, Unshielded
MIL-W-13855	Weapon, Small Arms and Aircraft Armament Subsystems, General Specification for
MIL-M-18012	Markings for Aircrew Station Displays, Design and Configuration of
MIL-T-23991	Training Devices, Military; General Specification for
MIL-C-46168	Coating, Aliphatic Polyurethane, Chemical Resistant
MIL-E-52835	Enamel, Modified Alkyd, Camouflage, Lusterless

MIL-STD-1473B (MI)

MIL-C-53039 Coating, Aliphatic Polyurethane,
Single Component, Chemical Agent
Resistant

MIL-P-53044 Painting and Marking: Freight and
Maintenance Cars, Railway Motive
Power and Work Equipment

STANDARDS

FEDERAL

FED-STD-186 Marking of Valves, Fittings, Flanges,
and Unions Used in Nuclear Reactor
Systems

FED-STD-595 Colors

MILITARY

MIL-STD-101 Color Code for Pipelines and
Compressed Gas Cylinders

MIL-STD-129 Marking for Shipment and Storage

MIL-STD-130 Identification Markings of U.S.
Military Property

MIL-STD-161 Identification Methods for Bulk
Petroleum Products Systems Including
Hydrocarbon Missile Fuels

MIL-STD-172 Color Code for Containers of Liquid
Propellants

MIL-STD-190 Identification Marking of Rubber
Products

MIL-STD-194 Systems for Painting and Finishing
Fire Control Material

MIL-STD-195 Marking of Connections for Electric
Assemblies

MIL-STD-290 Packaging of Petroleum and Related
Products

MIL-STD-411 Aircrew Station Signals

MIL-STD-450 Signs for Contaminated or Dangerous
Areas

MIL-STD-454 Standard General Requirements for
Electronic Equipment

MIL-STD-1473B(MI)

MIL-STD-642	Identification Marking of Combat and Tactical Transport Vehicles
MIL-STD-681	Identification Coding and Application of Hookup and Lead Wire
MIL-STD-685	Identification of Cable Used for Transmission of Telephone, Telegraph, and Teletype Signals
MIL-STD-686	Cable and Cord, Electrical; Identification Marking and Color Coding of
MIL-STD-687	Wire, Thermocouple, Identification Marking and Color Code of
MIL-STD-709	Ammunition Color Coding
MIL-STD-783	Legends for Use in Aircrew Stations and on Airborne Equipment
MIL-STD-1189	Bar Code Symbology, Standard Department of Defense
MIL-STD-1223	Nontactical Wheeled Vehicles Treatment, Painting, Identification Marking & Data Plate Standards
MIL-STD-1247	Markings, Functions and Hazard Designations of Hose, Pipe, and Tube Lines for Aircraft, Missile and Space Systems
MIL-STD-1271	Symbols to Supplement the Text of Instruction Plates for Military Vehicles
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1472	Human Engineering Design Criteria for Military Systems, Equipment, and Facilities
MIL-STD-1480	Color Codes for Webbing, Textile; Manufacturer's Identification

DRAWINGS

11644801 Army Medical Department Insignia

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the

MIL-STD-1473B (MI)

Standardization Documents Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA, 19111-5094.)

2.2 Non-Government standards and other publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issue of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

TSO N26 FAA Technical Standard Order

ANSI

C95.2 Radio Frequency Radiation Hazard Warning Symbol

N2.1 Radiation Symbol

Z136.1 Lasers, Safe Use of

IEEE

200-75 Electrical and Electronics Parts and Equipment,
Reference and Designations for

NEMA

Z535.1 Safety Color Code

Z535.2 Safety Signs

(Applications for copies of ANSI publications should be addressed to the American National Standards Institute, Inc., 1430 Broadway, New York, New York 10018)

(Applications for copies of NEMA publications should be addressed to the National Electrical Manufacturer's Association, 2102 L Street NW, Washington, DC 20037)

(Copies of specifications, standards, and other publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other information services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

MIL-STD-1473B (MI)

3. DEFINITIONS

This section is not applicable.

MIL-STD-1473B (MI)

4. GENERAL REQUIREMENTS

4.1 Colors

4.1.1 Numerical Designation - The numerical designations of colors herein refer to FED-STD-595 and the colors so designated shall conform to that standard.

4.1.2 Controls and Displays - Except where specified to the contrary herein, color coding of controls and displays shall be in accordance with MIL-STD-1472.

4.1.3 Off-the-Shelf Equipment - Repainting of off-the-shelf equipment, subject by law to competitive procurement, will not be required in order to meet the criteria herein. However, a criterion for selecting off-the-shelf commercial or Government equipment shall be the degree to which the equipment conforms to this standard. Where off-the-shelf equipment requires modification in order to interface with other equipment, the modification, if it affects painted surfaces, shall comply with the criteria herein.

4.2 Marking

4.2.1 Identification, General - Identification marking of all items of Army materiel shall conform to MIL-STD-130, as applicable.

4.2.2 Shipment and Storage - Army materiel shall be marked for shipment and storage in accordance with MIL-STD-129, as applicable. The labeling of lifting and tiedown points shall conform to MIL-STD-1472.

4.2.3 Controls and Displays - Controls, displays, and other items of equipment that must be located, identified, read or manipulated, shall be labeled to permit rapid and accurate human performance; however, labels are not required on equipment or controls where use is obvious to the user (e.g., functional label on aircraft control stick).

4.2.4 Labeling, Lettering, and Numeral Design - Where not specified to the contrary herein, labeling, lettering, and numeral design shall conform, as applicable, to the requirements of MIL-STD-1472.

4.3 Supplementary Data and Color/Marking for Specific Items - See Appendix.

4.4 Bar Coding - Bar coding of unit packs, outer containers and selected documents shall conform to MIL-STD-1189.

MIL-STD-1473B(MI)

5. DETAIL REQUIREMENTS

5.1 Vehicles, Construction Equipment, and Materials Handling Equipment

5.1.1 Color - Applicable exterior and interior surfaces of vehicles, construction equipment, and materials handling equipment shall be painted Lusterless Forest Green No. 34083, except as indicated in Table I. Colors applicable to personnel stepping areas do not preclude use of grit or similar antislip material. If commercial vehicles are to be used in tactical situations, the interior of the vehicle cab should be a dark color (i.e., brown, black, or dark green).

5.1.2 Marking

5.1.2.1 Nontactical Wheeled Vehicles - Nontactical wheeled vehicles shall be marked as specified in MIL-STD-1223. (Also see 4.3)

5.1.2.2 Combat and Tactical Vehicles - Combat and tactical vehicles shall be marked as specified in MIL-STD-642. Tactical bulk fuel transporters and fuel servicing vehicles shall have required safety exterior markings per Department of Transportation (DOT) regulations governing the transportation of hazardous materials in tank motor vehicles. (Also see 4.3)

MIL-STD-1473B(MI)

TABLE I. Standard color for applicable exterior and interior surfaces of vehicles, construction equipment, and materials handling equipment

VEHICLES, EQUIPMENT, SURFACE	COLOR	FED-STD-595
AMBULANCE		
Exterior and Interior Surfaces	Gloss White	17875
TACTICAL		
Exterior	Lusterless Forest Green	34083
Interior	Semi-Gloss Green or Gloss White	24533 17875
CALIBRATION VEHICLES (To be used in CONUS or major overseas commands)		
Exterior	Lusterless Forest Green or Gloss White	34083 17875
Wall, Ceiling, Doors, Fittings, and Mounted Equipment	Semi-Gloss Green	24533
COMBAT VEHICLES & SPECIAL PURPOSE ARMORED HULL VEHICLES		
Interior Surfaces (general)	Gloss White	17875
M113 personnel carrier family of vehicles		
Interior surfaces	Semi-Gloss Green	24533
Floors and ramps	Lusterless Forest Green	34083
Interior surfaces such as doors and hatches which become exterior surfaces during operational use	Lusterless Forest Green	34083

(Continued)

MIL-STD-1473B(MI)

TABLE I. Standard color for applicable exterior and interior surfaces of vehicles, construction equipment, and materials handling equipment (continued)

VEHICLES, EQUIPMENT, SURFACE COLOR FED-STD-595

VEHICLES, EQUIPMENT, SURFACE	COLOR	FED-STD-595
COMMERCIAL TYPE VEHICLES		
Exterior and interior surfaces (except where otherwise provided for herein by the procuring activity)	Gloss Green	14050
Bodies constructed of aluminum, stainless steel, or other corrosion-resistant material	No paint (if in accordance with common commercial practice)	
FIREFIGHTING VEHICLES		
Exterior and interior surfaces (Includes auxiliary vehicles to be assigned exclusively for firefighting or fire protection, and airfield crash rescue vehicles when in nontactical use.)	Gloss Red	11136
	Gloss Yellow (when in non- tactical use)	13538
GARBAGE/REFUSE COLLECTION TRUCKS- (NON-TACTICAL USE)		
Exterior and interior surfaces Top of hood, handles, control levers, and stepping area of running boards	Gloss White	17875
	Gloss Black	17038
MATERIALS HANDLING EQUIPMENT		
Non-tactical area assignments, including aircraft towing and fuel/oil dispensing vehicles exterior and interior surfaces	Gloss Yellow	13538
Tactical area assignments exterior and interior surfaces	Lusterless Forest Green	34083

(Continued)

MIL-STD-1473B (MI)

TABLE I. Standard color for applicable exterior and interior surfaces of vehicles, construction equipment, and materials handling equipment (continued)

VEHICLES, EQUIPMENT, SURFACE

COLOR

FED-STD-595

MOBILE ELECTRONIC/COMMUNICATION EQUIPMENT ENCLOSURES	See Table II	
FACILITIES ENGINEERING VEHICLES NOT ASSIGNED TO TACTICAL UNITS (Including attachments used for highway construction or maintenance) Exterior and Interior Surfaces	Gloss Yellow	13538
RESEARCH AND DEVELOPMENT TEST PROJECT VEHICLES Exterior and Interior Surfaces	As specified by the procuring activity	
VAN TYPE VEHICLES	See Table II	

MIL-STD-1473B (MI)

5.1.2.3 Construction Equipment and Material Handling Equipment - Also see 4.3.

5.1.2.4 Other - Vehicles such as military design ambulances shall be marked as specified in MIL-STD-642. (Also see 4.3)

5.1.2.5 Pictorial Symbols - Symbols to be shown on military vehicle instruction plates in addition to the text shall conform to MIL-STD-1271. (Also see 4.3)

5.2 Vessels - See Appendix.

5.3 Railroad Equipment

5.3.1 Color - Railroad equipment shall be painted as follows:

- | | |
|--|-----------------------------|
| a. Railway motive power and work equipment | Semi-Gloss Black No. 27038 |
| b. Gondola, hopper and tank cars | Gloss Black No. 17038 |
| c. Hospital, kitchen car, passenger, freight and caboose exteriors | Gloss Olive Green No. 14064 |

5.3.2 Marking

5.3.2.1 Agency Identification - The agency identification "US ARMY" shall be applied on both sides of all railroad equipment in Gloss White No. 17875; however, in theaters of operation, it will not be applied to freight cars or cabooses.

5.3.2.2 Identification Numbers

5.3.2.2.1 Location - Identification numbers, prescribed by the procuring activity, shall be marked on both sides and on each end of all locomotives, locomotive tender units, work equipment, and rolling stock.

5.3.2.2.2 Prefix - On rolling stock, car numbers shall be prefixed with the letters "USA" immediately to the left of or above the car number. In the continental United States, freight and caboose cars acceptable for interchange or commercial railroads will use the prefix "USAX" in lieu of the above where specifically authorized by the procuring activity. In such cases, the identification number and "USAX" prefix shall also be marked on the ends of the trucks of those cars.

5.3.2.2.3 Color - Identification numbers and prefixes shall be applied in Gloss White No. 17875.

MIL-STD-1473B (MI)

5.3.2.3 Other Marking5.3.2.3.1 Capacities, Limits, Weights, Insignia, Classifications, Etc.

5.3.2.3.1.1 Railway Motive Power and Work Equipment - Markings shall conform to MIL-P-53044.

5.3.2.3.1.2 Rolling Stock - Markings shall conform to MIL-P-53044, as applicable.

5.3.2.3.1.3 Cars for Passenger Service - Markings shall conform to MIL-P-3807.

5.3.2.3.2 Safety - Caution marking on railroad equipment shall be applied only for use within the continental United States as follows:

a. A stripe in Gloss Yellow No. 13538 or reflective yellow adhesive backed marker conforming to Federal Specification L-S-300, color j, shall be marked across each side and across each end of all locomotive and locomotive tender units. Location and width shall be as directed by the procuring activity.

b. Access steps to locomotives and locomotive tenders shall be painted Gloss Yellow No. 13538.

5.3.2.4 Army Medical Department

5.3.2.4.1 Color - Army Medical Department Markings shall be applied in Gloss Red No. 11136 and Gloss White No. 17875.

5.3.2.4.2 Identification - The words "ARMY MEDICAL DEPARTMENT" and type of car shall be marked on both sides of Army Medical Department cars near the center of the car. The type of car shall also be marked in white on the end doors of each car in conjunction with the identification number of the car.

5.3.2.4.3 Red Cross Insignia - Red cross insignia shall be applied on both sides and on the roof of all kitchen, baggage, ambulance ward, and personnel cars assigned to the Army Medical Department. Red cross insignia, applied to the sides of the cars, shall be located near each end of the car. The use of decals is authorized for Army Medical Department requirements provided the decals meet the requirements of the color code.

5.3.2.4.4 Insignia - The Army Medical Department insignia, consisting of a red caduceus on a circular white field, shall be applied on both sides of Army Medical Department cars near the center of the car. These insignia shall be placed on each side of or adjacent to the words "ARMY MEDICAL DEPARTMENT" and type of car, marked in accordance with 5.3.2.4.2. The Army Medical Department insignia (caduceus) shall conform to drawing 11644801

MIL-STD-1473B(MI)

which is available through supply channels as FSN 7690-00-790-2407.

5.4 Towed Artillery, Multiple Rocket Launchers, Missiles, Rockets, and Related Ground Support Equipment for Missile Systems.

5.4.1 Towed Artillery and Multiple Rocket Launchers

5.4.1.1 Color - Exterior painted surfaces of towed artillery and multiple rocket launchers shall be Lusterless Forest Green No. 34083. (Also see 4.3.)

5.4.1.2 Marking - The agency identification "US ARMY" shall be conspicuously marked on both sides of towed artillery and multiple rocket launchers in Lusterless Black No. 37038. This marking shall be applied to the most suitable surfaces, such as side shields, outriggers, trails, drawbars, counter-recoil cylinders, recuperator cylinders, gun tubes, etc., as approved by the procuring activity.

5.4.2 Guided Missiles and Rockets

5.4.2.1 Color - Unless otherwise specified by the procuring activity, exterior painted surfaces of missiles and rockets shall be Lusterless Forest Green No. 34083. Applicable color coding shall conform to MIL-STD-709. (Also see 4.3.)

5.4.2.2 Marking

a. The agency identification "US ARMY" shall be marked on all missiles and rockets except those shipped to foreign countries under the Military Assistance Program and those less than 180 mm (7 inches) in diameter.

b. The agency identification "US ARMY" shall be conspicuously marked on at least two sides of the missile or rocket. Unless otherwise specified by the procuring activity, the identification shall be along the longitudinal axis so that when the missile is in the horizontal position, the letters will be vertical.

c. The above markings shall be applied in Lusterless Black No. 37038 unless otherwise specified by the procuring activity.

d. Other identification and marking of missiles and missile components shall conform to MIL-M-8555 or shall be as specified by the procuring activity. (Also see 4.3.)

5.4.3 Ground Support Equipment

5.4.3.1 Color - Ground support equipment shall be painted as follows:

MIL-STD-1473B (MI)

5.4.3.1.1 Exteriors - Exterior painted surfaces of ground support equipment for missile systems shall be Lusterless Forest Green No. 34083. (Also see Table II.)

5.4.3.1.2 Interiors - The interior colors of missile system vans or van type vehicles, occupied by personnel during operation, maintenance or control, shall conform to Table II.

5.4.3.2 Marking - Marking of ground support equipment shall conform to Table II.

5.4.4 Other Items

5.4.4.1 Liquid Propellant Containers - Portable or transportable containers of liquid propellants, including any box or other package for such containers, shall be color coded in accordance with MIL-STD-172.

MIL-STD-1473B (MI)

TABLE II. Surface and marking colors for electronic/communication shelter and van type vehicles occupied by personnel during operation, maintenance or control

AREA	COLORS	FED-STD-595
Walls, ceilings, doors (except below and fittings, except acoustical tile)	Semi-Gloss Green	24410 or 24533*
Ceilings and Walls (where greater brightness is required for work performed)	Semi-Gloss White	27875
Inside of doors which open outward	Exterior match	
FLOORS		
Linoleum covered	As specified by procuring activity	
Not linoleum covered	Lusterless Gray Color including grit when grit is specified for a particular area	36118
Cabinet/Console exteriors	Semi-Gloss Green	24410
Control/Display Panels		26492
Interior and exterior (covered)	Semi-Gloss Gray	
Exterior (no cover)	Exterior match	
Controls	Gloss Black or Semi-Gloss Gray	17038 26231
Panel labeling		
Interior and exterior (covered) panels	Semi-Gloss Black	27038
Exterior (no cover) panels	Lusterless Black Lusterless White	37038* 37875*
Interior surfaces of other containers, cabinets, or shelter, if painting is required	Gloss White	17875

*As specified by the procuring activity.

MIL-STD-1473B (MI)

5.4.4.2 Pipe, Hose, and Tube Lines - The function, content direction of flow, and any hazard of pipe, hose, and tube lines used in missile systems and systems-peculiar equipment that is required exclusively for test, maintenance, servicing or operation as an integral part of the functional system, shall be color coded (and marked) in accordance with MIL-STD-1247. All lines external to these systems shall be color coded in accordance with MIL-STD-101.

5.4.4.3 Training Aids - Color coding primarily for graphic and demonstrator-type training aids utilized in operational and maintenance guided missile training shall be in accordance with MIL-STD-709.

5.4.4.4 Other - Items of other categories utilized in missile systems shall be marked in accordance with applicable requirements herein.

5.4.4.5 War Reserve and Training Nuclear Weapons and Containers - Required markings for these items are contained in appropriate Joint Atomic Weapons publications.

5.5 Electrical and Electronic Equipment and Items.

5.5.1 Communications-Electronic Shelters

5.5.1.1 Color - Communications-electronic shelters shall be painted as follows:

5.5.1.1.1 Exteriors - Exterior painted surfaces shall be Lusterless Forest Green No. 34083 solar heat reflecting paint produced in accordance with MIL-C-46168, MIL-C53039, or MIL-E-52835. (Also see Table II.)

5.5.1.1.2 Interiors - Interior colors of mobile communication-electronic equipment enclosures, occupied by personnel during operation, maintenance, or control, shall conform to Table II.

5.5.1.2 Marking - Marking shall conform to Table II and other applicable requirements of this standard.

5.5.2 Cables

5.5.2.1 Electrical Cable and Cord - Color coding and identification marking of electrical cable and cord shall conform to MIL-STD-686.

5.5.2.2 Cable for Transmission of Telephone, Telegraph, and Teletype Signals - Color coding and marking of cables for transmission of telephone, telegraph, and teletype signals (including singles, pairs, multiples and quads used in other applications such as intercommunication, loudspeaker and

MIL-STD-1473B (MI)

microphone cables) shall be in accordance with MIL-STD-685.

5.5.2.3 Vehicular Use - Color and marking of high-tension and low-tension cables for vehicular use shall conform to MIL-C-3702 and MIL-C-13486, respectively.

5.5.2.4 Thermocouples - Color and identification coding for all single and duplex thermocouple wires and all thermocouple extension wires shall conform to MIL-STD-687.

5.5.3 Electronic Items - Marking of electronic items, except marking for shipment and as otherwise specified by an applicable Government document covering the item on which the marking appears, shall conform to MIL-M-13231.

5.5.4 Electronic Parts - Electronic parts shall be color coded in accordance with MIL-STD-1285.

5.5.5 Warning Markings

5.5.5.1 Electronic Equipment - Warning labels, signs and markings on electronic equipment shall be in accordance with MIL-STD-454, Req. 1. Size and format shall conform to Figures 1 and 2 herein.

5.5.5.2 Radio Frequency Hazard - The Radio Frequency Radiation Hazard Warning Symbol shall be in accordance with ANSI C95.2.

5.5.5.3 Laser Hazard - Permanently affixed labels shall be in accordance with ANSI Z136.1.

5.5.5.4 Safety - See Paragraph 5.9.

5.5.5.5 Tactical Lasers - Tactical lasers may be exempted from Food and Drug Administration requirements provided the lasers are clearly identified by the label shown below.

CAUTION

THIS ELECTRONIC PRODUCT HAS BEEN EXEMPTED FROM FDA RADIATION SAFETY PERFORMANCE STANDARDS PRESCRIBED IN THE CODE OF FEDERAL REGULATIONS, TITLE 21, CHAPTER I, 76EL-01DOD ISSUED ON 26 JULY 1976. THIS PRODUCT SHOULD NOT BE USED WITHOUT ADEQUATE PROTECTIVE DEVICES OR PROCEDURES.

MIL-STD-1473B (MI)

5.5.6 Test Equipment

5.5.6.1 Bench Use - Test equipment for bench use shall be Semi-Gloss Gray No. 26307.

5.5.6.2 Field Equipment - Test equipment for field testing shall be Lusterless Forest Green No. 34083.

5.5.6.3 Flight Line Equipment - Test equipment for flight line use shall be Gloss Yellow No. 13538.

5.5.7 Hookup Wire - Identification coding of hookup wire shall conform to MIL-STD-681.

5.5.8 Connections - Connections for electric assemblies shall be marked in accordance with MIL-STD-195.

5.5.9 Reference Designation - Electrical and electronic reference designations shall conform to IEEE 200-75.

5.5.10 Communications Equipment - Communications equipment installed at fixed facilities, such as radio station equipment, telephone central office sets, etc., shall be painted Lusterless Forest Green No. 34083 or Lusterless Gray No. 36118. Tactical communications equipment shall be painted Lusterless Forest Green No. 34083.

5.6 Aircraft

5.6.1 General - General color and marking of Army aircraft shall be as specified by the procuring activity. Marking of aircraft shall be designed to minimize the hazards to troops, maintenance personnel, and crew from rotating shafts, rotors, hoists, and suspension systems, downwash, electrical shock, and other unsafe conditions. (Also see 4.3.)

5.6.2 Aircrew Stations

5.6.2.1 Displays - Design and configuration of marking for aircrew station displays shall conform to MIL-M-18012, MIL-STD-411, and MIL-STD-783

5.6.2.2 Instrument and Range Markings - Instruments shall be marked in accordance with MIL-M-18012. (Also see 4.3.)

5.6.2.3 Cockpit Area Equipment - All surfaces in the cockpit area, except emergency equipment, shall be Lusterless Black No. 37038.

5.6.2.4 Emergency Equipment - Emergency equipment, when required, shall be Semi-Gloss Yellow No. 23538 or Lusterless Yellow No. 33538 as specified in the detail equipment or installation detail

MIL-STD-1473B (MI)

specification. Emergency controls shall be marked in accordance with MIL-M-18012.

5.6.3 Avionics Equipment

5.6.3.1 Externally Mounted - Externally mounted equipment shall be Lusterless Forest Green No. 34083.

5.6.3.2 Internally Mounted - Internally mounted equipment cases and panels, except those in the cockpit area, shall be Lusterless Forest Green No. 34083 or Semi-Gloss Gray No. 26152 as specified in the detailed equipment or installation specification.

5.6.4 Hose, Pipe and Tube Lines - Colors and marking for identifying applicable functions, subsidiary functions, pressure, hazards, and direction of flow of pipe, hose, and tube lines used in aircraft and support equipment required for test, maintenance servicing or operation as an integral part of the function system shall conform to MIL-STD-1247.

5.7 Ammunition, Chemical, and Radiological Items

5.7.1 Ammunition - Conventional and chemical ammunition shall be painted in accordance with MIL-STD-709. Marking shall be as specified by the procuring activity.

5.7.2 Chemical Warfare Equipment - Chemical warfare equipment shall be painted Lusterless Forest Green No. 34083 except that such equipment mounted on vehicles shall be painted the same color as the vehicle.

5.7.3 Contaminated Areas - The design and color of signs for contaminated areas shall be in accordance with MIL-STD-450. This does not apply to marking or shipping of material.

5.7.4 Nuclear Reactor Systems - Valves, fittings, flanges, and unions used in nuclear reactor systems shall be marked in accordance with FED-STD-186.

5.8 Other Items - The standard color for exterior painted surfaces of other items of Army materiel intended for field use and not otherwise specified herein shall be Lusterless Forest Green No. 34083 unless otherwise directed by the procuring activity.

5.8.1 Antenna Radomes - If painting is necessary, antenna radomes shall be Lusterless Forest Green No. 34083 or Lusterless White No. 37875.

5.8.2 Antenna Towers - Antenna towers for use under non-tactical conditions shall be painted in alternating bands of Gloss Orange No. 12197 and Gloss White No. 17875, with the band at each end colored orange. These bands should be of equal width, each band

MIL-STD-1473B(MI)

being approximately one-seventh the height of the tower, provided that each band shall have a width of not more than 12 m (40 feet) nor less than 450 mm (1.5 feet).

5.8.3 Armed Forces Radio and Television Network Equipment - Armed Forces Radio and television network equipment shall be painted Lusterless Forest Green No. 34083 or Lusterless Gray No. 36118.

5.8.4 Automatic Data Processing Equipment - Automatic Data Processing equipment shall be painted Lusterless Forest Green No. 34083 or Lusterless Gray No. 36118.

5.8.5 Bridging Equipment - Applicable exterior surfaces of bridging equipment shall be painted Lusterless Forest Green No. 34083 except as specified by the procuring activity. Stenciling and identification marking shall be Lusterless Black No. 37038. Bridging equipment covered by treaty agreements shall be finished in accordance with such color schemes of those agreements as specified by the procuring activity.

5.8.6 Fire Control Materiel - Colors used for identification of water, fuel and oil caps, filler and drain plugs, and lubricating points of fire control materiel shall be in accordance with MIL-STD-194. Purging ports shall be color coded Gloss Gray No. 16187 and escape ports shall be color coded Gloss Yellow No. 13538 on fire control optical instruments normally charged with nitrogen.

5.8.7 Ground Controlled Approach (GCA) Radar Equipment - GCA radar equipment for use at Army airfields shall be painted as follows:

- | | |
|-----------------|--|
| a. Tactical use | Lusterless Forest Green No. 34083 (including waveguide and antenna reflectors). Reflectors may be painted a non-conductive Lusterless Forest Green, No. 34083. |
| b. CONUS use | Per FAA Technical Standard Order TSO N26. |

5.8.8 Machine Tools - Machine tools and associated shop equipment shall be painted Gloss Gray No. 16187, except as follows:

- | |
|--|
| a. At fixed facilities, such equipment may be painted Semi-Gloss Green No. 24272. |
| b. Emergency stopping switches and bars on such equipment shall be painted Gloss Red No. 11105 or 11136. |

MIL-STD-1473B (MI)

5.8.9 Meteorological Equipment - Meteorological equipment shall be painted Lusterless Forest Green No. 34083.

5.8.10 Nylon Webbing - Manufacturers' identification color coding of nylon webbing manufactured under MIL-W-4088 shall conform to MIL-STD-1480.

5.8.11 Petroleum and Related Products - Marking of petroleum and related products shall conform to MIL-STD-290. With the exception of aircraft, vessels, power plants and heating systems, and where camouflage or concealment is not required, color and marking for identification of liquid petroleum products and hydrocarbon missile fuels stored in and dispensed from Government owned or operated bulk facilities shall be in accordance with MIL-STD-161.

5.8.12 Photographic and Audio-Visual Equipment - Photographic and audio-visual equipment shall be painted Lusterless Forest Green No. 34083 or Lusterless Black No. 37038 as appropriate.

5.8.13 Pipelines and Compressed Gas Cylinders - Pipelines and compressed-gas cylinders shall be color coded as specified by MIL-STD-101.

5.8.14 Rubber Products - If color or identification markings are used on rubber products, they shall conform to MIL-STD-190.

5.8.15 Reusable Shipping Transporters - Reusable shipping transporters (CONEX containers) shall be painted as follows:

- | | |
|--|--------------------------------------|
| a. Type I and type II containers | Lusterless Forest Green
No. 34083 |
| b. Type II CH (controlled humidity) containers | Gloss Aluminum No. 17178 |

5.8.16 Small Arms - Marking for small arms weapons (including those used in aircraft armament subsystems) shall conform to MIL-W-13855.

5.8.17 Training Devices - Color and marking of training devices shall be in accordance with MIL-T-23991, as applicable.

5.8.18 Amphibious Craft - Color and marking of Army amphibious craft shall be as specified by the procuring activity.

5.9 Safety Color Markings and Signs

5.9.1 Safety Color Markings - Safety colors shall conform to Table III and to other requirements specified by the procuring activity. (Also see 4.3.)

5.9.2 Safety Sign Color and Marking - Danger, caution, safety

MIL-STD-1473B (MI)

notice, instruction, and directional signs and plates shall be in accordance with NEMA Z535.1 and NEMA Z535.2 except as specified below, and shall conform to other requirements specified by the procuring activity. (Also see 4.3.)

5.9.2.1 Danger Signs - Danger signs, used only where an immediate hazard capable of producing irreversible damage or injury exists, shall conform to Figure 1.

5.9.2.2 Caution Signs - Caution signs, used only to warn against potential hazards or to caution against unsafe practices, shall conform to Figure 2.

5.9.2.3 Safety Instruction Signs - Safety instruction signs, used to provide general safety instructions and suggestions, shall conform to Figure 3.

5.9.2.4 Directional Signs - Directional signs, where required to indicate the way to locations, shall conform to Figure 4.

MIL-STD-1473B (MI)

TABLE III Safety Colors

FED-5TD-595 COLORS	FOR IDENTIFI- CATION OF	EXAMPLES
Red 11105, 11136, 21105	Fire protection equipment and apparatus Danger Stop	Fire alarm boxes, firehose locations, fire reporting telephone stations, fire extinguishers (unless painting unnecessary) High voltage; no smoking, matches, open light; keep out Stop buttons for emergency stopping of machinery, emergency stop bars on hazardous machines
Yellow 13538, 13655, 23655	Caution Physical hazards	Handrails, guardrails, top and bottom treads of stairways, containers of hazardous chemicals, waste containers for highly combustible materials Hook blocks on cranes, coverings and guards for guy wires; corner markers for storage piles; exposed and unguarded edges of platforms, pits, walls, and obstructions
Green 14260, 24260	Safety equipment	Location of first aid equipment, stretchers, personnel deluge showers, protective masks, safety starting buttons
Black 17038, 27038, 37038 White 17875, 27875, 37875	Housekeeping and traffic markings	Location and width of aiseways, deadends of aisles or passageways, location for refuse cans, white corners for rooms or passageways


(Continued)

MIL-STD-1473B (MI)

TABLE III Safety Colors (Continued)

FED-5TD-595 COLORS	FOR IDENTIFI- CATION OF	EXAMPLES
Blue 15102, 25102	Exterior of switch boxes and electrical controls which are the starting point or source for hazardous machinery or equipment	
Orange 12246, 22246, 32246	Dangerous parts of machines or energized equipment	Items which may cut, crush, shock or injure
Purple (Magenta) 17142, 27142	Radiation hazards (Ionizing)	(ANSI N2.1 and Z535)

MIL-STD-1473B (MI)



Wording Examples

- Danger--High Voltage
- 2300 Volts
- Danger--Keep Off, Electric Current
- Danger--Insufficient Clearance
- Danger--Crane Overhead
- Danger--Keep Away
- Danger--Keep Off
- Danger--Keep Out
- Danger--Use No Open Light--Flammable
- Danger--No Smoking, Matches or Open Lights*

*For signs reading "No Smoking," a rectangular sign using white letters on a red background shall be acceptable except in high hazard areas.

Sign Size (Mm)	Black Rectangular Panel (Mm)		Red Oval (Mm)		"Danger" Height of Letters (Mm)	Maximum Space Available for Sign Wording (Mm)
	Height	Width	Height	Width		
175	81.25	234.38	71.88	212.5	35.94	68.75
250	109.38	334.38	103.13	296.88	51.56	106.25
350	162.5	484.38	143.75	425	71.88	156.25
500	231.25	684.38	206.25	596.75	103.13	228.125

HORIZONTAL PATTERN

Sign Size (Mm)	Black Rectangular Panel (Mm)		Red Oval (Mm)		"Danger" Height of Letters (Mm)	Maximum Space Available for Sign Wording (Mm)
	Height	Width	Height	Width		
175	81.25	234.38	71.88	212.5	35.94	68.75
250	109.38	334.38	103.13	296.88	51.56	106.25
350	162.5	484.38	143.75	425	71.88	156.25
500	231.25	684.38	206.25	596.75	103.13	228.125

UPRIGHT PATTERN

Sign Size (Mm)	Black Rectangular Panel (Mm)		Red Oval (Mm)		"Danger" Height of Letters (Mm)	Maximum Space Available for Sign Wording (Mm)
	Height	Width	Height	Width		
175	59.38	159.38	53.13	146.88	26.56	159.38
250	81.25	234.38	71.88	212.5	35.94	237.50
350	115.63	334.38	103.13	296.88	51.56	350
500	162.50	484.38	143.75	596.88	71.88	506.25

Figure 1. Danger Signs

Wording Examples

- Caution--Stop Machinery to Clean, Oil or Repair
- Caution--Close Clearance
- Caution--Goggles Must Be Worn When Operating This Machine
- Caution--Electric Fence
- Caution--Eye Protection Required in This Area
- Caution--Hearing Protection Required



Sign Size (Cm)	Black Rectangular Panel (Cm)		Word "Caution" Height of Letters (Cm)	Maximum Space Available for Sign Wording Below Panel (Cm)	
	Height	Width		Height	Width


HORIZONTAL PATTERN

175.0	250	56.25	234.38	40.63	81.25	234.38
250.0	350	81.25	334.45	56.25	137.5	334.38
350.0	500	93.75	484.38	68.75	225.0	484.38
500.0	700	106.25	684.38	81.25	362.5	684.38

UPRIGHT PATTERN

250	175	40.69	159.38	28.13	175.0	159.38
350	250	56.25	234.38	40.69	262.5	234.45
500	350	81.25	334.38	56.25	387.5	334.38
700	500	93.75	484.38	68.75	600.0	484.38

Figure 2. Caution Signs



Wording Examples

- Walk-Don't Run - Avoid Injuries
- Lock Out Controls Before Making Repairs
- Report All Injuries


NOTE: The word "Think" as given here is only an illustration. Other wording may be used.

Sign Size (Cm)		Green Rectangular Panel (Cm)		Word "Think" Height of Letters (Cm)	Maximum Space Available for Sign Wording Below Panel (Cm)	
Height	Width	Height	Width		Height	Width
175.0	250.0	56.25	234.38	40.63	87.50	234.38
250.0	350.0	81.25	334.38	56.25	137.50	334.38
350.0	500.0	93.75	484.38	68.75	225.00	484.38
500.0	700.0	106.25	684.38	81.25	362.50	684.38

Figure 3. Safety Instruction Signs

MIL-STD-1473B (MI)

Wording Examples
 To Exit (below arrow panel)
 To First Aid or Symbol (below
 arrow panel)



Sign Size (Mm)	Black Rectangular Panel (Mm)		White Arrow (Mm)			Maximum Space Available for Sign Wording (Mm)				
	Height	Width	Overall Length	Arrow Head Height	Arrow Head Width	Arrow Shaft Height	Arrow Tail Height	Arrow Tail Width	Height	Width
162.50	350.00	334.38	315.63	68.75	75.00	28.13	59.38	81.25	56.25	334.38
225.00	500.00	484.38	265.63	93.75	103.13	40.63	81.25	112.50	84.38	484.38
300.00	700.00	684.38	665.63	128.13	140.63	53.13	109.38	150.00	118.75	684.38
375.00	900.00	884.38	865.63	159.38	171.88	65.63	137.50	187.50	156.25	884.38

Figure 4. Directional Signs

MIL-STD-1473B(MI)

6. NOTES

(This section contains helpful information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The purpose of this standard is to establish general requirements for color and marking of Army materiel, to provide such requirements otherwise only contained in selected administrative (Non DODISS) publications, and provide a convenient index to commodity and functional requirements for such requirements. The standard is intended for use during acquisition, and not as a basis for repainting fielded materiel.

6.2 Issue of DODISS. When this standard is used in acquisition, the applicable issue of the DODISS must be cited in the solicitation (see 2.1.1 and 20.1.2).

6.3 Subject term (key word) listing.

Color
Marking
Army
Interiors
Exteriors

6.4 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

MIL-STD-1473B (MI)

APPENDIX

GUIDANCE DOCUMENTS

10. SCOPE

The documents listed in this appendix provide supplementary information and criteria on color and marking of Army materiel that may be used, as applicable. This Appendix is not a mandatory part of the standard. The information contained herein is intended for guidance only.

20. APPLICABLE DOCUMENTS

20.1 Government documents20.1.1 Specifications, standards, and handbooks

MIL-P-514	Plate, Identification, Instruction and Marking, Blank
TB 43-0209	Color, Marking, and Camouflage Painting of Military Vehicles, Construction Equipment, and Materials Handling Equipment
TB 746-93-4	Painting of Vessels
TB 746-95-1	Color, Marking, and Camouflage Pattern Painting for Armament Command Equipment
TB MED 523	Control of Hazards to Health from Microwave and Radio Frequency Ultrasound
TB MED 524	Occupational and Environmental Health: Control of Hazards to Health from Laser Radiation
TM 55-1500-345-23	Painting and Marking of Army Aircraft
TM 55-6600-200-20	Marking of Instruments and Interpretation of Markings, Organizational Maintenance Manual for

20.1.2 Other Government documents, drawings, and publications

DODISS	Department of Defense Index of Specifications and Standards
--------	---

MIL-STD-1473B(MI)

AR 58-1	Joint Procedures for Management of Administrative Use Motor Vehicles
AR 385-30	Safety Color Code Markings and Signs
AR 700-64	Radioactive Commodities in the DoD Supply System
AR 750-58	Painting, Camouflage Painting and Marking of Army Materiel

20.2 Non-Government publications

ANSI C2	National Electrical Safety Code
NEPA 70	National Electrical Code

MIL-STD-1473B (MI)

INDEX

	Paragraph	Page
Aircraft-----	5.6-----	19
Aircrew Station-----	5.6.2-----	19
Ammunition-----	5.7.1-----	20
Amphibious Craft-----	5.8.18-----	22
Antenna Radomes-----	5.8.1-----	20
Antenna Towers-----	5.8.2-----	21
Armed Forces Radio and TV Network Equipment-----	5.8.3-----	21
Arms, Small-----	5.8.16-----	22
Army Medical Department (Railroad Equipment)-----	5.3.2.4-----	13
Artillery, Towed-----	5.4.1-----	14
Audio-Visual Equipment-----	5.8.12-----	22
Automatic Data Processing Equipment-----	5.8.4-----	21
Avionics Equipment-----	5.6.3-----	20
 B		
Bar Coding-----	4.4-----	7
Bridging Equipment-----	5.8.5-----	21
 C		
Cables-----	5.5.2-----	17
Communications-----	5.5.2.2-----	17
Electrical-----	5.5.2.1-----	17
Thermocouples-----	5.5.2.4-----	18
Vehicles-----	5.5.2.3-----	18
Chemical Warfare Equipment-----	5.7.2-----	20
Communication Equipment-----	5.5.10-----	19
Compressed Gas Cylinders-----	5.8.13-----	22
Connections (Elec.)-----	5.5.8-----	19
Construction Equipment-----	5.1.2.3-----	12
Contaminated Areas-----	5.7.3-----	20
Controls-----	4.1.2-----	7
	and 4.2.3---	7
 D		
DEFINITIONS-----	3-----	6
DETAIL REQUIREMENTS-----	5-----	8
Displays-----	4.1.2-----	7
	and 4.2.3---	7

MIL-STD-1473B (MI)

	Paragraph	Page
E		
Electronic, Items-----	5.5.3-----	18
Electronic, Parts-----	5.5.4-----	18
F		
Fire Control Materiel-----	5.8.6-----	21
G		
GENERAL REQUIREMENTS-----	4-----	7
Ground Controlled Approach (GCA) Radar Equipment---	5.8.7-----	21
Ground Support Equipment-----	5.4.3-----	15
H		
Hookup Wire-----	5.5.7-----	19
I		
Identification, General-----	4.2.1-----	7
L		
Labeling-----	4.2.4-----	7
Laser Hazards-----	5.5.5.3-----	18
Launchers, Multiple Rocket-----	5.4.1-----	14
Lettering-----	4.2.4-----	7
Lines (Hose, Pipe and Tubes) Aircraft-----	5.6.4-----	20
Lines (Hose, Pipe and Tubes) Missiles-----	5.4.4.2-----	17
Liquid Propellant Containers-----	5.4.4.1-----	15
M		
Machine Tools-----	5.8.8-----	22
Marking, General-----	4.2-----	7
Materials Handling Equipment-----	5.1.2.3-----	12
Meteorological Equipment-----	5.8.9-----	22
Missiles, Guided-----	5.4.2-----	14
N		
NOTES-----	6-----	30
Nuclear Reactor System-----	5.7.4-----	20
Nuclear Weapons-----	5.4.4.5-----	17
Numeral Design-----	4.2.4-----	7
Numerical Designation (Colors)-----	4.1.1-----	7
Nylon Webbing-----	5.8.10-----	22

MIL-STD-1473B (MI)

Paragraph Page

O

Off-the-Shelf Equipment-----4.1.3----- 7

P

Petroleum Products-----5.8.11-----22

Photographic Equipment-----5.8.12-----22

Pictorial Symbols-----5.1.2.5-----12

Pipeline-----5.8.13-----22

R

Radio Frequency Hazards-----5.5.5.2-----18

Railroad Equipment-----5.3-----12

Reference Designation (Elec.)-----5.5.9-----19

REFERENCED DOCUMENTS-----2----- 2

Resistors-----5.5.5-----18

Rubber Products-----5.8.14-----22

S

Safety, Color Markings-----5.9.1-----23

Safety, Sign Color and Marking-----5.9.2-----23

SCOPE-----1----- 1

Shelters, Communication-Electronics-----5.5.1-----17

Shipment, Marking for-----4.2.2----- 7

Specific Items, Color/Marking-----4.3----- 7

Storage, Marking for-----4.2.2----- 7

T

Tactical Lasers-----5.5.5.5-----18

Test Equipment (Elec.)-----5.5.6-----19

Transporters, Shipping, Reusable-----5.8.15-----22

Training Devices-----5.8.17-----22

V

Vehicles-----5.1----- 8

Administrative-----5.1.2.1----- 8

Combat-----5.1.2.2----- 8

Tactical-----5.1.2.2----- 8

Vessels-----5.2-----12

W

Warning Markings (Elec.)-----5.5.5-----18

MIL-STD-1473B(MI)

Custodians:

Army: MI

Preparing Activity

Army: MI

Review Activities:

Agency:

Army: GL, MD, MR, TM, HEL

Defense Supply

GS

ES

User Activities:

Army: CR, ER, MD, AT, ME

Project No. HFAC A018

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-STD-1473B(MI)	2. DOCUMENT DATE (YYMMDD) 20 December 1990
3. DOCUMENT TITLE STANDARD GENERAL REQUIREMENTS FOR COLOR AND MARKING OF ARMY MATERIEL		
4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)		
5. REASON FOR RECOMMENDATION		
6. SUBMITTER		
a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	e. DATE SUBMITTED (YYMMDD)
8. PREPARING ACTIVITY		
a. NAME U.S. Army Missile Command	b. TELEPHONE (Include Area Code) (1) Commercial 205-876-6980	(2) AUTOVON 746-6980
c. ADDRESS (Include Zip Code) Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, AL 35898-5270	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	