


PROJECT NO. 6895-N165

FED. SUP CLASS  
6895

-1 CASE ASSEMBLY SHOWING DIPOLE ORIENTATION

DASH NO.

-1

**NOTES:**

1. MATERIAL: (a) DIPOLES: MIL-C-81467(AS).  
(b) CASE-2: POLYETHYLENE, MIL-P-22748, CLASS A, GRADES 2, 4 AND 6.  
(c) CAP-3: POLYCARBONATE, LIGHT BLUE - FORM 1, L-P-393.  
(d) DIVIDER - 4: 11 POINT TAG BOARD.  
(e) PISTON - 5: POLYCARBONATE, FORM 1, L-P-393.  
(f) SQUIB RETAINER - 6: POLYCARBONATE, L-P-393.
2. REMOVE ALL BURRS AND SHARP EDGES.
3. DIMENSIONS IN INCHES. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH USAS Y 14.5 - 1966 (AMBI).
4. LETTERING IN ACCORDANCE WITH MIL-STD-130 IN LOCATION SHOWN, WITH .015 HIGH RAISED CHARACTERS TO BE PAINTED PER MIL-1-16567 WITH TT-1-556 WHITE INK. (SEE -3 CAP.)
6. THE CASE ASSEMBLY SHALL BE COMPLETELY COMPATIBLE WITH AND SUITABLE FOR DISPENSING OF THE CHAFF PAYLOAD FROM AN AN/ALE-29A DISPENSER, AND SHALL MEET THE PERFORMANCE REQUIREMENTS OF MIL-C-81467(AS).

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE 1981E IN EFFECT ON DATE OF INVITATIONS FOR BID.

(A) FOR CHANGES SEE SHTS 2 &amp; 3

P.A. NAVY - AS Other Cost	TITLE	MILITARY STANDARD
	CHAFF, COUNTERMEASURES, RR-129/ALE-29A	MS14112(AS)
PROCUREMENT SPECIFICATION MIL-C-81467(AS)	SUPERSEDES:	SHEET 1 OF 4


DD FORM 672-1 (Limited coordination)



PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17700

This military standard is approved by MILSTD, and SPECIFICATIONS COMMISSION, Department of the Navy and is mandatory for use by their activity. All other military specifications are required to comply with this standard where applicable.

APPROVED 29 Dec 1971 REVISED (A) 26 June 1973



FED. SUP CLASS  
8895-4 DIVIDERSLIGHT ROUGHNESS OF EDGE OF PISTON  
ON SIDE WITHOUT HOLE IS PERMISSIBLE-5 PISTONThis military standard is approved by NAVY, AIR SYSTEMS COMMAND,  
Department of the Navy and is mandatory for use by  
that activity. All other military activities are required  
to employ this standard where applicable.P.A. NAVY - AS  
Other Code

TITLE

CHAFF, COUNTERMEASURES, RR-129/ALE-29A

MILITARY STANDARD

MS14112(AS)

PROCUREMENT SPECIFICATION  
MIL-C-81467(AS)

SUPERSEDES:


SHEET 3

DD FORM 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17700

APPROVED 29 Dec 1971 REVISED (A) FOR CHANGES SEE SHEETS 2 &amp; 3

FED. SUP CLASS  
5595

-6 SQUIB RETAINER



This military standard is approved by NAVAL AIR SYSTEMS COMMAND,  
Department of the Navy and is mandatory for use by  
all military activities. All other military activities are required  
to employ this standard where feasible.

P.A. NAVY - AS  
Other Cost

TITLE

CHAFF, COUNTERMEASURES, RR-129/ALE-29A

PROCUREMENT SPECIFICATION  
MIL-C-81467(AS)

SUPERSEDES:

MILITARY STANDARD

MS 14112(AS)

SHEET 4

DD FORM 672-1 (Limited Coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 1704

APPROVED 29 Dec 1971 REVISED (A) FOR CHANGES SEE SHEET 2 &amp; 3



FOLD

DEPARTMENT OF THE NAVY  
Naval Air Engineering Center  
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID  
DEPARTMENT OF THE NAVY  
DOD 316



Engineering Specifications and Standards Department (Code ES)  
Naval Air Engineering Center  
Philadelphia, PA 19112

FOLD