


PROJECT NO. 6895-N165

FED. SUP CLASS
6895

-1 CASE ASSEMBLY SHOWING DIPOLE ORIENTATION

DASH NO.

-1

NOTES:

1. MATERIAL: (a) DIPOLES: MIL-C-81467(AS).
(b) CASE-2: POLYETHYLENE, MIL-P-22748, CLASS A, GRADES 2, 4 AND 6.
(c) CAP-3: POLYCARBONATE, LIGHT BLUE - FORM 1, L-P-393.
(d) DIVIDER - 4: 11 POINT TAG BOARD.
(e) PISTON - 5: POLYCARBONATE, FORM 1, L-P-393.
(f) SQUIB RETAINER - 6: POLYCARBONATE, L-P-393.
2. REMOVE ALL BURRS AND SHARP EDGES.
3. DIMENSIONS IN INCHES. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH USAS Y 14.5 - 1966 (ANNE).
4. LETTERING IN ACCORDANCE WITH MIL-STD-130 IN LOCATION SHOWN, WITH .015 HIGH RAISED CHARACTERS TO BE PAINTED PER MIL-1-16567 WITH TT-1-556 WHITE INK. (SEE -3 CAP.)
6. THE CASE ASSEMBLY SHALL BE COMPLETELY COMPATIBLE WITH AND SUITABLE FOR DISPENSING OF THE CHAFF PAYLOAD FROM AN AN/ALE-29A DISPENSER, AND SHALL MEET THE PERFORMANCE REQUIREMENTS OF MIL-C-81467(AS).

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE 1981E IN EFFECT ON DATE OF INVITATIONS FOR BID.

(A) FOR CHANGES SEE SHTS 2 & 3

P.A. NAVY - AS Other Cost	TITLE	MILITARY STANDARD
	CHAFF, COUNTERMEASURES, RR-129/ALE-29A	MS14112(AS)
PROCUREMENT SPECIFICATION MIL-C-81467(AS)	SUPERSEDES:	SHEET 1 OF 4


DD FORM 672-1 (Limited coordination)



PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17700

This military standard is approved by NAVAIR, and is for use by the Department of the Navy and is mandatory for use by other activities. All other military activities are required to comply with this standard where applicable.

APPROVED 29 Dec 1971 REVISED (A) 26 June 1973



FED. SUP CLASS
8895-4 DIVIDERSLIGHT ROUGHNESS OF EDGE OF PISTON
ON SIDE WITHOUT HOLE IS PERMISSIBLE-5 PISTONThis military standard is approved by NAVY, AIR SYSTEMS COMMAND,
Department of the Navy and is mandatory for use by
that activity. All other military activities are required
to employ this standard where applicable.P.A. NAVY - AS
Other Code

TITLE

CHAFF, COUNTERMEASURES, RR-129/ALE-29A

MILITARY STANDARD

MS14112(AS)

PROCUREMENT SPECIFICATION
MIL-C-81467(AS)

SUPERSEDES:


SHEET 3

DD FORM 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17700

APPROVED 29 Dec 1971 REVISED (A) FOR CHANGES SEE SHEETS 2 & 3

FED. SUP CLASS
5895

-6 SQUIB RETAINER



This military standard is approved by NAVAL AIR SYSTEMS COMMAND,
Department of the Navy and is mandatory for use by
Department of the Navy activities. All other military activities are required
to employ this standard where applicable.

P.A. NAVY - AS
Other Code

TITLE

CHAFF, COUNTERMEASURES, RR-129/ALE-29A

PROCUREMENT SPECIFICATION
MIL-C-81467(AS)

SUPERSEDES:

MILITARY STANDARD

MS 14112(AS)

SHEET 4

DD FORM 672-1 (Limited Coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 1704

APPROVED 29 Dec 1971 REVISED (A) FOR CHANGES SEE SHEET 2 & 3

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316



Engineering Specifications and Standards Department (Code ES)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD