


FED. WF CLASS
4210



-1 ASSEMBLY

MS PART NO.	ITEM
MS14141-1	ASSEMBLY
-2	BAND ASSEMBLY
-3	BASE
-4	BOTTOM BRACKET
-5	TUMBLER RELEASING
-6	RELEASING LEVER
-7	FRICITION CATCH (SEE NOTE 6)
MS14141-8	WEDGING SCREW ASSEMBLY

NOTES :


- NOTES:
1. MATERIAL: -3 THRU -6 SHALL BE ALUMINUM ALLOY #195-74.
 2. FINISH: -3 THRU -6 SHALL HAVE ANODIC TREATMENT.
 3. TOTAL WEIGHT OF HB14141-1 SHALL BE 1.50 LB MAXIMUM.
 4. PAD SHALL BE ADHESIVE BACKED, 1/16 THICK X 3/8 DIA, CORK AND RUBBER COMPOSITION.
 5. DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED: TOLERANCES DECIMALS $\pm .020$; ANGLES $\pm 1/2^\circ$.
 6. PART NO. -7 SHALL BE AS FWD BY CORBIN CO PT NO. 3067 1/2 OR EQUAL.
 7. REMOVE ALL BURRS & BREAK ALL SHARP EDGES.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

This category standard is approved by NEMA, AIR SYSTEMS COUNCIL.
 Equipment of this type can still be used by
 the industry. All other military standards are required
 simply that standard other category.

APPROVED 1 Mar 73

P.A. NAVY - AS Other Cost	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD
		MS14141(AS)
PROCUREMENT SPECIFICATION M11-P-5627	SUPERMODEL	SHEET 1 OF 5




* PLACE NOTE "SWING HORN TO LEFT THEN LIFT LEVER TO RELEASE EXTINGUISHER"


This drawing is prepared by hand and systems commands. It is not to be used for manufacturing. All other drawings are prepared by computer and are subject to change without notice.

APPROVED 1 MAR 73 REVISED

P.A. NAVY - AS Other Code	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD MS14141(AS)
DOCUMENT IDENTIFICATION HTI-E-5627	SUPPLEMENT	NAVY 2 5

FED. SUP CLASS
4210



SECTION A-A



The military standard is approved by MIL-STD-883C, and is not to be used by other than the Navy and its contractors. All other military standards are required to comply with standard when available.

APPROVED 1 Mar 73 REVISED




P.A. NAVY - AS Other Code	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD MS14141 (AS)
PROCUREMENT SPECIFICATION MIL-E-5627	SUPERMODEL	SHEET 3 OF 3

FED. SUP CLASS
4210

This military standard is approved by MIL-STD-883C and SYSTEMS COMMITTEE.
Department of the Navy and shall be used by
their authority. All other military standards are required
to comply with standard when applicable.

APPROVED 1 MAR 73 REVISED

P.A. NAVY - AS Other Code	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD
PRESIDENTIAL SPECIFICATION MIL-E-5627	EXPERIMENTAL	MS14141(AS)
DD FORM 672-1 (limited coordination)	PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.	NAVY 4 5 PLATE NO. 11700

P80. SUP CLASS
4210
 Department of the Navy and shall be used by
 other military activities are required
 to comply with standard when notified

P.A. NAVY - AS Other Cost	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD	
PROCUREMENT SPECIFICATION MIL-E-5627	SUPERSEDES	MS14141 (AS)	
		SHEET 5	OF 5

DD FORM 672-1 (limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 22871

APPROVED 1 Mar 72 REVISED

