


P&S. SUP CLASS  
4210

-1 ASSEMBLY

MS PART NO.	ITEM
MS14141-1	ASSEMBLY
-2	BAND ASSEMBLY
-3	BASE
-4	BOTTOM BRACKET
-5	TUMBLER RELEASING
-6	RELEASING LEVER
-7	FRICTION CATCH (SEE NOTE 6)
MS14141-8	WEDGING SCREW ASSEMBLY

## NOTES:

1. MATERIAL: -3 THRU -6 SHALL BE ALUMINUM ALLOY #195-T4.
2. FINISH: -3 THRU -6 SHALL HAVE ANODIC TREATMENT.
3. TOTAL WEIGHT OF MS14141-1 SHALL BE 1.50 LB MAXIMUM.
4. PAD SHALL BE ADHESIVE BACKED, 1/16 THICK X 3/8 DIA, CORN AND RUBBER COMPOSITION.
5. DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED; TOLERANCES DECIMALS  $\pm .020$ ; ANGLES  $\pm 1/2^\circ$ .
6. PART NO. -7 SHALL BE AS MFD BY CORBIN CO PT NO. 3067 1/2 OR EQUAL.
7. REMOVE ALL BURRS & BREAK ALL SHARP EDGES.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

This military standard is approved by MILITARY AIR SYSTEMS COMMAND, and is hereby approved for use by all military departments and agencies. It is hereby approved for use by all military departments and agencies.

P.A. NAVY - AS  
Other Code

TITLE

BRACKET-MOUNTING, EXTINGUISHER, FIRE

MILITARY STANDARD

MS14141(AS)

PROCUREMENT SPECIFICATION  
MIL-P-5627

SUPERMODEL


SHEET 1 OF 5

DD FORM 672-1 (limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


PLATE NO. 17700

APPROVED 1 Mar 73 REVISED




This drawing is prepared by hand and systems commands. It is not to be used for reproduction. All other drawings are prepared by hand and systems commands.

P.A. NAVY - AS Other Code	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD MS14141(AS)
DOCUMENT IDENTIFICATION HTI-E-5627	SUPPLEMENT	NAVY 2 5

FED. SUP CLASS  
4210


## SECTION A-A




This military standard is approved by MIL-STD-883C-1, and is not to be used by any other agency. All other military standards are required to comply with standard when available.

APPROVED 1 Mar 73 REVISED

P.A. NAVY - AS Other Code	TITLE BRACKET-MOUNTING, EXTINGUISHER, FIRE	MILITARY STANDARD <b>MS14141 (AS)</b> SHEET 3 OF 3
DOCUMENT SPECIFICATION MIL-E-5627	SUPERSEDES	



This military standard is approved by MILSTD and SYSTEMS COMMITTEE.  
Department of the Navy and shall be used by  
their activity. All other military activities are required  
to comply with standard when applicable.

P80. SUP CLASS  
4210


CORBIN PART NO.  
3067 1/2  
1 1/2 LONG X 3/8 O.D.  
NICKEL PLATED  
SHELL AND RETAINER

BALL 5/16 DIA  
STAINLESS STEEL  
TYPE 303 POLISHED  
SURFACE HARDNESS:  
ROCKWELL 50-57C

RETAINER TO BE  
FLUSH WITH SHELL  
 $\pm .005$

SPRING BRONZE  
-7 FRICTION CATCH ASSEMBLY

$.395 \pm .005$



-8 WEDGING SCREW ASSEMBLY

P.A. NAVY - AS  
Other Case

TITLE

BRACKET-MOUNTING, EXTINGUISHER, FIRE

MILITARY STANDARD

MS14141 (AS)

PROCUREMENT SPECIFICATION  
MIL-E-5627

SUPERSEDES

SHEET 5 OF 5

DD FORM 672-1 (limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PLATE NO. 22871

APPROVED 1 Mar 72 REVISED

