


FED. SUP CLASS  
1680(A) -11 DROPLINE/BOOT ASSY

## NOTES

1. **BOOT:**  
 MATERIAL: TOP AND BOTTOM PANEL, CLOTH, COATED, NYLON, WATERPROOF, PER MIL-C-20696, TY III, CLASS 5, COLOR: BLACK; THREAD, NYLON, PER V-T-295, TY I, CL A, SIZE E, COLOR: WHITE, MARKING INK: YELLOW, MIL-I-6903, AND SHALL HAVE A pH FACTOR OF 5.0 TO 8.5.  
 2. DIMENSIONS IN INCHES. TOLERANCES SHALL BE  $\pm 1/32$ , UNLESS OTHERWISE SPECIFIED.  
 3. STITCHING SHALL BE IN ACCORDANCE WITH FED. STD. NO. 751, TYPE 301, 6 TO 8 STITCHES PER INCH. BACKSTITCH 1/2 INCH MINIMUM.  
 4. MARKING SHALL BE IAW MIL-STD-130.  
 5. MS PART NUMBER. THE MS PART NUMBER FOR THE DROPLINE/BOOT ASSY SHALL BE MS14175-11; FOR THE BOOT MS14175-1.  
 6. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL EXCEPT THAT REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.  
 7. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

(A) DENOTES CHANGE

This military standard is approved for use by  
NAVAL AIR SYSTEMS COMMAND, Department of the Navy  
and is available for use by all Departments and Agencies  
of the Department of Defense.


|  |  |                                      |
|--|--|--------------------------------------|
| P.A. NAVY - AS<br>Other Code                 | TITLE<br><br>DROPLINE/BOOT ASSY<br>RIGID SEAT SURVIVAL KIT | MILITARY STANDARD<br><br>MS14175(AS) |
| PROCUREMENT SPECIFICATION<br>MIL-S-81018(AS) | SUPERSEDES:<br>36H1323-3 IN PART (06736)                   | SHEET 1 OF 4 (A)                     |

DD FORM 672-1 (Limited circulation)



PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PROJECT NO. 1680-N479

APPROVED 20 DEC 1976 REVISED (A) 31 JULY 1980



This military standard is approved for use by  
NAVAL AIR SYSTEMS COMMAND, Department of the Navy  
and is available for use by all Departments and Agencies  
of the Department of Defense.

FED. SUP CLASS  
1680



This military standard is approved for use by  
NAVAL AIR SYSTEMS COMMAND, Department of the Navy  
and is available for use by all Departments and Agencies  
of the Department of Defense.

APPROVED 20 DEC 1976 REVISED (A) FOR CHANGES SEE SHEETS 1 THROUGH 4

|  |  |                                      |
|--|--|--------------------------------------|
| P.A. NAVY - AS<br>Other Code                 | TITLE<br><br>DROPLINE/BOOT ASSY<br>RIGID SEAT SURVIVAL KIT | MILITARY STANDARD<br><br>MSI4175(AS) |
| PROCUREMENT SPECIFICATION<br>MIL-S-81018(AS) | SUPERSEDES<br>36H1323-3 IN PART (06736)                    | SHEET 3 OF 4 (A)                     |

DD FORM 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

FED. SUP CLASS  
1680

This military standard is approved for use by  
NAVAL AIR SYSTEMS COMMAND, Department of the Navy  
and is available for use by all Departments and Agencies  
of the Department of Defense.

APPROVED 20 DEC 1976 REVISED (A) FOR CHANGES SEE SHEETS 1 THROUGH 4

|  |  |                                  |
|--|--|----------------------------------|
| P.A. NAVY - AS<br>Other Code                 | TITLE<br>DROPLINE/BOOT ASSY<br>RIGID SEAT SURVIVAL KIT | MILITARY STANDARD<br>MSI4175(AS) |
| PROCUREMENT SPECIFICATION<br>MIL-S-81018(AS) | SUPERSEDES:<br>36H1323-3 IN PART (06736)               | SHEET 4 OF 4 (A)                 |

DD FORM 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

NAVAL AIR DEVELOPMENT CENTER