


FED. SUP CLASS
 9540



TABLE I. DASH NUMBERS.

DASH NO	A	B	C	D	E	F	T ₁	T ₂	T ₃	R ₁	TEMPER
001	1.500	1.500	.737	.763	.90°	.90°	.063	.063	.063	.125	T76511
003	3.250	2.875	1.437	1.437	.90°	.90°	.125	.190	.190	.125	T76511

REQUIREMENTS:

1. MATERIAL. ALUMINUM ALLOY 7075, (MS A97075) AS SPECIFIED IN QQ-A-200/15.
2. FORMING PROCESS. EXTRUDED (CODE E).
3. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC NO NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS14707001



4. MARKING. ALUMINUM AND ALUMINUM ALLOYS SHALL BE MARKED IN ACCORDANCE WITH FED-STD-184 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. STANDARD LENGTH OF TEE IS 10' MINIMUM, 12' MAXIMUM.
3. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
4. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

P. A. Other Code	AS MR 99	INTERNATIONAL INTEREST	TITLE TEE, STYLE I, EXFOLIATED ALUMINUM ALLOY 7075	MILITARY STANDARD MS14370
PROCUREMENT SPECIFICATION QQ-A-200			SUPERSEDES	PAGE 1 OF 1

 USER ACTIVITIES
 NAVY-MC, OS, SH

 REVIEWER ACTIVITIES
 AIR FORCE-84
 DLA-15

 This military standard is approved for use by all Departments and Agencies of the Department of Defense.
 Selection for all new engineering and design applications and for repetitive use shall be made from this document.