


FED. SUP CLASS
9515

TABLE I. DASH NUMBERS.

| DASH NO | A NOMINAL SIZE INCHES | B NOMINAL SIZE INCHES | C NOMINAL SIZE FEET | HEAT TREATMENT | FORMING ^{1/} PROCESS | ADDITIONAL ^{2/} REQUIREMENTS |
|---------|-----------------------------|-----------------------------|---------------------------|-------------------|----------------------------------|--|
| 001 | .01000 | 36 | 8 | ANNEALED | C | do |
| 003 | .01600 | 36 | 8 | ANNEALED | C | do |
| 005 | .01875 | 56 | 8 | ANNEALED | C | bo |
| 007 | .01900 | 36 | 8 | ANNEALED | C | |
| 009 | .02000 | 36 | 10 | ANNEALED | C | |
| 011 | .02190 | 36 | 8 | ANNEALED | C | bo |
| 013 | .02500 | 48 | 6 | ANNEALED | C | |
| 015 | .02500 | 36 | 6 | ANNEALED | C | |
| 017 | .02500 | 36 | 8 | ANNEALED | C | |
| 019 | .03100 | 48 | 8 | ANNEALED | H | |
| 021 | .03750 | 36 | 6 | ANNEALED | C | |
| 023 | .03750 | 48 | 6 | ANNEALED | C | |
| 025 | .04100 | 48 | 12 | ANNEALED | C | bo |
| 027 | .05000 | 36 | 8 | ANNEALED | H | |
| 029 | .05000 | 36 | 10 | ANNEALED | C | |
| 031 | .05600 | 48 | 12 | ANNEALED | C | do |
| 033 | .06300 | 36 | 8 | ANNEALED | C | p |
| 035 | .06300 | 48 | 12 | ANNEALED | C | bo |
| 037 | .01090 | 36 | 6 | ANNEALED | H | ds |
| 039 | .01090 | 36 | 8 | ANNEALED | H | |
| 041 | .15600 | 48 | 6 | ANNEALED | C | |

^{1/} SEE REQUIREMENT 2
^{2/} SEE REQUIREMENT 3

USER ACTIVITIES:

 REVIEWER ACTIVITIES:
 AIR FORCE - 84
 DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

| | | | | |
|---------------------------------------|----------------|---------------------------|---|------------------------------|
| P.A. Other Cust | AS MR 99 | INTERNATIONAL INTEREST | TITLE SHEET, METAL, CORROSION RESISTANT, TYPE 302 | MILITARY STANDARD MS14456 |
| PROCUREMENT SPECIFICATION QQ-S-766 | | SUPERSEDES: | | PAGE 1 OF 2 |

DD FORM 1 MAY 73 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

9515-0500

APPROVED 28 FEB 1985 REVISED

FED SUP CLASS
9515


REQUIREMENTS:

1. MATERIAL. STEEL, CORROSION RESISTANT, TYPE 302 (UNS S30200) AS SPECIFIED IN PROCUREMENT DOCUMENT.
2. FORMING PROCESS. HOT FINISHED - CODE "H"
COLD FINISHED - CODE "C"
3. ADDITIONAL REQUIREMENTS.

| | | | |
|-------------|----------|--------|--------|
| POLISHED | OVERALL | - CODE | "p" |
| POLISHED | ONE SIDE | - CODE | "p(l)" |
| DULL | OVERALL | - CODE | "do" |
| BRIGHT | OVERALL | - CODE | "bo" |
| DESCALED | OVERALL | - CODE | "ds" |
| PICKLED | OVERALL | - CODE | "po" |
| SANDBLASTED | OVERALL | - CODE | "sb" |

4. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS14456C001



5. MARKING. IRON AND STEEL PRODUCTS SHALL BE MARKED IN ACCORDANCE WITH FED-STD-183 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
2. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

| | | | | |
|---------------------------------------|----------------|---------------------------|---|------------------------------|
| P.A. Other Cust | AS MR 99 | INTERNATIONAL INTEREST | TITLE SHEET, METAL, CORROSION RESISTANT, TYPE 302 | MILITARY STANDARD MS14456 |
| PROCUREMENT SPECIFICATION QQ-S-766 | | | SUPERSEDES: | PAGE 2 OF 2 |

DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

9515-0500

USER ACTIVITIES:

REVIEWER ACTIVITIES:
AIR FORCE - 84
DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

APPROVED 28 FEB 1985
REVISED