



TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	A	B	NOMINAL LENGTH (FEET)
-001	.008	36	8.0
-003	.020	25	8.0
-005	.020	48	8.0
-007	.025	24	2.0
-009	.025	48	8.0
-011	.026	36	8.0
-013	.028	48	8.0
-015	.032	31	7.0
-017	.032	48	12.0
-019	.036	48	8.0
-021	.040	36	8.0
-023	.045	40	8.0
-025	.048	36	4.0
-027	.050	36	8.0
-031	.056	36	6.0
-033	.056	48	8.0
-035	.063	36	8.0

DASH NUMBER	A	B	NOMINAL LENGTH (FEET)
-037	.071	36	8.0
-039	.080	48	8.0
-041	.090	48	8.0
-043	.093	48	8.0
-045	.100	28	4.5
-047	.100	36	10.0
-049	.100	48	8.0
-051	.112	48	8.0
-053	.125	48	8.0
-055	.125	48	12.0
-057	.130	48	8.0
-059	.140	36	8.0
-061	.160	36	8.0
-063	.180	24	2.0
-065	.180	48	8.0
-067	.180	48	10.0

USER ACTIVITIES:
ARMY-ER, GL, MIREVIEWER ACTIVITIES:
ARMY-AR, AV
NAVY-OS, SH
AIR FORCE-84
DLA-IS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

P.A. NAVY-AS Other Cust ARMY-MR AIR FORCE-99	INTERNATIONAL INTEREST	TITLE SHEET, METAL, TITANIUM ALLOY 6AL-4V (AB-I)	MILITARY STANDARD
PROCUREMENT SPECIFICATION MIL-T-9046			MS14517
SUPERSEDES:			PAGE 1 OF 2

AMSC N/A

DD FORM 1 MAY 73 **672-1** (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

9535-0446

APPROVED
9 NOV 87
REVISED

FED. SUP CLASS
9535

REQUIREMENTS:

1. MATERIAL. ALPHA-BETA TITANIUM ALLOY, 6AL-4V (AB-1), AS SPECIFIED IN THE PROCUREMENT SPECIFICATION.
2. MATERIAL CONDITION. MATERIAL SHALL BE ANNEALED AS SPECIFIED IN THE PROCUREMENT SPECIFICATION.
3. FABRICATION METHOD AND FINISH. NUMBER 2D FINISH (COLD-ROLLED, DULL FINISH) AS SPECIFIED IN THE PROCUREMENT SPECIFICATION.
4. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, FOLLOWED BY A DASH NUMBER FROM TABLE I.

EXAMPLE: MS14517-005

DASH NUMBER FROM TABLE I

BASIC MS NUMBER

5. MARKING. EACH SHEET SHALL BE MARKED AS SPECIFIED IN PROCUREMENT SPECIFICATION WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
3. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

USER ACTIVITIES:
ARMY-ER, GL, MIREVIEWER ACTIVITIES:
ARMY-AR, AV
NAVY-OS, SH
AIR FORCE-84
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

REVISED
APPROVED 9 NOV 87

P.A. NAVY-AS Other Cust ARMY-MR AIR FORCE-99	INTERNATIONAL INTEREST	TITLE SHEET, METAL, TITANIUM ALLOY 6AL-4V (AB-1)	MILITARY STANDARD MS14517
PROCUREMENT SPECIFICATION MIL-T-9046	SUPERSEDES:	PAGE 2 OF 2	

DD FORM 1 MAY 73 **672-1** (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

9535-0446