


FED. SUP. CLASS

6240

This standard establishes the overall dimensions and detail engineering requirements for incandescent lamps, types TS-127, TS-128, and TS-129. The item covered hereon is standard for use in the design of new equipment procured by the Bureau of Ships.

(B) CANCELED AFTER 30 JUNE 1981
NO SUPERSEDING STANDARD



1191

MS part number	Type	PIIN
MS15531-1	TS-127	
MS15531-2	TS-128	196-4486
MS15531-3	TS-129	

Characteristic	Type TS-127	Type TS-128	Type TS-129
Industry number	319A	319R	319W
Amperes	0.19	0.19	0.19
Volts	3	3	3
Bulb	T-1-1/4	T-1-1/4	T-1-1/4
Finish	Amber	Red	White
Base	Special (952)	Special (952)	Special (952)
Filaments	C-2R	C-2R	C-2R
Light center length (inches)	15/32	15/32	15/32
Overall length (max. inches)	3/4	3/4	3/4
Hours life (approximate)	350	350	350
Use	Pilot and indicator	Pilot and indicator	Pilot and indicator

Distance from center of light source to bottom base contact.

Deleted overall length dimensions in characteristics.

★ U.S. GOVERNMENT PRINTING OFFICE: 1981 — 703-023/3934

I I N N 1981

(B) 30 JUN 1981

REVISED 12 JUN 1981

APPROVED 1 MAY 1981

CUSTODIANS Ships	OWNER INT. A- B- AF -	MILITARY STANDARD		MS15531 (SHIPS)
		LAMP, INCANDESCENT, T-1-1/4, SPECIAL (952) BASE		
PROCUREMENT SPECIFICATION		SUPERSEDES:	SHEET 1 OF 1	