


NOTES: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever, and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conferring any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard establishes the overall dimensions and detail engineering requirements for incandescent lamps, types TS-127, TS-128, and TS-129. The item covered hereon is standard for use in the design of new equipment procured by the Bureau of Ships.

FED. SUP. CLASS
6240

ⓑ CANCELED AFTER 30 JUNE 1981
NO SUPERSEDING STANDARD



MS part number	Type	PIIN
MS15531-1	TS-127	196-4486
MS15531-2	TS-128	
MS15531-3	TS-129	

Characteristic	Type TS-127	Type TS-128	Type TS-129
Industry number	318A	318R	318W
Amperes	0.19	0.19	0.19
Volts	3	3	3
Bulb	T-1-1/4	T-1-1/4	T-1-1/4
Finish	Amber	Red	White
Base	Special (952)	Special (952)	Special (952)
Filaments	C-2R	C-2R	C-2R
Light center length (inches)	15/32	15/32	15/32
Overall length (max. inches)	3/4	3/4	3/4
Hours life (approximate)	350	350	350
Use	Pilot and Indicator	Pilot and Indicator	Pilot and Indicator

✓ Distance from center of light source to bottom base contact.

Deleted overall length dimensions in characteristics.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1981 — 703-023/3934

CUSTODIANS Ships	OTHER INT. A - N - NF -	MILITARY STANDARD		MS15531 (SHIPS)
		LAMP, INCANDESCENT, T-1-1/4, SPECIAL (952) BASE		
PROCUREMENT SPECIFICATION		SUPERSEDES:		SHEET 1 OF 1

DD FORM 672-1
1 OCT 62

APPROVED 19 MAY 1984 REVISED ⓐ 27 JUN 1986 ⓑ 30 JUN 1981