


NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any way constituting an endorsement, recommendation, or approval of the views or opinions expressed, or the use of the said drawings, specifications, or other data for any purpose other than that for which they were prepared, or as in any way constituting an endorsement, recommendation, or approval of the views or opinions expressed, or the use of the said drawings, specifications, or other data for any purpose other than that for which they were prepared.

This standard establishes the overall dimensions and detail engineering requirements for incandescent lamps, type TB-19. The item covered hereon is standard for use in the design of new equipment procured by the Bureau of Snips.

FED. SUP. CLASS  
6240



<u>Characteristic</u>	<u>Type</u> <u>TB-19<sup>1</sup></u>
Industry number	222
Amperes	0.25
Volts	2.2
Bulb	TL-3
Finish	Clear
Base	<b>Miniature screw</b>
Filaments	C-6
Overall length (max. inches)	15/16
Hours life (approximate)	5
Use	Chemical detector kit M-9 and Navy type 10695 soldering guns.
Design voltage	2.25

<sup>1</sup> Voltage rating identified on lamp by white bead color.

① CANCELED AFTER 30 JUNE 1981  
USE W-L-111/11

U.S. GOVERNMENT PRINTING OFFICE: 1981 — 703-023/3935

MS part number				FIIN		APPROVED
MS15537-1				155-8678		
CUSTODIANS	OTHER INT.	MILITARY STANDARD			MS15537	
Ships	A - N - AF -					
		LAMP, INCANDESCENT, TL-3, MINIATURE SCREW				
Procurement Specification		SUPERSEDES:			SHEET 1 OF 1	