


NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor obligation whatever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard establishes the overall dimensions and detail engineering requirements for incandescent lamps, type TS-32. The item covered hereon is standard for use in the design of new equipment procured by the Bureau of Ships.

FED. SUP. CLASS
6240



Characteristic

Type TS-32

Industry number	809M
Watts	8
Volts	70
Bulb	G-8
Finish	Clear
Base	Miniature screw
Filaments	(A) C-7A
Light center length (inches) ✓	1-1/8
Hours life (approximate)	600
Use	Sperry Mk. XV repeater

✓ Distance from center of light source to bottom base contact.

(A) Deleted overall length data in characteristics.

MS part number		FIIN	
MS15578-1		155-8711	
CUSTODIANS	OTHER INT.	MILITARY STANDARD	
Ships	A - N - AF -	LAMP, INCANDESCENT, G-8, MINIATURE SCREW	
Procurement Specification None		SUPERSEDES:	
		MS15578 (SHIPS)	
		SHEET 1 OF 1	