


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, or in any way supplied, the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the Bureau of Ships Department of the Navy, and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.



Ⓓ INACTIVE FOR NEW DESIGN AFTER 30 SEPTEMBER 1968.
NO SUPERSEDING STANDARD.

MS part number	Amperes or Watts	Volts	Finish	Filament	Hours life (approx.)	Candlepower	Lumen output (approx.)	Light center length, inches	Industry number	Use
MS15618-2	100 W	120	Clear	CC-11	50	-----	1800	1-1/8	100G16-1/2/2	8 inch signaling searchlight
MS15618-5	3.5 A	32	---	CC-6	50	235	----	1-1/8	1240	8 inch signaling searchlight

✓ Distance from center of light source to plane of locating bosses or prefocusing collar.

NOTE: This standard establishes the overall dimensions and detail engineering requirements for incandescent lamps. The item covered hereon is standard for use in the design of new equipment procured by the Bureau of Ships.

Ⓔ CANCELED AFTER 23 JULY 1984. NO SUPERSEDING STANDARD.

FED. SUP CLASS
62 40

P.A. SHIPS Other Cust	TITLE LAMP, INCANDESCENT, G-16-1/2 CANDELABRA PREFOCUSING, DOUBLE CONTACT	MILITARY STANDARD
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	MS 15618(SHIPS)
		SHEET 1 OF 1

APPROVED 2 AUG 1954 REVISED Ⓐ 6 JUN 1956 Ⓒ 12 JAN 1962 Ⓓ 30 September 1968 Ⓔ 23 JULY 1984